

# Index

---

## A

AY9944, Hedgehog signaling inhibition in *Xenopus* embryos, 42, 44

## B

Bioinformatics, *see* Sequence analysis, Hedgehog components

## C

Chick embryo

polarizing region grafting studies, 23, 24

Sonic hedgehog

limb bud assay

bead implantation, 28, 29, 31

bead preparation, 27, 31

egg windowing, 27, 28, 31

graft preparation and grafting, 29, 30

materials, 26

protein preparation, 27, 31

skeletal analysis, 30, 31

Patched receptor induction, 25, 26

transcript distribution, 24, 25

wing bud assay, 24

*cis*-regulatory element, *see* Sequence analysis, Hedgehog components

Clonal analysis, *see* *Drosophila* wing imaginal disc; *Drosophila* eye

Coastal2, Hedgehog signaling complexes, 204

Confocal microscopy

Hedgehog—green fluorescent protein studies in *Drosophila* wing imaginal disc, 96, 99, 100, 102

Hedgehog large punctate structure studies in *Drosophila* embryo

confocal microscopy, 110, 111

embryo preparation, 108, 112, 113

immunostaining, 110

materials, 106, 107, 112

muscle cell fate specification in zebrafish embryo, 60, 61

Cubitus interruptus

function, 91

Hedgehog signaling complexes, 204

Cyclopamine, Hedgehog signaling inhibition in *Xenopus* embryos, 41, 42

## D

Desert hedgehog (Dhh)

synthesis and processing, 1

*Xenopus* embryo homolog, 36

Dhh, *see* Desert hedgehog

*Drosophila* cells

fractionation, *see* Schneider 2 cell fractionation

immunoprecipitation, *see* Immunoprecipitation, Hedgehog signaling complexes from *Drosophila* cells

*Drosophila* embryo

germline clone embryo studies of Hedgehog components

cuticle preparation embryos, 141, 143

embryo collection

cuticle preparation embryos, 140

harvesting and dechorionating, 140, 142, 143

immunostaining and *in situ* hybridization embryos, 140

media, 139

set-up, 139, 140

female generation, 136–138, 142

germline clone stocks and uses, 131, 132

germline stem cell creation, 132–134

immunostaining and *in situ* hybridization, 141, 142

male generation, 136

male selection for cross by application, 138, 139, 142

materials, 134, 135

overview, 129, 130

Hedgehog expression regulation, 106

Hedgehog large punctate structure studies

antisense digoxigenin-labeled RNA probe synthesis, 108, 113

confocal microscopy, 110, 111

embryo preparation, 108, 112, 113

fluorescent *in situ* hybridization of whole mount embryos, 109, 113

immunostaining, 110

materials, 106, 107, 112

*Drosophila* eye, clonal analysis of Hedgehog signaling

crossing scheme, 151, 158

experimental design, 147–149, 157, 158

FLP chromosomes, 150, 159

FRT chromosomes, 149, 157

genes and genotypes, 150

loss-of-function clones marked by *white*

analysis, 156

crossing, 155, 156

materials, 151, 152

principles, 145–147

troubleshooting, 151, 158

*Drosophila* GAL4/UAS expression system, *see* GAL4/UAS expression system

*Drosophila* wing imaginal disc

anatomy, 92

clonal analysis of Hedgehog signaling

crossing scheme, 151, 158

experimental design, 147–149, 157, 158

- FLP chromosomes, 150, 159
- FRT chromosomes, 149, 157
- genes and genotypes, 150
- loss-of-function clones marked by green fluorescent protein
  - crossing, 153, 159
  - dissection of larvae, 153
  - fixation, 153, 154
  - immunostaining, 154
  - mounting and microscopy, 154, 155
- materials, 151, 152
- principles, 145–147
- transgene misexpression, 156, 157
- troubleshooting, 151, 158
- Hedgehog distribution analysis
  - GAL4/UAS expression system, 94–96
  - green fluorescent protein fusion, 94
  - immunocytochemistry
    - extracellular staining, 96, 97
    - intracellular staining, 96, 98, 99
    - staining with soluble substrates, 97, 98, 102
  - materials, 92, 93, 98
- Hedgehog synthesis and signaling, 92
- immunoprecipitation, *see* Immunoprecipitation
- RNA interference of Hedgehog signaling
  - controls, 123
  - GAL4/UAS expression system, 121, 122, 125
  - gene knockdown analysis, 122
  - LR reaction and construct selection, 120, 121, 125
  - materials, 117, 119
  - overview, 115–117
  - pFRiPE vector
    - efficiency, 123
    - preparation, 119, 120, 124, 125
    - structure, 116–118
  - sequencing of constructs, 121

**E**

Evolution, *see* Sequence analysis, Hedgehog components

**F**

FISH, *see* Fluorescent *in situ* hybridization

Flow cytometry

- advantages, 80
- applications, 80
- GLI—green fluorescent protein fusions, 69, 70, 72
- Hedgehog signaling studies
  - cell concentration, 83

- cell cycle analysis, 83, 85, 87–89
- double-labeled cell studies, 89–89
- materials, 82, 83, 88
- overview, 81, 83
- surface marker analysis, 85–89
- multiparameter analysis, 81
- FLP recombinase, *see Drosophila* wing imaginal disc; *Drosophila* embryo; *Drosophila* eye
- Fluorescence recovery after photobleaching (FRAP), Hedgehog—green fluorescent protein studies in *Drosophila* wing imaginal disc, 96, 99
- Fluorescence resonance energy transfer (FRET), Hedgehog—green fluorescent protein studies in *Drosophila* wing imaginal disc, 96, 100, 102
- Fluorescent *in situ* hybridization (FISH), Hedgehog large punctate structure studies in *Drosophila* embryo
  - antisense digoxigenin-labeled RNA probe synthesis, 108, 113
  - embryo preparation, 108, 112, 113
  - materials, 106, 107, 112
  - whole mount embryos, 109, 113
- FRAP, *see* Fluorescence recovery after photobleaching
- FRET, *see* Fluorescence resonance energy transfer
- Fused, Hedgehog signaling complexes, 204

## G

- GABAergic interneuron, *see* Neuron
- GAL4/UAS expression system, *see also Drosophila* wing imaginal disc databases
  - GAL4 lines, 171, 180
  - GAL80 lines, 180
  - RNA interference lines, 180, 181
  - UAS misexpression lines, 180
  - vectors, 181
- expression level modulation, 182, 193
- FLP/FRT system combination, 186, 187
- gain-of-function analysis, 181, 182
- GAL4 lines for Hedgehog signaling studies, 162–169
- GeneSwitch system, 186
- Hedgehog signaling applications
  - overexpression
    - autonomous versus nonautonomous effects, 190, 191
    - epistatic relationships between pathway members, 188, 190
    - phenotype discovery, 190
  - targeted expression
    - function studies, 188
    - subcellular localization and trafficking, 192
    - truncated and mutant proteins, 191, 192
- loss-of-function analysis, 182
- MARCM system, 187, 194
- P-element transformation vectors, 170
- PMML system, 187

- principles, 161, 162, 181, 192, 193
  - TARGET system, 186
  - tissue-specific expression, 184, 185, 193, 194
  - UAS lines for Hedgehog signaling studies, 162, 171–178
  - UAS reporter lines, 179, 180
  - undesirable phenotypic effects, 185, 194
  - GeneSwitch system, principles, 186
  - Germline clone embryo, *see Drosophila* embryo
  - GFP, *see* Green fluorescent protein
  - GLI proteins
    - Hedgehog signaling, 67, 68
    - retroviral expression systems
      - GLI transgene and target gene expression analysis, 72, 75
      - materials, 68, 69, 75, 76
      - safety, 76
      - transduction, 72, 77
      - transfection and virus production, 71, 72, 76
      - vector gene cloning, 69, 70
      - viral producer cell line growth, 70, 76
  - Green fluorescent protein (GFP)
    - Drosophila* clonal analysis of Hedgehog signaling, loss-of-function clones marked by green fluorescent protein
      - crossing, 153, 159
      - dissection of larvae, 153
      - fixation, 153, 154
      - immunostaining, 154
      - mounting and microscopy, 154, 155
    - GLI protein fusions, 69, 70, 72
- H**
- Hedgehog interacting protein (HIP), messenger RNA microinjection in *Xenopus* whole embryos and cap explants, 40, 41
  - HIP, *see* Hedgehog interacting protein
- I**
- Ihh, *see* Indian hedgehog
  - Immunocytochemistry, *Drosophila* wing imaginal disc Hedgehog proteins
    - extracellular staining, 96, 97
    - intracellular staining, 96, 98, 99
    - staining with soluble substrates, 97, 98, 102
  - Immunoprecipitation (IP), Hedgehog signaling complexes from *Drosophila* cells
    - C18 cell culture, transfection, and lysis, 221, 222
    - materials, 216–219, 223, 224
    - overview, 215, 216, 219, 220
    - Schneider 2 cell culture, transfection, and lysis, 220, 221, 225
  - Indian hedgehog (Ihh)
    - synthesis and processing, 1
    - Xenopus* embryo homolog, 36

Interneuron, *see* Neuron  
 IP, *see* Immunoprecipitation

## J

Jervine, Hedgehog signaling inhibition in *Xenopus* embryos, 41, 42

## L

Large punctate structure, Hedgehog transport, 105, 106

## M

MARCM system, *see* Mosaic analysis with repressible cell marker system  
 Mevinolin, Hedgehog signaling inhibition in *Xenopus* embryos, 42  
 Mosaic analysis with repressible cell marker (MARCM) system, principles, 187, 194  
 Muscle cell fate specification, *see* Zebrafish embryo

## N

Neuron, GABAergic interneuron induction in explants  
   materials, 48  
   overview, 47  
   rat telencephalic explant preparation  
     culture, 51, 53  
     dissection  
       brain, 49  
       dorsal tissue, 51–53  
       embryo, 49, 52  
       tungsten needle preparation, 49, 51, 52  
     embryo collection, 48–49  
     staining for Sonic Hedgehog-induced markers, 52

## P

Patched  
   deletion mutant messenger RNA microinjection in *Xenopus* embryos, 41  
   function, 91  
 pFRiPE, *see* RNA interference  
 Phylogenetic analysis, *see* Sequence analysis, Hedgehog components  
 PMML system, *see* Positively marked mosaic lineage system  
 Positively marked mosaic lineage (PMML) system, principles, 187

## R

Retroviral expression system, *see* GLI proteins  
 RNA interference, Hedgehog signaling in *Drosophila* wing imaginal disc  
   controls, 123  
   GAL4/UAS expression system, 121, 122, 125  
   gene knockdown analysis, 122  
   LR reaction and construct selection, 120, 121, 125  
   materials, 117, 119  
   overview, 115–117

- pFRiPE vector
  - efficiency, 123
  - preparation, 119, 120, 124, 125
  - structure, 116–118
- sequencing of constructs, 121

## S

- Schneider 2 cell fractionation
  - antibody coupling to protein A/G beads, 222
  - applications, 203, 2054
  - centrifugation, 207, 208, 211
  - Drosophila* wing imaginal disc lysis, 222
  - Hedgehog signaling complexes
    - Coastal2, 204
    - Cubitus interruptus, 204
    - Fused, 204
    - Smoothened, 204
  - hypotonic lysis, 206, 207, 210, 211
  - immunoprecipitation, *see* Immunoprecipitation, Hedgehog signaling complexes
    - from *Drosophila* cells
  - incubation conditions, 222, 223, 225
  - materials, 204, 205, 209, 210
  - membrane fractionation, 209, 212
  - size exclusion chromatography, 209, 211
  - transfection, 206, 210
  - troubleshooting, 227
  - Western blot, 223, 225–227
- Sequence analysis, Hedgehog components
  - cis*-regulatory elements of genes
    - genome selection for comparisons, 239, 240
    - long distance regulatory element identification, 240, 241
    - overview, 232
    - sequence alignment and visualization tools, 239, 243
    - transcription factor-binding site analysis, 242
    - transcription start site and core promoter identification, 241–243
    - variable divergence within locus, 240
  - conservation between species, 231, 232
  - genome sequence availability, 235
  - proteins
    - phylogenetic tree
      - construction, 235–237, 243
      - reliability analysis, 237–239
    - sequence alignment, 234–235, 242, 243
    - sequence retrieval, 232, 234
  - Web resources, 232–234
- Shh, *see* Sonic hedgehog

## Smoothened

- function, 91

- Hedgehog signaling complexes, 204

- messenger RNA microinjection in *Xenopus* embryos, 40

## Sonic hedgehog (Shh)

- amino-terminal fragment

- engineering, 16, 18

- processing and activity, 1

- chick limb development studies, *see* Chick embryo

- GABAergic interneuron induction, *see* Neuron

- purification

- amino-terminal fragment from mammalian cells and yeast, 15, 16

- amino-terminal fragment from recombinant baculovirus—insect cell system

- cation-exchange chromatography, 11

- immunoaffinity chromatography, 11

- overview, 9, 11

- amino-terminal fragment from recombinant *Escherichia coli*

- cation-exchange chromatography, 6, 7, 8, 18

- cell growth, induction, and lysis, 6

- dialysis, 8, 9

- histidine tag cleavage, 7

- hydrophobic interaction chromatography, 7, 19

- nickel affinity chromatography, 7, 8, 18, 19

- fatty acylated amino-terminal fragment

- amino-terminal modification, 13, 14, 20

- cation-exchange chromatography, 14, 20

- concentration and dialysis, 14, 15, 20

- materials, 2–5, 18, 19

- overview, 2, 5

- recombinant baculovirus—insect cell system

- cation-exchange chromatography, 12

- cell lysis, 12

- immunoaffinity chromatography, 12, 13, 19, 20

- vector, 11

- synthesis and processing, 1

- Subcellular fractionation, *see* Schneider 2 cell fractionation

**T**

TARGET system, *see* Temporal and regional gene expression targeting system

Temporal and regional gene expression targeting (TARGET) system, principles, 186

Transcription start site, *see* Sequence analysis, Hedgehog components

**W**

## Western blot

- GLI proteins, 75

- immunoprecipitated Hedgehog signaling complexes from *Drosophila* cells, 223, 225–227

- RNA interference of Hedgehog signaling in *Drosophila* wing imaginal disc, 122



**X***Xenopus* embryo

Hedgehog protein types and functions, 35, 36

Hedgehog signaling manipulation

advantages, 42

embryo preparation and culture, 38, 39

gain-of function assays

Hedgehog RNA microinjection in whole embryos and cap explants, 39, 40, 44

Smoothened receptor RNA microinjection, 40

inhibitor studies

AY9944, 42, 44

cyclopamine, 41, 42

jervine, 41, 42

mevinolin, 42

loss-of function assays

Hedgehog interacting protein RNA microinjection in whole embryos and cap explants, 40, 41

Patched deletion mutant RNA microinjection, 41

materials, 36–38

messenger RNA preparation, 39, 43, 44

microinjection of RNA, 39, 44

**Z**

## Zebrafish embryo

advantages of system, 55, 56

Hedgehog loss-of-function alleles, 56

muscle cell fate specification

confocal microscopy, 60, 61

dechoriation and fixation, 58, 63

embryo culture, 58, 61

materials, 57, 58, 61–63

overview, 56, 57

primary antibody labeling, 58, 59, 63

secondary antibody labeling, 59, 60, 63