

INDEX

A

- Amidoblack 0.1% solution..... 91, 99
- Amphipols
 - design, synthesis and properties
 - of A8-35230–231, 240
 - labeled or functionalized derivatives
 - of A8-35 234
- Analyzing yield and activity of the expressed membrane protein..... 126–130

B

- Bacteria
 - E.coli*
 - BL21 Origami AD494, 55, 57
 - BL21(DE3)-pLys-S 55, 57
 - BL21 Rosetta (DE3)55, 57, 169
 - BL21 Star55, 57, 169
 - C43(DE3)52, 54, 55, 57
 - MC106122, 23, 27–29
 - Lactococcus lactis*
 - nisin-producing strain *L. lactis*
 - NZ970024, 31, 68
 - NZ9000 strain 68, 70
- Bac to Bac baculovirus-based expression system 6, 107
- Baculovirus expression vector system (BEVS) 6, 106
- Baculovirus infected insect cells..... 6, 11, 12, 105–117
- Blocking buffer 72, 91, 99, 100, 159

C

- Cell disruption.....25, 32, 36, 41, 43, 71, 80, 169, 183
- Cell free expression modes for membrane protein production 8, 165–185
 - D-CF expression of membrane proteins 180–182
 - solubilization of P-CF expressed membrane proteins 179–180
- Cell free system
 - analytical scale CECF reactions
 - in microcentrifuge tubes 175–177
 - E. coli* CECF reaction set-up 178
 - preparation of *E. coli* extracts168–169, 174–175
 - reaction container set-up169–171, 175–178

- reactions in Maxi-CECF-Reactors177–178, 182, 184
- reactions in Mini-CECF-Reactors.....170, 176, 177, 179, 184
- template design for *E. coli* extract based
 - CF expression 171–172
 - T7-RNA polymerase preparation.....171, 173–174
- Co-expression with the b-subunit of the ATP synthase..... 52, 53, 55, 60, 61, 63
- Cytochrome *b₅f*.....224, 226

D

- Detergent analysis206, 214–215
- Detergent choice for structural studies 190–192
- Detergent exchange by size exclusion chromatography 262–263
- Detergents
 - C₈E₄..... 192
 - C₁₂E₈.....189, 190, 221
 - decylmaltoside190, 191, 194
 - dimetyldodecylamineoxide (LDAO)9, 192, 194
 - dodecyl- α -D-maltoside (DDM)..... 9, 169
 - laurylmaltoside 190
 - octyl- α -D-glucopyranoside (OG).....9, 211, 212
- Detergent titration..... 212–214
- Drosophila* Schneider 2 (S2) cells
 - bioreactor S2 cell culturing 120, 122, 124, 125
 - culturing S2 cells 124
 - freezing S2 cells 121, 124
 - induction of recombinant protein expression
 - in S2 cells..... 126–127
 - S2 cells lysis and membrane preparation 128
 - selection of stable S2 cell lines121, 126–128
 - suspension culture of S2 cells..... 125, 151
 - transfection for the generation of stable S2 cell lines 126

E

- E. coli* inclusion bodies 3, 40
- Electroporation of RNA 155–157
- Electrotransformation of *L. lactis*.....24
- Engineering membrane proteins for improved crystallisability 199–201
- Establishing stable fly strains..... 141–143
- Evaluation of gene expression..... 160
- Expression in fly eyes..... 7, 135–146

Expression in insect cells
 effect of chaperon NinaA on BCRP
 expression..... 115–116
 expression of BCRP in Sf9 and to Hi5
 insect cells..... 116
 optimization of BCRP expression
 in insect cells..... 115–116
 scale up in spinners..... 116

F

Fluorescence measurements..... 123, 129
 Fluorinated surfactants
 C₆F₁₃C₂H₄-S-poly-Tris-(hydroxymethyl)
 aminomethane)..... 224
 C₈F₁₇C₂H₄-S-poly-Tris-(hydroxymethyl)
 aminomethane)..... 224
 C₂H₅C₆F₁₂C₂H₄-S-poly-Tris-(hydroxymethyl)
 aminomethane)..... 224
 Fly cultures..... 144
 Fly food..... 137–138
 Fly heads harvesting..... 137–138, 144

G

Generation of transgenic fly
 choice of the driver..... 143
 establishing stable fly strains..... 141–143
 Glycosidic detergent analysis..... 206, 214
 Green fluorescent protein (GFP)..... 3, 21, 58,
 121, 136, 137, 158, 162, 192
 detection..... 159, 160
 fluorescence in gel..... 22, 25, 32, 33, 36

H

High-throughput cloning in *E. coli* and
L. lactis..... 18–21, 80
 Human breast cancer resistance protein
 (BCRP)..... 18, 107, 110, 111, 113, 115, 116
 Human glutamate transporter..... 136, 138, 139
 Human Hedgehog receptors..... 5, 88
 Human mu opioid receptor (hMOR)..... 121, 125, 128

I

Immunofluorescence..... 158–160
 Induction of membrane proteins
 expression..... 77
 Induction of membrane proteins overexpression
 in *E. coli*..... 24, 31
 in *L. lactis*..... 24, 31
 Induction of recombinant protein expression
 in S2 cells..... 126, 129
 Insect cells..... 6, 11, 12, 40, 105–117, 120, 131, 248
Drosophila Schneider 2 cells..... 6, 119
 scale up in spinners..... 116

Spodoptera frugiperda (Sf9, Sf21)..... 6, 106
Trichoplusia ni (Hi5)..... 6, 106, 107, 116

L

Lactococcus lactis..... 3, 4, 17–36, 67–83
 Laemmli running buffer..... 72
 Large scale expression of SERCA1a..... 255–256
 Large scale harvesting of internal
 membranes..... 61
 Large scale transient transfection (LSTT)
 of mammalian cells..... 7
 Ligand binding assays..... 123, 235
 Ligation..... 20, 21, 70,
 75, 81, 140, 145
 Ligation independent cloning (LIC),
 vector..... 21, 23–24, 27–30
 Lipid analysis..... 215
 Lipid-mediated transfection of RNA..... 157–158

M

Mammalian cells
 BHK-21 (Baby Hamster kidney) cells..... 150, 151,
 156–160, 162
 CHO-K1 (Chinese Hamster ovary)..... 151,
 157, 160
 COS-1 cells..... 7
 HEK293 (human embryonic kidney)
 cells..... 152, 153, 160
 infected by the Semliki Forest virus..... 8
 Membrane preparation
 from *drosophila* Schneider 2 (S2) cells..... 6
 from fly heads..... 138, 144
 from yeast..... 89–90
 Membrane protein chaperon NinaA..... 107, 110, 115–116
 Membrane protein crystallization
 acid-sensing ion channel 1..... 9, 12
 human β 1-adrenergic receptor..... 6
 human β 2 adrenergic receptor..... 11
 human leukotriene C4 synthase
 (LTC4)..... 11
 human 5-lipoxygenase-activating
 protein (FLAP)..... 11
 rabbit sarcoplasmic reticulum Ca²⁺-ATPase
 (SERCA 1a)..... 10
 recombinant rhodopsin..... 11
 voltage-dependent potassium channel
 (Kv1.2)..... 10
 Membrane proteins
 in complex with A8-35..... 232–234
 concentration..... 2, 8, 21, 56, 185,
 193, 213, 258–259
 inserted into preformed membranes..... 228
 preparation from *E. coli*..... 174–175
 solubilization..... 9, 205–216, 259–261

- stability
 - in detergent solution 192–195
 - in fluorinated surfactants 225–227
- Metabolic labeling 160–162

N

- Nisin inducible controlled gene expression
 - (NICE) system 4, 18, 67–69
- Nisin preparation 77

O

- Obtaining mutant strains by host selection 58–60
- Origin of replication of the expression vectors 52–54

P

- Plasmid isolation and verification 70, 76
- Preparation of *E. coli* extracts 174–175
- Preparation of electrocompetent bacteria 35, 76
- Purification *E. coli* membrane 61
- Purification of membrane proteins
 - biotin acceptor domain (BAD) 248, 253, 254
 - biotin-streptavidin affinity 261
 - calmodulin binding domain 91
 - his GraviTrap columns 42, 45
 - polyhistidine tag / Ni-NTA superflow
 - resin 10, 44, 248
 - streptavidin tag II 69
- Purification of SERCA
 - by affinity chromatography 251, 253, 261–262
 - by size exclusion chromatography (SEC) 251, 253
- Purification of the internal membrane 61
- Purifying unstable membrane proteins 195–196

R

- Reducing sample buffer 72
- Refolding assay 42, 45
- Resolving gels 71, 72, 96–97
- Rhabdomeris* 7

S

- Sarcoplasmic reticulum Ca²⁺ -ATPase
 - (SERCA 1a) 5, 10, 247–266
- SDS-PAGE
 - laemmli running buffer 72
 - reducing sample buffer 72
 - resolving gels 71, 72, 96–97
 - stacking gels 25, 71, 72, 78, 95, 97, 114, 137, 251, 263, 264
- Selection of stable S2 cell lines 126
- Selection of yeast clones on minimal medium 254–255
- Semliki Forest virus (SFV) infected mammalian cells
 - activation of recombinant SFV particles 158, 162
 - electroporation of RNA 156–157

- harvest of recombinant viral particles 158
- lipid-mediated transfection of RNA 157–158
- SFV in vitro transcription 150, 155–156
- subcloning into SFV vectors 152–155
- verification of virus titers 158–159
- Stabilising membrane proteins by genetic
 - engineering 197–199
- Stacking gels 25, 71, 72, 78, 95, 97, 114, 137, 251, 263, 264

T

- Thrombin cleavage of fusion protein 44
- Transfection 7, 107, 108, 111–113, 116, 122, 126, 131, 137, 141, 157, 158, 162
 - for the generation of stable S2 cell lines 126
 - of Sf9 cell with bacmids 111–113
- Transfer buffer 72, 91, 98, 99, 109, 114
- Transformation of bacteria 76
- Tris-buffered saline (TBS) 72, 80, 154
- Tris-buffered saline with tween (TBS-T) 72, 80, 83, 91, 99, 100, 109, 115

V

- Vector backbone exchange procedure 18, 23–24, 30–31
- Vectors
 - LIC vector 19, 20, 27
 - pAc5 containing the constitutive promoter from
 - the actine 5C gene 121
 - pCoHYGRO 121, 126
 - pEGFP-C3 vector 121
 - pERL 20, 21, 23, 30
 - pET21a 40
 - pFastBac™ dual vector 108, 110, 111
 - pMT containing the copper-inducible
 - metallothionein promoter 121
 - pMW7-b plasmid 53–55, 60
 - preparation 70, 75, 88–89
 - pUAST 136, 138–141, 145, 146
 - pYeDP60 252, 254
 - pYEpPMA 91, 92
- Verifying clones by colony PCR 23, 29
- Virus amplification 113
- Visualization of reporter gene expression 159–160

W

- Web resources
 - EMBL protein production 51
 - Expasy 51, 52
 - membrane proteins of known 3D
 - structures 51
 - SMART (protein domain database) 51
- Western blotting
 - amidoblack 0.1% solution 91, 99
 - blocking buffer 72, 91, 99, 100

Western blotting (*Continued*)

transfer buffer	72, 91, 98, 99, 109, 114
tris-buffered saline (TBS).....	72, 80, 91, 109
tris-buffered saline with tween (TBS-T).....	72, 80, 91, 99, 100, 109, 115

X

X-gal staining	154, 159, 162
----------------------	---------------

Y

Yeast

<i>Pichia pastoris</i>	5–6, 11, 248
<i>Saccharomyces cerevisiae</i>	
K699	88, 92
W303.1b Gal4-2	252, 254
transformation	89, 92

Yeast culture

YEP medium	89
YNB medium	89