

# INDEX

## A

- Actin..... 14, 37, 53, 99, 100, 104–108, 112–118, 123, 124, 139, 143, 146, 151–153, 155, 158, 162, 274
- Actomyosin interactions..... 143
- Affinity purification..... 46
- Agarose gel electrophoresis..... 178, 183, 184, 209, 226
- Airy function..... 34
- Alexa dyes..... 50
- Aminosilane..... 38, 44, 52, 199, 200
- Anisotropy..... 162
- Anti-digoxigenin..... 189
- Atomic Force Microscopy (AFM)..... 180, 232, 235
- ATPase cycle..... 58, 98, 106
- ATP hydrolysis..... 20, 37, 143, 144, 155, 157, 158, 161, 274, 282, 287, 288
- ATP regeneration system..... 23, 26, 99, 197, 207
- Autocorrelation..... 7, 27, 29, 30
- Autofluorescence..... 49, 112, 217
- Avalanche photodiode..... 2, 20, 23, 146, 276, 281

## B

- Background fluorescence..... 27, 35, 36, 43, 55, 90, 126, 141, 156, 158, 162, 199, 203, 207, 209, 211
- Beam expanders..... 38, 42, 126
- Binding stoichiometry..... 198
- Biotin..... 12, 17
- Biotin-streptavidin..... 73
- Biotinylated antibodies..... 13, 17
- Boltzman coefficient..... 148
- Borosilicate glass..... 181
- Bright-field illumination..... 53, 54, 179, 187, 261, 265
- Brownian motion..... 102, 105, 265
- Bulk measurements..... 195, 208, 210

## C

- Calibrating the four-quadrant detectors..... 102
- Cantilever..... 71–73, 75–76, 78–82, 85, 87–92
- Carboxylated fluorescent beads..... 261, 265, 269
- Cleaning cover-slips..... 26
- Colony PCR..... 267

- Confocal fluorescence microscope..... 20
- Conservation of momentum..... 97
- Co-sedimentation assay..... 58, 59, 61, 62
- Critical angle..... 36, 128, 155
- Cross-linking chemistry..... 73
- Cryo-electron microscopy..... 57, 65, 85
- Cy3..... 38, 50, 146, 154, 158, 164–168, 171, 172, 216, 220, 221, 224, 225, 262
- Cyanine dyes..... 50, 164
- Cytoskeleton..... 22, 58, 74, 112, 124

## D

- Dark current..... 36
- Dark field microscopy..... 262, 274, 276, 277
- Dichroic beamsplitter..... 261
- Dichroic mirror..... 21, 23, 38, 41, 53, 221, 246, 256, 263, 269
- Differential-interference-contrast (DIC) microscopy..... 13
- Diffraction limited spots..... 33, 35, 124
- Diode pumped solid state laser..... 261
- DISH criteria..... 132
- DNA curtains..... 243–257
- DNA helicases..... 170, 193–213
- DNA metabolism..... 194, 210, 243
- DNA repair..... 193
- DNA tethers..... 176, 177, 180, 186–188, 232, 235, 238
- DNA topology..... 229, 230, 237
- DNA transcription..... 175–190
- 3D reconstructions..... 58, 64

## E

- Elastic properties..... 187
- Electron-multiplying charge-coupled device (EMCCD)..... 36, 37, 42, 47, 126, 129, 140, 197
- Emission filter..... 23, 38, 41, 53, 113, 118, 128, 221
- Emission spectra..... 51, 53, 111, 140
- End-labeled DNA..... 182–184, 186, 189
- Endothelial cells..... 135–139
- Ensemble analysis..... 98
- Epi-fluorescence..... 187

- Evanescence field..... 36, 124, 133, 155, 252,  
260, 262, 264, 268
- Extinction coefficient ..... 163, 164, 168, 170,  
210, 222
- F**
- F1-ATPase..... 259, 260, 263–265,  
267–268, 274, 277, 278, 280, 288
- Feedback loop..... 72, 91
- Foetal calf serum (FCS)..... 125, 126
- Fibroblasts ..... 119, 137, 138
- Field diaphragm ..... 266
- FIONA. *See* Fluorescence Imaging with One Nanometer  
Accuracy (FIONA)
- FLAG..... 113, 245, 249, 250, 256
- Flow cells..... 99, 101, 125, 203
- Fluorescence Imaging with One Nanometer Accuracy  
(FIONA) ..... 34–37, 42, 47–50, 55
- Fluorescence polarization ..... 20
- Fluorescence spectrophotometer ..... 31, 166, 167, 196
- Fluorescent nucleotides ..... 161–173, 264
- Force feedback circuit ..... 98
- Force vs distance curves ..... 74, 76
- Förster resonance energy transfer (FRET) ..... 19–31, 73,  
162, 274
- Fourier transformation ..... 78, 81
- French press..... 222, 268, 277, 278
- G**
- Gaussian function..... 27, 34, 35, 47, 48, 105
- Glass surface..... 13, 26, 43, 46, 54, 77, 92, 117,  
130, 132, 136, 152, 154, 157, 199, 200, 216, 217,  
260, 263, 269
- Gliding assay ..... 13, 14, 16, 17, 54
- Gold nanorods..... 274, 276, 279, 280, 287
- Green fluorescent protein (GFP) ..... 11–17, 38, 49,  
111, 113, 116, 125, 126, 129–131, 141, 215–227
- H**
- Harmonic potential well..... 20, 105
- Hidden Markov Models..... 37
- High resolution tracking ..... 118
- Histone purification ..... 248, 249
- Humidity chamber ..... 235, 236, 239
- Hydrodynamic flow ..... 252
- Hydrophobic coating..... 77
- Hypertonic ..... 115, 119
- Hypotonic ..... 115, 119, 120
- I**
- Image acquisition rate..... 86, 87
- ImageJ..... 40, 47, 206, 246, 254, 255
- Image processing software ..... 118, 206, 246
- Imaging chamber..... 125–127, 140
- Immersion oil ..... 55, 128
- In Vivo Motility Assay ..... 115, 118–119
- Isotropic TIRFM ..... 259–262, 264, 266, 268
- K**
- Kinesin ..... 11, 19–31, 37, 46, 48, 50, 51,  
57–70, 75, 76, 86–88, 143, 161, 259
- Kip3p..... 12, 14, 16
- L**
- LabView ..... 23, 30, 76, 86, 281
- Laser ..... 2, 7, 21, 23, 27, 34, 36, 37, 41, 42,  
46, 47, 49, 51, 53–55, 71, 72, 78, 81, 82, 91, 97, 98,  
102–104, 113, 124, 126–129, 132, 133, 135, 140,  
143–146, 149, 155, 157, 187–189, 197, 206, 210,  
221, 224, 247, 252, 253, 260–262, 264–266, 269
- Laser traps. *See* Optical tweezers
- LED-illuminated..... 13, 15
- Ligand-receptor bonds ..... 74
- Linear regression ..... 178, 282
- Lineweaver–Burk ..... 107
- Liposome..... 74, 246, 251
- Load-dependent ..... 175
- M**
- Magnetic tweezers ..... 229–240, 263
- Maxwell–Boltzmann distribution..... 137
- Mean squared displacement ..... 102, 137
- Mechanical coupling ..... 176
- Metal-affinity chromatography ..... 185, 190
- Mica ..... 76
- Michaelis–Menten ..... 8, 20, 30, 107
- Microinjection ..... 50, 125
- Microneedles ..... 143–158
- Microspheres ..... 12–17, 20, 98, 99, 101, 176–181,  
184–190, 221
- Microtubules ..... 11–16, 19, 20, 53, 57–70, 72–76,  
84–88, 90
- Multi-colour TIRF..... 128
- Myosin ..... 6, 7, 37, 97–108, 112–114, 116, 117,  
120, 123–141, 143–146, 149, 151–158, 161, 162,  
165, 169–171, 259
- Myosin-6..... 126, 132, 137–140
- N**
- Nanodiscs ..... 274, 275, 278–280,  
284, 287
- Nanofabrication..... 253
- Negative stain electron microscopy..... 58, 59, 62
- NEM-myosin ..... 100, 101, 108, 114, 117
- N-ethylmaleimide (NEM) ..... 99, 114
- Nonpolarizing beam splitter ..... 277

Non-specific binding..... 36, 43, 54, 116, 117, 130,  
 164, 165, 199, 287  
 Non-specific interactions..... 186  
 Nucleoside triphosphate..... 161–173  
 Nucleosomes..... 76, 87, 243–257  
 Numerical aperture..... 23, 33, 38, 40, 98

**O**

Optical table..... 30, 37, 38  
 Optical tweezers..... 2, 6, 8, 97–108, 175–190  
 Optics..... 38, 42, 55, 145, 155, 276  
 Osmotic shock..... 118, 121  
 Oxygen scavenger solutions..... 107, 114, 119, 197,  
 206, 207, 210

**P**

Particle density..... 90  
 Passive adsorption..... 16, 189  
 PCR..... 183, 189, 196, 197, 204–206, 209–211,  
 213, 219, 221, 226, 231–234, 238, 267  
 PcrA helicase..... 170  
 PEGylation..... 38–39, 43–45, 54, 200–203, 210  
 Peltier..... 220  
 Peristaltic pumps..... 140  
 Phase contrast..... 126  
 Phosphate binding protein..... 167  
 Photobleaching..... 49, 50, 55, 119, 131–136,  
 141, 152, 154, 158, 162, 164, 198, 210  
 Photodiodes..... 2, 150, 151  
 Photon noise..... 35  
 Photostability..... 130, 131, 164, 165, 209  
 Piezo..... 73, 82, 146, 150, 179  
 Piezo stage..... 24, 103, 187  
 Pixel size..... 34, 35, 37, 42,  
 48, 254  
 Plasma Cleaning..... 51, 90, 199–200  
 Plasma membrane..... 124, 132–140  
 Plasmid DNA..... 223, 226  
 Pleckstrin homology (PH) domains..... 132, 138  
 Point-spread function..... 47, 118  
 Polarizing filter..... 274, 276, 281, 282  
 Polymerisation and fluorescent labelling of actin..... 99  
 Power spectrum..... 78, 80, 81, 149  
 Power-stroke..... 105  
 Processivity..... 175, 195, 197, 198,  
 208, 230  
 Protein A..... 179, 184, 185, 189  
 Protein-coated surfaces..... 11  
 Protein data bank..... 85  
 Protein folding..... 73, 215  
 Protein synthesis..... 215–227  
 Proton-motive force or PMF..... 273  
 PURE (Protein synthesis Using Recombinant  
 Elements)..... 217, 220, 222, 223, 226

**Q**

Quadrant photodiode (4QD)..... 88, 98, 102, 104,  
 105, 146, 176, 179, 189  
 Quantum dot..... 46, 50, 111–121, 164, 244  
 Quantum yield..... 163–165, 209

**R**

Random walk..... 137, 138, 141  
 Rate constant..... 107, 135, 136, 172  
 Rate-limiting..... 7, 8, 178, 274, 287  
 Real-time..... 175–190, 215–227, 237  
 Refractive index..... 124, 128, 140  
 Resonance..... 19–31, 73, 78–82, 87, 91, 92, 162  
 Restriction endonuclease..... 179, 183, 238, 812  
 Ribosome..... 215–227  
 Ribosome stalling..... 217  
 RNA polymerase (RNAP)..... 175–180, 182, 185,  
 188–190  
 Rotation assay..... 263–264, 267–268, 274  
 rRNA..... 216, 220

**S**

Sample chamber..... 26, 36, 38–40, 42–48, 52, 55,  
 90, 234, 238, 244, 246, 253  
 SDS-PAGE..... 25, 59, 61, 185, 190, 248, 250  
 Second order rate constant..... 107, 136  
 Secretion Monitor (SecM)..... 216–219  
 Semiconductor nanocrystals..... 111  
 Series compliance..... 108  
 Signal-to-noise ratio..... 6, 27, 36, 49, 50, 54, 112,  
 113, 127, 128, 133, 162, 224  
 Silanization..... 13, 76–78  
 Single exponential decay..... 107  
 Single-molecule transcription assay (SMTA)..... 176,  
 177, 180, 185, 188, 190  
 Single-particle..... 65, 69, 111, 136, 162  
 Single-particle tracking..... 111, 136  
 Single-stranded DNA-binding protein  
 (SSB)..... 194–199, 205, 206, 209–213  
 Sonicating water bath..... 189  
 Spatial resolutions..... 74, 115, 125, 129, 130, 143  
 Spherical aberrations..... 42  
 Spin-coating..... 13  
 Spring constant..... 73, 74, 78–82, 88, 91, 144  
 Stiffness of the optical tweezers: equipartition  
 principle..... 102, 103  
 Stiffness of the optical tweezers: stokes  
 calibration..... 103–104  
 Streptavidin..... 16, 73, 113, 115–116, 118,  
 180, 194, 196, 199, 203, 206–211, 216, 221, 224, 232,  
 246, 252, 264  
 Streptavidin coated microspheres..... 12, 16  
 Student's t-test..... 37, 40, 48, 53

Sub-nanometer precision.....	71
Super-paramagnetic beads.....	235–236
Super-resolution techniques.....	34
Surface-blocking buffer.....	178
Surface-immobilize.....	176, 185, 189, 190, 225
Syringe-pump flow system.....	247, 252
<b>T</b>	
T7 RNA polymerase.....	176–178, 180, 182, 185, 188, 190
Tapping mode.....	72, 82, 88
Temporal resolution.....	79, 162, 207, 238, 276
Tensile strength.....	152
Tetramethyl-Rhodamine-Iso-Thiocyanate.....	99
Thermal noise.....	73, 78, 80, 81, 91, 103
Three bead geometry.....	98–100, 104, 105, 177, 179, 180
Time-lapse.....	133, 134
Topographical profiles.....	84
Topoisomerases.....	229, 230, 232
Torque.....	284, 285, 287, 288
Total internal reflection fluorescence microscopy (TIRF).....	6–7, 17, 37, 41, 113, 118, 124–128, 131, 133, 138, 155, 162, 194, 195, 197, 200, 203–206, 244, 246, 247, 255, 259–261, 264, 266, 268–270
Transcription initiation.....	176, 177, 180, 188
Transfection.....	125, 126, 130
Transient transfection.....	125, 130
tRNA.....	226
Tubulin.....	12, 15, 22, 25, 26, 31, 58, 60, 61, 63, 65, 67, 68, 75, 85, 87
<b>U</b>	
Unconventional myosin.....	124
UV spectrophotometer.....	196
<b>V</b>	
Video microscopy.....	111
$V_{max}$ .....	107, 171, 287
<b>W</b>	
Wide-field illumination.....	27
<b>Y</b>	
Yellow fluorescence protein (YFP).....	113
Young's modulus.....	79, 156