

Index

A

- Abdomen, burst, wound
 - dehiscence leading to, 145–146
- Abdominal imaging in pelvic fractures, 91–92
- Acute-on-chronic high-pressure retention, 12–13
- Amiodarone, epididymitis and, 52
- Anaemia, 2
- Anaphylaxis, 142–144
- Aneurysm repair, ureteric injury during, 83
- Anuria, 4
- Appendix epididymis, torsion of, 127
- Appendix testis, torsion of, 127
- Arteriovenous fistulae, post PCNL, 62

B

- Back pain, and urological pathology, 6–7, 11
- Bacterial prostatitis, acute, 48–49
- Bed-wetting, and high pressure chronic retention, 12
- Bladder augmentation, spontaneous rupture after, 107
 - blocked catheter after, 170–171
- Bladder cancer, TURBT and bladder perforation, 99, 101, 104

- Bladder imaging, in urethral rupture, 95–97
- Bladder injuries, 97–109
 - associated with pelvic fractures, 89–90
 - during caesarean section, 107
 - causes of, 97–98
 - diagnosing, 98–99
 - imaging studies for, 99
 - surgical repair of, 108–109
 - types of perforation in, 98
- Bladder outlet obstruction, 9
- Bladder perforation, 98
 - extraperitoneal, 100–102
 - iatrogenic, delayed diagnosis of, 104
 - intraperitoneal, 102–103
 - during transurethral resection of prostate, 104–105
 - types, 98
- Bladder rupture, spontaneous rupture after augmentation, 107–108
- Bleeding
 - after transurethral resection of prostate, 146–147
 - following circumcision, 146
 - after scrotal surgery, 144
- Blood loss, 83
 - shock due to, 141–142
- Blunt renal injuries, 54, 55
- Boari flap, 77, 80, 81
- Buck's fascia, rupture of, 110–111
- Bulbocavernosus reflex, and spinal cord and cauda equina compression, 11

'Butterfly-wing' bruising, due to rupture of Buck's fascia, 109–110

C

- Caesarean section, bladder injuries during, 107
- Catheterisable stoma, difficulty in catheterizing, 15
- Catheterisation
suprapubic, *see* Suprapubic catheterisation
urethral, *see* Urethral catheterisation
- Cauda equina compression, 10
- Cavernosography, 119
- Circumcision
bleeding following, 146
- Closed-book pelvic fractures, 85, 87, 88
- Clot retention, 2, 146
- Colles' fascia, and urethral rupture, 109–110
- Compartment syndrome, and lithotomy position, 149
- Computed tomography urography (CTU), 19, 22, 23
- Constipation, 11
- Cremasteric reflex, 128
- Cystogram, retrograde, 93, 95

D

- Dartos fascia, 109–110
- Dartos pouch fixation, for testicular torsion, 131
- Degloving incision, for penile fracture repair, 120
- Detrusor myectomy, spontaneous bladder rupture following, 108

- Digital rectal examination, 11, 161
- Dilutional hyponatraemia, and TUR syndrome, 148
- Dorsal slit, paraphimosis and, 136–137
- Dundee technique, for paraphimosis, 136, 137

E

- Emphysematous pyelonephritis, 38–41
- Epididymitis, 52–53
- Epididymo-orchitis, 6, 51–53
- Extracorporeal shock-wave lithotripsy (ESWL), 28–30
- Extraperitoneal bladder perforation, 100–102
- Extravaginal torsion, of testis, 125

F

- Fascial layers of penis, and urethral injury, 111
- Fasciotomy, for lower limb compartment syndrome, 150
- Flank pain, 1–2, 17–18
- Foreign bodies
attached to penis, 139
in urethra, 138–139
- Fournier's gangrene, 49–51
- Fowler's syndrome, urinary retention and, 10

G

- Genital emergencies, 125–139

H

- Haematocele, following testicular trauma, 113, 114
- Haematoma, following testicular trauma, 114, 115

Haematuria, 2–4, 18–19, 56
 Haemorrhage, 141
 renal, after percutaneous
 nephrolithotomy, 60–63
 Haemorrhagic shock, 141
 High-pressure chronic
 retention, 12–14
 High-riding prostate, and
 pelvic fracture, 91
 Hydronephrosis, 13, 27
 of pregnancy, 151–152
 Hypercalciuria of pregnancy, 158
 Hyponatraemia, dilutional,
 TUR syndrome and, 148

I

'Iced-glove' method, for
 reduction of
 paraphimosis, 135–136
 Ileus, 66
 Intraoperative bladder
 perforation, 102–103
 Intravaginal torsion, of testis,
 127
 Intravenous urogram (IVU),
 19–21
 Intravenous urography for
 renal imaging, 58–59

J

JJ stenting, 72–73
 JJ stents, 28, 66
 insertion of, 171–175
 in pregnancy, 156–158

K

Kidney and urinary bladder
 (KUB) x-ray, 34, 35, 41, 42
 Kidneys, injuries to, 54

L

Lower limb compartment
 syndrome (LLCS),
 148–150

M

Magnetic resonance
 urography, for suspected
 ureteric stones, 25–26
 Methylene blue, for
 demonstrating
 ureteric injuries,
 68
 Mitrofanoff stoma,
 difficulties catheterising,
 15
 Myectomy, detrusor,
 spontaneous rupture of
 bladder and, 108

N

Neobladder, blocked catheter
 after, 170–171
 Nephrectomy, for ureteric
 injury, 83
 Nephrolithotomy,
 percutaneous, renal
 haemorrhage after,
 60–63
 Nephrostomy, percutaneous,
 see Percutaneous
 nephrostomy *entries*
 Nephrostomy urinary
 diversion, 156, 157

O

Oliguria, 4–5
 Open-book pelvic fractures,
 85, 86
 Open suprapubic cystostomy,
 for pelvic fracture, 92–93

P

Pain
 back, 6–7, 11
 flank, 1–2, 17–18
 scrotal, 5–6
 suprapubic, 5
 Paraphimosis, 135–138

- Partial transection of ureter, primary closure of, 75
- Pelvic fractures, 10, 83–92
 - abdominal and pelvic imaging in, 91–92
 - bladder injuries associated with, 89–90
 - closed-book, 85, 87, 88
 - open-book, 85, 86
 - radiologic determination of stability in, 88–89
 - stable or unstable, 83–84
 - Tile classification system of, 85
 - types of, 84
 - urethral injuries and, 90–91
- Pelvic imaging in pelvic fractures, 91–92
- Pelvic prolapse, 10
- Pelvic stability, pelvic fracture and, 84
- Pelviureteric junction
 - obstruction, emergency presentations (PUJO), 30, 32, 33
- Penetrating renal injuries, 55
- Penile amputation, 117
- Penile fracture, 118–121
- Penile injuries, 117–118
- Penile reimplantation, 117
- Penile zipper injuries, 121
- Penis
 - fascial layers of, 111
 - foreign bodies attached to, 139
- Percutaneous
 - nephrolithotomy, renal haemorrhage after, 60–63
- Percutaneous nephrostomy, 30, 31
- Percutaneous nephrostomy insertion, 176–181
- Perinephric abscess, 38
- Peritonitis, 18
- Periurethral abscess, 53
- Postoperative retention, 12
- Pregnancy
 - hydronephrosis of, 151–152
 - hypercalciuria of, 158
 - JJ stents in, 156–158
 - presentation of stones in, 152–155
 - radiation levels in, 152–153
 - ureteric colic in, 151–159
- Pregnancy test, 18
- Priapism, 6, 132–134
 - causes, 132–133
 - treatment, 133, 134
- Prostate
 - high-riding, in pelvic fracture, 91
 - transurethral resection of, *see* Transurethral resection of prostate
- Prostate cancer, spinal cord compression and, 162–163
- Radical Prostatectomy, displaced urethral catheters after, 148
- Prostatic abscess, 49
- Prostatic enlargement, benign, 9
- Prostatitis, acute bacterial, 48–49
- Psoas hitch, ureteric injury and, 77–80
- Psoas hitch stitches, ureteric injury and, 79
- Pyelonephritis
 - acute, 32–35
 - emphysematous, 38–41
 - xanthogranulomatous, 42–43
- Pyonephrosis, 35, 36–37

R

- Radiation levels in urinary tract imaging in pregnancy, 152–153
- Rectal perforation, following pelvic fracture, 105
- Recurrent urinary retention, 14–15
- Renal colic, 17–18
- Renal emergencies, nontraumatic, 17–43
- Renal exploration, 60
- Renal haemorrhage after percutaneous nephrolithotomy, 60–63
- Renal imaging, intravenous urography for, 58–59
- Renal infection, complicated, 41–42
- Renal injuries, 54–62
 - iatrogenic, 60–62
 - imaging study of, 57
 - mechanisms and cause, 54–57
 - staging, 58
 - treatment for, 59–60
- Renal ultrasonography, following renal trauma, 57
- Retention volume, 13
- Retrograde cystogram, 93, 95
- Retrograde ureterography, 69
- Retrograde urethrogram, 93, 94

S

- Sciatica, 11
- Scrotal emergencies, 125–139
- Scrotal exploration, 129–130
- Scrotal pain, 5–6
- Scrotal surgery, scrotal swelling after, 144
- Scrotal swelling, 114
 - after scrotal surgery, 144

- Scrotal trauma, 117
- Septicaemia, urinary, 45–48
- Septic shock, 45
- Shock, 141
 - due to blood loss, 141–142
- Spinal cord compression, 7
 - with urological disease, 163–165
- Stones, *see* Ureteric stones
- Straddle injury, anterior urethral injury and, 109
- Stuttering priapism, 132
- Suprapubic catheterisation, 92–93, 112, 168–169
 - contraindications, 168–169
 - indications, 168
 - technique, 169
- Suprapubic pain, 5
- Systemic inflammatory response syndrome (SIRS), 45

T

- Testicular appendages, 127
- Testicular cancer, 160, 161
- Testicular fixation, 130–131
- Testicular injuries, 113–117
- Testicular rupture, 117
- Testicular torsion, 5, 125–132
 - differential diagnosis, 128–129
 - in differential diagnosis, 52
 - presentation, 128
 - scanning in, 129
 - surgical management, 129–132
- Testicular ultrasound, 115–116
- Testis, 125
- Tile classification system of pelvic ring fractures, 85
- Transureteroureterostomy, 80, 82

- Transurethral resection of prostate (TURP), 10, 45–46
- bladder perforation during, 104–105
 - bleeding after, 146–147
 - blocked catheter after, 170
- Transurethral resection (TUR) syndrome, 147–148
- Tunica albuginea, rupture of, 118
- Tunica vaginalis, 125
- TURP, *see* Transurethral resection of prostate
- U**
- Ultrasonography, renal, 57
- Ureteric colic, 17–18
- in pregnancy, 151–159
- Ureteric contusions, 66
- Ureteric injuries, 63–83
- alternative procedures for managing, 82–83
 - causes and mechanisms of, 63–64
 - delayed treatment for, 72
 - diagnosing, 64–69
 - surgical techniques for repair of, 74
 - time for repair of, 69, 71
- Ureteric obstruction, malignant, 160–163
- Ureteric perforations, 66
- Ureteric stones
- acute management of, 26–27
 - pain due to, 2
 - presentation of, in pregnancy, 152–155
 - size of, 27
- Ureterography, retrograde, 69
- Ureteroneocystostomy, following ureteric injury, 75–80
- Ureteropelvic junction obstruction (UPJO), 30, 32, 33
- Ureteroscopy, ureteric injury and, 64, 67
- Ureteroureterostomy, primary, 75
- Ureters
- inspecting, 68
 - partial transection of, primary closure of, 75
 - vulnerable, 64
- Urethra, anterior
- complete rupture of, 113
 - partial rupture of, 112–113
- Urethral catheterisation, 12, 112, 167–168
- indications, 167
 - technique, 167–168
- Urethral catheters, after prostatectomy, 148
- Urethral contusion, anterior, 112
- Urethral injuries
- anterior, 109
 - pelvic fractures and, 90–91
 - posterior, 109
- Urethral rupture, bladder imaging in, 95–97
- Urethral tears, 112
- Urethrogram, retrograde, 93, 94
- Urinary retention, acute, 9–15
- Urinary septicaemia, 45–48
- Urinary system, injuries to, 83–92
- Urinary tract infection, 5
- Urinary tract obstruction, 4
- Urine culture, 34
- Urinoma, 66
- Urological disease, spinal cord compression with, 163–165

- Urological emergencies
 common procedures for,
 167–181
 infective, 45–53
 lower urinary tract,
 9–15
 postoperative, 141–150
 presenting symptoms of,
 1–7
 scrotal and genital,
 125–139
 traumatic, 54–121
 urological neoplastic
 conditions presenting as,
 160–165
- Urological neoplastic
 conditions presenting as
 urological emergencies,
 160–165
- W**
Wound dehiscence leading to
 burst abdomen, 145–146
- X**
Xanthogranulomatous
 pyelonephritis, 42–43
- Z**
Zipper injuries, penile, 121