

# Index

## A

Abdominal sacral colpopexy. *See* Sacrocolpopexy  
Adenocarcinoma, urachal, 361  
Alligator grasper, 30  
Animal module exercises, for skill transfer training, 541, 545–565  
inferior vena cava (IVC) suturing, 541, 561–562  
pyeloplasty, 541, 548–553  
ureterolithotomy, 541, 547–548  
urethrovaginal anastomosis/suturing, 541, 545–546, 553–560, 567  
Anterior compartment prolapse, pelvic floor repair of, 523–531  
Deaver retractor use in, 524, 525  
dissection of the uterovesical angle, 523, 528  
patient positioning, 523, 524  
peritoneal incision, 523, 525–526  
polypropylene mesh fixation, 523, 526–527, 528, 529  
reperitonealization of the mesh, 523, 530  
urethrovaginal suspension, 531  
uterosacral ligament pexy, 523, 529  
Aspiration, of seminal vesicle cysts, 443  
Atraumatic grasper, 30  
AutoSonix  
UltraShears™ (5-mm), 29, 35  
ultrasonic coagulation device, 35

## B

Bead transfer hand-eye coordination exercise, 541  
Bladder. *See also* Neobladder  
collapse during ureteric reimplantation, 233, 248–249  
diverticulectomy of, 3, 317–323  
dissection of the diverticulum, 317, 320–322  
incision, 317, 319  
indications for, 317

port insertion and positioning, 319  
postoperative follow-up, 317  
removal of excised diverticulum, 317, 323  
transperitoneal approach, 317  
ureteric catheterization, 317, 318  
neurogenic  
autoaugmentation of, 365–368  
ileal conduit in, 483–493  
ileocystoplasty of, 369–379  
ureterocystoplasty for, 381–402  
Bladder augmentation, with ureterocystoplasty, 381–401  
in functioning kidney, 394–401  
indications for, 381  
in nonfunctioning kidney, 382–393  
Bladder autoaugmentation, for neurogenic bladder, 365–368  
detrusorotomy, 367  
indications for, 365  
port insertion and positioning, 366  
preoperative evaluation for, 365, 366  
Bladder cancer  
cystectomy for, 495  
cystoprostatectomy for, 495–500  
transitional cell carcinoma, partial cystectomy for, 355–360  
bladder closure, 358–359  
excision of tumor, 357  
left iliac lymph-node dissection, 359  
transurethral resection of tumor, 356  
Bladder injuries, laparoscopic repair of, 311–316  
bladder fundus injury in, 314  
contraindications to, 311  
Foley catheterization, 311  
indications for, 311  
for intraperitoneal ruptures, 313  
for supratriangular tears, 312  
ureteric catheterization in, 312  
Boari flap. *See* Ureteric reimplantation, with Boari flap

## C

Calculi, renal/ureteric  
primary obstructive  
megaureter-associated, 257–261  
pyelolithotomy of, 189–198, 383  
removal from duplex system, 159–160, 166–167  
removal in pyelolithotomy, 189, 192  
ureterolithotomy of, 291–300  
Catheterization, 443  
in diverticulotomy, 317, 318  
double pigtail, 83  
in partial nephrectomy, 199, 200  
in seminal vesicle cyst excision, 443  
in ureterocystoplasty, 382  
in vesicovaginal fistula repair, 326, 327, 331  
Cautery devices, 27, 29, 36  
Clamp applicators, 34  
Clamp removers, 35  
Clamps, Satinsky, 34, 561  
Clayman, Ralph, 17  
Coagulation and cutting devices, 27, 29, 35, 36  
Cobra drill hand-eye coordination exercise, 541  
Cohen's technique, for vesicoureteric reflux (VUR) ureteric reimplantation, 233, 235–241  
bladder mucosal incisions, 233, 237  
detrusor fiber division, 238  
gas emphysema during, 233, 248–249  
port insertion and positioning, 233, 235, 236  
postoperative micturating cystourethrography, 241  
submucosal tunnel, 233, 238–239  
ureteric mobilization, 233, 237, 238  
ureteric stenting, 237  
vesicoureteric reflux localization, 235

- Colovesical fistula, laparoscopic repair of, 403–407  
 bladder defect closure, 403, 407  
 closure of colonic defect, 406  
 disconnection of the fistula, 406  
 omental tacking, 403, 406  
 port insertion and positioning, 403, 405
- Culp flap pyeloplasty, for long segment obstruction, 103–110  
 antegrade stent advancement, 107  
 closure of the pyelotomy, 108–109  
 flap formation, 105  
 flap suturing, 106–108  
 pelvic mobilization, 104  
 port insertion and positioning, 103  
 pyelotomy, 105  
 suturing, 107, 108  
 ureteric mobilization, 104  
 ureteric sling, 104
- Cyst(s)  
 renal, laparoscopic  
 management of, 3, 175–187  
 for Bosniak type I and type II cysts, 175, 176–178  
 for Bosniak type III and type IV cysts, 179–185  
 retroperitoneal approach, for infected cysts, 175, 185–187  
 seminal vesicle, laparoscopic excision of, 443–450  
 aspiration of cyst, 443  
 contraindications to, 443  
 dissection of cyst, 443, 446–448  
 hemostasis in, 446, 449  
 indications for, 443  
 peritoneal incision in  
 rectovesical pouch, 443, 445  
 port insertion and positioning, 443, 445  
 specimen retrieval, 449  
 surgical technique, 443, 444–450  
 transperitoneal approach, 443  
 ureteric catheterization, 443  
 ureteric stenting, 444  
 urachal, excision of, 361
- Cystectomy, partial  
 for endometriosis, 345–360  
 cystotomy, 345, 348  
 cystotomy closure, 350  
 excision of mass, 348–349  
 follow-up, 345  
 indications for, 345  
 port insertion and positioning, 345, 347  
 preoperative evaluation for, 345, 346  
 ureteric stents, 346  
 for solitary invasive bladder tumors, 355–360  
 for urachal tumors, 351–354  
 cystotomy closure, 354  
 indications for, 351  
 preoperative workup, 351, 352  
 tumor excision, 353–354
- Cystectomy, radical, 3
- Cystoprostatectomy  
 with laparoscopically -assisted orthotopic neobladder, 495–500  
 bladder reconstruction, 498–499  
 dissection of lateral sides of bladder, 497  
 division of bladder pedicle, 497  
 ilio-obturator lymph node dissection, 497  
 patient positioning, 496  
 peritoneal incision, 496  
 port insertion and positioning, 496  
 preoperative evaluation, 495  
 preoperative preparation, 495  
 sectioning of the ureters, 497  
 specimen retrieval, 498  
 urethral-neobladder anastomosis, 499  
 urethral sectioning, 498
- radical, 3–4
- Cystorrhaphy approach, in  
 vesicovaginal fistula repair, 325, 331–334  
 closure of bladder defect, 332–333  
 port insertion and positioning, 331  
 prevention of bladder distention, 332  
 ureteric catheterization, 331
- Cystotomy  
 in ileocystoplasty, 502  
 in partial cystectomy, 345, 348, 350
- D**
- Da Vinci robotic system, 431, 432. *See also* Robotic prostatectomy
- DeBakey grasper, 29
- Denonvilliers' fascia, dissection of, 435–436, 438
- Detrusor buttressing, 255
- Detrusorotomy  
 in bladder autoaugmentation, 367  
 in laparoscopically-assisted ileal ureter, 477  
 in megaureter ureteric reimplantation, 252–253  
 in ureteric reimplantation, 276
- Dissection exercises, 541
- Diverticulectomy, of bladder, 3, 317–323  
 dissection of the diverticulum, 317, 320–322  
 incision, 317, 319  
 indications for, 317  
 port insertion and positioning, 319  
 postoperative follow-up, 317  
 removal of excised diverticulum, 317, 323  
 transperitoneal approach, 317  
 ureteric catheterization, 317, 318
- Diverticulum, dissection of, 317, 320–322
- Dry laboratory exercises, for skill transfer training, 541  
 dissection exercises, 541  
 hand-eye coordination, 541  
 bead transfer, 541  
 cobra drill, 541  
 knotting and suturing technique exercises, 541, 543–544
- E**
- Endometriosis, partial  
 cystectomy for, 345–360  
 cystotomy, 345, 348  
 cystotomy closure, 350  
 excision of mass, 348–349  
 follow-up, 345  
 indications for, 345  
 port insertion and positioning, 345, 347  
 preoperative evaluation for, 345, 346  
 ureteric stenting, 346
- Endopyelotomy, antegrade or retrograde, 39
- Enterocystoplasty, 3
- Extracorporeal shock-wave lithotripsy (ESWL), failure of, 291
- F**
- Fengerplasty procedure, in pyeloplasty for horseshoe kidney, 102  
 in nondismembered pyeloplasty in retroperitoneoscopic approach, 67, 68–69  
 in transperitoneal approach, 50, 52–53
- Fibrin-based hemostatic agents, 28
- Fistula laparoscopic repair  
 of colovesical fistula. *See* Colovesical fistula  
 of urachal fistula. *See* Urachal fistula of ureterovaginal fistula. *See* Ureterovaginal fistula of vesicovaginal fistula. *See* Vesicovaginal fistula
- Forceps, grasping, 27, 28, 29, 30
- G**
- Gas emphysema/leakage  
 prevention of, 27  
 during vesicoureteric reflux surgery, 233, 248–249
- Gastrocystoplasty, 3
- Gregoir, Lich, operative techniques of  
 for ectopic ureter (duplex system), 271–279  
 nontailored transperitoneal technique, 261–265  
 tailored transperitoneal technique, 233, 250–256
- Gaur, D. D., 17

- H**
- Hand-eye coordination exercises, 541
  - Hasson cannula, 10
  - Hasson technique, 9–10, 11, 411, 412
  - Heilbron technique, for laparoscopic radical prostatectomy, 411–421
    - approach to apex of the prostate, 413–416
    - ascending components, 413–416
    - closure of the port wounds, 419
    - contraindications to, 411
    - descending components, 417
    - dorsal vein complex control, 412–413, 414
    - exposure of extraperitoneal (Retzius) space, 411–412
    - exposure of seminal vesicles, 418, 419
    - exposure of vas deferens, 418, 419
    - incision of endopelvic fascia, 412–413, 414
    - indications for, 411
    - nerve-sparing technique, 413, 415–416
    - pelvic lymphadenectomy, 412–419
    - port insertion and positioning, 411, 413
    - prostate entrapment, 419
    - retrieval of the specimen, 419
    - transection of cranial pedicles, 418–419
    - trocar placement, 411, 412
    - van Velthoven anastomosis technique, 419, 420
  - Heminephrectomy, for duplex system, 155–173
    - colonic mobilization, 155
    - for complete duplex system with nonfunctioning upper moiety, 168–173
      - clipping of upper moiety ureter, 172
      - division of upper moiety ureter, 171–173
      - isolation of upper pole artery, 171
      - ligation of upper moiety ureter, 172
      - port insertion and positioning, 169
      - specimen retrieval, 173
      - ureteric mobilization, 170
    - for incomplete duplex system with nonfunctioning lower moiety, 156–168
      - colonic mobilization, 158, 161
      - division of lower moiety parenchyma, 164–165
      - division of renal artery, 163
      - Hem-o-Lok clip applied over renal artery, 163
      - hemostasis, 165
      - ligation and division of lower moiety ureter, 160
      - mobilization of posterior aspect of the kidney, 162
      - mobilization of ureteric Y-junction, 159
      - patient positioning, 157
      - prerenal fat removal, 161
      - specimen entrapment and removal, 166–167
        - ureteric stone entrapment and removal, 159–160, 166–167
        - ureterotomy with hook diathermy, 159
    - in incomplete duplex system with nonfunctioning lower moiety, 156–158
      - indications for, 155
      - patient positioning, 155
      - port insertion and positioning, 155
  - Hem-o-lok applicators
    - with clip, 33
      - 5-mm, 32
      - 10-mm, 33
  - Hem-o-Lok clip, 33
    - in lower ureter
      - nephroureterectomy, 533, 534
  - Hemostasis, laparoscopic
    - instruments for, 27, 29, 35, 36
  - Hemostatic agents, fibrin-based, 28
  - Henry Ford Hospital, 431
  - Hook retractors, 31, 32
  - Hooks, 32
  - Horseshoe kidney, pyeloplasty for, 98–103
    - Fengerplasty procedure, 102
    - isolation of the ureteropelvic junction, 100–101
      - omental tacking, 103
      - pyelotomy, 101, 102
      - stenting, 101
      - suturing, 101–102
      - ureterotomy, 101
  - Hysterectomy
    - bladder injury during, 312
    - ureterovaginal fistula repair following, 261–265
- I**
- Ileal conduit, laparoscopically-assisted, 483–493
    - ileum segment harvesting, 483, 491
    - ileum segment selection, 483, 489
    - incision of peritoneum, 486
    - isolation of ileum segment, 491
    - port insertion and positioning, 483, 484
    - ureteric mobilization, 483, 486, 487
    - ureteroileal anastomosis, 491, 493
  - Ileal ureter interposition, 3
  - Ileocolicostomy, 480–482
  - Ileocystoplasty, laparoscopically-assisted, 369–379, 501–506
    - bladder augmentation, 503–505
    - bladder autoaugmentation, 368
    - cystotomy, 502
    - definition of, 369
    - detubularization of isolated ileum, 504
    - ileal segment exteriorization, 503
    - omental tacking, 506
    - port insertion and positioning, 501
    - total, 369–379
      - bladder division, 369, 374
      - bowel division, 372
      - endo-GIA stapler use in, 369, 371, 372, 373, 374
      - omental tacking, 369, 378
- Ileovesical anastomosis, 478, 479**
- Iliac lymph-node dissection, 359**
- Ilio-obturator lymph node dissection, 497**
- Inferior vena cava suturing module, 561–562**
- Instruments, in reconstructive laparoscopic surgery, 27–36. See also names of specific instruments**
- basic set of, 27
  - for cystectomy with orthotopic neobladder, 495–500
  - hand-assisted laparoscopic (HAL) devices, 507, 508, 509
  - for hemostasis, 27
  - manipulative, 27
  - for retroperitoneoscopic approach, 18–19
  - for suturing, 27
- J**
- Journal of Urology*, 432
- K**
- Kidney, duplex, heminephrectomy for. *See* Heminephrectomy
  - Knotting and suturing
    - technique exercises, 541, 543–544
- L**
- LigaSure™ vessel sealing generator, 27, 29, 36
  - Live animal laboratory training, 541
    - advanced training, 541, 565–569
    - basic training, 541
  - Lymphadenectomy, retroperitoneal, 3
- M**
- Maryland-style dissector, 30
  - Maryland-style grasper, 29
  - Megaureter, primary obstructive, transperitoneal ureteric reimplantation for, 233, 250–256
    - calculi retrieval, 257–261
    - detrusor buttressing, 255
    - detrusorotomy, 252–253
    - port insertion and positioning, 250
    - with psoas hitch, 234
    - retrograde stenting, 254
    - tailoring and suturing of distal ureter, 253
    - ureteric division, 251
    - ureteric ligation, 251
    - ureterovesical suturing, 254–255
  - Mesh, polypropylene, 515, 520, 523, 526–527, 528, 529
- N**
- Neobladder, orthotopic, 495–500
  - Nephrectomy, 3
    - hand-assisted laparoscopic partial (HALPN), 507–511

- Nephrectomy (*continued*)  
 colonic mobilization, 507  
 comparison with conventional radical nephrectomy, 507  
 exposure of the kidneys, 507  
 indications for, 507  
 patient positioning, 508  
 port insertion and positioning, 507, 508, 510  
 partial, 3, 199–209  
 clamping of vessels, 199, 201, 203, 205  
 complications of, 199, 200  
 hemostasis, 199, 202, 204, 205, 208  
 of left lower pole tumors, 207–209  
 in live pig, 565–567  
 nephron protection, 199  
 pneumoperitoneum creation, 201  
 in porcine model, 562–565  
 preoperative imaging, 199  
 of right interpolar renal tumors, 200–206  
 technical considerations in, 199  
 tumor excision, 203–204  
 tumor localization, 199  
 ureteric catheterization, 199, 200  
 vessel clamping in, 207  
 radical, 3  
 retroperitoneoscopic, 17  
 robotic, 507  
 simple, retroperitoneoscopic, 17  
 Nephron-sparing surgery, 3  
 Nephrostomy, percutaneous, 77  
 Nephroureterectomy, 3  
 retroperitoneoscopic, 17  
 Sem's pluck technique, 533  
 transvesical management of lower ureter, 533–538  
 closure of cystotomy, 536  
 Hem-o-lok clip application, 533, 534  
 patient positioning, 533, 537  
 port insertion and positioning, 533, 535, 537  
 specimen removal, 537  
 ureteral incision, 534
- O**  
 O'Connor's (transperitoneal) technique, for vesicovaginal fistula laparoscopic repair, 325, 326–330  
 closure of bladder defect, 325, 329, 330  
 closure of vaginal defect, 325, 328  
 excision of the fistula, 325, 328  
 ureteric catheterization, 326, 327  
 Omental tacking  
 in colovesical fistula repair, 403, 406  
 in ileocystoplasty, 369, 378, 506  
 in pyeloplasty for horseshoe kidney, 103  
 in renal cystic disease management, 175, 178  
 in ureteric reimplantation, 279  
 in ureterolysis, 301, 305–306, 308
- Orchiectomy, 3  
 Orchiopexy, of undescended testes  
 bilateral, 454, 455, 460–463  
 division of right gubernaculum, 462  
 mobilization of gonadal vessels, 461, 462–463  
 peritoneal incision, 461  
 left-sided, 454  
 open, 453  
 right-sided, 454  
 division of the gubernaculum, 465  
 gonadal vessel mobilization, 464, 465, 466  
 for intracanalicular testis, 463–467  
 scrotal incision, 466  
 single-layer, 453, 455–456  
 dissection of the gubernaculum, 456  
 gonadal vessel mobilization, 453, 455  
 two-layer, 453, 457–460  
 division of the gubernaculum, 459  
 ligation of gonadal vessels, 457–458  
 occlusion of gonadal vessels, 458  
 peritoneotomy, 457
- P**  
 Pelvic floor repair, of anterior compartment prolapse, 523–531  
 Deaver retractor use in, 524, 525  
 dissection of the uterovesical angle, 523, 528  
 patient positioning, 523, 524  
 peritoneal incision, 523, 525–526  
 polypropylene mesh fixation, 523, 526–527, 528, 529  
 reperitonealization of the mesh, 523, 530  
 urethrovesical suspension, 531  
 uterosacral ligament pexy, 523, 529  
 Pelvic lymph node dissection, 431  
 Peritoneotomy, 457  
 Pneumoperitoneum, creation of  
 with Hasson technique, 11  
 in partial nephrectomy, 201  
 Veress needle-assisted, 8, 9, 10, 11  
 Polypropylene mesh, 515, 520, 523, 526–527, 528, 529  
 Prostate cancer. *See also*  
 Prostatectomy, radical  
 pelvic lymph node sampling in, 3  
 Prostatectomy, radical, 3  
 extraperitoneal descending (St. Augustine) technique, 423–429  
 contraindications to, 423  
 dissection of apex of the prostate, 423, 426  
 dissection of bladder neck, 423, 424  
 dissection of seminal vesicles, 423, 426  
 division of bladder neck, 423, 425  
 division of urethra, 423, 427  
 division of vas deferens, 423, 426  
 entrapment of the prostate, 423, 427  
 indications for, 423  
 ports, 423  
 urethrovesical anastomosis, 423, 427, 428, 429  
 history of, 431  
 robotic, 431–442  
 anterior bladder neck dissection, 433–434, 436  
 contraindications to, 431  
 Denonvilliers' fascia dissection, 435–436, 438  
 entry into the retropubic space, 432, 433  
 incision into the endopelvic fascia, 433, 434, 435  
 incision into the peritoneum, 432, 433  
 indications for, 431  
 instruments for, 4  
 intraabdominal access and trocar placement, 432, 433  
 ligation and division of the dorsal venous complex, 433, 435, 439  
 outcomes of, 431  
 posterior bladder neck dissection, 434, 436  
 posterior dissection, 435–436, 438  
 seminal vesicle dissection, 434–435, 437, 438  
 specimen entrapment and retrieval, 440  
 urethrovesical anastomosis, 437, 440  
 transperitoneal ascending (Heilbronn technique), 411–421  
 approach to apex of the prostate, 413–416  
 ascending components, 413–416  
 closure of the port wounds, 419  
 contraindications to, 411  
 descending components, 417  
 dorsal vein complex control, 412–413, 414  
 exposure of extraperitoneal (Retzius) space, 411–412  
 exposure of seminal vesicles, 418, 419  
 exposure of vas deferens, 418, 419  
 incision of endopelvic fascia, 412–413, 414  
 indications for, 411  
 nerve-sparing technique, 413, 415–416  
 pelvic lymphadenectomy, 412–419  
 port insertion and positioning, 411, 413  
 prostate entrapment, 419  
 retrieval of the specimen, 419  
 transection of cranial pedicles, 418–419  
 trocar placement, 411, 412  
 van Velthoven anastomosis technique, 419, 420  
 Psoas hitch, 264, 266–270

- Pyelolithotomy, 189–198, 383  
   indications for, 189  
   retroperitoneoscopic, 17, 189, 190–194  
     dissection of the pannus, 191  
     incision of the pelvis, 191  
     pyelotomy closure, 193  
     stenting, 189, 192, 193  
     stone removal, 189, 192  
   transperitoneal approach, 189, 194–198  
     colonic mobilization, 189, 195, 196  
     pyelotomy, 196  
     pyelotomy closure, 198  
     stone retrieval, 196, 197, 198
- Pyeloplasty, 3, 39–115  
   antegrade stenting difficulties in, 95–96  
   basic principles of, 39  
   comparison with percutaneous antegrade  
     endopyelotomy, 3  
   contraindications to, 39  
   with Culp flap, for long segment  
     obstruction, 103–110  
     antegrade stent advancement, 107  
     closure of the pyelotomy, 108–109  
     flap formation, 105  
     flap suturing, 106–108  
     pelvic mobilization, 104  
     port insertion and positioning, 103  
     pyelotomy, 105  
     suturing, 107, 108  
     ureteric mobilization, 104  
     ureteric sling, 104  
   failed, 133  
   for horseshoe kidney, 98–103  
     Fengerplasty procedure, 102  
     isolation of the ureteropelvic junction,  
       100–101  
     omenta tacking, 103  
     pyelotomy, 101, 102  
     stenting, 101  
     suturing, 101–102  
     ureterotomy, 101  
   indications for, 39  
   patient preparation for, 39  
   in presence of infected hydronephrosis,  
     93–95  
   in presence of secondary calculi, 85–86  
     antegrade stent  
       advancement, 88  
     avoidance of dismembering in, 88  
     colonic mobilization, 87  
     following failed open pyeloplasty,  
       86–88  
     pyelotomy, 87  
     ureteric spatulation, 87  
   retroperitoneal approach, 39  
   retroperitoneoscopic approach, 17, 39  
     complications of, 41  
   retroperitoneoscopic  
     dismembered approach, 40, 77–85  
     accessory vein in, 79  
     closure of anterior layer, 84  
     closure of pyelotomy, 85  
     dissection from lower pole, 78  
     double pigtail catheterization, 83  
     excision of the ureteropelvic junction, 81  
     port insertion and positioning in, 78  
     pyelotomy, 80  
     retrieval of ureteropelvic junction  
       specimen, 81  
     suturing, 81, 82, 84  
     ureteric mobilization, 79  
     ureterotomy, 80  
   retroperitoneoscopic nondismembered  
     approach, 40, 65–69  
     Fengerplasty procedure, 67, 68–69  
     patient positioning, 66  
     port insertion and positioning, 66  
     pyelotomy, 67  
     spatulation of the ureter, 67  
     stenting, 68, 69  
   retroperitoneoscopic Y-V plasty  
     approach, 69–77  
     closure of pyelotomy, 75, 76  
     division of Gerota's fascia, 70  
     pelvic mobilization, 71  
     perirenal fat tacking, 76  
     port insertion and positioning, 69  
     stenting, 72  
     suturing, 73, 74, 75  
     ureterotomy, 72  
     V-shaped flap, 71, 73  
   skill transfer training in, 548–553  
     in animal module, 551–553  
     using chicken skin, 548–551  
   special situations, 40  
   transperitoneal approach, 39–40  
     complications of, 41  
   transperitoneal dismembered approach,  
     39, 40, 41–54  
     antegrade stent advancement, 45  
     closure of the pyelotomy, 47  
     colonic mobilization, 42  
     dissection of pelvis and ureter, 42  
     excision of redundant pelvis, 43  
     excision of ureteropelvic junction, 46  
     initial suturing, 44–45  
     patient positioning, 39, 41  
     pyelotomy, 43, 51  
     pyelum flap, 43, 46  
     retroperitonealization, 54  
     spatulation of the ureter, 44  
     specimen retrieval, 47  
     suturing of the anterior layer, 46  
     ureteric mobilization, 42  
   transperitoneal nondismembered  
     approach, 48–54  
     colonic mobilization, 49  
     exposure of ureteropelvic junction and  
       pelvis, 50  
     Fengerplasty procedure, 50, 52–53  
     port insertion and positioning, 49  
     ureteric catheterization, 48  
   transperitoneal nondismembered (Y-V  
     plasty) approach, 39, 40, 54–57  
     initial suturing, 56, 57  
     lateral ureterotomy, 56  
     port insertion and positioning, 54  
     V-flap, 55  
   transperitoneal transmesocolic approach  
     (in adults), 40, 57–60  
     dissection of upper ureter, 58  
     excision of ureteropelvic junction and  
       redundant pelvis, 58  
     mesocolic rent closure, 59  
     pyelotomy, 58  
     stent advancement, 59  
     suturing, 58, 59  
   transperitoneal transmesocolic approach  
     (in children), 40, 60–65  
     antegrade stenting, 64  
     closure of rent in mesocolon, 65  
     excision of the pyelum flap, 64  
     incision of the mesocolon, 40, 61–62  
     operative time, 40  
     pelvic mobilization, 62  
     placement of stay in the pelvis, 40, 62  
     port insertion and placement, 61  
     pyelotomy, 62  
     spatulation of the ureter, 62  
     suturing, 63  
   ureteroscopy-guided  
     antegrade stenting in, 97–98  
   for vessel crossing the  
     ureteropelvic junction, 89–92  
     closure of pyelotomy, 92  
     colonic mobilization, 89  
     dismembering in, 90  
     pyelotomy, 90  
     stent advancement, 92  
     suturing, 91, 92  
     transpositioning of the ureteropelvic  
       junction, 91  
     ureteric mobilization, 90
- Pyelotomy**  
   in pyelolithotomy, 196, 198  
   in pyeloplasty  
     in Culp flap pyeloplasty, 105  
     in dismembered pyeloplasty, 43  
     in horseshoe kidney, 101, 102  
     in presence of secondary calculi, 87  
     for vessel crossing the ureteropelvic  
       junction, 90, 92
- R**  
 Rassweiler, Jens, 411  
 Reconstructive urologic laparoscopic  
   surgery, 3–5. *See also specific  
   surgical procedures*  
   contraindications to, 7  
   future trends in, 4

- Reconstructive urologic laparoscopic surgery (*continued*)  
 historical perspective on, 3–4  
 indications for, 7  
 learning curve in, 4  
 patient preparation for, 7  
 safe trocar insertion  
   techniques in, 7–10  
     closed technique, 8–9  
     open technique, 9–10  
   for primary trocars, 7–10  
   secondary trocars, 11
- Renal autotransplantation, 3
- Renal cell carcinoma,  
   nephron-sparing surgery for, 3
- Renal cystic disease, laparoscopic management of, 175–187  
 for Bosniak type I and type II cysts, 175, 176–178  
   colonic mobilization, 175, 177  
   cyst wall excision, 175, 177  
   omental tacking, 175, 178  
   for parapelvic cysts, 175  
   transperitoneal approach for, 175, 176  
 for Bosniak type III and type IV cysts, 179–185  
   colonic mobilization, 175, 179  
   division of the parenchyma, 175, 183  
   retroperitoneal approach, for infected cysts, 175, 185–187
- Renal masses, nephron-sparing surgery for, 3
- Renal tumors, hand-assisted laparoscopic partial nephrectomy of, 507–511
- Retraction, 27
- Retractors, 27, 31, 32  
   Deaver, 524, 525
- Retroperitoneal approach, in pyeloplasty, 39
- Retroperitoneoscopic approach  
 basic techniques in, 17–26  
 contraindications to, 17  
 in dismembered pyeloplasty, 77–85  
   accessory vein in, 79  
   closure of anterior layer, 84  
   closure of pyelotomy, 85  
   dissection from lower pole, 78  
   double pigtail catheterization, 83  
   excision of the ureteropelvic junction, 81  
   port insertion and positioning in, 78  
   pyelotomy, 80  
   retrieval of ureteropelvic junction specimen, 81  
   suturing, 81, 82, 84  
   ureteric mobilization, 79  
   ureterotomy, 80
- drain insertion, 26  
 finger dissection of retroperitoneal space, 20  
 indications for, 17  
 initial dissection, 25  
 instrumentation for, 18–19
- live animal laboratory training in, 567–568
- in nondismembered pyeloplasty, 65–69  
 Fengerplasty procedure, 67, 68–69  
 patient positioning, 66  
 port insertion and positioning, 66  
 pyelotomy, 67  
 spatulation of the ureter, 67  
 stenting, 68, 69
- patient positioning, 17
- pneumoleak reduction, 23
- ports, 17, 19  
   primary placement, 19, 23  
   secondary placement of, 20, 24
- in pyelolithotomy, 189–198, 383
- in pyeloplasty, 39, 40  
 complications of, 41
- retroperitoneal space creation, 19
- retroperitoneal space distention, 17, 20–22
- specimen retrieval, 26
- in ureterolithotomy, 17, 291–296
- in ureteroureterostomy, 213, 220–224  
 division of the ureter, 221  
 port insertion and positioning, 220  
 suturing techniques, 222–224  
 transposition of the retrocaval segment, 222
- in Y-V plasty pyeloplasty, 69–77  
 closure of pyelotomy, 75, 76  
 division of Gerota's fascia, 70  
 pelvic mobilization, 71  
 perirenal fat tacking, 76  
 port insertion and positioning, 69  
 stenting, 72  
 suturing, 73, 74, 75  
 ureterotomy, 72  
 V-shaped flap, 71, 73
- Robotic prostatectomy, 431–442  
 anterior bladder neck dissection, 433–434, 436  
 contraindications to, 431  
 Denonvilliers' fascia dissection, 435–436, 438  
 entry into the retropubic space, 432, 433  
 incision into the peritoneum, 432, 433  
 incision of the endopelvic fascia, 433, 434, 435  
 indications for, 431  
 intraabdominal access and trocar placement, 432, 433  
 ligation and division of the dorsal venous complex, 433, 435, 439  
 outcomes of, 431  
 posterior bladder neck dissection, 434, 436  
 posterior dissection, 435–436, 438  
 seminal vesicle dissection, 434–435, 437, 438  
 specimen entrapment and retrieval, 440
- Robotics, 4
- S**
- Sacrocolpopexy, 3, 515–522  
 indications for, 515  
 techniques, 515–522  
   excision of excess graft, 521  
   incision of the peritoneum, 515, 518  
   polypropylene mesh fixation, 515, 520  
   ports, 515, 516  
   posterior colpoperineorrhaphy, 522  
   releasing of adhesions, 515, 517  
   reperitonealization, 522  
   retroperitoneal tunnel, 515, 518, 519
- St. Augustine technique, for radical prostatectomy, 423–429  
 bladder neck dissection, 423, 424  
 bladder neck division, 423, 425  
 contraindications to, 423  
 dissection of apex of the prostate, 423, 426  
 dissection of seminal vesicles, 423, 426  
 division of urethra, 423, 427  
 division of vas deferens, 423, 426  
 entrapment of the prostate, 423, 427  
 indications for, 423  
 ports, 423  
 urethrovesical anastomosis, 423, 427, 428, 429
- Scalpels, Harmonic®, 27, 29, 36
- Scissors, 27  
   Hook, 31  
   Metzenbaum, 31  
   Pott's, 31
- Seminal vesicle, dissection of, 434–435, 437, 438
- Seminal vesicle cysts, laparoscopic excision of, 443–450  
 contraindications to, 443  
 indications for, 443  
 surgical technique, 443, 444–450  
   aspiration of cyst, 443  
   dissection of cyst, 443, 446–448  
   hemostasis, 446, 449  
   peritoneal incision in rectovesical pouch, 443, 445  
   port insertion and positioning, 443, 445  
   specimen retrieval, 449  
   transperitoneal approach, 443  
   ureteric stenting, 444  
   ureteric catheterization, 443
- Sem's pluck technique, 533
- Skill transfer training techniques, in urologic laparoscopic surgery, 541–569  
 animal module exercises, 541, 545–565  
   inferior vena cava (IVC) suturing, 541  
   pyeloplasty, 541, 548–553  
   ureterolithotomy, 541, 547–548  
   urethrovesical suturing, 541, 545–546, 553–560, 567  
 assisting live laparoscopic surgery, 541, 569  
 dry laboratory exercises, 541, 542

- dissection, 541
- hand-eye coordination, 541
- knotting and suturing techniques, 541, 543–544
- live animal laboratory training, 541
  - advanced training, 541, 565–569
  - basic training, 541
  - retroperitoneoscopy, 567–568
- partial nephrectomy
  - in live pig, 565–567
  - in porcine model, 562–565
- Spatulas, 32
- Stenting, 444
  - in partial cystectomy, 346
  - in pyeloplasty
    - for horseshoe kidney, 101
    - in retroperitoneoscopic nondismembered approach, 68, 69
    - in retroperitoneoscopic Y-V plasty approach, 72
    - for vessel crossing the ureteropelvic junction, 92
  - retrograde, 254
  - in ureteric reimplantation
    - for ectopic ureter, 272, 276
    - transvesical (Cohen's Technique), 243, 246
  - in ureterovaginal fistula repair, 264
  - in vesicoureteric reflux (VUR) ureteric reimplantation, 237
- Straight graspers, 30
- Supratrigonal tears, 312
- Suturing, 7
  - instruments for, 27
  - in pyeloplasty
    - Culp flap, 107, 108
    - in dismembered pyeloplasty, 46, 81, 82, 84
    - in horseshoe kidney, 101–102
  - ureterovesical, 254–255
- Suturing training methods
  - inferior vena cava suturing module, 561–562
  - for partial nephrectomy, 564–565
  - for pyeloplasty, 549–551, 552–553
  - for ureterotomy, 548
  - urethrovesical, 541, 545–546, 553–560, 567
    - using chicken skin, 554–557
    - using cut Foley catheter, 545–546, 553–554
    - using porcine model, 558–560
  - for vascular suturing, 561
- T**
- Testes, undescended,
  - laparoscopic surgery for, 453–467
  - bilateral orchiopexy, 454, 455, 460–463
  - division of right gubernaculum, 462
  - mobilization of gonadal vessels, 461, 462–463
  - peritoneal incision, 461
  - for high intraabdominal testis, 453, 455, 457–459
  - indications for, 453
  - laparoscopic localization of, 3
  - left-sided orchiopexy, 454
  - for low intraabdominal testis, 453, 455
  - management algorithm for, 453
  - ports, 454, 455
  - right-sided orchiopexy, 454
    - division of the gubernaculum, 465
    - gonadal vessel mobilization, 464, 465, 466
    - for intracanalicular testis, 463–467
    - scrotal incision, 466
  - single-layer orchiopexy, 453, 455–456
    - dissection of the gubernaculum, 456
    - gonadal vessel mobilization, 453, 455
  - two-stage orchiopexy, 453, 457–460
    - division of the gubernaculum, 459
    - ligation of gonadal vessels, 457–458
    - occlusion of gonadal vessels, 458
    - peritoneotomy, 457
- Transabdominal approach, in vesicovaginal fistula repair, 325
- Transitional cell carcinoma, partial cystectomy for, 355–360
- bladder closure, 358–359
- excision of tumor, 357
- left iliac lymph-node dissection, 359
- transurethral resection of tumor, 356
- Transperitoneal approach, 7–15
  - in dismembered pyeloplasty, 39, 40, 41–54
    - antegrade stent advancement, 45
    - closure of the pyelotomy, 47
    - colonic mobilization, 42
    - dissection of pelvis and ureter, 42
    - excision of redundant pelvis, 43
    - excision of ureteropelvic junction, 46
    - patient positioning, 39, 41
    - pyelotomy, 43, 51
    - pyelum flap, 43, 46
    - retroperitonealization, 54
    - spatulation of the ureter, 44
    - specimen retrieval, 47
    - suturing of the anterior layer, 46
    - ureteric mobilization, 42
  - in diverticulectomy, 317
  - entry and exit principles of, 7–15
  - in nondismembered
    - pyeloplasty, 39, 40, 48–54
    - colonic mobilization, 49
    - exposure of ureteropelvic junction and pelvis, 50
  - Fengerplasty procedure, 50, 52–53
  - port insertion and positioning, 49
  - ureteric catheterization, 48
  - in nondismembered (Y-V plasty) pyeloplasty, 40, 54–57
  - initial suturing, 56, 57
  - lateral ureterotomy, 56
  - port insertion and positioning, 54
  - V-flap, 55
  - in pyelolithotomy, 189, 194–198
  - in pyeloplasty, 39–40
    - complications of, 41
    - safe insertion techniques for, 7–10
  - in seminal vesicle cyst excision, 443
  - in ureterolithotomy, 207–300
  - in ureterolysis, 301, 302–308
  - in ureteroureterostomy, 225–229
  - in vesicovaginal fistula repair (O'Connor's technique), 325, 326–330
- Transperitoneal transmesocolic approach, in pyeloplasty
  - in adults, 57–60
    - dissection of upper ureter, 58
    - excision of ureteropelvic junction and redundant pelvis, 58
    - mesocolic rent closure, 59
    - pyelotomy, 58
    - stent advancement, 59
    - suturing, 58, 59
  - in children, 40, 60–65
    - antegrade stenting, 64
    - closure of rent in mesocolon, 65
    - excision of the pyelum flap, 64
    - incision of the mesocolon, 40, 61–62
    - operative time, 40
    - pelvic mobilization, 62
    - placement of pelvic stay, 40, 62
    - port insertion and placement, 61
    - pyelotomy, 62
    - spatulation of the ureter, 62
    - suturing, 63
- Transurethral resection, of bladder tumors, 356
- Transvesical (Cohen's technique) approach, in ureteric reimplantation, 233
  - bladder collapse in, 248–249
  - bloodstained urine accumulation during, 249
  - camera port slippage in, 247
  - for ureterocele, 233, 241–247
  - for vesicoureteric reflux (VUR), 235–241
- Transvesical (cystorrhaphy) approach, in vesicovaginal fistula repair, 325, 331–334
  - closure of bladder defect, 332–333
  - port insertion and positioning, 331
  - prevention of bladder distention, 332
  - ureteric catheterization, 331
- Trocars
  - anchoring of, 27
  - balloon, 17, 21, 22
  - balloon-tip, 13, 18, 23
  - blunt-tip, with radial dilation, 12
  - clear, 12

- Trocars (*continued*)  
 components of, 27, 28  
 5-mm, 28  
 5-to 12-mm, 28  
 Gaur balloon, 18, 22  
 Hasson's, 19, 23  
 Malecot-tip, 18  
 "one-step," 12  
 with retracting blades, 11, 12  
 safe insertion techniques for, 7–10  
 closed technique, 8–9  
 open technique, 9–10  
 for primary trocars, 7–10  
 for secondary trocars, 11  
 sealing of, 27  
 slippage during ureteric reimplantation, 234, 248  
 standard 10-mm, 28
- U**
- UltraShears™ (5-mm), 29, 35  
 Urachal fistula, excision of, 361–364  
 Urachal tumors, partial  
 cystectomy for, 351–354  
 cystotomy closure, 354  
 indications for, 351  
 preoperative workup, 351, 352  
 tumor excision, 353–354
- Urachus, patent  
 anatomy of, 361  
 excision of, 361–364
- Ureter(s)  
 as bladder augmentation (ureterocystoplasty), 381–401  
 duplication of  
 heminephrectomy for, 155–173  
 ureteropyelostomy for, 117–131  
 ectopic, ureteric reimplantation for, 271–279  
 bladder mucosal opening, 276  
 colonic mobilization, 273  
 detrusorotomy, 276  
 juxtahiatal level ureteric ligation, 275  
 omental tacking, 279  
 port insertion and positioning, 272  
 stent placement, 272, 276  
 suturing, 277–278  
 ureteric mobilization, 274–275  
 ileal, laparoscopically-assisted, 471–482.  
*See also* Ureterocalicostomy  
 colonic mobilization, 472  
 contraindications to, 471  
 detrusorotomy, 477  
 ileocalicostomy, 480–482  
 ileovesical anastomosis, 478, 479  
 in intrarenal or scarred pelvis, 472–479  
 ligation and excision of strictured ureter, 473  
 port insertion and placement, 471, 472  
 preparation of isolated ileum, 474  
 pyelotomy, 473  
 selection and isolation of ileal segment, 474  
 lower  
 injuries to, ureteric reimplantation for, 233  
 in nephroureterectomy, 533–538  
 normal, retroperitoneoscopic view of, 293  
 Ureteric obstruction, ureterolysis of, 301–308  
 Ureteric reimplantation, 3, 233–279  
 with Boari flap, 281–289  
 bladder flap tubularization, 286–287  
 clipping of the juxtahiatal ureter, 283  
 cystotomy, 284–285  
 indications for, 281  
 mobilization of the strictured segment, 282  
 omental tacking, 288  
 for calculi retrieval, 257–261  
 indications for, 233  
 Lich Gregoir's techniques  
 for ectopic ureter (duplex system), 271–279  
 nontailored transperitoneal technique, 261–265  
 tailored transperitoneal technique, 233, 250–256  
 for primary obstructive megaureter, 250–256  
 transvesical (Cohen's technique)  
 approach, 233  
 bloodstained urine accumulation during, 249  
 camera port slippage in, 247  
 dissector malpositioning in, 248  
 perivesical emphysema-related bladder collapse in, 248–249  
 for ureterocele, 233, 241–247  
 for vesicoureteric reflux (VUR), 235–241  
 trocar slippage during, 234, 248  
 Ureteric slings, 104, 141  
 Ureteric strictures  
 Boari flap ureteric reimplantation for, 281–289  
 bladder flap tubularization, 286–287  
 clipping of the juxtahiatal ureter, 283  
 cystotomy, 284–285  
 mobilization of the structured segment, 282  
 omental tacking, 288  
 lower, ureteric reimplantation for, 233  
 bladder mobilization, 267–268  
 bladder mucosal dissection, 268–269  
 detrusor buttressing, 270  
 division at juxtahiatal level, 266–267  
 with psoas hitch, 266–270  
 ureter mobilization, 266  
 ureterovesical anastomosis, 269  
 ureteroureterostomy for  
 retroperitoneoscopic approach, 230–232  
 transperitoneal approach, 225–229  
 Ureterocalicostomy, 133–153  
 colonic mobilization, 135, 140  
 division of ureteropelvic junction, 133, 136  
 indications for, 133  
 in the intrarenal pelvis (side-to-side technique), 135, 140–149  
 calicotomy site, 142  
 colonic mobilization, 140  
 flexinephroscope use in, 150  
 linear calicotomy, 143  
 linear ureterotomy, 143  
 lower pole calicotomy, 149  
 with multiple secondary calculi, 149–152  
 nephrostomy catheter in, 151  
 port insertion and positioning, 140  
 retroperitonealization, 148  
 suturing, 144–147, 151, 152  
 ureteric mobilization, 141, 142  
 ureteric sling, 141  
 port positioning and insertion, 133, 134  
 suturing, 137, 138  
 ureteric isolation, 135  
 Ureteroceles, transvesical ureteric reimplantation for (Cohen's Technique), 233, 241–247  
 cystoscopic deroofting of ureterocele, 242  
 hiatus narrowing, 244, 245  
 mucosal defect closure, 247  
 submucosal tunneling, 243, 245, 246  
 subumbilical camera port site, 242  
 ureteric stenting, 243, 246  
 ureterocele incision, 245  
 ureterocele mobilization, 243, 244  
 Ureterocystoplasty, 381–401  
 with bladder augmentation, 381–401  
 in functioning kidney, 394–401  
 cystotomy, 396–397  
 omental tacking, 400  
 peritoneal incision, 395  
 port insertion and positioning, 395  
 suturing, 397–400  
 ureteric mobilization, 396  
 indications for, 381  
 in nonfunctioning kidney, 382–393  
 colonic mobilization, 384, 391  
 cystotomy, 381, 386–387, 389  
 nephroureterectomy specimen retrieval, 392  
 peritoneal incision, 383  
 port insertion and positioning, 383, 391  
 postoperative cystography, 381, 393  
 suturing, 381, 387–389, 390  
 ureteric catheterization, 382  
 ureteric detubularization, 381, 385, 387

- ureteric ligation and division, 385
  - ureteric mobilization, 383, 384
  - Ureteroileal anastomosis, 491, 493
  - Ureterolithotomy, 3, 291–300
    - retroperitoneoscopic, 17, 291–296
    - indications for, 291
    - surgical technique, 291, 292–296
    - skill transfer training in, 541, 547–548
    - transperitoneal, 207–300
  - Ureterolysis, 301–308
    - bilateral, 308
    - colonic mobilization, 301, 303, 306
    - indications for, 301
    - omental wrapping, 301, 305–306, 308
    - port insertion and placement, 301, 302, 308
    - preoperative ureteric stenting, 301
    - ureteric wall dissection, 304
  - Ureteropelvic junction
    - division of, 551
    - narrowing of, ureterocalicostomy for, 133–153
    - obstruction of. *See* Pyeloplasty
  - Ureteropyelostomy, 117–131
    - for complete duplex system, 118
      - dissection at level of the bladder, 127
      - incision along the paracolic gutter, 126
      - linear ureterotomy, 128
      - port insertion and positioning, 131
      - suturing, 128, 129
    - for incomplete duplex system
      - colonic mobilization, 117, 119, 120
      - with lower moiety ureteropelvic junction obstruction, 117, 118
      - peritoneal incision, 119
      - port insertion and positioning, 117
      - in presence of secondary calculi, 117–118
      - pyelotomy, 121
      - stenting, 123
      - suturing, 117, 122, 124
      - ureterotomy, 121
  - Ureterostomy, bilateral cutaneous, 383
  - Ureterotomy
    - with hook diathermy, 159
    - in retroperitoneoscopic pyeloplasty, 80
    - in Y-V plasty / pyeloplasty, 72
  - Ureteroureterostomy, 213–232
    - in live pig, 566
    - in retrocaval ureters, 213–224
    - indications for, 213
    - retroperitoneoscopic approach, 17, 213, 220–224
    - retrosperitoneal approach, 213
    - transperitoneal approach, 213, 214–219
    - retroperitoneoscopic approach, 17, 213, 220–224
    - division of the ureter, 221
    - port insertion and positioning, 220
    - suturing techniques, 222–224
    - transposition of the retrocaval segment, 222
    - for ureteral strictures
      - retroperitoneoscopic approach, 230–232
      - transperitoneal approach, 225–229
  - Ureterovaginal fistula, ureteric reimplantation for, 233, 261–265
    - bladder mucosal incision, 263
    - detrusor incision, 263
    - detrusor layer closure, 265
    - distal ureter mobilization, 262
    - division of the ureter, 263
    - Hem-o-lok clip use, 262
    - psoas hitch, 264
    - stenting, 264
    - suturing, 264–265
  - Urethral-neobladder anastomosis, 499
  - Urethrovaginal anastomosis
    - in radical prostatectomy, 423, 427, 428, 429, 437, 440
    - using cut Foley catheter, 545–546, 553–554
  - Urethrovaginal suspension, 531
  - Urinary diversion, following radical cystectomy, 3
  - Urinary tract infections, ureteric duplication-related, 117, 118
  - Uterosacral ligament pexy, 523, 529
  - Uterovesical angle, dissection of, 523, 528
- V**
- Vaginal vault prolapse, sacrocolpopexy for, 3, 515–522
    - indications for, 515
    - techniques, 515–522
      - excision of excess graft, 521
      - incision of the peritoneum, 515, 518
      - polypropylene mesh fixation, 515, 520
      - port insertion and positioning, 515, 516
      - posterior colpoperineorrhaphy, 522
      - releasing of adhesions, 515, 517
      - reperitonealization, 522
      - retroperitoneal tunnel, 515, 518, 519
  - van Velthoven anastomosis technique, 419, 420
  - Varicolectomy, 3
  - Vesicoureteric fistula, laparoscopic repair
    - of, 335–344
    - definition of, 335
    - follow-up, 335
    - surgical technique, 335–344
      - closure of bladder defect, 335, 341
      - closure of uterine defect, 335, 338–339
      - omentum tacking, 335, 340
      - port insertion/positioning, 335, 337
  - Vesicoureteric reflux (VUR)
    - congenital, 233
    - transvesical (Cohen's technique) ureteric reimplantation for, 233, 235–241
      - bladder mucosal incisions, 233, 237
      - detrusor fiber division, 238
      - gas emphysema during, 233, 248–249
      - port insertion and positioning, 233, 235, 236
      - postoperative micturating cystourethrography, 241
      - submucosal tunnel, 233, 238–239
      - ureteric mobilization, 233, 237, 238
      - ureteric stenting, 237
      - vesicoureteric reflux localization, 235
  - Vesicovaginal fistula, laparoscopic repair of, 325–334
    - follow-up to, 325
    - transabdominal approach, 325
    - transperitoneal (O'Connor's technique) approach, 325, 326–330
      - closure of bladder defect, 325, 329, 330
      - closure of vaginal defect, 325, 328
      - excision of the fistula, 325, 328
      - ureteric catheterization, 326, 327
    - transvesical (cystorrhaphy) approach, 325, 331–334
      - closure of bladder defect, 332–333
      - port insertion and positioning, 331
      - prevention of bladder distention, 332
      - ureteric catheterization, 331
- W**
- Wickham, J.E., 17