

# References

1. Arason, J.K., Pfister, A.: Beweis des Krullschen Durchschnittsatzes für den Witttring. *Invent. Math.* **12**, 173–176 (1971)
2. Aravire, R., Baeza, R.: The behavior of quadratic and differential forms under function field extensions in characteristic two. *J. Algebra* **259**(2), 361–414 (2003)
3. Arf, C.: Untersuchungen über quadratische Formen in Körpern der Charakteristik 2. (Tl. 1.). *J. Reine Angew. Math.* **183**, 148–167 (1941)
4. Baeza, R.: Ein Teilformensatz für quadratische Formen in Charakteristik 2. *Math. Z.* **135**, 175–184 (1974)
5. Baeza, R.: Eine Bemerkung über Pfisterformen. *Arch. Math.* **25**, 254–259 (1974)
6. Baeza, R.: Quadratic forms over semilocal rings. *Lecture Notes in Mathematics*. 655. Berlin-Heidelberg-New York: Springer-Verlag. VI, 199 p. (1978)
7. Baeza, R.: The norm theorem for quadratic forms over a field of characteristic 2. *Commun. Algebra* **18**(5), 1337–1348 (1990)
8. Bass, H.: Lectures on topics in algebraic  $K$ -theory. Notes by Amit Roy. Tata Institute of Fundamental Research Lectures on Mathematics, No. 41. Tata Institute of Fundamental Research, Bombay (1967)
9. Bass, H.: Clifford algebras and spinor norms over a commutative ring. *Amer. J. Math.* **96**, 156–206 (1974)
10. Bourbaki, N.: *Éléments de Mathématique, Algèbre*, Chap.9: Formes sesquilineaires et formes quadratiques. Hermann, Paris (1959)
11. Bourbaki, N.: *Éléments de Mathématique, Algèbre commutative*, Chap.6: Valuations. Hermann, Paris (1964)
12. Bourbaki, N.: *Éléments de Mathématique, Algèbre*, Chap.5: Corps commutatifs. Hermann, Paris (1967)
13. Cartan, H., Eilenberg, S.: *Homological algebra*. Princeton University Press, Princeton, N. J. (1956)
14. Elman, R., Karpenko, N., Merkurjev, A.: The algebraic and geometric theory of quadratic forms, *American Mathematical Society Colloquium Publications*, vol. 56. American Mathematical Society, Providence, RI (2008)
15. Elman, R., Lam, T.Y.: Pfister forms and  $K$ -theory of fields. *J. Algebra* **23**, 181–213 (1972)
16. Endler, O.: *Valuation theory*. Springer-Verlag, New York (1972)
17. Engler, A.J., Prestel, A.: *Valued fields*. Springer Monographs in Mathematics. Springer-Verlag, Berlin (2005)
18. Fitzgerald, R.W.: Quadratic forms of height two. *Trans. Amer. Math. Soc.* **283**(1), 339–351 (1984)
19. Hoffmann, D.W.: Isotropy of quadratic forms over the function field of a quadric. *Math. Z.* **220**(3), 461–476 (1995)

20. Hoffmann, D.W.: On quadratic forms of height two and a theorem of Wadsworth. *Trans. Amer. Math. Soc.* **348**(8), 3267–3281 (1996)
21. Hoffmann, D.W.: Sur les dimensions des formes quadratiques de hauteur 2. *C. R. Acad. Sci. Paris Sér. I Math.* **324**(1), 11–14 (1997)
22. Hoffmann, D.W.: Splitting patterns and invariants of quadratic forms. *Math. Nachr.* **190**, 149–168 (1998)
23. Hoffmann, D.W., Laghribi, A.: Isotropy of quadratic forms over the function field of a quadric in characteristic 2. *J. Algebra* **295**(2), 362–386 (2006)
24. Hurrelbrink, J., Rehmann, U.: Splitting patterns of excellent quadratic forms. *J. Reine Angew. Math.* **444**, 183–192 (1993)
25. Hurrelbrink, J., Rehmann, U.: Splitting patterns of quadratic forms. *Math. Nachr.* **176**, 111–127 (1995)
26. Izhboldin, O.T., Kahn, B., Karpenko, N.A., Vishik, A.: Geometric methods in the algebraic theory of quadratic forms, *Lecture Notes in Mathematics*, vol. 1835. Springer-Verlag, Berlin (2004). Edited by Jean-Pierre Tignol
27. Jacobson, N.: Lectures in abstract algebra. Vol III: Theory of fields and Galois theory. D. Van Nostrand Co., Inc., Princeton, N.J.-Toronto, Ont.-London-New York (1964)
28. Kahn, B.: Formes quadratiques de hauteur et de degré 2. *Indag. Math. (N.S.)* **7**(1), 47–66 (1996)
29. Kersten, I., Rehmann, U.: Generic splitting of reductive groups. *Tohoku Math. J. (2)* **46**(1), 35–70 (1994)
30. Knebusch, M.: Isometrien über semilokalen Ringen. *Math. Z.* **108**, 255–268 (1969)
31. Knebusch, M.: Grothendieck- und Witttringe von nichtausgearteten symmetrischen Bilinearformen. *S.-B. Heidelberger Akad. Wiss. Math.-Natur. Kl.* **1969/70**, 93–157 (1969/1970)
32. Knebusch, M.: Specialization of quadratic and symmetric bilinear forms, and a norm theorem. *Acta Arith.* **24**, 279–299 (1973)
33. Knebusch, M.: Generic splitting of quadratic forms. I. *Proc. London Math. Soc. (3)* **33**(1), 65–93 (1976)
34. Knebusch, M.: Generic splitting of quadratic forms. II. *Proc. London Math. Soc. (3)* **34**(1), 1–31 (1977)
35. Knebusch, M.: Symmetric bilinear forms over algebraic varieties. In: G. Orzech (Ed.) *Proc. Conf. Quadratic Forms, Kingston 1976*, Queen's Pap. pure appl. Math. 46, 103–283 (1977)
36. Knebusch, M.: Generic splitting of quadratic forms in the presence of bad reduction. *J. Reine Angew. Math.* **517**, 117–130 (1999)
37. Knebusch, M., Rehmann, U.: Generic splitting towers and generic splitting preparation of quadratic forms. In: *Quadratic forms and their applications (Dublin, 1999)*, *Contemp. Math.*, vol. 272, pp. 173–199. Amer. Math. Soc., Providence, RI (2000)
38. Knebusch, M., Rosenberg, A., Ware, R.: Structure of Witt rings and quotients of Abelian group rings. *Amer. J. Math.* **94**, 119–155 (1972)
39. Knebusch, M., Scharlau, W.: Algebraic theory of quadratic forms, Generic methods and Pfister forms, *DMV Seminar*, vol. 1. Birkhäuser Boston, Mass. (1980). (Notes taken by Heisook Lee.)
40. Kneser, M.: Witts Satz über quadratische Formen und die Erzeugung orthogonaler Gruppen durch Spiegelungen. *Math.-Phys. Semesterber.* **17**, 33–45 (1970)
41. Kneser, M.: Witts Satz für quadratische Formen über lokalen Ringen. *Nachr. Akad. Wiss. Göttingen Math.-Phys. Kl. II* pp. 195–203 (1972)
42. Kneser, M.: *Quadratische Formen*. Springer (2002)
43. Lam, T.Y.: The algebraic theory of quadratic forms. W. A. Benjamin, Inc., Reading, Mass. (1973)
44. Lam, T.Y.: Introduction to quadratic forms over fields, *Graduate Studies in Mathematics*, vol. 67. American Mathematical Society, Providence, RI (2005)
45. Lang, S.: Introduction to algebraic geometry. Interscience Publishers, Inc., New York-London (1958)
46. Lang, S.: *Algebra*. Addison-Wesley Publishing Co., Inc., Reading, Mass. (1965)
47. Lorenz, F.: Quadratische Formen über Körpern. *Lecture Notes in Mathematics*, Vol. 130. Springer-Verlag, Berlin (1970)

48. Milnor, J.: Algebraic  $K$ -theory and quadratic forms. *Invent. Math.* **9**, 318–344 (1969/1970)
49. Milnor, J.: Symmetric inner products in characteristic 2. In: *Prospects in mathematics* (Proc. Sympos., Princeton Univ., Princeton, N.J., 1970), pp. 59–75. *Ann. of Math. Studies*, No. 70. Princeton Univ. Press, Princeton, N.J. (1971)
50. Milnor, J., Husemoller, D.: Symmetric bilinear forms, *Ergebnisse der Mathematik und ihrer Grenzgebiete*, vol. 73. Springer-Verlag, New York (1973)
51. Orlov, D., Vishik, A., Voevodsky, V.: An exact sequence for  $K_*^M/2$  with applications to quadratic forms. *Ann. of Math. (2)* **165**(1), 1–13 (2007)
52. Pfister, A.: Quadratic forms with applications to algebraic geometry and topology, *London Mathematical Society Lecture Note Series*, vol. 217. Cambridge University Press, Cambridge (1995)
53. Ribenboim, P.: Théorie des valuations, vol. 1964. Les Presses de l'Université de Montréal, Montreal, Que. (1965)
54. Roy, A.: Cancellation of quadratic forms over commutative rings. *J. Algebra* **10**, 286–298 (1968)
55. Scharlau, W.: Quadratic and Hermitian forms, *Grundlehren der Mathematischen Wissenschaften*, vol. 270. Springer-Verlag, Berlin (1985)
56. Springer, T.A.: Quadratic forms over fields with a discrete valuation. I. Equivalence classes of definite forms. *Nederl. Akad. Wetensch. Proc. Ser. A.* **58** = *Indag. Math.* **17**, 352–362 (1955)
57. Vishik, A.S.: On the dimensions of quadratic forms. *Dokl. Akad. Nauk* **373**(4), 445–447 (2000)
58. Witt, E.: Theorie der quadratischen Formen in beliebigen Körpern. *J. reine angew. Math.* **176**, 31–44 (1936)



# Index

## Symbols

AFR (w.r.t. a  $Q$ -place), 177

AGR, 168

AGR (w.r.t. a  $Q$ -place), 177

$\text{Arf}(\varphi)$ , 39

$\text{Com}(\varphi)$ , 151

CR, 178

$\deg \varphi$ , 145

$\det(\varphi)$ , 6

$d(\varphi)$ , 6

$\Delta(\varphi)$ , 80

$D(\varphi)$ , 97

$\delta(M)$ , 32

$\varphi \approx \psi$ , 4

$\varphi <_s \tau$ , 101

$\varphi \sim \psi$ , 4

$\varphi \otimes K'$  ( $\varphi$  over  $K$ ,  $K \subset K'$ ), 56

FR, 66

FR (w.r.t. a  $Q$ -place), 176

GR, 48

GR (w.r.t. a  $Q$ -place), 167

$h(\varphi)$ , 19, 78

$H = \begin{pmatrix} 0 & 1 \\ 1 & 0 \end{pmatrix}$ , 16

$H = \begin{bmatrix} 0 & 1 \\ 1 & 0 \end{bmatrix}$ , 56

$\tilde{H} := \begin{pmatrix} 0 & 1 \\ 1 & 0 \end{pmatrix}$ , 169

$\text{ind}(\varphi)$ , 4

$i(\rho_1, \rho_2)$ , 130

$I(k)$ , 147

$I^n(k)$ , 148

$J_n(k)$ , 147

$j(\rho_1, \rho_2)$ , 127

$\ker(\varphi)$ , 4

$k(\varphi)$ , 18

$k(\varphi)$  (including for  $\text{char } k = 2$ ), 57

$\hat{\lambda}$ , 166

$\lambda_*(E)$ , 48

$\lambda_*(\varphi)$ , 10

$\Lambda_*(\varphi)$ , 167, 168, 178

$\lambda_W$  (bilinear form), 9

$\lambda_W$  (quadratic form), 45

$\lambda_W$  (more general), 74

$\Lambda_W$ , 166

$\Lambda|k$ , 170

$M^h$ , 35

$\tilde{M}$ , 32

$-M$ , 26

$M' < M$  (quadratic module), 66

$M \sim N$ , 33

$\mu_+(V)$ , 37

$\mu(V)$ , 37

$\tilde{N}$ , 25

$N(\varphi)$ , 97

$N^\perp$ , 25

$\nu(\varphi)$ , 6

$\nu^h$ , 35

$\text{Pol}_E(F)$ , 100

$\text{Pol}_\tau(\varphi)$ , 99

$\psi < \varphi$  (bilinear form), 14

$QL(M)$ , 26

$\rho(V)$ , 38

SAGR, 179

SCR, 179

$\text{SP}(\varphi)$ , 20

$\tau | \varphi$ , 125

$W(K)$ , 5

$W(K, H)$ , 166

$\tilde{W}q(K, \mathfrak{o})$ , 45

$\tilde{W}q(K)$ , 33

$\tilde{W}q(\mathfrak{o})$ , 32

$\tilde{W}q(\mathfrak{o})$ , 32

$\tilde{W}qr(\mathfrak{o})$ , 32

$\tilde{W}q(K, \mathfrak{o})$ , 45

**A**

- Affine standard tower, 81
- Almost fair reduction (w.r.t. a  $Q$ -place), 177
- Almost good reduction (w.r.t. a  $Q$ -place), 168, 177
- Anisotropic (bilinear form), 3
- Anisotropic (quadratic module), 29
- Arf invariant, 39
- Associated quadratic space, 32

**B**

- Base extension, 24
- Bilinear form
  - anisotropic, 3
  - good reduction, 8
  - hyperbolic, 4
  - kernel form, 4
  - metabolic, 4
  - nondegenerate, 8
  - representation, 14
  - Substitution Principle, 14
  - $\lambda$ -unimodular, 8
  - Witt class, 5
  - Witt decomposition, 3
  - Witt equivalence, 4
  - (Witt) index, 4
- Bilinear linkage number, 130
- Bilinearly  $r$ -linked Pfister forms, 130
- Bilinear  $\mathfrak{o}$ -module, 9
- Bilinear Pfister form, 96
- Bilinear space, 11
  - good reduction, 46
  - Lagrangian subspace, 12
  - metabolic, 12
  - $\lambda$ -modular decomposition, 46
  - $\mathfrak{o}$ -modular decomposition, 46
  - nondegenerate, 11
  - subspace, 11
  - totally isotropic subspace, 12

**C**

- Close Pfister neighbour, 102
- Companion, 151
- Complementary form, 133
- Compositum of  $Q$ -places, 181
- $\varphi$ -conservative field extension, 75
- Conservative reduction, 178

**D**

- Defect, 32
- Defective quadratic Witt set, 33
- Definable over a field, 142
- Definable over a field (for leading forms), 158

- Definable over a field by a Pfister form (for leading forms), 160
- Degree, 145
- Determinant, 6
- Dimension index, 6
- Discriminant, 80
- Discriminant algebra, 80
- Disobedient quadratic space, 39
- Divisibility, 125

**E**

- Equivalent fields, 17
- Excellent form, 134
- Expansion, 170
- Extension, 171

**F**

- Fair reduction, 66
- Fair reduction (w.r.t. a  $Q$ -place), 176
- Free hyperbolic module, 25
- Free quadratic module, 22
- Fundamental ideal, 147

**G**

- Generic separable zero field, 63
- Generic splitting field of level  $r$ , 78
- Generic splitting tower, 19, 64, 76
- Generic zero field, 17, 57, 78
- Good reduction, 48
- Good reduction (bilinear form), 8
- Good reduction (bilinear space), 46
- Good reduction (quadratic space), 36
- Good reduction (w.r.t. a  $Q$ -place), 167

**H**

- Height, 19, 78
- Higher complementary form, 135
- Higher index, 19, 76
- Higher kernel form, 19, 76
- Hyperbolic (bilinear form), 4
- Hyperbolic pair, 30
- Hyperbolic quadratic module (over a valuation domain), 33

**I**

- Inessential field extension, 17
- Inner type, 80
- Isotropic (quadratic module), 29

**K**

- Kernel form (bilinear form), 4
- Kernel module, 33
- Kernel module (quadratic module), 31

**L**

Lagrangian subspace (bilinear space), 12  
 Leading field, 145  
 Leading form, 145

**M**

Metabolic (bilinear form), 4  
 Metabolic (bilinear space), 12  
 $\lambda$ -modular decomposition, 51  
 $\Lambda$ -modular decomposition, 168, 177  
 $\lambda$ -modular decomposition (bilinear space), 46  
 $\mathfrak{o}$ -modular decomposition (bilinear space), 46  
 $\lambda$ -modular decomposition (quadratic space), 42  
 $\mathfrak{o}$ -modular decomposition (quadratic space), 42

**N**

Neighbouring Pfister form, 133  
 Nondegenerate (bilinear form), 8  
 Nondegenerate (bilinear space), 11  
 Nondegenerate (quadratic module), 27  
 Norm group, 97  
 Norm Theorem, 114

**O**

Obedient quadratic space, 39  
 Outer type, 80

**P**

Partial generic splitting field, 78  
 Pfister form, 21  
   bilinear, 96  
   quadratic, 96  
 Pfister neighbour, 133  
 Polar, 99  
 Primitive vector, 27  
 Projective standard tower, 81  
 Pure part of a Pfister form, 21, 97

**Q**

$Q$ -place, 166  
 $(Q(L)$ -valued) character, 166  
 Quadratically henselian, 34  
 Quadratically  $r$ -linked Pfister forms, 127  
 Quadratic form, 22  
   Substitution Principle, 72  
 Quadratic linkage number, 127  
 Quadratic module, 22  
   anisotropic, 29  
   isotropic, 29  
   kernel module, 31  
   nondegenerate, 27  
   reduced nondegenerate, 66  
   regular, 27

representation, 66  
 strictly regular, 27  
 weakly  $\lambda$ -modular decomposition, 73  
 weakly  $\mathfrak{o}$ -modular decomposition, 73  
 weakly obedient, 73  
 Witt class, 31  
 Witt decomposition, 31  
 Witt equivalence, 31  
 Witt index, 31

Quadratic Pfister form, 96

Quadratic place, 166

Quadratic space, 32, 36  
 disobedient, 39  
 good reduction, 36  
 $\lambda$ -modular decomposition, 42  
 $\mathfrak{o}$ -modular decomposition, 42  
 obedient, 39

Quadratic space over  $\mathfrak{o}$ , 48

Quasilinear, 26

Quasilinear part, 26

**R**

Radical, 26  
 Realization of a  $Q$ -place, 172  
 Reduced nondegenerate quadratic module, 66  
 Reduction of an anisotropic quadratic module, 38  
 Regular (quadratic module), 27  
 Regular field extension, 81  
 Regular generic splitting tower, 82  
 Representation (bilinear form), 14  
 Representation (quadratic module), 66  
 Represented element, 97  
 Restriction of a  $Q$ -place, 170  
 $r$ -linked Pfister forms, 127  
 Round form, 122  
 $r$ th complementary form, 135

**S**

Separable field extension, 62  
 Signed determinant, 6  
 Similarity norm, 97  
 Specialization, 10  
 Specialization equivalent fields, 17  
 Specialization (in the presence of FR), 70  
 Specialization (w.r.t. a  $Q$ -place), 167, 169, 178  
 Splitting pattern, 20  
 Stable isometry, 4  
 Stably almost good reduction, 179  
 Stably conservative reduction, 179  
 Strict extension, 171  
 Strict realization of a  $Q$ -place, 172  
 Strictly regular (quadratic module), 27  
 Strictly regular hull, 101

- Strongly multiplicative form, 119  
Subform Theorem, 105  
Subspace (bilinear space), 11  
Substitution Principle (bilinear form), 14  
Substitution Principle (quadratic form), 72
- T**  
Tensor product, 23  
Total generic splitting field, 78  
Totally isotropic subspace (bilinear space), 12
- U**  
 $\lambda$ -unimodular (bilinear form), 8  
 $\Lambda$ -unimodular, 167, 176
- W**  
Weakly  $\lambda$ -modular decomposition (quadratic module), 73  
Weakly  $\Lambda$ -modular decomposition, 177  
Weakly  $\mathfrak{o}$ -modular decomposition (quadratic module), 73  
Weakly obedient quadratic module, 73  
Weakly  $\Lambda$ -unimodular, 176  
Weak specialization, 44  
Weak specialization (more general), 74  
Witt class (bilinear form), 5  
Witt class (quadratic module), 31  
Witt decomposition (bilinear form), 3  
Witt decomposition (quadratic module), 31  
Witt equivalence (bilinear form), 4  
Witt equivalence (over a field), 33  
Witt equivalence (quadratic module), 31  
(Witt) index (bilinear form), 4  
Witt index (quadratic module), 31  
Witt ring, 5