

Index

A

Agent communication language (ACL), 105, 110–113, 116–118, 194, 200, 203, 204, 206, 248
Agglomerative hierarchical method, 279, 282–284, 287, 288, 295, 301
Artificial intelligence, 12, 35, 39, 247
Artificial neural networks, 18, 19, 21, 35
Automatic test cases, 355

C

Case generation, 356, 367, 373–376
Collaborative content, 396, 399
Collaborative work, 160, 180, 185, 186, 204, 426
Context, 5–13, 18, 22–24, 31, 38, 39, 43–45, 48, 52, 53, 64, 79–81, 108, 165, 186–188, 190, 201, 208, 229, 230, 252, 253, 264, 270, 280, 295, 307, 308, 331–334, 338, 339, 341–344, 347, 349, 350, 396, 399, 400, 403–411, 416–420, 422, 452
Context-aware browsing, 396, 399
Context-awareness, 400, 403, 417, 418
Context modeling, 403, 407, 408, 414, 418
Context ontology, 406, 407
Cooperative work, 137–142, 148, 150, 156, 157, 161, 167, 168, 172, 176–179, 181, 182, 185, 208

D

Data mining, 213–216, 218–220, 223, 229, 236, 239–241, 279, 280, 332

Distributed mining, 215, 225
Dynamic discovery, 25, 201, 202, 208
Dynamic semantics, 334, 342

E

E-coins, 430–437, 439, 440, 442, 443, 446, 448
E-commerce, 18, 113, 246–248, 269, 307, 308, 311, 412, 431, 433, 448, 451, 452, 462, 469
E-shopping, 412
E-wallets, 435, 437, 440, 443
Exchange protocol, 112, 451, 454–456

F

Fair exchange protocol, 451–455, 457–461, 463, 475, 477
Fairness, 432, 445, 447, 451, 452, 454–457, 461, 471, 477
Fhat RVM, 86
Finite state machine (FSM), 356, 360, 361, 363, 364, 366, 389
Formal semantics, 111, 332, 333, 335, 337–339, 349, 350
Fuzzy similarity, 279–281, 288, 295, 301, 303

G

Graphical user interface, 234, 236, 371
Grid platform, 214, 215, 217, 218, 220, 236, 238, 240
Groupware, 138, 141–148, 150–155, 157, 159–162, 173, 181, 185–192, 195, 197, 199, 201, 202, 207, 208

I

Information recovery, 130, 279, 284
 Interoperability, 18, 19, 106, 110, 111, 115,
 117, 118, 185, 186, 191, 193, 195,
 197, 204, 207, 208, 246, 260, 355,
 357, 364

K

Knowledge discovery, 18, 22, 24, 25, 27,
 218, 239, 240, 278, 284, 304
 Knowledge map, 215, 218, 219, 227–233,
 236, 237, 240, 241
 Knowledge representation, 19, 25, 117, 118,
 227, 228, 261, 348

M

Metamodel, 245, 256, 259–262, 264–271
 Micro-payment protocol, 430–433, 443, 448
 Mobile e-commerce, 448
 Multi-agent system (MAS), 106, 108, 109,
 113, 116–118, 217

N

NetPay protocol, 430, 433, 439, 442–444,
 446, 448
 Networks, 23, 25, 26, 31, 33, 39, 60, 64, 147,
 186, 289, 290, 395, 396, 429–431,
 433, 437–441, 444, 448
 Non-repudiation, 467, 468

O

Ontology, 5, 6, 8, 18–20, 22–25, 27, 29, 31–
 35, 39–48, 50–54, 62–65, 67, 68,
 70, 74, 86, 94–96, 98, 100, 105,
 108, 111, 114–118, 138, 200–202,
 245–249, 253, 255, 256, 259, 267,
 268, 338, 343–347, 357, 358, 405–
 407, 418
 Ontology learning, 245, 248–250, 252–256,
 259, 260, 265, 268, 270, 271
 Ontology-matching, 18–20, 22–24, 29, 31–
 35

P

Pattern, 22, 23, 30–34, 61, 121, 122, 129,
 130, 133, 134, 250, 251, 254, 255,
 259, 279, 308–310, 339–342, 346,
 407

Peer-to-peer, 429–432, 437, 438, 448

Probabilistic protocol, 455, 456

R

Relevance feedback, 124, 125, 133
 Resource description framework (RDF), 4–
 8, 10–12, 19, 23, 27, 31–34, 50, 51,
 57–71, 73–76, 79, 80, 82, 84–95,
 97–100, 106, 115, 117, 137, 138,
 246, 248, 332, 337, 338, 344, 347,
 357, 404, 405, 418
 Resource description language, 138

S

Security, 67, 112, 116, 214, 216, 218, 220,
 356, 409, 416, 424, 430–432, 445,
 447, 461, 476, 477
 Semantic constraints, 333, 335, 337, 339,
 346
 Semantic nets, 39, 43–45, 47, 50, 54
 Semantic network, 57, 58, 60, 67, 69, 73, 76,
 82, 86
 Semantic web, 4–6, 13, 17–23, 25–27, 29,
 32, 35, 53, 57–60, 63, 64, 66, 67,
 75, 92, 100, 105–107, 113, 114,
 117–119, 137, 138, 201, 245, 246,
 331, 332, 343, 357, 358, 403, 418
 Semantic web services, 38–44, 47, 48, 51–
 54, 64, 358
 Service-oriented architecture (SOA), 106,
 189, 191–193, 196, 197, 199–201,
 203, 206, 359, 388
 Similarity, 12, 20, 24, 31, 33, 37–39, 41,
 43–49, 51–54, 100, 157, 220, 252,
 253, 261, 264, 266, 269, 279, 281–
 286, 288, 295, 296, 299, 301, 303,
 308, 310, 476
 Similarity matrix, 53, 280, 282, 284, 288,
 304
 Social networking, 121, 134, 396, 413, 414
 Software agents, 18–21, 25, 35, 107, 117,
 119, 138, 153, 186, 187, 191, 193–
 197, 199–202, 207, 208

T

Tailorability, 186–190, 195, 197, 200, 202,
 204, 205, 207, 208
 Test generation, 357, 358, 361, 364, 375,
 378, 381, 385, 389

Text mining, 279, 287, 295

Trusted third party, 451, 454, 460, 464

U

Uniform Resource Identifier (URI), 3, 5–9, 60–62, 64–66, 70, 71, 73, 75, 77–81, 83–85, 87, 92, 94, 98, 100, 106, 248, 324

Universal description, discovery and integration (UDDI), 191, 192, 194–196, 200–204, 206–208, 358

User interface, 143, 144, 146–148, 159, 160, 215, 388, 389, 420, 437, 443

W

Web 2.0, 186, 396, 397, 410, 413, 414, 424

Web-based system, 332, 355–358, 364, 373, 380, 389, 430, 437

Web content, 19, 117, 122, 138, 308, 397, 398, 403–405, 407, 409, 411, 413, 414, 426, 427, 429

Web intelligence, 121

Web mining, 308, 309, 332

Web ontology language (OWL), 19, 27, 40, 49–51, 54, 57, 58, 61–65, 67–70, 72–75, 77, 78, 83–86, 88, 94–98, 115, 117, 118, 137, 202, 203, 208, 246, 248, 267, 357, 358, 406, 418

Web semantic, 357

Web service description language (WSDL), 49, 191, 192, 195–197, 200, 201, 203, 204, 206, 207, 358, 363, 388, 389

Web services, 18, 41, 46, 49, 64, 106, 107, 113, 118, 137, 163, 186–188, 191–197, 199–208, 214, 356–359, 362–365, 370, 373–378, 380, 388–390

Web services composition, 194, 358, 359, 362, 363, 365, 373, 389

Web services modeling ontology (WSMO), 40, 41, 358

Web services timed extended, 364

World Wide Web, 3–5, 99, 106, 107, 137, 181, 192, 357

WS-BPEL, 356–359, 362–366, 368–370, 373–376, 378, 380, 389, 390

X

XML mining, 307, 309–311, 327

XML schema definition (XSD), 70, 73

XQuery, 307, 310, 313, 323–325, 327, 328