

A

Achilles tendon (AT)

acute rupture repair

complications, 422

diagnosis, 419

motor performance, 423

vs. open repair, 423

open surgical management, 419

postoperative regimen, 421

surgical technique, 420–421

tendoscopy

conservative management, 46

differential diagnoses, 46

open surgery, 47

pathology, 45–46

surgical technique, 47–50

tendon, 409

Ankle equinus

ankle dorsiflexion, knee extended

limitations, 325, 326

Silverskiold's test, 323–325

causative factors, 324

gastrocnemius recession (*see also*

Gastrocnemius recession, ankle equinus)

acute tendon repair, 329–330

clinical outcomes, 330–331

deep posterior compartment release, 330

gastrocnemius tear, 330

intra and post operative view, 329

post-operative regimens, 328–329

surgical shortening, 330

knee flexed, ankle dorsiflexion, 323–324

range of motion, 323–324

tight gastrocnemius, 323, 324

treatment

botulinum toxin A injection, 328

contractures, 326, 328

eccentric strengthening, 328

stretching, 326, 327

Arthrodeses, foot and ankle

accuracy of, 28–29

CAS-procedure

ARCADIS-3D images, 22–24, 28

2D-image acquisition, 23–24

drilling process, 27

Kirschner wires, 26

pointer verification, 25

preparation time, 23

clinical outcome, 29

clinical symptoms, 21

deformity assessment, 26

devices used, 22

follow-up, 27

preparation time, 26

surgical maneuvers, 24–25

verification process, 27

Arthrofibrosis, MTP-1 arthroscopy, 70–71

Arthroscopic ankle arthrodesis

anesthesia, 348

camera system, 347

clinical assessment and examination, 346

fixation, 347

fluid collection system, 348, 349

history, 341

indications and contra-indications, 342–345

operative technique

cannulated screw insertion, 351

fibula preparation, 350

residual cartilage clearance, 349

small gap and open fusion, 351

suction test, 349, 350

outcomes and complication rates, 352–353

patient positioning, 348

post-operative management, 351–352

soft tissue distraction, 347

Athletic tendinopathy, 447

C

- Calcaneal displacement osteotomy, percutaneous
 - advantages, 232
 - cadaveric study, 240
 - calcaneal valgus and varus, 232
 - complications, 231, 242
 - equipments, 233
 - indications, 232, 242
 - lateral ankle instability, 232
 - loss of calcaneal height status post
 - calcaneal fracture, 232
 - outcomes, 239–241
 - painful fixation, 239
 - pitfalls and bailouts, 239
 - posterior tibial tendon dysfunction, 232
 - postoperative view, 241
 - preoperative planning, 233, 241
 - procedure
 - fluoroscopic view, 238
 - gigli saw, 234, 236
 - hemostat, 235
 - intraoperative fluoroscopic view, 239
 - patient position, 234
 - postoperative management, 238
 - skin mark, 234
 - stab incision, 234–235
 - radiologic evaluation, 233
 - standard lateral method, 231
 - surgical technique, 233–234
 - wound dehiscence, 231
- Calcaneal fractures
 - antero lateral fragment, 256
 - axial loading, 253, 254
 - Burdeaux experimental fracture, 253, 254
 - diabetes, 273–275
 - fragment displacement, 255
 - Palmer's diagrams, 255, 256
 - past medical history, 257
 - physical examination, 257
 - post-operative care, 273
 - radiographic evaluation
 - antero-posterior view, 257, 258
 - axial heel view, 258, 259
 - Brodens view plain radiograph, 258, 259
 - CT scans, 258, 260
 - 3D volumetric CT, 258, 260
 - lateral radiograph, 257, 258
 - reduction and internal fixation
 - abductor flap and skin graft, 275
 - anterior and posterior fragments, 269
 - extensile lateral plate, 275
 - fragment disimpaction, 263, 265
 - intra-operative radiograph, 271, 272
 - lateral exposure and reduction, 269–270
 - lateral incision, 266, 268
 - medial and lateral plate, 275
 - medial incision, 262, 263
 - medial shingle and displacement, 263, 264
 - medial wall reduction, 267
 - mini calcaneal plate, 270
 - principle, 262
 - reduction maneuver, 266–267
 - saw bones with plate, 271
 - Steinman pin, 263–265
 - smokers, 273
 - surgery timings, 261
- Calcaneocuboid arthroscopy, foot, 225
- Capsulotomy
 - dorsiflexion contracture, 187
 - minimally invasive foot surgery, 9
- Charcot neuroarthropathy
 - acute, 215
 - chronic, 215–216
 - Eichenholtz stage, 215
 - minimally invasive foot reconstruction, 217–218
 - preoperative evaluation, 216
 - surgical planning, 216
 - surgical technique
 - equinus deformity, 220
 - external fixation, 218–219
 - fixator, 220–221
 - joint distraction, 219
 - soft tissue realignment and distraction, 218
 - Taylor spatial frame, 220
- Cheilectomy
 - hallux rigidus, 79–81
 - MTP-1 arthroscopy, 65–66
- Chronic Achilles tendinopathy
 - arthroscopic approach, 455
 - complications, 458
 - management, 448
 - minimally invasive stripping
 - Ethibond insertion and retrieval, 456–457
 - Ethibond sliding, see-saw motion, 457
 - mosquito insertion, 456
 - skin incision, 456
 - subcutaneous and subcuticular tissue closure, 457
 - neo-vascularisation, 455
 - percutaneous longitudinal tenotomies, 448–449
 - postoperative regimen, 458

- ultrasound guided percutaneous tenotomy
 - passive ankle flexion, 449, 450
 - 11-scalpel blade insertion, 449
 - tendon penetration, 449, 450
- Chronic avulsions
 - complications, 443
 - postoperative regimen, 442–443
 - skin cover preservation, 443
 - surgical technique
 - bioabsorbable interference screw insertion, 440, 442
 - cannulated headed reamer, 440, 441
 - proximal and distal stumps, 440
 - semitendinosus tendon passage, 441–442
 - skin incisions, 440
- Claw toe deformity
 - complications, 192
 - flexor tendon transfer, 191
 - lateral deviation deformity, 192
 - medial deviation deformity, 192
 - plantar plate, 191
 - plantar plate tenodesis
 - dorsal capsule stripping, metatarsal neck, 193
 - modified technique, 196
 - PDS 1 suture passage, 193
 - suture retrieval, 193–195
 - tension adjustment, 195
- Closing wedge procedure, foot, 227–228
- Cock-up deformity, fifth toe, 190
- Computer assisted surgery (CAS)
 - arthrodeses, foot and ankle
 - accuracy of, 28–29
 - CAS-procedure, 22–28
 - clinical outcome, 29
 - deformity assessment, 26
 - devices used, 22
 - follow-up, 27
 - preparation time, 26
 - surgical maneuvers, 24–25
 - symptoms of, 21
 - verification process, 27
 - talar osteochondral lesions (OCD), 13–21
- Condylectomy, dorsiflexion contracture, 187

- D**
- Dameron-type orthosis, 201–202
- Dancers pad, hallux valgus, 144
- Deep vein thrombosis (DVT), 393
- Derotation, first metatarsal
 - arthrodesis, 120
 - instruments used, 120
 - micro-fracture of, 120–121
 - sesamoid subluxation, 116–118
 - supinated and plantarflexing, 119
- Distal articular set angle (DASA), hallux valgus, 98
- Distal fascial sheath (Zone 2B), 246
- Distal metatarsal mini-invasive osteotomy (DMMO)
 - indications for, 161
 - materials, 165
 - portal of, 157–158
 - post-operative follow-up, 166–168
 - principles, 163–165
 - procedure
 - beginning and end, 159
 - positioning of, 158
 - principles, 159
 - toe mobilization, 160
 - surgical technique, 165–166
- Distal soft tissue correction, hallux valgus
 - derotation, first metatarsal, 116–121
 - intermetatarsal angle, reduction and fixation, 114–116
 - lateral soft tissue release, 110–113
 - lengthening of, 121
 - medial capsular plication, 116–119
 - medial exostectomy, 113–114
 - requirements, 109
- Dorsal impingement syndrome arthroscopy, 65–66
- Dorsiflexion contracture
 - cock-up deformity, fifth toe, 190
 - postoperative management, 189
 - surgical technique
 - bandaging, 188
 - capsulotomy, 187
 - clinical and radiographical appearance, 186
 - condylectomy, 187
 - osteotomy, 188, 189
 - regional nerve bloc, 185
 - tenotomy, 186–188

- E**
- Eichenholtz stages, 215, 219
- Endoscopic distal soft tissue correction, hallux valgus
 - adjunct procedures
 - derotation, first metatarsal, 116–121
 - lengthening of, 121
 - intermetatarsal angle, reduction and fixation, 114–116
 - lateral soft tissue release

- ligament preserving method, 112–113
 - ligament sacrificing method, 110–113
 - medial capsular plication, 116–119
 - medial exostectomy, 113–114
 - requirements, 109
- Endoscopic plantar fasciotomy (EPF)
 - blunt dissection, 278
 - cannock, 281
 - cannula insertion, 279
 - cannula removal, 286
 - cutting knife insertion, 283
 - fascial elevator, 278, 279
 - fat globule, 284
 - indications, 277
 - injection of, 286
 - insertion, 278, 279
 - lateral endoscopic view, 284
 - lateral incision, 280, 281
 - lateral portal placement, 280, 282
 - medial transection level, 282
 - plantar fascia, medial view, 280
 - re-insertion of, 284
 - skin incision, 278
 - stabilization of, 281
 - surgical field irrigation, 285
 - sutures, 287
 - toes dorsiflexion, 284
 - transection confirmation, 285
 - transillumination, 280
- Endoscopy assisted percutaneous repair
 - anaesthetic injection, 411
 - arthroscope placement, 411
 - bilateral operation, AT rupture, 416
 - biological advantage, 415
 - distal and proximal medial incision, 410–411
 - mini open technique, 415–416
 - physiotherapy, 414
 - rehabilitation process, 414–415
 - rupture site marking, 409–410
 - stab wounds, 410
 - suture passage, 412–413
 - wound closure, steristrips, 414
- EPF. *See* Endoscopic plantar fasciotomy (EPF)
- Exostectomy, minimally invasive foot surgery, 10
- Extensor hallucis longus tendon, 148
- F**
- Fail-safe hole, Wilson osteotomy, 138–139
- Fasciotomy. *See* Endoscopic plantar fasciotomy
- FHL. *See* Flexor hallucis longus (FHL) tendon
- Fibrous dysplasia, 374
- Fifth metatarsal fractures
 - acute and chronic, intramedullary screw fixation, 200
 - Lawrence and Botte classification
 - zone I, 199
 - zone II, 199–200
 - zone III, 200
 - nonunion fracture, 200
 - percutaneous fixation
 - complications, 210
 - guide pin alignment, fluoroscopic image, 203, 204
 - guide pin placement, 205, 206
 - guide pin removal and screw insertion, 208, 209
 - intra-operative view, 204, 205
 - overdrilling, 205, 206
 - patient positioning, 202, 204
 - screw length measurement, 207, 208
 - sequential tapping, 206–207
 - sural nerve and peroneus brevis tendon identification, 204–205
 - wound closure, 208, 210
 - post-operative protocol, 201
 - CAM Walker, 209–210
 - suture removal, 208
 - pre-operative work-up, 202, 203
 - screw diameter and type, 201
 - surgical indications, 201–202
- Flexor hallucis longus (FHL) tendon
 - course pathologies, 245
 - zone 1, 245, 246
 - zone 2, 245, 247
 - arthroscopic synovectomy, 248–249
 - distal fascial sheath, 246
 - endoscopic FHL transfer, 249–251
 - orifice, fibrous tendon sheath, 248
 - proximal fibrous sheath, 246
 - symptomatic talocalcaneal coalition excision, 251
 - synovitis, 249
 - zone 3, 245, 247
- Free hamstrings tendon transfer, chronic avulsions
 - complications, 443
 - postoperative regimen, 442–443
 - surgical technique
 - bioabsorbable interference screw insertion, 440, 442
 - cannulated headed reamer, 440, 441
 - proximal and distal stumps, 440
 - semitendinosus tendon passage, 441–442
 - skin incisions, 440
- Frick-test, 398

G

- Gastrocnemius recession, ankle equinus
 - acute tendon repair, 329–330
 - clinical outcomes, 330–331
 - deep posterior compartment release, 330
 - endoscopic gastrocnemius recession
 - diabetic patients, 336
 - dorsiflexion improvement, 333, 336
 - endoscopic knife rotation, 333, 335
 - fascial pathway creation, 331, 332
 - lateral portal, 333, 334
 - obturator/cannula assembly, 332
 - patient position, 331
 - physical therapy, 334
 - sural nerve and adjacent vein, 333
 - sural nerve, protection and visualization, 334
 - transillumination, 333
 - gastrocnemius tear, 330
 - intra and post operative view, 329
 - post-operative regimens, 328–329
 - surgical shortening, 330
- Gouty arthritis, MTP-1 arthroscopy, 63–64

H

- Haglund deformity and syndrome
 - diagnosis
 - insertional tendinopathy, 300
 - physical examination, 300–301
 - endoscopic calcaneoplasty
 - advantages, 301, 309
 - indication, 301–302
 - Kager triangle, 302, 303
 - lateral view, foot, 305–306
 - medial portal placement, spinal needle introduction, 306
 - vs. open procedures, 310, 311
 - patient outcomes, 308–309
 - patient positioning, 303, 304
 - pre and post operative X-ray, 305, 308
 - right hindfoot, 307
 - management, 301
 - open surgical approach, 310–311
- Hallux abductus angle (HA angle), 98
- Hallux rigidus, minimally invasive management
 - anesthesia, 79
 - cheilectomy, 79–81
 - clinical features, 76–77
 - distal first metatarsal osteotomy, 81–83
 - instruments, 79
 - pathogenesis, 75–76
 - postoperative care, 84–85

- proximal phalanx osteotomy, 83–84
- radiographs, 77–80
- surgery, 78–79
- surgical indications, 86

Hallux valgus

- classification, 98–101
- definition, 97–98
- endoscopic distal soft tissue correction
 - derotation, first metatarsal, 116–121
 - intermetatarsal angle, reduction and fixation, 114–116
 - lateral soft tissue release, 110–113
 - lengthening of, 121
 - medial capsular plication, 116–119
 - medial exostectomy, 113–114
 - requirements, 109
- etiology, 98
- minimally invasive surgery
 - AOFAS score, 128
 - complications, 127
 - indications, 124
 - postoperative care, 126–127
 - postoperative radiographs, 128
 - surgical technique, 125–126

Reverdin-Isham procedure, 101–107**Wilson osteotomy**

- anesthesia, 134
- description, 133
- history, 134
- instrumentation, 135–136
- medial side remodeling, 142–148
- technique, 137–142

Hammertoe

- advantages and disadvantages of, 182
- classification, 172
- definition of, 171
- etiology, 172
- Isham procedures, 173–175
- non-hammertoe lesser digit deformities
 - exostosis excisions, 177–178
 - operative technique, 178–179
 - overlapping fifth digit, 176–177
 - post operative bandaging, 179–181
 - shortening osteotomy, 178–179
 - wedge osteotomy, 176
- phalangeal osteotomy procedures, 172–173

Hyperostosis hammertoe, 177–178**I**

- Isham hammertoe procedures
 - advantages and disadvantages, 182
 - technique, 173–175

J

- Joint fusion, metatarso-phalangeal (MTP-1)
 - arthrodesis fixation, 92–93
 - arthrodesis positioning, 91–92, 95
 - benefits of, 94
 - bone preparation, 94–95
 - indications, 94
 - instruments, 89
 - patient set up, 89
 - portals, 90
 - post-operative care, 93
 - site preparation, 90–91

K

- Kager triangle, 302, 303

L

- Locking plates, distal tibial fractures. *See* Percutaneous osteosynthesis, distal tibial fractures

M

- Medial exostectomy, hallux valgus, 113–114
- Metatarsalgias
 - complications, 161
 - distal metatarsal mini-invasive osteotomy (DMMO), 158–160
 - materials, 165
 - post-operative follow-up, 166–168
 - principles, 163–165
 - surgical technique, 165–166
 - indications, 161
 - instruments and portals, 157, 158
 - post-operative care, 160
- Metatarsal phalangeal joint (MPJ)
 - arthroscopy
 - anatomy/pathoanatomy, 57–58
 - arthrofibrosis, 70–71
 - chondral and osteochondral lesions, 67–68
 - dorsal cheilectomy, 65–66
 - dorsomedial portal, 59–61
 - examination of, 61–62
 - instruments, 58
 - intra-articular fracture, 71–72
 - osteoarthritis, 66–67
 - positioning, 58
 - proximal medial portal, 61
 - sesamoidectomy, 68–69
 - synovectomy, 62–65
 - tenodesis, 69–70
 - traction, 58

fusion surgery

- benefits of, 94
- bone preparation, 94–95
- indications, 94
- operative technique, 89–93
- post-operative care, 93

hammertoe

- etiology and classification, 172
- hyperostosis, 177–178
- Isham hammertoe procedures, 173–175, 182
- operative technique for, 178–179
- overlapping fifth digit, 176–177
- phalangeal osteotomy procedures, 172–173
- post operative bandaging, 179–181
- wedge osteotomy, 176

Reverdin-Isham procedure, 99

Minimally invasive management. *See also*

- Distal metatarsal mini-invasive osteotomy

arthroscopy, 3

- hallux valgus correction, 5
- subdermal surgery, 4–5

dorsiflexion contracture

- cock-up deformity, fifth toe, 190
- postoperative management, 189
- surgical technique, 185–188

hallux rigidus, 75–86

- percutaneous bone surgery
 - exostosectomy, 10
 - osteotomy, 11

percutaneous surgery, soft tissue

- capsulotomy, 9
- deep tenotomy, 8
- subcutaneous tenotomy, 7–8
- tendon lengthening and debridement, 8–9

planning

- angle of approach, 6–7
- approach path, 7
- incision, 6
- principles, 5–6

Minimally invasive peroneus brevis

- reconstruction
 - complications, 435–436
 - postoperative management, 435
 - surgical technique
 - distal Achilles tendon stump mobilization, 432
 - proximal tendon mobilization, 432, 433
 - skin incisions, 432
 - tendon harvesting, 432, 433
 - tendon withdrawn, distal wound, 434

- tenotomy, 434, 435
 - vicryl locking suture, 432, 433
 - wound closure, 434
 - Minimally invasive realignment surgery. *See* Charcot neuroarthropathy
 - Minimally invasive semitendinosus reconstruction
 - complications, 429–430
 - postoperative management, 428–429
 - surgical technique
 - locking suture, 426–427
 - semitendinosus tendon passage, 427–429
 - skin incisions, 426
 - tendon harvesting, 427
 - wound closure, 427, 429
- N**
- Non-hammertoe lesser digit deformities
 - exostosis excisions, 177–178
 - operative technique, 178–179
 - overlapping fifth digit, 176–177
 - post operative bandaging, 179–181
 - shortening osteotomy, 178–179
 - wedge osteotomy, 176
- O**
- Ollier's disease, 374
 - Open reduction and internal fixation (ORIF), calcaneal fractures. *See also* Calcaneal fractures
 - abductor flap and skin graft, 275
 - anterior and posterior fragments, 269
 - extensile lateral plate, 275
 - fragment disimpaction, 263, 265
 - intra-operative radiograph, 271, 272
 - lateral exposure and reduction, 269–270
 - lateral incision, 266, 268
 - medial and lateral plate, 275
 - medial approach, 262, 263
 - medial incision, 262, 263
 - medial shingle and displacement, 263, 264
 - medial wall reduction, 267
 - mini calcaneal plate, 270
 - principle, 262
 - reduction maneuver, 266–267
 - saw bones with plate, 271
 - Steinman pin, 263–265
 - Osada PEDO drill, 136
 - Osteoarthritis, MTP-1 arthroscopy, 66–67
 - Osteotomy, minimally invasive foot surgery, 11
 - Os trigonum
 - arthroscopic surgery, 293
 - bone impingement, 295
 - complications, 296
 - contraindication, 293
 - flexor hallucis longus tendon visualization, 295
 - indication, 291
 - vs. open surgical resection, 297
 - posterolateral and accessory portals, 293, 294
 - radiographic control, 296
 - two posterior portal arthroscopic approach, 296–297
 - clinical examination, 290
 - clinical outcomes, 295–296
 - imaging
 - bone scan, 291, 292
 - CT reconstruction, 290–292
 - lateral radiograph, 290
 - postoperative care, 293, 295
- Overlapping fifth digit, hammertoe, 176–177
- P**
- Percutaneous fixation, fifth metatarsal fractures
 - complications, 210
 - guide pin alignment, fluoroscopic image, 203, 204
 - guide pin placement, 205, 206
 - guide pin removal and screw insertion, 208, 209
 - intra-operative view, 204, 205
 - overdrilling, 205, 206
 - patient positioning, 202, 204
 - screw length measurement, 207, 208
 - sequential tapping, 206–207
 - sural nerve and peroneus brevis tendon identification, 204–205
 - wound closure, 208, 210
 - Percutaneous osteosynthesis, distal tibial fractures
 - rehabilitation protocol, 360
 - surgical technique
 - locking screws, 358–359
 - plate location, plain radiographs, 358
 - Steinman pin insertion, 358, 359
 - subcutaneous tunnel, 358, 359
 - wrinkle sign test, 357–358
 - Percutaneous osteotomy, foot triple arthrodesis, 229
 - Percutaneous screw fixation, first metatarsophalangeal joint, 72
 - Percutaneous supramalleolar osteotomy (PSMO)

- ankle and foot deformity, 371, 374
 - complications
 - bony nonunion, 393
 - deep vein thrombosis (DVT), 393
 - nerve injury, 393
 - patient related, 392–393
 - pin infection, 392
 - premature consolidation, 392
 - septic arthritis, 393–394
 - congenital and developmental deformity, 374
 - extension across ankle, 388, 390
 - fibula osteotomy, 387–388
 - growth arrest deformity, 374–376
 - intra-articular ankle deformity, 371, 373
 - postoperative care
 - deformity correction, 390
 - frame removal, 391–392
 - oral antibiotics, 390
 - pain management, 391
 - pin care, 391
 - rehabilitation, 391
 - preoperative assessment
 - clinical evaluation, 376, 378–379
 - radiographic assessment, 379
 - surgical planning, 379–381
 - proximal tibial osteotomy, 388
 - stiff nonunion
 - advantages, 367–368
 - ankle fusion malunion, 368, 371, 372
 - gradual correction, 367
 - modest lengthening, 367
 - supramalleolar tibial osteotomy, 388, 389
 - Taylor spatial frame
 - deformity parameters, 387
 - mounting parameters, 387
 - structure at risk (SAR), 387
 - terminology, 383–386
 - tibia fracture malunion
 - ankle distraction, 366, 369
 - ankle fusion, 366, 370
 - anterior distal tibial angle, 365, 367
 - lateral distal tibial angle, 365, 367
 - procurvatum (apex anterior) deformity, 365, 366
 - recurvatum (apex posterior) deformity, 365, 366
 - tibia malunion, 365, 368
 - varus and valgus deformities, 364–365
 - treatment principles
 - acute vs. gradual correction, 381–382
 - Ilizarov method, 380
 - wire and pin configuration, 382–383
 - Peroneal tendoscopy
 - ankle pain, 35–36
 - diagnosis, 36
 - pathology, 36
 - primary indication of, 36
 - surgical technique
 - anatomic location of, 36
 - arthroscope rotation, 37
 - clinical outcome, 37
 - complications, 38
 - endoscopic technique, 39–40
 - groove deepening, 37
 - inspection, 37
 - lateral decubitus position, 36–37
 - longitudinal tear of, 39
 - Phalangeal osteotomy procedure, hammertoe, 172–173
 - Plantar fasciotomy. *See* Endoscopic plantar fasciotomy
 - Plantarflexion contracture, 189–190
 - Plantar plate tenodesis, toe deformity
 - dorsal capsule stripping, metatarsal neck, 193
 - modified technique, 196
 - PDS 1 suture passage, 193
 - suture retrieval
 - dorsolateral portal, 194
 - metatarsal to proximal wound, 194, 195
 - proximal wound, 194
 - tension adjustment, 195
 - Postero-medial method, ankle endoscopy, 317
 - double postero-medial hindfoot approach, 321–322
 - FHL impingement, 320
 - inferior portal, 319–320
 - loose bodies, 320
 - patient positioning, 319
 - portal opening, 319
 - portal placement, 318–319
 - posterior calcification, 320–321
 - posterior medial and lateral portals, 321
 - right-angled triangular area, 318
 - superior portal, 320
 - Procurvatum (apex anterior) deformity, 365, 366
 - Proximal articular set angle (PASA), hallux valgus, 99
 - Proximal fibrous sheath (Zone 2A), flexor hallucis longus, 246
 - Proximal phalanx osteotomy, hallux rigidus, 83–84
- R**
- Recurvatum (apex posterior) deformity, 365, 366
 - Remodeling hallux valgus, medial side
 - dancers pad, 144, 145
 - Kirschner wire fixation, 146–148

- landmarks drawing, 148
- medial eminence removal, 142–143
- percutaneous fixation, Kirschner wires, 143–144
- pre-operative vs. post operative foot, 149–152
- Shannon 44 insertion, 144
- thermal necrosis avoidance, 153
- Retrograde drilling, talus, 13–21
- Reverdin-Isham procedure, hallux valgus
 - advantages, 105
 - bandaging methods, 105–107
 - disadvantages, 107
 - medial wedge osteotomy, 102–103
 - minimal incision techniques, 102
 - minimally invasive technique, 103–104
 - operative technique, 103
 - postoperative management, 104–105
 - preoperative criteria, 103
 - proximal articular set angle, 101–102
- S**
- Septic arthritis, 393–394
- Sesamoidectomy, MTP-1 arthroscopy, 68–69
- Skin irritation, Wilson osteotomy, 146
- Stiff nonunion, PSMO
 - advantages, 367–368
 - ankle fusion malunion, 368, 371, 372
 - gradual correction, 367
 - modest lengthening, 367
- Structure at risk (SAR), 387
- Suction test, 349, 350
- Syndesmotic injuries
 - ankle injuries, 398
 - clinical and imaging examination
 - avulsion fractures, 399
 - diastasis, 398–399
 - Frick-test, 398
 - MRI, 400
 - stabilization test, 398
 - ultrasound examination, 400
 - West Point Ankle Grading System, 400
 - clinical outcomes, 403–404
 - management indications, 400
 - operative management
 - acute lesions, 401–403
 - chronic lesions, 403
 - Tightrope™ systems, 400–401
 - postoperative management, 403
 - stabilizing structures, 397
- Synovectomy
 - flexor hallucis longus (FHL) tendon, 248–249
 - metatarsal phalangeal joint (MTP-1) arthroscopy
 - dorsolateral and medial portals, 62–63
 - endoscopic distal soft tissue, 65
 - gouty arthritis, 63–64
 - tibial tenoscopy, posterior, 42
- T**
- Talar osteochondral lesions (OCD), retrograde drilling
 - advantage of, 13, 21
 - ARCADIS 2D imaging, 14–16
 - coronal and parasagittal reconstruction, 20
 - CT-based CAS, 17–18
 - device costs, 21
 - follow up, 14–17
 - ISO-C-3D technique, 14
 - ISO-3-D, 18–19
 - Kirschner wire insertion, 14, 19
 - preparation time, 14–17
 - retrograde drilling, 18
 - vectorvision fluoro 3D, 17
- Talonavicular arthroscopy, foot arthrodesis, 225
- Taylor spatial frame (TSF), 218, 220
- Tenoscopy. *See also specific types*
 - Achilles tendon, 45–50
 - peroneal tendons
 - ankle pain, 35–36
 - diagnosis, 36
 - pathology, 36
 - primary indication of, 36
 - surgical technique, 36–40
 - tibial tendon, posterior
 - aetiology, 40–41
 - clinical examination, 41
 - conservative management, 41
 - disorders, 40
 - intra-articular lesions, 41
 - surgical technique, 41–45
 - tenosynovitis, 40
- Tenodesis, MTP-1 arthroscopy, 69–70
- Thermal necrosis, Wilson osteotomy, 153
- Tibia fracture malunion
 - ankle distraction, 366, 369
 - ankle fusion, 366, 370
 - anterior distal tibial angle, 365, 367
 - lateral distal tibial angle, 365, 367
 - procurvatum deformity, 365, 366
 - recurvatum deformity, 365, 366
 - tibia malunion, 365, 368
- Tibial tendon dysfunction, calcaneal displacement osteotomy, 232
- Tibial tenoscopy, posterior
 - aetiology, 40–41
 - clinical examination, 41

- conservative management, 41
 - disorders, 40
 - intra-articular lesions, 41
 - surgical technique, 41–45
 - anaesthesia, 41
 - distal and proximal portal, 41–42
 - endoscopic assisted, 45
 - post-operative management, 43
 - synovectomy, 42
 - tendon sheath inspection, 43, 44
 - tenosynovitis classification, 45
 - tenosynovitis, 40
 - Tightrope™ systems, 400–401
 - Toe deformity. *See* Claw toe deformity
 - Triple arthrodesis, foot
 - articular cartilage, 224
 - calcaneocuboid arthroscopy, 225
 - deformity correction
 - anterior subtalar arthroscopy, 228
 - closing wedge procedure, 227–228
 - lateral subtalar release, 226–227
 - percutaneous tendon release, 229
 - fusion, 226
 - lateral and dorsolateral portals, 223–224
 - subtalar arthroscopy, 223, 224
 - talonavicular arthroscopy, 225
 - TSF. *See* Taylor spatial frame (TSF)
- W**
- Wedge osteotomy, hammertoe, 176
 - West Point Ankle Grading System, 400
 - Wilson osteotomy, hallux valgus
 - anesthesia, 134
 - description, 133
 - history, 134
 - instrumentation, 135–136
 - medial side remodeling
 - dancers pad, 144, 145
 - Kirschner wire fixation, 146–148
 - landmarks drawing, 148
 - medial eminence removal, 142–143
 - percutaneous fixation, Kirschner wires, 143–144
 - pre-operative vs. post operative foot, 149–152
 - Shannon 44 insertion, 144
 - thermal necrosis avoidance, 153
 - technique
 - fail-safe hole, 138–139
 - locke elevator, 138–139
 - Shannon 44 burr insertion, 138–142
 - skin incision, 137–138
 - Wissenger rod, flexor hallucis longus tendon arthroscopy, 247
 - Wrinkle sign test, 357–358
- Z**
- Zone 1, flexor hallucis longus tendon, 245, 246
 - Zone 2, flexor hallucis longus tendon arthroscopic synovectomy, 248–249
 - distal fascial sheath, 246
 - endoscopic FHL transfer, 249–251
 - orifice, fibrous tendon sheath, 248
 - proximal fibrous sheath, 246
 - symptomatic talocalcaneal coalition excision, 251
 - synovitis, 249
 - Zone 3, flexor hallucis longus tendon, 245, 247