

Index

A

- Abscisic stress-ripening protein gene, 206
- AcCYS1, 269
- Agrobacterium*-mediated transformation, 71, 73–75, 79, 81
- Alismatales, 140
- Alternative splicing (AS), 101
 - in Arabidopsis and rice, 209
 - carboxylation and decarboxylation genes, 208
 - classification, 206–207
 - fruit ripening, 199
 - gene differential expression and pre-mRNA, 208
 - isoforms, 207
 - mammals and Arabidopsis, 209
 - monocot species, 209
 - Pfam, 208
 - in pineapple and cereal species, 207
 - in plants, 196
 - PPDK isoforms, 209
 - protein domain architecture, 208
 - PUTs, 206
 - transcript isoforms, 207
- Amazonia, 2, 14, 15
- Amborella*, 143
- Aminocyclopropane synthase (ACS), 71, 72
- Amplified fragment length polymorphism (AFLP), 56, 100, 262
- Ananas*
 - clonal propagation, 260
 - diversity, 263, 269
 - genetic diversity
 - AFLP, 262
 - isozyme polymorphisms, 261
 - phenotypic, 262
 - polymorphisms, 262
 - RFLPs, 261
 - somatic mutations, 262
 - genomic resources, 261
 - large-scale screening, 261
 - MD-2, 261
 - phylogeny, 261, 263
 - pineapple domestication, 259, 260
 - resequencing
 - analysis, 262
 - diversity panel, 270
 - domestication, 266
 - “F153” pineapple reference genome, 262
 - genetic diversity and interbreeding, 266
 - illumina sequencing, 262, 270
 - intergenic, 262
 - nonsynonymous mutations, 263
 - nucleotide diversity, 263
 - population genomics, 263, 266
 - ultra-high resolution, 263
 - self-incompatibility, 270
 - “Smooth Cayenne, 261
 - taxonomic view of, 259
- Ananas comosus*, 61, 97, 98, 184
- A. comosus* var. *bracteatus*, 93
- A. comosus* var. *microstachys*, 87, 93
- botanical varieties, 4
- chloroplast DNA, 4
- classification, 52
- diploids, 51
- diseases resistance, 231
- domestication syndrome, 11, 12
- factors, 232
- fusariosis disease, 232

- Ananas comosus* (cont.)
 genetic map, 232
 hybridization, 232
 isozyme polymorphism, 55
 markers, 232
 mealybug wilt disease, 232 (see also Pineapple)
 pink disease, 232 (see also Pink disease)
 severity and geographical distribution, 232
 transgenic techniques, 232
 wild varieties, 4, 5
 zymotypes, 55
- Ananas comosus* var. *bracteatus*, 10, 16
- Ananas comosus* var. *comosus*
 Amazonia, 14
 Ancient Mesoamerica, 15
 chloroplast DNA, 7
 CKS, 14
 domestication cycles, 13
 Guianas, 14
 haplotypes, 7
 multiclonal production, 13
 “piping” trait, 14
 properties, 8
 RFLP markers, 7
 robustness, 13
 sexual reproduction, 13
 vegetative reproduction, 7
- Ananas comosus* var. *erectifolius*, 15
 biocomposite industry, 9
 genetic study, 9
- Ananas comosus* var. *microstachys*, 3
 cpDNA study, 5
 distribution, 4, 5
- Ananas comosus* var. *parguazensis*, 3, 5
- Ananas macrodontes*, 2–3, 51, 52, 61
- Annotated pineapple gene models, 101
- Antiquity, 15, 16
- Arabidopsis transcripts, 190
- Asexual model, 266
- Aspartic acid protease gene (AcAP1), 216, 219
- Athila* elements, 161
- ATP-binding cassette C5 (ABCC5), 252
- Auxin, 189
- Auxin response factors (ARFs), 189
- Avian pollination, 43
- B**
- Bacterial artificial chromosomes (BACs), 131
- Best linear unbiased predictors (BLUPS), 91
- Blackheart, 236
- Blackheart resistance, 232, 237
- Brachypodium distachyon*, 134
- Breeding
 Australian pineapple breeding program, 91
 Brazilian program, 90
 chromosome doubling, 92
 commercial varieties, 93
 early domestication, 87
 ethylene pathway, 93
 French breeding program, 90
 genetic improvement, 92
 Hawaiian PRI program, 88, 89
 heterozygosity, 89, 91, 93
 history of, 87
 Japanese program, 89
 Malaysian program, 90
 in the Philippines, 88
 pre-colombian cultivars, 88
 professional breeding programs, 88
 ‘Rose’ pineapple, 91
 selection approach, 91
 selfing, use of, 92
 Taiwanese program, 90
 universal varieties, 91
- Bromelain, 269
 bactericidal property, 216
 as cysteine proteases, 216
 overexpression, 216
 prokaryotic system, 216
 protease inhibitors, 215
 proteolytic enzymes, 215
- Bromelain inhibitor, 205, 206
- Bromeliaceae*, 27, 196, 259
 avian pollination, 43
 bromeliads, 46
 CAM photosynthesis, 42, 47
Hechtia, 47
 terrestrial and epiphytic lineages, 47
 $\delta^{13}C$, 47
 characteristic features, 42
 chloroplast-encoded *ndhF* sequence, 45
 cytogenetic studies, 41
 entangling seeds, 42
 epiphytism, 42
 fossil-calibrated phylogeny, 46
 geographic diversification and distribution, 44–45
 life form and photosynthetic pathway, 43
 molecular studies, 41
 monophyletic sub-families, 45
 subfamilies, 42
 tanks, 42
 taxonomy, 41
- Bromeliads, 48

C

- C3 and C4 plants, 103
- Calcium-dependent protein kinase 6
(*CPK6*), 252
- CAM photosynthesis
Ananas comosus var. *comosus*, 36
Bromeliaceae
Hechtia, 47
terrestrial and epiphytic lineages, 47
 $\delta^{13}\text{C}$, 47
C3 pathway, 248
carbon fixation, 249
circadian oscillation, 247
 CO_2 -exchange, 38
 CO_2 fixation, 36
 CO_2 -uptake, 38, 39
decarboxylation of malate, 37
gas exchange, 38
net CO_2 assimilation, 38
nocturnal fixation, 249
nocturnal stomatal conductance, 248
 O_2 -uptake, 37, 38
PCR, 37
PEPC, 247
PEPCK, 249
photorespiration, 37
pineapple, 249
plastic, 248
stomata, 36
temporal phases, 37, 247
transcriptomic expression, 255
- Capsicum annuum*, 161
- Carbon assimilation pathway, 131
- Carbon fixation
 βCA genes, 249
CA, 250
cis-regulatory elements, 249
co-expression gene, 250
microRNA regulation, 250
non-CAM-related members, 249
- Carbon isotope ratio ($\delta^{13}\text{C}$), 47
- Carbonic anhydrase (CA), 249
- Cassava, 15
- Cathepsin B-like cysteine proteinase, 205
- Cefotaxime, 82
- Chitinases
antifungal activity, 238
AP24 gene codes, 237
classes, 237
co-bombardment, 238
fungal cell walls, 237
PR proteins, 237
tissue distribution, 238
transgenic lines, 238
types, 238
- Chromosome doubling, 92
- Circadian clock, 189, 190, 192
- Circadian rhythm, 255
- Cis*-regulatory elements, 103
- Classification, 4, 29
- Clonal propagation, 262
- Clustered regularly interspaced short
palindromic repeats/CRISPR
associated systems (CRISPR/
CAS), 83
- Conserved Domain Database (CDD),
217, 219
- Conserved noncoding sequences (CNSs), 133
conservation score, 146
DNA sequences, 145
LAST alignments, 146
pineapple, 146
PLACE database, 148
- Core eukaryotic genes (CEGs), 115, 117, 122
- Crassulacean acid metabolism (CAM), 97,
103, 131, 157, 168, 184, 196,
215, 247
application, 184
bromeliads, 259 (*see also* CAM
photosynthesis)
carbon fixation genes, 199
 CO_2 fixation, 184
expression levels, 199, 202–203
molecular and genomics approaches, 196
photosynthesis, 184
regulatory network, 184
temporal phases, 248
transcriptomic and proteomic level, 252
- Crop distribution, 1, 4, 12, 19
- Culturally Defined Keystone Species (CKS), 14
- Curagua
biocomposite industry, 9
clones, 9
genetic diversity, 15
- Cysteine proteases
as ananain, 216
inhibitors, 216
overexpression, 216
programmed cell death, 216

D

- De-bruijn based assembly
accuracy, pineapple assembly, 115
assembly metrics, short reads, 112, 113
gap-filling and scaffolding, by PBjelly, 112

- De-bruijn based assembly (*cont.*)
 genome's contiguity, 114
 short-read vs. long reads, for scaffolding, 114
 SOAPdenovo, 112
- De novo* assembly, error-corrected
 long reads
 assembly statistics, 122, 123
 assembly's metrics, 116, 118
 Celera assembler, 119–121
 contigs, 121, 122
 contiguity, 118
 DBG2OLC software, 116
 heterozygous genome, 121
 heterozygous loci, 121
 by mapping, 117
 QATools, 121
 vs. short reads, 116
 transcripts mapped, to pineapple draft
 genome, 122, 124
 whole assembly and scaffolding processes,
 122, 123
 whole-genome-shotgun methods, 119
- De novo* whole genome sequencing, 110
- Dibromochloropropane (DBCP), 75
- Diseases, 74, 75
- Diurnal expression, 190, 252
- Diversity Arrays Technology sequencing
 (DArTseq), 236
- DNA-based molecular markers, 55
- Documented breeding program, 88
- Domesticated pineapples
A. comosus var. *bracteatus*, 10, 16
A. comosus var. *comosus*, 7, 13–15
A. comosus var. *erectifolius*, 8, 9, 15, 16
 reproductive modifications, 2
- Domestication, 87, 93
 AcCYS1, 269
 asexual model, 266
 bromelain, 269
 clonal propagation, 266
 hypothesized models, 267
 mitotic recombination, 268
 nucleotide diversity
 selective sweeps, 268
 pineapple, 270
 Pre-Columbian South America, 269
 self-incompatibility, 269
 sexual model, 266
- Domestication syndrome, 2
A. comosus var. *comosus*, 11
 sexual propagation, 12
 var. *erectifolius*, 12
- Draft genome sequences, 115, 126
- Draft genome, MD-2 pineapple, 124–127
- E**
- Embryogenesis, 70, 80
- Entangling seeds, 42
- Epiphytism, 42
- Ethylene, 199
- Ethylene biosynthesis, 204
- Ethylene dibromide (EDB), 75
- Expressed sequence tags (ESTs), 196, 262
- Extensive synteny conservation, 137
- F**
- F153 pineapple reference genome, 268
- Ferritin, 74
- Flowering, 69, 71, 75, 76
- Fruit quality, 73
- Fruit ripening, 203
- Fungal plant pathogens, 216
- Fusariosis, 235
- G**
- Gene expression analysis, 197
- Gene expression data, 197
- Gene ontology (GO), 146
- Gene transfer method, 79, 82
- Genetic diversity
A. comosus, 55
 AFLP, 56
 biochemical and molecular marker, 55
 cluster analysis, 55
 DNA-based molecular markers, 55
 ISSR, 56
 RAPD, 55
 RFLP, 56
 SNPs, 56
 somaclonal variation, 52
 SSR, 56
- Genetic mapping
 accuracy, 64
 DNA markers, 63
 F1 and F2, 62, 63
 linkage groups, 62
 locus P, 64, 66, 67
 1:1 Mendelian ratio, 62
 RAD markers, 62
 randomly amplified markers, 63
 whole genome shotgun sequence, 65
- Genetic transformation
 for economically important traits, 69–71
 disease/pest-resistance, 74, 75
 flowering control, 69, 71
 fruit quality improvement, 73
 fruit ripening control, 72

- herbicide-tolerance, 74
 - multiple traits, 75, 76
 - nutritional value improvement, 74
 - pollution control, 75
- new genome editing technologies, 83
- technical aspects
 - DNA constructs, 76, 77
 - gene transfer method, 78, 82
 - selection agents and schemes, 82, 83
 - tissue culture process, 77
- Genome alignments, 142
- Genome annotation, 100, 101
- Genome evolution studies, 131, 135, 144
- Genome sequencing, 98, 100, 105
- Genome-wide association studies (GWAS), 270
- Germplasm, 270
- Glycolysis and gluconeogenesis genes
 - CAM pathway, 252
 - PEP, 251
 - Talinum triangulare*, 252
 - transcriptional regulation, 251, 255
- Gypsy superfamily, 161

- H**
- Heart rot, 235
- Herbicide-tolerance, 74
- Heterozygosity, 89–93, 260
- Heterozygous genome, 111, 112, 121
- Hexose transporters genes
 - AtESLI*, 251
 - CAM plants, 251
 - pineapple, 251
- High-scoring segment pair (HSP), 148
- High temperature 1 (HT1), 253
- Homozygosity, 268
- Hybrid assembly
 - challenge, 109
 - metrics, pineapple draft genomes, 112
 - PacBio sequencing, 110
 - plant genomes, 109
 - strategies, 111
- Hypothetical protein, 146

- I**
- In vitro* shoot culture systems, 77, 78
- Inter simple sequence repeats (ISSR), 56
- Intertropical diffusion, 19
- Intron, 76
- Isoform expression levels, 210
- Isozyme polymorphism, 55

- J**
- JBrowse visualization, 147, 148

- K**
- Karyotype evolution, 104

- L**
- Leaf tissue and root tissue, 200–201
- Leucine-rich repeat (LRR), 238
- Long terminal repeats (LTR)
 - abundance and dynamics, 159
 - expression and activation, 160
 - expression levels, 161
 - pineapple genome, 158
 - retrotransposons, 155, 157, 160, 161
 - reverse transcription, 156

- M**
- Malate transporters genes
 - AcALMT9, 250
 - CAM plants, 250
 - pineapple, 251
 - Talinum triangulare*, 251
- Maximum likelihood method, 221
- MD-2 pineapple, 111, 124
- Mealybug wilt disease
 - ants activity, 234
 - ants species, 234
 - causal agents, 234
 - stages, 234
 - symptoms, 234
 - viruses, 234
- Meganucleases, 83
- Metallothionein genes, 205
- Metallothionein or metallothionein-like proteins, 205
- MicroRNA regulation, 250
- MicroRNAs
 - gene regulations, 168
 - generation pathways, 173
 - genes, 172
 - homologs, 170
 - precursors, 173
 - secondary structures, 174
 - tasiRNA-generating locus, 173
- Microsynteny fractionation, 139
- Minimum free energy (MFE), 169
- miR166 family, 173
- miRNA/siRNA targets, 171
- Mitotic recombination, 268

- Molecular markers, 63, 65
 isozyme analyses, 61
 locus P, 64, 66, 67
 piping, 62
- Monocot- and dicot-specific expression, 253
- Monocots, 105, 106
- Morphology
 fruit, 33, 34
 inflorescence, 33
 leaves, 29, 32
 parts, 30
 root, 30
 seeds, 34
 stem, 30, 31
- Mutations, 92
- MYB DNA-binding, 209
- N**
- NBS-encoding genes, 239–241
- Nematode species, 236
- Nematodes, 70, 75
- Next-Generation-Sequencing, 21
- Nocturnal expression, 252
- Nocturnal stomatal conductance, 248
- Nonsynonymous mutations, 263
- Nucleic acid delivery, 83
- Nucleotide diversity, 263
- Nucleotide-binding site (NBS), 232
 heart rot, 239
 LRR, 238
 R proteins, 238
 resistance genes, 238
 root rot, 239
 TIR, 239
 WGD, 239
- O**
- Oil palm, 140
- Organogenesis, 71, 75, 76, 80
- Origin
 domestication, 12
 ‘Queen’, 19, 20
 “Smooth Cayenne”, 20
- P**
- PacBio reads, 110–112, 114, 119, 123
- Papain family protein, 220, 221
- Particle bombardment, 78, 80
- Pathogenesis-related (PR) proteins, 237, 238
- Perola, 54
- PHAS loci, 170–171, 176, 179
 and phasiRNAs, 170, 171
- phasiRNAs, 179
- Phosphoenolpyruvate (PEP), 251
- Phosphoenolpyruvate carboxykinase (PEPCK), 249
- Phosphoenolpyruvate carboxylase (PEPC), 247
- Photosynthetic carbon reduction (PCR), 37
- Phototropins 1 and 2 (PHOT1 and PHOT2), 253
- Phylogenetic analyses
 bromelain sequences, 226
 clusters, 221
 cysteine proteases, 226
 maximum likelihood method, 226, 227
 neighbor-joining method, 221, 225
 subcellular location, 225
- Phylogenetic analysis, 174
- Phylogenetic footprinting, 134
- Phylogeny, 46, 263
- Phytoene synthase (Psy), 75
- Pineapple
Amborella, 142 (*see also Ananas*)
 AS, 101
 assembly (*see Hybrid assembly*)
 breeding (*see Breeding*)
 Bromeliaceae, family, 97
 cereal genomes, 134, 139
 chromosomal identities, 144
 chromosomal organization, 143
 CNSs, 148
 conserved genes, 147
 description, 97
 draft genome assembled
 assembly metrics, 112, 126
 using Celera, 124
 using DBG2OLC, 117–119
 using intensive BAC and Fosmid system, 116
 using Plantanus and PBJelly, 115
 using Platanus and PBJelly, 115, 116
 functional genomics, 133
 genetic mapping, 100
 genome annotation, 100, 101
 genome structure, 139
 genome-wide comparison, 134
 genotypes, 62
 grass family, 133
 habitats, 27, 28
 improvement, 87
 inflorescence, 27
 innate parthenocarpic nature, 110

- intra-genomic syntenic analyses, 134
 - karyotype evolution, 104
 - model reference genome, 105
 - moist environment, 27, 28
 - monocot genomes, 142
 - pan-genome, 270
 - Pre-Columbian South America, 260, 269
 - resequencing, 264–265
 - scaffold anchoring, 100
 - sequencing and assembly, genome, 98, 99
 - syntenic analysis, 136
 - synteny and phylogenomic analyses, 142
 - technical complications, 131
 - TEs and repeat sequences, 102
 - WGD, 137
 - Pineapple core clock components, 192
 - PineappleDB, 61
 - Pineapple germplasm, 51
 - cluster analysis, 54
 - fruit quality, 54
 - Perola, 54
 - USDA, 54, 56, 270
 - Pineapple unique transcripts (PUTs), 206
 - Pinerias, 261
 - Pink disease
 - insecticides, 233
 - microorganisms, caused by, 233
 - optimum growth, *Gluconobacter oxydans*, 233
 - resistance, 233
 - Smooth Cayenne, 233
 - symptoms, 233
 - Piping, 62–64, 66
 - Plant miRNA genes, 172
 - Plant secretome, 216
 - PlantSecKB, 216, 226, 228
 - Platanus assembly, 112–114
 - Poaceae family, 157
 - Poaceae genomes, 146
 - Poales genomes, 132
 - Polyphenol oxidase (PPO) gene, 236, 237
 - Postharvest chilling stress resistance, 216, 219
 - Precocious flowering, 69
 - Pre-Columbian pineapple cultivars
 - “Pérola”, 6
 - Portuguese explorations, 8, 17, 18
 - ‘Queen’, 6, 19, 20
 - “Selangor Green”, 17, 18
 - ‘Singapore Canning’, 6, 17, 18
 - ‘Smooth Cayenne’, 6, 20
 - Protease
 - biological processes, 227
 - cysteine, 221
 - encoding secreted proteins, 220
 - gene expression analysis, 220, 222–224
 - MEROPS classification, 221
 - RNA-seq technology, 220
 - subcellular location, 220, 221, 228
 - upregulated genes, 220
 - Proteins sequences, 221, 225
 - Proteolytic enzymes
 - AcAPI, 219
 - BLASTP search, 217
 - CDD, 217
 - genes encoding, 217
 - MEROPS classification, 217
 - MEROPS database, 217
 - monocot species, 218–219
 - multiple datasets, 217
 - papain family protein sequences, 221
 - subcellular locations, 220
 - Pusofa family, 158
 - Puya*, 46
- Q**
- Queen, 6, 19, 20, 263
- R**
- Random amplified polymorphic DNA (RAPD), 55, 100
 - Refined dating, 139–142
 - Regeneration, 73, 74, 77, 83
 - Regulated unproductive splicing and translation (RUST), 207
 - Repetitive sequences, 102
 - Reproduction
 - asexual, 35, 36
 - sexual, 35
 - Resequencing
 - analysis, 262
 - diversity panel, 270
 - domestication, 266
 - “F153” pineapple reference genome, 262
 - genetic diversity and interbreeding, 266
 - illumina sequencing, 262, 270
 - intergenic, 262
 - nonsynonymous mutations, 263
 - nucleotide diversity, 263
 - pineapple, 264–265
 - population genomics, 263, 266
 - ultrahigh resolution, 263
 - Restriction fragment length polymorphism (RFLP), 56, 261

- Reticulon family, 209
 Retrotransposons, 159, 161
 Retrotransposons consensus sequences (RLX), 159
 Retrotransposons life cycle, 160
 Ripening fruit tissue, 201
 Ripening process, 215
 RNA sequencing, 102
 RNA-seq data, 206
 RNA-seq technology, 220
 Root rot, 235
 Root-knot nematode, 236
 Rose, 91
- S**
 S-adenosylmethionine decarboxylase gene, 206
 “Selangor Green”, 17–19
 Self-incompatibility, 269, 270
 Sequencing technology, 110, 117
 Sexual model, 266
 Short sequence repeat (SSR), 100
 Simple sequence repeat (SSR), 56, 262
 “Singapore Canning”, 6, 17–19
 Singapore Spanish, 263
 Single nucleotide polymorphisms (SNPs), 56, 100, 262
 Single-molecule real-time (SMRT), 270
 Small RNA libraries, 169
 Small RNA profiles, 168, 171
 Smooth Cayenne, 6, 20, 21, 52, 54, 261
 Somatic mutations
 clonal propagation, 268
 TEs, 268
S-RNase, 269
 Stem bromelain, 215, 216, 225
 See also Bromelain
 Stomatal movement genes
 C₃ photosynthesis species, 253
 CAM, 255
 circadian clock *cis*-elements, 254, 255
 CPK6 and *ABCC5*, 252
 HT1, 253
 PHOT1 and PHOT2, 255
 transcript expression, 253
 Strong selective sweeps, 268
 Subcellular proteome knowledgebase, 216
 Subfamily, 41, 42, 46–48
 Syntenic depth analyses, 134
- T**
Talinum triangulare, 251
 TAS3 loci, 170, 171, 175
 TAS3 locus, 173
 TAS3b loci, 174
 TasiRNAs, 168, 171
 Taxonomy, 28, 29
 Temporary immersion bioreactors (TIB), 74, 77
 Time-course gene expression profiles, 189
 Tissue culture process, 77
 Tissue culture/regeneration system, 83
 Toll/interleukin-1 receptor (TIR), 239
 Transcript expression, 252
 Transcription activator-like effector-based nucleases (TALEN), 83
 Transcription factors (TFs)
 and TCs, 184–187
 ARFs, 189
 diurnal cycling, 190
 diurnal expression patterns, 192
 DNA binding, 183
 expression, 191
 pineapple genome, 184
 R2R3-MYBs, 188
 spatial and temporal expression, 184
 tissue identity, 187
 Transcriptome analysis, 196
 Transcriptome data, 197
 Transformation, *see* Genetic transformation
 Transgenic resistance, 237
 chitinases, 237, 238
 PPO gene, 236, 237
 Transportable elements (TEs), 102, 268
 classes, 156
 distribution, 159–160
 DNA transposons, 156
 genome evolution, 162–163
 genome size, 156
 genomic and functional analyses, 155
 genomic sequence analyses, 155
 LG25 pseudo-molecule, 159
 LINEs and SINEs, 156
 LTR, 156, 158
 LTR retrotransposons, 157
 MITEs, 158
 pineapple genomic sequences, 159
 pseudo-molecule, 159
 repetitive sequences, 157
 retrotransposon-related sequences, 157
 RNA, 156
 RNA-seq data, 161
 role, 158
 TIR, 157
 TRIzol reagent, 169

V

- Vacuolar hexose, 249
- Vegetative propagation, 55
- Venn diagrams, 188

W

- Water molds, 235
- Whole genome resequencing, 109
 - analysis, 262
 - domestication, 266
 - “F153” pineapple reference genome, 262
 - genetic diversity and interbreeding, 266
 - illumina sequencing, 262
 - intergenic, 262
 - nonsynonymous mutations, 263
 - nucleotide diversity, 263
 - population genomics, 263, 266
 - ultrahigh resolution, 263

- Whole-genome duplication (WGD), 104–106, 133, 239

- angiosperm genomes, 134
- genome alignments, 142
- grass lineage, 133
- grass-pineapple syntenic patterns, 138
- monocot, 137
- phylogenetic dating, 136
- pineapple lineage, 135
- refined dating, 139–142

- Whole genome shotgun sequence, 65

Wild pineapples

- A. comosus* var. *microstachys*, 4, 5
- A. comosus* var. *paraguayensis*, 5

Z

- Zinc finger nucleases (ZFN), 83