

# References

1. Ashenhurst, R.L.: The decomposition of switching functions. In: Annals of Computation Laboratory, vol. 29, pp. 74–116. Harvard University, Cambridge (1959)
2. Barrow, J.D.: The Constants of Nature: The Numbers That Encode the Deepest Secrets of the Universe. Knopf Doubleday Publishing Group, New York (2009). ISBN: 978-0-3754-2221-8
3. Biere, A.: Lingeling, Plingeling, PicoSAT and PrecoSAT at SAT Race 2010. Technical report 1. Linz, Aug. 2010
4. Biere, A., et al. (eds.) Handbook of Satisfiability. Frontiers in Artificial Intelligence and Applications, vol. 185. IOS Press, Amsterdam (2009). ISBN: 978-1-58603-929-5
5. Bochmann, D., Posthoff, C.: Binäre Dynamische Systeme. Oldenbourg, Germany. Akademie-Verlag, Berlin (1981). ISBN: 978-3486250718
6. Bochmann, D., Dresig, F., Steinbach, B.: A new approach for multilevel circuit design. In: European Conference on Design Automation, EURODAC '91, pp. 374–377. IEEE Computer Society Press, Amsterdam (1991). ISBN: 0-8186-2130-3
7. Böhlau, P.: A decomposition strategy for the logic design based on properties of the function. Ph.D. thesis, Technical University Karl-Marx-Stadt, Karl-Marx-Stadt (1987). Eine Dekompositionsstrategie für den Logikentwurf auf der Basis funktionstypischer Eigenschaften (in German)
8. Bondy, A., Murty, M.R.: Graph Theory. Springer, London (2008). ISBN: 978-1-84628-969-9
9. Boole, G.: The Mathematical Analysis of Logic: Being an Essay Towards a Calculus of Deductive Reasoning (Classic Reprint). Forgotten Books, London (2016). ISBN: 978-1-4400-6642-9
10. Bryant, R.E.: Graph-based algorithms for Boolean function manipulation. IEEE Trans. Comput. C **35**(8), 677–691 (1986). ISSN: 0018-9340. <https://doi.org/10.1109/TC.1986.1676819>
11. Caldwell, S.H.: Switching Circuits and Logical Design. Wiley, New York (1958). ISBN: 978-0-4711-2969-1
12. Clote, P., Kranakis, E.: Boolean Functions and Computation Models. Springer, Berlin (2002). ISBN: 978-3-662-04943-3. <https://doi.org/10.1007/978-3-662-04943-3>
13. Cook, S.: The complexity of theorem-proving procedures. In: Proceedings of the Third Annual ACM Symposium on Theory of Computing. STOC, pp. 151–158. ACM, Shaker Heights (1971). <https://doi.org/10.1145/800157.805047>
14. Curtis, H.A.: A New Approach to the Design of Switching Circuits. Van Nostrand, Princeton (1962)
15. Gebser, M., et al.: clasp: a conflict-driven answer set solver. In: Baral, C., Brewka, G., Schlipf, J. (eds.) International Conference on Logic Programming and Nonmonotonic Reasoning

- (LPNMR 2007). Lecture Notes in Computer Science, vol. 4483, pp. 260–265. Springer, Berlin (2007). ISBN: 978-3-540-72199-4. [https://doi.org/10.1007/978-3-540-72200-7\\_23](https://doi.org/10.1007/978-3-540-72200-7_23)
16. Grattan-Guinness, I., Bornet, G. (eds.): George Boole: Selected Manuscripts on Logic and Its Philosophy. Science Networks. Historical Studies, vol. 20. Birkhäuser, Basel (1997). ISBN: 978-3-7643-5456-5
  17. Heule, M.J.H., Kullmann, O., Marek, V.W.: Solving and verifying the Boolean Pythagorean triples problem via cube-and-conquer. In: Creignou, N., Le Berre, D. (eds.) Theory and Applications of Satisfiability Testing – SAT 2016, pp. 228–24. Springer, Cham (2016). ISBN: 978-3-319-40970-2. [https://doi.org/10.1007/978-3-319-40970-2\\_15](https://doi.org/10.1007/978-3-319-40970-2_15)
  18. Huffman, D.A.: The synthesis of sequential switching circuits. J. Frankl. Inst. **257**(3), 161–190 (1954). [https://doi.org/10.1016/0016-0032\(54\)90574-8](https://doi.org/10.1016/0016-0032(54)90574-8)
  19. Khatri, S., Gulati, K. (eds.): Advanced Techniques in Logic Synthesis, Optimizations and Applications, vol. 211. Springer, New York. ISBN: 978-1-4419-7517-1. <https://doi.org/10.1007/978-1-4419-7518-8>
  20. Le, T.: Testability of combinational circuits—theory and design. Ph.D. thesis, Technical University Karl-Marx-Stadt, Karl-Marx-Stadt (1989). Testbarkeit kombinatorischer Schaltungen—Theorie und Entwurf (in German)
  21. MacHale, D.: The Life and Work of George Boole: A Prelude to the Digital Edge. Cork University Press, Cork (2014). ISBN: 978-1-78205-004-9
  22. McCluskey, E.J.: Minimization of Boolean functions. Bell Syst. Tech. J. **35**(6), 1417–1444 (1956). ISSN: 0005-8580. <https://doi.org/10.1002/j.1538-7305.1956.tb03835.x>
  23. Meinel, C., Theobald, T.: Algorithms and Data Structures in VLSI Design. Springer, Berlin (1998). ISBN: 978-3-540-64486-6. <https://doi.org/10.1007/978-3-642-58940-9>
  24. Mishenko, A., Steinbach, B., Perkowski, M.: An algorithm for bi-decomposition of logic functions. In: Proceedings on the 38th Design Automation Conference. DAC 28, pp. 18–22. IEEE Computer Society Press, Las Vegas (2001). ISBN: 1-58113-297-2. <https://doi.org/10.1109/DAC.2001.156117>
  25. Planck Collaboration. Planck 2013 results. I. Overview of products and scientific results. Astron. Astrophys. **571**(11), 1–44 (2014). <https://doi.org/10.1051/0004-6361/201321529>
  26. Posthoff, C., Steinbach, B.: Logic Functions and Equations - Binary Models for Computer Science. Springer, Dordrecht (2004). ISBN: 978-1441952615
  27. Posthoff, C., Steinbach, B.: The solution of discrete constraint problems using Boolean models. In: Filipe, J., Fred, A., Sharp, B. (eds.) Proceedings of the 2nd International Conference on Agents and Artificial Intelligence. ICAART 2, Valencia, Feb. 2010, pp. 487–493. ISBN: 978-989-674-021-4
  28. Povarov, G.N.: About functional decomposition of Boolean functions. Rep. Acad. Sci. USSR. DAN **94**(5), 801–803 (1954) (in Russian)
  29. Quine, W.V.: The problem of simplifying truth functions. Am. Math. Mon. **59**(8), 521–531 (1952). <https://doi.org/10.2307/2308219>
  30. Quine, W.V.: A way to simplify truth functions. Am. Math. Mon. **62**(9), 627–631 (1955). <https://doi.org/10.2307/2307285>
  31. Rothaus, O.S.: On “Bent” functions. J. Comb. Theory (A) **20**, 300–305 (1976)
  32. Rudeanu, S.: Lattice Functions and Equations. Discrete Mathematics and Theoretical Computer Science. Springer, London (2001). ISBN: 978-1-85233-266-2. <https://doi.org/10.1007/978-1-4471-0241-0>
  33. Sasao, T., Butler, J.: On bi-decompositions of logic functions. In: Proceedings of International Workshop on Logic Synthesis 1997, IWLS, Lake Tahoe City (1997)
  34. Sasao, T., Fujita, M. (eds.): Representations of Discrete Functions. Kluwer Academic Publishers, Boston (1996). ISBN: 0-7923-9720-7
  35. Schwarzkopf, B.: Without cover on a rectangular chessboard. In: Feenschach, pp. 272–275 (1990). Ohne Deckung auf dem Rechteck (in German)
  36. Shannon, C.E.: A symbolic analysis of relay and switching circuits. Trans. Am. Inst. Electr. Eng. **57**(12), 713–723 (1938). ISSN: 0096-3860. <https://doi.org/10.1109/T-AIEE.1938.5057767>

37. Steinbach, B.: Solution of Boolean differential equations and their application for binary systems. Ph.D. thesis, Technische Hochschule Karl-Marx-Stadt; now: University of Technology Chemnitz (1981). Lösung binärer Differentialgleichungen und ihre Anwendung auf binäre Systeme (in German)
38. Steinbach, B.: XBOOLE—a toolbox for modelling, simulation, and analysis of large digital systems. *Syst. Anal. Model. Simul.* **9**(4), 297–312 (1992). ISSN: 0232-9298
39. Steinbach, B.: Adjacency graph of the SNF as source of information. In: Steinbach, B. (ed.) *Boolean Problems, Proceedings of the 7th International Workshops on Boolean Problems, IWSBP 7*, Sept. 2006, pp. 19–28. Freiberg University of Mining and Technology, Freiberg (2006). ISBN: 978-3-86012-287-7
40. Steinbach, B.: Decomposition using decision diagrams. In: Yanushkevich, S., et al. (eds.) *Decision Diagram Technique for Micro- and Nanoelectronic Design, Handbook*, pp. 59–544. CRC Press, Boca Raton (2006). ISBN: 0-8493-3424-1
41. Steinbach, B.: Most complex Boolean functions. In: *Proceedings Reed-Muller 2007 RM*, Oslo, May 2007, pp. 13–23
42. Steinbach, B.: Generalized lattices of Boolean functions utilized for derivative operations. In: *Materialy Konferencyjne KNWS' 13 KNWS*, Łagów, June 2013, pp. 1–17. <https://doi.org/10.13140/2.1.1874.3680>
43. Steinbach, B.: Relationships between vectorial bi-decompositions and strong EXORBiDecompositions. In: *Proceedings of the 25th International Workshop on Post-Binary ULSI Systems. ULSI 25*, Sapporo, Hokkaido, 2016
44. Steinbach, B., De Vos, A.: The shape of the SNF as a source of information. In: Steinbach, B. (ed.) *Boolean Problems, Proceedings of the 8th International Workshops on Boolean Problems. IWSBP 8*, Sept. 2008, pp. 127–136. Freiberg University of Mining and Technology, Freiberg (2008). ISBN: 978-3-86012-346-1
45. Steinbach, B., Hilbert, R.: Fast test patterns generation using the Boolean differential calculus. In: Bochmann, D., Ubar, R. (eds.) *Errors in Finite State Machines. Schnelle Testsatzgenerierung gestützt auf den Booleschen Differentialkalkül. Fehler in Automaten* (in German), pp. 45–90. Verlag Technik, Berlin (1989). ISBN: 3-341-00683-4
46. Steinbach, B., Lang, C.: Exploiting functional properties of Boolean functions for optimal multi-level design by bi-decomposition. In: Yanushkevich, S. (ed.) *Artificial Intelligence in Logic Design. SECS 766*, pp. 159–200. Springer, Dordrecht (2004). ISBN: 978-90-481-6583-4. [https://doi.org/1.1007/978-1-4020-2075-9\\_6](https://doi.org/1.1007/978-1-4020-2075-9_6)
47. Steinbach, B., Mishchenko, A.: A special normal form for ESOPs. In: *Proceedings of the 5th International Workshop on Application of the Reed-Muller Expansion in Circuit Design*, RM, Starkville (Mississippi), Aug. 2001, pp. 66–81
48. Steinbach, B., Posthoff, C.: *Logic Functions and Equations - Examples and Exercises*. Springer, Berlin (2009). ISBN: 978-1-4020-9594-8
49. Steinbach, B., Posthoff, C.: Boolean differential calculus - theory and applications. *J. Comput. Theor. Nanosci.* **7**(6), 933–981 (2010). ISSN: 1546-1955. <https://doi.org/10.1166/jctn.2010.1441>
50. Steinbach, B., Posthoff, C.: New results based on Boolean models. In: Steinbach, B. (ed.) *Boolean Problems, Proceedings of the 9th International Workshops on Boolean Problems. IWSBP 9*, Sept. 2010, pp. 29–36. Freiberg University of Mining and Technology, Freiberg (2010). ISBN: 978-3-86012-404-8
51. Steinbach, B., Posthoff, C.: Classes of bent functions identified by specific normal forms and generated using Boolean differential equations. *Facta Univ. (Nis). Electr. Eng.* **24**(3), 357–383 (2011)
52. Steinbach, B., Posthoff, C.: Classification and generation of bent functions. In: *Proceedings Reed-Muller 2011 Workshop*, RM, Tuusula, May 2011, pp. 81–91
53. Steinbach, B., Posthoff, C.: Improvements in exact minimal waveform coverings of periodic binary signals. In: Quesada-Arencibia, A., et al. (eds.) *Computer Aided System Theory, Extended Abstracts. 13th International Conference on Computer Aided System Theory Eurocast 13*, Las Palmas, Feb. 2011, pp. 410–411. ISBN: 978-84-693-9560-8

54. Steinbach, B., Posthoff, C.: Parallel solution of covering problems super-linear speedup on a small set of cores. *Int. J. Comput. Global Sci. Technol. Forum* **1**(2), 113–122 (2011). ISSN: 2010-2283
55. Steinbach, B., Posthoff, C.: Sources and obstacles for parallelization - a comprehensive exploration of the unate covering problem using both CPU and GPU. In: Astola, J., et al. (eds.) *GPU Computing with Applications in Digital Logic. TICSP 62*. Tampere International Center for Signal Processing, Tampere, pp. 63–96 (2012). ISBN: 978-952-15-2920-7. <https://doi.org/10.13140/2.1.4266.4320>
56. Steinbach, B., Posthoff, C.: Utilization of permutation classes for solving extremely complex 4-colorable rectangle-free grids. In: *Proceedings of the IEEE 2012 International Conference on Systems and Informatics ICSAI, Yantai, May 2012*, pp. 2361–2370. ISBN: 978-1-4673-0197-8. <https://doi.org/10.13140/2.1.2365.8887>
57. Steinbach, B., Posthoff, C.: *Boolean Differential Equations*. Morgan & Claypool Publishers, San Rafael (2013). ISBN: 978-1-6270-5241-2. <https://doi.org/10.2200/S00511ED1V01Y201305DCS042>
58. Steinbach, B., Posthoff, C.: Fast calculation of exact minimal unate coverings on both the CPU and the GPU. In: Quesada-Arencibia, A., et al. (eds.) *14th International Conference on Computer Aided Systems Theory – EUROCAST 2013 Part II, Feb. 2013*. Lecture Notes in Computer Science, vol. 8112, pp. 234–241. Springer, Las Palmas (2013). ISBN: 978-0-9924518-0-6
59. Steinbach, B., Posthoff, C.: Derivative operations for lattices of Boolean functions. In: *Proceedings Reed-Muller Workshop 2013, RM, Toyama, May 2013*, pp. 110–119. <https://doi.org/10.13140/2.1.2398.6568>
60. Steinbach, B., Posthoff, C.: Highly complex 4-colored rectangle-free grids – solution unsolved multiple-valued problems. *J. Multiple-Valued Logic and Soft Comput.* **24**(1–4), 369–404 (2014). ISSN: 1542-3980
61. Steinbach, B., Posthoff, C.: Multiple-valued problem solvers – comparison of several approaches. In: *Proceedings of the IEEE 44th International Symposium on Multiple-Valued Logic. ISMVL 44, Bremen, May 2014*, pp. 25–31. <https://doi.org/10.1109/ISMVL.2014.13>
62. Steinbach, B., Posthoff, C.: Evaluation and optimization of GPU based unate covering algorithms. In: Quesada-Arencibia, A., et al. (eds.) *Computer Aided Systems Theory – EUROCAST 2015, Feb. 2015*. Lecture Notes in Computer Science, vol. 9520, pp. 617–624. Springer, Las Palmas (2015). ISBN: 978-3-319-27340-2. [https://doi.org/10.1007/978-3-319-27340-2\\_76](https://doi.org/10.1007/978-3-319-27340-2_76)
63. Steinbach, B., Posthoff, C.: The last unsolved four-colored rectangle-free grid: the solution of extremely complex multiple-valued problems. *J. Multiple-Valued Logic Soft Comput.* **25**(4–5), 461–490 (2015). ISSN: 1542-3980
64. Steinbach, B., Posthoff, C.: Vectorial bi-decompositions of logic functions. In: *Proceedings of the Reed-Muller Workshop 2015, RM, Waterloo (2015)*
65. Steinbach, B., Posthoff, C.: Vectorial bi-decompositions for lattices of Boolean functions. In: Steinbach, B. (ed.) *Boolean Problems, Proceedings of the 12th International Workshops on Boolean Problems, IWSBP 12, Sept. 2016*, pp. 93–104. Freiberg University of Mining and Technology, Freiberg (2016). ISBN: 978-3-86012-488-8
66. Steinbach, B., Posthoff, C.: *Boolean Differential Calculus*. Morgan & Claypool Publishers, San Rafael (2017). ISBN: 978-1-6270-5922-0. <https://doi.org/10.2200/S00766ED1V01Y201704DCS052>
67. Steinbach, B., Posthoff, C.: Compact XOR-bi-decomposition for generalized lattices of Boolean functions. In: *Proceedings Reed-Muller Workshop 2017, RM 13, Novi Sad (2017)*
68. Steinbach, B., Posthoff, C.: Vectorial bi-decompositions for lattices of Boolean functions. In: Steinbach, B. (ed.) *Further Improvements in the Boolean Domain*, pp. 175–198. Cambridge Scholars Publishing, Newcastle upon Tyne (2018). ISBN: 978-1-5275-0371-7
69. Steinbach, B., Stöckert, M.: Design of fully testable circuits by functional decomposition and implicit test pattern generation. In: *Proceedings of 12th IEEE VLSI Test Symposium. VTS 12, Cherry Hill (1994)*

70. Steinbach, B., Werner, M.: XBOOLE-CUDA - fast Boolean operations on the GPU. In: Steinbach, B. (ed.) *Boolean Problems, Proceedings of the 11th International Workshops on Boolean Problems. IWSBP 11*, Sept. 2014. Freiberg University of Mining and Technology, Freiberg (2014). ISBN: 978-3-86012-488-8
71. Steinbach, B., Werner, M.: XBOOLE-CUDA - fast calculations on the GPU. In: Steinbach, B. (ed.) *Problems and New Solutions in the Boolean Domain*, pp. 117–149. Cambridge Scholars Publishing, Newcastle upon Tyne (2016). ISBN: 978-1-4438-8947-6
72. Steinbach, B., Zakrevski, A.: Three models and some theorems on decomposition of Boolean functions. In: Steinbach, B. (eds.) *Boolean Problems, Proceedings of the 3rd International Workshops on Boolean Problems. IWSBP 3*, Sept. 1998, pp. 11–18. Freiberg University of Mining and Technology, Freiberg (1998). ISBN: 3-86012-069-7
73. Steinbach, B., Yanchurkin, V., Lukac, M.: On SNF optimization: a functional comparison of methods. In: *Proceedings of the 6th International Symposium on Representations and Methodology of Future Computing Technology*, RM, Trier, Mar. 2003, pp. 11–18
74. Steinbach, B., Wessely, W., Posthoff, C.: Several approaches to parallel computing in the Boolean domain. In: Chaudhuri, P., et al. (eds.) *First International Conference on Parallel, Distributed and Grid Computing, PDGC 1*, Solan, H.P., Oct. 2010, pp. 6–11
75. Steinbach, B., Posthoff, C., Wessely, W.: Approaches to shift the complexity limitations of Boolean problems. In: *Computer-Aided Design of Discrete Devices CAD DD 2010, Proceedings of the Seventh International Conference. CAD DD 7*, Minsk, Belarus, Nov. 2010, pp. 84–91. ISBN: 978-985-6744-63-4
76. Thayse, A.: *Boolean Calculus of Differences*. Springer, Berlin (1981). ISBN: 978-3540102861
77. Wegener, I.: *Branching Programs and Binary Decision Diagrams: Theory and Applications. Discrete Mathematics and Applications*. Society for Industrial and Applied Mathematics, Philadelphia (2000). ISBN: 978-0-89871-458-6. <https://doi.org/10.1137/1.9780898719789>
78. Yanushkevich, S.N., et al. (eds.): *Decision Diagram Techniques for Micro- and Nanoelectronic Design Handbook*. CRC Press/Taylor & Francis Group, Boca Raton/London (2006). ISBN: 978-0-8493-3424-5

# Index

- Absorption, 23, 106
- Abstract algebra, 16
- Algebra, Boolean, 14, 16, 18
- Antivalence, 7, 13, 30, 44
  - normal form, 91
  - polynomial, 91
- Arity, 43
- Artificial intelligence, 299
- Associative law, 21
- Assumption, 251, 258
- Automated theorem proving, 260
- Axiom, 254, 258, 259
  - dual, 17
  
- Bent function, 290
- Bi-decomposition, 402, 403
  - AND, 406, 407, 410
    - decomposition function, 407
  - common set, 403
  - compact, 423
  - decision diagram, 402
  - decomposition
    - function, 403
    - operator, 403
  - dedicated set, 403
  - disjoint, 402, 403, 405, 422
    - AND, 406
    - EXOR, 409
    - OR, 405, 414
    - strong AND, 417
    - strong OR, 419
  - EXOR, 402, 407, 409
  - lattice
    - AND, 426, 427
    - compact EXOR, 436
    - disjoint EXOR, 432
    - disjoint OR, 424, 425
    - don't-care function, 425
    - EXOR, 428, 430, 432–434
    - non-disjoint AND, 426
    - non-disjoint EXOR, 428–430, 432
    - non-disjoint OR, 425
    - strong, 436, 440
    - strong AND, 439, 442
    - strong EXOR, 438, 442, 447
    - strong OR, 443
    - vectorial AND, 442, 443
    - vectorial EXOR, 444–447
    - vectorial OR, 441, 442
    - weak, 436, 440
    - weak AND, 438, 439
    - weak OR, 437–439
  - lattice AND, mark function, 427
  - lattice OR, mark function, 425, 426
  - lattice vectorial OR, mark functions, 441
  - lattice weak AND, mark function, 438, 439
  - lattice weak OR, mark function, 437
  - non-disjoint AND, 407
  - non-disjoint EXOR, 407
  - non-disjoint OR, 405, 406
  - OR, 404–406, 410
    - decomposition function, 406
  - strong, 410, 416, 417, 419, 447
  - strong AND, 420
  - strong EXOR, 420, 422
  - strong OR, 420, 421
  - vectorial, 415, 416, 421, 440
    - decomposition function, 422
  - vectorial AND, 417–419, 440

- vectorial EXOR, 419–421
- vectorial OR, 416, 417, 422, 440
- vectorial XOR, 440
- weak, 410, 414, 416, 417, 419, 447
- weak AND, 413, 414
  - decomposition function, 414
  - decomposition lattice, 413
- weak OR, 411, 412
  - decomposition function, 413
  - decomposition lattice, 412
- Binary decision diagram, 72
  - reduced ordered, 72
- Binary mathematics, 5
- Binary number, 261
  - carry, 263
  - division, 270
  - multiplication, 265
  - sign bit, 267
  - subtraction, 267
  - sum, 263
  - two's complement, 269
- Binary space, 26
- Binary system, 260
- Binary vector, 26
  - linear combination, 278
  - linear vector space, 280
  - linearly dependent, 279
  - linearly independent, 279
  - scalar product, 279
- Bishop numbers, 321
- Bit, 34, 262
  - parity bit, 273
- Boolean algebra, 14, 16, 18, 28–30, 91
  - commutative laws, 14
  - complement, 15
  - finite, 30
  - neutral elements, 15
- Boolean differential calculus, 123
- Boolean differential equation, 231
- Boolean ring, 19, 28, 30, 66, 119
  - additive laws, 18
  - commutative, 19, 29
  - distributive law, 18
  - multiplicative laws, 18
- Boole, George, 3
- Braille code, 275
- Bus wire, 372, 384
- Byte, 262
  
- Chain, 33
- Change, simultaneous, 441
- Characteristic function, 323
  - function set, 373
- Characteristic vector, 29
- Circuit model, 76
- Clause, 301
- Clique, 326
- Code
  - $(n, M, d)$ , 282
  - $(n, k)$ , 281
  - $(7, 16, 3)$ , 282
  - $(7, 4)$ , 281
  - binary, 36, 263
  - Bose-Chaudhuri-Hocquenghem, 278
  - concatenation, 282
  - Gray, 35, 36
  - Hamming, 278, 281
  - linear, 281
  - Reed-Muller, 282
- Coding, 271
  - alphabet, 271
  - ASCII, 272
  - bar code, 276
  - binary code, 272
  - block code, 275
  - code, 272
  - code word, 272
  - empty word, 271
  - equidistant code, 277
  - even parity, 277
  - extended ASCII, 273
  - group code, 280
  - linear code, 280
  - parity check, 277
  - Plotkin construction, 282
  - unicode, 273
  - word, 271
- Coloring problems, 330
  - Birkhoff's diamond, 330
  - edge coloring, 333
  - map coloring with four colors, 332
  - Pythagorean triples, 335
  - vertex coloring, 330
- Combinational circuit, 361
  - AND-gate, 364
  - AND-OR-circuit, 367
  - backward simulation, 387
  - bus wire, 372, 384
  - characteristic function set, 373
  - contact potential model, 372, 384
  - covering method, 392, 395, 398, 399
  - decomposition
    - $\pi$ -bi-decomposition, 403
    - bi-decomposition, 402
    - grouping, 402
    - method, 398, 399, 449
    - pipe decomposition, 399

- strong bi-decomposition, 410
  - vectorial bi-decomposition, 415
  - weak bi-decomposition, 410
- disjoint decomposition, 399
- don't-care, 373
- essential prime conjunction, 398
- forward simulation, 387
- gate, 361
- glitch, 389
- hazard, 389
  - dynamic hazard, 389
  - function hazard, 389
  - static hazard, 389
- implicit system function, 375–377, 380
- input-output system function, 380, 381
- inverter, 363
- list of phases, 365
- mark function, 373
- NAND-gate, 363
- NAND-NAND-circuit, 367
- non-disjoint decomposition, 399
- NOR-EXOR-circuit, 370
- NOR-gate, 364
- NOR-NEXOR-circuit, 370
- NOR-NOR-circuit, 367
- OR-AND-circuit, 367
- OR-EXOR-circuit, 370
- OR-NEXOR-circuit, 370
- phase, 365
- prime conjunction, 393, 394, 398
- programmable logic array, 370
- structure TVL of a PLA, 370
- substitution method, 375, 378
- transistor, 361
- Commutative law, 21
- Commutative ring, 18
  - additive law, 18
  - multiplicative law, 18
  - unit element, 18
  - zero element, 18
- Compaction, 286
- Complement, 6, 15, 17, 21, 45, 171
  - of the symmetric difference, 30
- Complete set of logic functions, 97
- Conclusion, 251
- Condition
  - necessary condition, 253
  - sufficient, 256
- Conjunction, 6, 12, 13, 15, 30, 44
  - orthogonal, 51
- Conjunctive normal form, 91
- Consensus, 23, 24
  - rule, 93
- Constraint, 43, 301
- Constructive dilemma, 256
- Contact potential model, 372, 384
- Contradiction, 252
- Covers
  - edge cover, 326
  - exact set covers, 324
  - set covers, 323
  - unate cover, 325
  - vertex cover, 324
- Covering, 106
  - problems, 323
- Cross-product, 26
- De Morgan, 19
- Decimal equivalent, 34
- Decision tree, ordered, 76
- Decomposition
  - Ashenurst, 399, 402
  - bi-, 440
  - Curtis, 399, 402
  - function, 440, 441, 443, 446
  - pipe, 403
    - decomposition, 399
  - Povarov, 399–402
- Decomposition function, 443
- Derivative, 124
  - $\Delta$  - operation, 147
  - $k$ -fold, of a lattice, 189
  - single, of a lattice, 186
  - vectorial, 177
- Derivative operation
  - $\Delta$ -operation, 147
  - $k$ -fold, 144
    - derivative, 145
    - maximum, 146
    - minimum, 146
  - (single) derivative, 137
  - (single) maximum, 137, 141
  - (single) minimum, 137, 140
  - negated (single) derivative, 137
  - negated vectorial derivative, 125
  - vectorial derivative, 125
  - vectorial maximum, 128
  - vectorial minimum, 127
- Differential
  - $k$ -fold differential, 161
    - maximum, 161
    - minimum, 161
    - operation, 161
  - operation, 156
  - partial, 160
  - $\partial$ -operation, 161
  - variable, 152



- vector, 153
- Differential equation, 205
  - local solution, 234
- Dilemma, 256
- Direction, 153
  - of change, 124, 132, 156, 179, 180
  - independent, 177
- Dirichlet's pigeonhole principle, 333
- Disjunction, 7, 12, 13, 15, 44
  - orthogonal, 51
- Disjunctive form, 92
- Disjunctive normal form, 91
- Distributive law, 21
- Division, 123, 124
- Don't-care, 167
- Duality, 17
- Dummy variable, 54
  
- Element
  - inverse, 255
  - unit, 255
- Elementary conjunction, 47
- Elementary disjunction, 47
- Equality, 13, 23
- Equation
  - homogeneous characteristic, 102
  - homogeneous restrictive, 102
- Equivalence, 30, 44, 252
  - class complete, 237
  - normal form, 91
  - polynomial, 91
  - relation, 237
- Error
  - correction, 277, 281
  - detection, 277
  - model, 277
  - one-bit, 272
  - single-bit, 272
  - single-bit error, 276
- Eulerian path, 329
- Exclusive-or, 13, 250
- Expansion, 286
- Expansion theorem, 68
  
- False, 6, 249
- Fibonacci numbers, 320
- Field, 18
- Finite-state machine, 461
  - graph, 468
  - list of phases, 476
  - logic cell array, 492
  - MEALY-type, 466
  - memory function, 461
  - MOORE-type, 465
  - non-deterministic, 467
  - output function, 461
  - random-access memory, 491
  - read-only memory, 490
  - result function, 461
  - stable state, 471
  - state variable, 461
  - system equation, 466
- Flip-flop, 462
- Formula, 76
  - equivalent formula, 77
  - interpretation, 77
  - logical law, 78
  - reverse polish notation, 78
  - tautology, 78
- Function
  - bent, 290
  - binary, 43
  - Boolean, 43, 156
  - constant, 188, 192
  - incompletely specified, 373
  - logic, 43
  - switching, 43
  - table, 43
  - truth, 43
- Functional equation, 229, 231
  
- Gate, 361
- Geometry
  - Euclidean, 256
  - non-Euclidean, 256
- Glitch, 389
- Graph equation, 154
- Gray code, 35, 62
- Group, 255, 256
  - additive, 256
  - group, 280
  
- Hamming
  - distance, 281, 292
  - metric, 37, 38, 40
- Hasse-diagram, 28
- Hazard, 389
- Hexadecimal system, 262, 263
- HORN-formula, 310
  
- Idempotence, 19, 22, 307
- Identities, 21
  - relation, 11

- Implication, 45, 251
- Inclusive-or, 250
- Independence function, 178, 187, 189, 190
- Independence matrix, 177–180
- Independent, 179
- Inequality, 13, 23, 103, 104
- Infimum, 171
- Intersection, 17, 309
  - empty, 105
- Interval, 31, 104
- Involution, 23
  
- Karnaugh-map, 62
  
- Latin square, 321
- Lattice, 168–171, 186–190, 192, 440–444, 446
  - generalized, 178, 182
- Lattice algebra, 168
- Law of contradiction, 6
- Law of excluded middle, 6
- Limit, 123, 124
- Line, parallel, 256
- Linear algebra, 279
- Linearity, 10, 27
- List of ternary vectors, 56, 105
- Literal, 47
- Logic equation, 100, 101, 104
  - complement of a solution set, 110
  - conjunctively separable, 109
  - depth-first search, 302
  - disjunctive, 116
  - disjunctively separable, 109
  - double solution, 107
  - explicit system equation, 373
  - functional equation, 229
    - undefined coefficients, 230
  - homogeneous, 101
  - inequalities, 102
  - intersection of solution sets, 112, 113
  - inversion of equation systems, 210
  - linear antivalence equation, 119
  - linear equivalence equation, 121
  - linearly separable, 108
  - MAXSAT, 309
  - resolution, 306
  - resolvent, 307
  - SAT, 301
  - SAT-problem, 299
  - solution, 100
  - solution with regard to variables, 192
  - systems of equations, 102
  - union of solution sets, 109
- Logic formula, 46
- Logic function, 7, 43
  - affine function, 83
  - antivalence form, 66
    - normal form, 66
    - polynomial, 66
  - arity, 43
  - closed with regard to an operation, 169
  - conjunctive form, 50
    - normal form, 48, 63
  - conjunctively degenerated, 79
  - definition, 46
  - difference, 45
  - disjunctive form, 50
    - normal form, 48
  - disjunctively degenerated, 79
  - dual function, 80
  - equivalence normal form, 67
  - equivalence polynomial, 68
  - function table, 43
  - implication, 45
  - incompletely specified, 167
  - independent of a single variable, 139
  - independent of the simultaneous change
    - several variables, 126
- Karnaugh-map, 62
- linear, 205, 212
  - function, 83
    - in a variable, 139
- linearly degenerated, 79
- majority function, 87
- maximum interval, 92
- minimal conjunctive form, 95
- minimal disjunctive form, 95
- minimization, 91
  - algorithm of Quine-McCluskey, 94
  - problem, 51
- mixed antivalence form, 67
- monotone function, 84
- monotonously decreasing, 84
- monotonously increasing, 84
- NAND, 44
- NOR, 44
- 1-preserving function, 84
- orthogonal, 229
  - minimization, 61
- partially defined, 167
- Peirce-function, 44
- prime conjunction, 92
- prime implicant, 92
- Reed-Muller polynomial, 66
- reversible, 197
- self-dual, 127
  - function, 81

- Sheffer-function, 44
- Shegalkin polynomial, 66
- subfunction, 54
- symmetric, 135
- symmetric function, 88, 91
- threshold function, 87, 88
- truth table, 43
- 0-preserving function, 84
- Logic functions, disjoint classes, 237
- Logic programming, 260
- Logic system
  - complete, 259
  - consistent, 259
  - decidable, 259
- Logical law, 306
  
- Maximum, 12
  - $k$ -fold, of a lattice, 190
  - partial differential, 160
  - single, of a lattice, 187
- Maxterm, 50, 63
- Method, undefined coefficients, 230
- Metric, 36
  - Hamming, 37
  - space, 36
- Minimal conjunctive form, 95
- Minimal disjunctive form, 95
- Minimization problem, 92
- Minimum, 12
  - $k$ -fold, of a lattice, 189
  - partial differential, 160
  - single, of a lattice, 187
- Minterm, 50, 63
- Model, 256
- Modus ponens, 256
- Morse code, 275
- MOSFET
  - drain, 362
  - gate, 362
  - source, 362
  
- Negation, 6, 13, 21
- Neighbor, 38
- Network model
  - sensible point, 451
    - local internal branch, 453
    - local internal signal, 452, 453
- Norm, 36, 37
- Normal form, disjunctive, 25
- NP-complete problem, 310
- Number system
  - binary, 5, 34
  - complex, 123
  - decimal, 5
  - prime, 17
  - real, 123
  
- Octal system, 262
- One-bit-error, 272
- Operation
  - $\Delta$ -of a lattice, 190
  - $k$ -fold derivative, 188, 191, 192
  - partial differential, 159
  - single derivative, 186
  - total differential, 159
  - vectorial derivative, 159, 188
- Opposite, 38
- Or
  - exclusive, 250
  - inclusive, 250
- Order
  - lexicographic, 33
  - partial, 23
- Order relation, 10
  - antisymmetric, 10
  - asymmetric, 11
  - irreflexive, 11, 28
  - linear, 10
  - reflexive, 10, 28
  - transitive, 10, 11
- Orthogonality, 309
- Overflow, 265
  
- Parity bit, 272
- Parity check, 272
- Partial order, 15, 23
  - antisymmetric, 15
  - asymmetric, 16
  - irreflexive, 15
  - reflexive, 15
  - transitive, 15
- Path, 31
- Path problems, 327
  - Eulerian path, 330
  - Hamiltonian cycle, 327
  - Hamiltonian path, 327
- Phase list
  - conflict free global behavior, 384
  - determined input-output phases, 386
  - input pattern for an open output, 386
  - short-circuit faults, 384
- Pipe decomposition, 403
- Placement, 312
  - bishops, 318

- queens, 316
- queens and pawns, 317
- Power set, 16, 30
  - complement, 16
  - empty set, 16
  - intersection, 16
  - union, 16
- Predicate calculus, 253, 260
  - quantifier, 253
- Prime conjunction, 94
- Prime number, 17
- Problem, unate, 324
- Proof by contradiction, 252
- Proposition, 249
- Propositional logic, 3, 260
- Punched card, 276
- Punched tape, 276
  
- Ramsey number, 333
- Ramsey's theorem, 333
- Rank, 177, 178, 188, 191
- Reed-Muller polynomial
  - fixed polarity, 67
  - positive polarity, 66
- Reflexivity, 10
- Relation, graph, 11
- Requirement, 319
- Resolution principle, 309
- Restriction, 319
- Ring, 18
- Ring, Boolean, 19
- Root node, 69
- Rule, 259
  
- SAT
  - CDCSAT, 301
  - k-SAT, 300
  - maximum clauses, 301
  - MAXSAT, 301
  - monotone 3-SAT, 300, 301
  - 3-SAT, 300
- SAT-problem, 299
  - determine all solutions, 302
  - determine some solutions fast, 302
  - HORN-clause, 310
  - HORN-formula, 310
  - resolution principle, 306
  - satisfiability, 299
  - the MAXSAT-problem, 309
  - the use of the complement, 304
- Search space, 46
- Sequential circuit, 459
  - change-condition, 463
  - D-flip-flop, 465
  - flip-flop, 462
  - JK-flip-flop, 463
  - memory-condition, 463
  - reset-condition, 462
  - RS-flip-flop, 463
  - set-condition, 462
  - synchronous sequential circuit, 463
  - T-flip-flop, 465
- Set
  - carrier, 15–17
  - don't-care-, 170
  - empty, 17
  - finite, 258
  - OFF-, 170, 191
  - ON-, 170, 191
  - solution, 104
  - universal, 250
- Shannon, Claude E., 3
- Shannon theorem, 68
- Single-bit error, detection, 276
- Single-bit-error, 272
- Solution set, 104
- Space
  - Boolean, 156, 177
  - metric, 36, 40
- Special normal form, 285
- Specific normal form, 285, 287, 295
- Sphere, 40
  - center, 40
  - closed, 40
  - open, 40
  - radius, 40
  - shell, 40
- Stone's Theorem, 30
- Structure
  - algebraic, 30
  - isomorphic, 17, 30
- Structure TVL, 370
- Stuck-at error model, single error, 450
- Subalgebra, 32
- Subset, 175, 179
- Sudoku, 321
- Sufficient, 251
- Supremum, 171
- Symmetric difference, 7, 30
- System function
  - realizable, 391
  
- Tautology, 252, 306
- Terminal node, 71
- Ternary matrix, 105

- Ternary vector, 32, 56, 104, 300
  - interval, 104
  - list of ternary vectors, 56, 105
  - orthogonal, 57, 58, 105
- Ternary vector list, 105
- Test, 449
  - branch function, 456
  - error
    - controllability condition, 452
    - evaluation condition, 452
    - model, 449, 450
    - observability condition, 452
  - list of error phases, 453, 454
  - list of required phases, 453
  - network model
    - sensible path, 450
    - sensible point, 451
  - required behavior, 456
  - stuck-at error model, 450
    - stuck-at-one error (SA1), 450
    - stuck-at-zero error (SA0), 450
    - stuck-closed error, 450
    - stuck-open error, 450
  - system error function, 454
  - test condition, 457
- Theorem
  - compactness, 258
  - deduction, 259
- Theorem of De Morgan, 17
- Theory, group, 255, 256
- Transistor
  - drain, 362
  - gate, 362
  - source, 362
- Transitivity, 10
- Triangular inequality, 37
- True, 6, 249
- Truth table, 43
- TURING-machine, 310
  - deterministic TURING-machine, 311
  - memory complexity, 310
  - non-deterministic TURING-machine, 311
  - NP-complete problem, 312
  - time complexity, 310
- Unate problem, 324
- Union, 17, 109
- Variable
  - functionally dependent, 198
  - independent, 198
- Vector, 180
  - binary, 175, 178
  - space, linear, 278
  - unique, 179
- Vectorial derivative, 125
- Vectorial difference, 125
- Vectorial maximum, 128
- Vectorial minimum, 128