

Index

A

- Acquaintance networks, 215
- Acquisition-decision process, 403
- Actionable intelligence (AI)
 - information fusion, 472–476
 - information quality, 475, 477–478
 - Cloud, 514
 - cost-benefit assessment, 514
 - definitions, 479, 482
 - HLIF domain, 479–485
 - IQEs (*see* Information quality elements)
 - IQMM, 487, 488
 - MDL, 508–509
 - mitigation, 498–500, 509
 - namespaces, 488
 - OODA, 514
 - overloading, 487
 - strategic implications, 485–487
 - subjective assessment, 502–507
 - integrated and holistic approach, 475, 477–478
 - intelligence community, 473–474
 - JDL model, 473
 - MDM, 472
- Actuarial survival models, 462
- Adaptive fusion
 - basic idea, 594–595
 - contextual information, 602–605
 - filter equations, 596–597
 - fusion algorithm, 598–600
 - problem formulation, 595
 - simulation conditions, 600–602
 - supervised estimation, 593–594
 - supervision information, 588–589
 - supervision space
 - definition, 589
 - exclusive validity probability, 593
 - inclusive and exclusive domains, 590–591
 - inclusive validity probability, 593
 - membership function, 589, 590
 - probability of a sensor/subset of sensors validity, 591–592
 - validity domain, 589–591
- Advanced driver assistance systems (ADAS), 424
- Agreement weight, 303, 311
- AHP, *see* Analytic Hierarchy Process
- AI, *see* Actionable intelligence
- Aircraft prognostics use case
 - application, 393
 - hypothesis, 392–393
 - implementation, 394
 - purpose, 390, 391
 - social model, 392
 - theory, 391
 - verification, 394
- α -conjunctions, 42
- Ambiguity measure (AM), 103
- Analytic Hierarchy Process (AHP), 340
- AP, *see* Average precision
- Architecture principles (APs), 477
- Artificial Intelligence algorithms, 188–189
- Artificial neural networks (ANN)
 - behavior reflex, 425–426
 - camera-based detection system, 424
 - direct perception, 426–427
 - ego-lane estimation

- Artificial neural networks (ANN) (*cont.*)
- architecture, 441, 442
 - ground truth acquisition, 441–443, 445
 - result of, 449–452
 - structure, 443–444
 - training, 444
 - mediated perception, 427–428
 - metric measures, 445
 - preprocessing features, 432–433
 - recording training and testing data, 444, 445
 - reliability estimation
 - DST, 440–441
 - feature selection, 435–436, 446–447
 - fusion strategies, 439–440
 - hypotheses, 435
 - layers, 433, 434
 - mutual information, 434
 - ReLU, 437
 - result of, 447–449
 - SGD, 438
 - structure, 437, 438
 - training process, 436–437
 - scenario features, 431–432
 - sensor setup, 429–431
 - types, 428
- Assumption consistency, 384–387
- Attribute-level uncertainty, 268
- Average precision (AP), 316–319
- B**
- Balanced two-layer conflict solving (BalTLCS), 547, 551–553
- Ballooning extension, 41
- Basic belief assignment (BBA), 79–80, 548
- Basic probability assignment (bpa), 100–101
- Bayesian Belief Network (BNN), 397
- Bayesian modeling, 112–113
- Behavior models
- with ego-sources
 - discount operation, 120–122
 - joint discounting, 122–124
 - posterior distribution, 119
 - RMSE, 120–121
 - source behavior characterization method, 119–120
 - expected probabilities, 129
 - state variables/propositions, 129–130
 - without ego-sources
 - three-mode JointConDis, 126, 128–129
 - two-mode JointConDis, 125–128
- Behavior reflex, 425–426
- Behaviour-based correction (BBC), 41–44, 47
- Behaviour-based fusion (BBF) rule, 42, 44–46
- Belief Function-based Technique for Order Preference by Similarity to Ideal Solution (BF-TOPSIS), 331, 343
- DAMs
- BBA construction, 342, 344
 - BF-TOPSIS1, 344
 - BF-TOPSIS2, 344
 - BF-TOPSIS3, 344–345
 - BF-TOPSIS4, 345
 - DMP formalization, 342, 344
 - torrential protective actions, 351–352
- Belief functions, 33, 37, 42
- DAMs (*see* Decision-aiding methods)
- DMPs (*see* Decision-making problems)
- torrential protective actions
- BF-TOPSIS, 351–352
 - DMPs, 348–349
 - ER-MCDA, 349–351
 - FCOWA-ER, 352–353
- See also* Conflict measure
- Benchmark sets, 315
- Beta distribution, 112
- Beta reputation systems (BRS), 112
- Betweenness centrality measure, 217
- Bini Adjustment, 528
- Black campaigns, 200
- Blocking errors, 300–302
- Blocking process, 322
- Boolean binary connectives, 35–37
- Boolean rule systems, 323
- Boston Bump, 361
- Business intelligence (BI), 474, 499
- C**
- Capability, intent, and opportunity (COI), 487
- Cautious Ordered Weighted Averaging with Evidential Reasoning (COWA-ER), 331
- CCMP, *see* Common Classification of Medical Procedures
- Center hypothesis (CH), 435
- Choquet integrals, 72, 74, 143
- Classical Hartley measure, 102
- Clerical review indicators, 305
- Climate data analytics use case, 395–397
- Coalition
- CSAR scenario vignette
 - degree by degree usefulness assessment window, 148, 150
 - global usefulness assessment presentation, 148–149

- information/support description, 148–149
 - in-the-loop usage, 150–151
 - long-term observation/intelligence task, 145
 - overview of, 145–146
 - usefulness priorities, 147–148
 - user information request description, 147
 - user profile attributes, 145–147
 - degrees of usefulness, 140–142
 - aggregation function, 142–144
 - assessment, 137
 - definition, 144
 - modeling information, 138–139
 - modeling users, 139–140
 - preliminaries, 138
 - Vector Model, 136
- Combat Search And Rescue (CSAR) scenario vignette
- degree by degree usefulness assessment window, 148, 150
 - global usefulness assessment presentation, 148–149
 - information/support description, 148–149
 - in-the-loop usage, 150–151
 - long-term observation/intelligence task, 145
 - overview of, 145–146
 - usefulness priorities, 147–148
 - user information request description, 147
 - user profile attributes, 145–147
- Common Classification of Medical Procedures (CCMP), 460
- Compactness (CW), 468
- Comprehensive quality model
- challenge, 411–412
 - characterization, 412–413
 - cyber-physical systems, 412
 - information quality, 413–415
- Concept consistency, 383–387
- Conditional embedding, 41
- Confirmation assertion, 306
- Conflict measure, 101–102
 - auto-conflict, 82
 - based on distance, 83–86
 - based on inclusion degree, 84–86
 - conjunctive-based rules, 81
 - contradiction, 81–82
 - credibility and plausibility, 80
 - decision-making, 94–95
 - definition, 81–82
 - global conflict, 81
 - management, 86–87
 - combination rule, 93
 - Dempster's rule, 87–88
 - false assumption of closed world, 88–89
 - number of sources, 92–93
 - source reliability assumption, 91–92
 - source's ignorance, 90–91
 - source's independence, 90
- mass function, 79–81
- partial conflict, 81
- pignistic probability, 80
- Zadeh's example, 81
- Conflict-Modified-DST (CMDST), 548, 551, 553
- Conflict resolution, 307
- Confusion matrix, 87
- Conjunctive query (CQ), 267
- Contact matrix, 208–209
- Context
 - city traffic tracking, 234–236
 - context discovery, 221
 - in information fusion
 - condition expectations, 222
 - inference/management problem, 222
 - interactions, 222–223
 - operational knowledge, 221
 - problem variables and context variables, 222
 - volcano eruptions, 221–222
 - maritime surveillance systems, 237–238
 - quality control, 233–234
 - quality of information
 - abductive process, 231
 - accessibility, 226
 - consistency, 230–231
 - function of, 228–229
 - key-value models, 231–232
 - logic-based models, 232–233
 - objective quality, 223–225
 - observation and fusion results, 229
 - ontology-based models, 232
 - problem variables, 229–230
 - recognition result, 225–226
 - relevance, 227–228
 - reliability, 227
 - selection of variables, 229–230
 - subjective quality, 224–225
 - time delay, 231
 - trust, 226–227
 - role of, 220
- Context-dependent multisensor fusion, 427
- Contextual information quality dimensions, 413, 414
- Contradiction, 81–82
- Convolutional neural network (CNN), 426

Correction assertion, 306
 Course of action (COA), 473, 478, 486
 COWA-ER, *see* Cautious Ordered Weighted
 Averaging with Evidential
 Reasoning
 CQ, *see* Conjunctive query
 Credal sets, 100, 101
 Credibility weighting
 chained and modified evidential markers,
 175–176
 cross-linguistic comparison, 172–173
 example of, 176–178
 informed decision-making, 173
 labels and expressions, 174
 lexical items, 173–174
 maximum uncertainty, 174–175
 negation, 176
 speakers of English, 172
 text analytics, 171–172
 Cross entropy, 57
 Cyber-physical systems (CPS), 539, 540

D

Damping factor, 529–531
 DAMs, *see* Decision-aiding methods
 Data acquisition, 569–570
 Data analysis process (DAP)
 aircraft prognostics use case
 application, 393
 hypothesis, 392–393
 implementation, 394
 purpose, 390, 391
 social model, 392
 theory, 391
 verification, 394
 challenge, 360
 climate data analytics use case, 395–397
 community, 361–363
 decomposition
 accuracy, 384–388
 assumption consistency, 384–387
 concept consistency, 383–387
 dimensions, 382
 external consistency, 384–388
 focal and contextual, 378
 inter-coder reliability, 389
 methodology, 381–382
 prominence, 384–388
 questionnaire, 379–380
 relationship consistency, 383–387
 utility, 384–387
 V&V checklist, 380–381
 definition, 363

epistemological hierarchy model
 analytic mechanisms, 367, 368
 composite model, 370–373
 data cleaning, 376–377
 data elements, 375, 376
 data layer, 374
 development, 375, 377
 implementation layer, 374
 instantiation, 374, 375, 378
 integration and extension, 373, 374
 MESA, 368
 Ruvinsky, Wedgwood, and Welsh
 model, 367–368
 scientific inquiry, 369
 “Sentiment” domain concept, 375
 falsifiability management, 366
 inconsistent assumptions, 365
 misrepresentation of data, 366
 Data fusion, *see* Entity-based data fusion
 (EBDF)
 Data matching, 298
 Data quality management (DQM) process
 implementation, 320
 planning, 321
 quality assurance, 321
 blocking, 322
 data rationalization, 323
 ER process, 322–323
 source information, 322
 quality control, 321
 quality improvement, 324
 Data Quality Vocabulary (DQV), 582
 Data rationalization
 errors in, 307–308
 QA process, 323
 Decision-aiding methods (DAMs)
 BF-TOPSIS, 343
 BBA construction, 342, 344
 BF-TOPSIS1, 344
 BF-TOPSIS2, 344
 BF-TOPSIS3, 344–345
 BF-TOPSIS4, 345
 DMP formalization, 342, 344
 ER-MCDA, 340–342
 FCOWA-ER, 346
 BBA construction, 347
 COWA-ER method, 346
 OWA approach, 345
 limitations, 339
 Decision-making
 under certainty, 333, 349
 evaluation of information
 accessibility, 285–286
 acquisition and processing, 287

- indicators, 290
- measurement preparation, 290–291
- nominal properties, 290
- possibility measure, 286
- problem identification, 287–288
- qualitative properties, 289
- quantitative necessity measure, 286
- quantitative properties, 289
- schema of, 288
- selection of indices, 290
- Shannon’s model of communication, 288–289
- signed probabilities, 286
- situation demands, 285
- software evaluation, 287
- process of
 - actions, 284
 - descriptive models, 280
 - factors, 280
 - group decision-making, 284–285
 - impact models, 280
 - operational models, 280–281
 - stages, 283
 - stratification, 283–284
 - structure of, 281–283
 - temporal constraints, 284
- Decision-making problems (DMPs)
 - cost vs. damage reduction, 330
 - definition, 334
 - elements-at-risk, 330
 - formalization
 - decision-making under certainty, 333
 - multi-criteria, 332
 - preferences, 332–333
 - information imperfection
 - belief function theory, 336–337
 - belief mass, 338–339
 - fuzzy set theory, 335–336
 - possibility theory, 336
 - sources reliability, 337–338
 - types, 334
 - MCDA, 331
 - torrential protective actions, 348–349
- Degrees of usefulness, 140–142
 - aggregation function, 142–144
 - assessment, 137
 - definition, 144
- Dempster’s approach, 33
- Dempster-Shafer modified Theory (DSmT), 89
- Dempster-Shafer theory (DST), 41, 336–337, 440–441, 543
 - See also* Theory of evidence
- Dempster’s rule (DS), 338
- Dempster’s rule of combination (DRC), 543
- Deng entropy, 104
- “Deterministic” matching, 302
- Dezert-Smarandache Theory (DSmT), 337
- Digital literacy education programs, 201
- Directed acyclic graph (DAG), 532
- Direct perception, 426–427
- Dirichlet distribution, 114–115
- Disagreement weight, 303, 311
- Discounting, 32, 37, 46
- Disjoint-independent database, 255–257
- Dispersion, 468
- DQV, *see* Data Quality Vocabulary
- E**
- Early CHECKpoint via Epistemological Critique (E-CHEC), 381
- Echo chambers, 184–185
- Ego-lane estimation
 - architecture, 441, 442
 - ground truth acquisition, 441–443, 445
 - result of, 449–452
 - structure, 443–444
 - training, 444
- Ego-lane models, 428, 429, 433
- Emergency Situation Assessment System (ESAS), 582, 584
- Endsley’s model, 6
- Enterprise Engineering Review Board (EERB), 510
- Entity-based data fusion (EBDF)
 - adverse events, 296
 - clerical review and assertion
 - correction and confirmation assertions, 306
 - high-risk applications, 304, 305
 - policies and procedures, 305
 - robust metadata, 306
 - scoring rule, 305
 - DQM process (*see* Data quality management process)
 - entity resolution process, 297–298
- ER accuracy
 - F*-measure, 309
 - inferred methods (*see* Penning’s method)
 - precision, 308
 - Pullen’s stratified sampling method (*see* Pullen’s stratified sampling method)
 - recall, 308
- errors in, 298, 299
 - blocking, 300–302
 - data rationalization, 307–308
 - ER systems, 302

- Entity-based data fusion (EBDF) (*cont.*)
 frequency-based, probabilistic
 matching, 302–304
 source information, 299–300
 law enforcement, education, and healthcare,
 296–297
- Entity resolution (ER)
 accuracy
F-measure, 309
 inferred methods (*see* Penning’s
 method)
 precision, 308
 Pullen’s stratified sampling method (*see*
 Pullen’s stratified sampling method)
 recall, 308
 process, 297–298
- Environment-aware fusion approach, 428
- Epistemological Data Model Hierarchy
 (EDMH), 370–372
- Epistemological decomposition (“e-decomp”)
 accuracy, 384–388
 assumption consistency, 384–387
 concept consistency, 383–387
 dimensions, 382
 external consistency, 384–388
 focal and contextual, 378
 inter-coder reliability, 389
 methodology, 381–382
 prominence, 384–388
 questionnaire, 379–380
 relationship consistency, 383–387
 utility, 384–387
 V&V checklist, 380–381
- Epistemological hierarchy model
 analytic mechanisms, 367, 368
 composite model, 370–373
 data cleaning, 376–377
 data elements, 375, 376
 data layer, 374
 development, 375, 377
 implementation layer, 374
 instantiation, 374, 375, 378
 integration and extension, 373, 374
 MESA, 368
 Ruvinsky, Wedgwood, and Welsh model,
 367–368
 scientific inquiry, 369
 “Sentiment” domain concept, 375
- Equivalent references, 298
- Evidential Reasoning for Multi-Criteria
 Decision Analysis (ER-MCDA),
 331, 340–342, 349–351
- Exclusive validity probability, 593
- Expectation-maximization (EM) algorithm,
 113
- Exploitation support data (ESD), 494–495
- Extended Hartley measure, 102
- External consistency, 384–388
- Extract-transform-load (ETL), 472
- Extrinsic information quality dimensions, 413,
 414
- F**
- Facebook, 185, 187, 189, 201
- Fact-finding approach, 113
- Fake news
 algorithmic detection, 188–189
 automated algorithmic verification,
 187–188
 BMW X3 model, 192–193
 cognitive psychology, 184
 communication patterns, 185–186
 confirmation bias, 184
 crowdsourced fact-checking, 187
 digital literacy programs and manuals,
 187
 disinformation, 186
 echo chambers, 184–185
 Facebook users, 185
 history of, 182–184
 mainstream media, 193–195
 misinformation, 186
 particular cognitive shortcut, 184
 photo forgeries, 185
 political gains, 198–200
 professional fact-checking, 187
 red flags, 188
 clickbait writing style, 190–191
 conspiracy, 191
 lack of factual information, 190
 lack of sources/unreliable sources, 190
 manipulated images/wrongly attributed
 videos, 191
 propaganda stories, 191–192
 republishing old stories, 190
 source hacking, 191
 unnamed sources, 190
 viewpoints, 191
- Republic of Indonesia, 200–201
- sharing of information, 185
- Syrian conflict
 Arab-language publications, 197
 Atlantic Council’s Digital Forensics
 Lab, 197–198
 military source, 196–197

on-the-ground journalistic information, 195
 Russia Today, 196
 SAMS, 195–196
 SOHR, 195
 source-hacking attempt, 197
 Sputnik's information source, 198
 US coalition attacks, 196–198
 2016 US presidential elections, 187
 Volkswagen emissions scandal, 192
 Falsifiability management, 366
 Fault-tolerant object estimation, 428
 FCOWA-ER, *see* Fuzzy Cautious Ordered Weighted Averaging with Evidential Reasoning
 Fellegi-Sunter model, 309, 310
F-measure, 309, 314, 316
 Focal element, 101
 Forest fire model, 216
 Frame of Discernment (FoD), 336–337
 Frequency-based probabilistic matching, 302–304
 Frequency-based scoring rule, 302–304
 Fusion-based human-machine information system
 information deficiency, 4
 information quality
 context quality, 6–7
 contextual knowledge, 7
 definitions, 8–10
 higher level quality, 18
 information content, 10–13
 information flow, 7–8
 information presentation, 16–18
 information sources, 13–16
 inter-and intra-processing, 6
 JDL model, 5–6
 Omnibus Model, 6
 overall quality measure, 22–23
 quality attributes, 18–22
 quality control, 23–25
 research questions, 5
 Fuzzy Cautious Ordered Weighted Averaging with Evidential Reasoning (FCOWA-ER), 331, 346
 DAMs
 BBA construction, 347
 COWA-ER method, 346
 OWA approach, 345
 torrential protective actions, 352–353
 Fuzzy set theory, 335–336, 546

G

Geographic information systems (GIS), 409–411
 Gini entropy, 55–57
 Global conflict, 81, 89
 Google Adjustment, 528
 Google Flu Trends' (GFT), 361–362
 GoogLeNet, 427
 Graph theory, 210
 Ground truth acquisition, 441–443

H

High level information fusion (HLIF), 474–475, 477, 479–485
 HLIF system of systems (SoS)
 dynamic nature of information, 492–494
 externalities considerations, 495–496
 information governance, 510–511
 life cycle process, 511, 512
 maturity, 501–502, 512
 ontology development, 513
 real-time and streaming information, 494–495
 resource catalog, 513
 SLAs, 510
 static nature of information, 491–492
 Hoaxy, 187
 Hospital information system (HIS), 457, 458
 Hyper power set, 89

I

ICCT, *see* International Council on Clean Transportation
 Image segmentation, 407
 Implicative importance weighted ordered weighted averaging (IIWOWA), 543, 547
 Inclusive validity probability, 593
 Indiana University Open Networks Institute, 187
 Industry 4.0
 conflict measure, 541, 542
 CPS, 539–540
 demonstrator setup, 557
 DST, 543
 importance measure, 542, 554, 557
 information fusion, 541
 intelligent technical systems, 555

- Industry 4.0 (*cont.*)
 - MACRO
 - architecture, 545
 - BaTLCS, 546, 547
 - definition, 544
 - fuzzy set theory, 546
 - OWA operator, 547
 - signal conditioning, 546
 - newspaper printing process, 540
 - requirements, 555
 - self-configuration, 554, 556
 - self-optimisation, 554, 556
 - sensor defect, 558, 559
 - solid-borne sound sensor, 557
 - system health, 558
 - system manager, 556
- Information governance (IG), 510–511
- Information product (IP) process, 299
- Information quality (IQ)
 - abductive process, 231
 - accessibility, 226
 - consistency, 230–231
 - context quality, 6–7
 - contextual knowledge, 7
 - definitions, 8–10
 - function of, 228–229
 - higher level quality, 18
 - information content
 - accessibility, 10, 11
 - availability, 10–11
 - imprecision, 12–13
 - integrity/lack of imperfection, 12–13
 - relevance, 11–12
 - timeliness, 11
 - information flow, 7–8
 - information presentation, 16–18
 - information sources
 - objective sources, 14
 - quality ontology, 14
 - sensors, models, automated processes, 13–14
 - subjective sources, 14–16
 - inter- and intra-processing, 6
 - JDL model, 5–6
 - key-value models, 231–232
 - logic-based models, 232–233
 - objective quality, 223–225
 - observation and fusion results, 229
 - Omnibus Model, 6
 - ontology-based models, 232
 - overall quality measure, 22–23
 - problem variables, 229–230
 - quality attributes, 18
 - information flow, 21–22
 - models and processed outputs, 19–20
 - priori domain knowledge, 19
 - provenance, 21
 - reliability, 21–22
 - subjective quality evaluation, 20
 - time-dependent threshold, 19
 - trust evaluation, 20–22
 - users and process designers, 20
 - quality control, 23–25
 - recognition result, 225–226
 - relevance, 227–228
 - reliability, 227
 - selection of variables, 229–230
 - subjective quality, 224–225
 - time delay, 231
 - trust, 226–227
- Information Quality Assessment in the Context of Emergency Situational Awareness (IQESA), 570, 571
- Information quality elements (IQEs)
 - algorithm-information pairing, 496–497
 - characterization, 489
- HILF SoS
 - dynamic nature of information, 492–494
 - externalities considerations, 495–496
 - maturity, 501–502
 - real-time and streaming information, 494–495
 - static nature of information, 491–492
 - quality attributes, 490–491
 - vectors, taxonomies and ontologies, 497–498
- Information quality meta-model (IQMM), 487, 488, 513
- Information representation, 572
- Information retrieval (IR), 315
 - average precision, 316–319
 - vs. ER quality, 319
 - implementation, 320
 - MAP, 316–319
- Input-process-output (IPO) view, 479
- Intelligent vehicle, 425, 427
- International Council on Clean Transportation (ICCT), 192
- International Organization for Standardization (ISO), 410–411
- International Patent Classification (IPC), 521

International Statistical Classification of Diseases and Related Health Problems-10th revision (ICD-10), 458, 460

Intrinsic information quality dimensions, 413

IQ, *see* Information quality

Iterated filtering approach, 112

J

Jaccard dissimilarity, 83

Joint Architecture Study (JAS), 496

Joint Directors of Laboratories (JDL) model, 5–6, 428

K

Key-value models, 231–232

L

Left hypothesis (LH), 435, 447

Left lane marking (LM), 429–431

Logic-based models, 232–233

M

MACRO, *see* Multilayer attribute-based conflict-reducing observation

Mass assignment, 100–101

Mass media reports, 196

Master data management (MDM), 472

Master patient index (MPI), 303

Matching rules, 301

MATLAB implementations, 550

MCDAs, *see* Multi-Criteria Decision-Aiding methods

MCDM, *see* Multi-Criteria Decision-Making

Mean average precision (MAP), 316–318

Measures of performance (MOPs), 510

Measures of uncertainty, 101–104

Mediated perception, 427–428

Medical encoding systems

code analysis, 462

expert coders, 457

HIS, 457–459

information fusion, 463–465

inputs and standards, 458, 460

integration, 456

laboratory results analysis, 461

outputs, 460–461

physicians code, 457

probabilistic analysis, 462

quality evaluation

code list, 467–469

process quality, 466–467

tools, 456

Medical unit discharge summary, 458, 460

Meta-data, 9

Meta-knowledge, 32

lack of truthfulness, 37

meta-independent sources, 42–45

multiple source, 41–42

ordered collection, 46

prior information, 46

single source, 38–41

source testimony, 46

uncertain meta-knowledge, 47

Minimum description length (MDL), 508–509

Mitigation techniques, information quality, 498–500

Model Evaluation, Selection and Application (MESA), 368

Modification of AM (MAM), 103

Modified-Fuzzy-Pattern-Classifer (MFPC), 546

Monte-Carlo methods, 261

Moore-Penrose inverse regression, 443

Moses Illusion, 184

Moving target indicators (MOVINT), 494

Multicriteria association, 572

Multi-Criteria Decision-Aiding methods (MCDAs), 330, 331

Multicriteria decision analysis, 332

Multi-Criteria Decision-Making (MCDM), 330

Multilayer attribute-based conflict-reducing observation (MACRO)

architecture, 545

BalTLCS, 546, 547

definition, 544

fuzzy set theory, 546

OWA operator, 547

signal conditioning, 546

Multi-source fusion process

average conflict, 63

credibility function, 63–64

degree of conflict, 63

fused distributions, 66

pairwise fusions, 65–66

potential spatial locations, 65

quality issues, 62

Takagi-Sugeno approach, 65

Muslim Cyber Army, 201

Mutual information (MI), 433–436, 446

N

- National Cyber and Encryption Agency (BSSN), 200
- Natural language
 - aspects, 160
 - credibility weighting
 - chained and modified evidential markers, 175–176
 - cross-linguistic comparison, 172–173
 - example of, 176–178
 - informed decision-making, 173
 - labels and expressions, 174
 - lexical items, 173–174
 - maximum uncertainty, 174–175
 - negation, 176
 - speakers of English, 172
 - text analytics, 171–172
 - device-derived data, 157
 - elements, 161
 - human as sensor
 - hearsay, 159
 - hidden networks, 159–160
 - intelligence communities, 160
 - intention, 158
 - open sources, 159
 - opinions, 158–159
 - subjectivity, 158
 - human-derived data, 157
 - imprecise/vague descriptions, 161
 - incomplete and uncertain information, 156
 - sentence-level uncertainty, 161–162
 - uncertainty about content, 166
 - uncertainty within content
 - ambiguity, 164
 - code switching, 165–166
 - imprecision and vagueness, 162–163
 - polysemy, 164
 - speakers of English, 164–165
 - words of estimative probability
 - evidential markers, 168–170
 - hedges, 168
 - Kent's observations, 167
 - passive voice and impersonal phrasing, 170–171
 - time, 170–171
 - United States Central Intelligence Agency, 166–167
 - US intelligence community, 167
- Neighbour matrix, 208–209
- Newman's new model, 215
- Noise (N), 467, 468
- Non-boolean variables and assignments, 259–260
- Non-specificity, 101–102

O

- Objective quality, 9
- Observe-orient-decide-act (OODA), 6, 486
- Omnibus Model, 6
- Ontology-based models, 232
- Ordered weighted averaging (OWA), 543

P

- PageRank, 520
 - colors encode clusters, 535–536
 - computational method, 529
 - damping factor parameter, 526–527
 - history, 527–528
 - vs. reinforcement learning, 533–535
- Pairwise matching, 313
- Partial conflict, 81, 89
- Patent citation network analysis
- Penning's method
 - accuracy, 315–316
 - F*-measure, 316
 - information retrieval, 315
 - average precision, 316–319
 - vs. ER quality, 319
 - implementation, 320
 - MAP, 316–319
 - pseudo-truth sets, 315
 - Talbur-Wang Index, 316
- Pignistic probability, 80, 87
- Possibility theory, 336
- Practice-oriented approach, 426
- Precision measures, 308, 314, 463
- Pre-match blocking, 301
- Probabilistic C-Table (PC-Table), 258
- “Probabilistic” matching, 302
- Probabilistic query processing (PQP), 247
- Probability distributions
 - Cross entropy, 57
 - Gini entropy, 55–57
 - maximally certain distribution, 58–62
 - multi-source fusion process
 - average conflict, 63
 - credibility function, 63–64
 - degree of conflict, 63
 - fused distributions, 66
 - pairwise fusions, 65–66
 - potential spatial locations, 65
 - quality issues, 62
 - Takagi-Sugeno approach, 65
 - Shannon entropy, 55
 - uncertain distributions, 58–62
 - unequally weighted fusions, 71–76
 - vector representation
 - degree of compatibility, 54–55

- dot/inner product, 52–53
 - Euclidean length, 52–53
 - n -dimensional vector, 52
 - two-dimensional case, 53–54
 - on weighted average fusion
 - associated fused value, 67
 - credibility function, 68–70
 - dominance combinations, 67–69
 - non-dominated fusions, 67–69
 - prioritized aggregation, 70–71
 - Zadeh's idea of computing, 70
 - Proportional Conflict Redistribution (PCR)
 - rules, 338
 - Public key infrastructure (PKI), 496
 - Pullen's stratified sampling method
 - attribute weights, 310
 - negative outcomes, 312–314
 - overview, 309–310
 - positive outcomes, 310–312
 - precision, recall, and F -measure, 314
- Q**
- Quality assessment
 - acquisition-decision process, 403
 - control levels, 405
 - fusion, 408–409
 - GIS, 409–411
 - information quality, 406–408
 - reasons, 403
 - SST, 404, 405
 - types, 405
 - Quality assurance (QA), 321
 - blocking, 322
 - data rationalization, 323
 - ER process, 322–323
 - source information, 322
 - Quality attributes (QAs), 490–491
 - Quality-aware Human-driven Information
 - Fusion Model (Quantify), 565–566, 568
 - Quality control (QC), 321
 - Quality evaluation
 - code list, 467–469
 - process quality, 466–467
 - techniques, 406, 407
 - Quality indicator, 339
 - Quality of context
 - abductive process, 231
 - consistency, 230–231
 - definition, 228
 - function of, 228–229
 - observation and fusion results, 229
 - problem variables, 229–230
 - selection of variables, 229–230
 - time delay, 231
 - Quality of information sources
 - meta-knowledge, 32
 - lack of truthfulness, 37
 - meta-independent sources, 42–45
 - multiple source, 41–42
 - ordered collection, 46
 - prior information, 46
 - single source, 38–41
 - source testimony, 46
 - uncertain meta-knowledge, 47
 - relevance and truthfulness
 - lack of truthfulness, 32
 - multiple source, 35–37
 - single source, 33–34
 - Quality transfer function, 466
- R**
- Rand index, 315–316
 - Random graph model, 210
 - Ranking algorithms
 - damping factor, 529–531
 - microscopic and mesoscopic level studies, 520–521
 - PageRank, 520
 - computational method, 529
 - damping factor parameter, 526–527
 - history, 527–528
 - reinforcement learning
 - algorithm, 532–533
 - DAG, 531
 - vs. PageRank, 533–535
 - USPTO database
 - birth mechanism, 525
 - death mechanism, 525–526
 - decay mechanism, 523, 524
 - growth mechanism, 523, 524
 - information quality, 522
 - IPC system, 521–522
 - merge mechanism, 525–526
 - methods, 522–523
 - patent classes, temporal behavior, 522
 - split mechanism, 523, 525
 - Recall measures, 308, 314
 - Rectified linear units (ReLU), 437, 443
 - Reference codes, 463
 - Regional aerosol transport models, 405
 - Reinforcement learning (RL)
 - algorithm, 532–533
 - DAG, 531
 - vs. PageRank, 533–535
 - Relational algebra, 262–263

- Relationship consistency, 383–387
- Remote sensing
 - comprehensive quality model
 - challenge, 411–412
 - characterization, 412–413
 - cyber-physical systems, 412
 - information quality, 413–415
 - quality assessment (*see* Quality assessment)
 - types, 401–402
- Responsible individual (RI), 510–511
- Revision of the JDL model II, 6
- Right hypothesis (LH), 435
- Right lane marking (RM), 429–431
- RL, *see* Reinforcement learning
- Road model, 427–428
- Root mean square error (RMSE), 118

- S**
- Scale-free graph model, 214–216
- SDM model, 283–285
- Sea surface temperature (SST), 404, 405
- Semantic illusion, 184
- Semantic information fusion, 573–574
 - consistency and currentness, 582, 583
 - DQV, 582
 - ESAS, 582, 584
 - multicriteria assessment, 581
 - properties, 579
 - reports, 580, 581
 - risk analysis, 576–577
- Shafer's exhaustivity assumption, 337
- Shannon entropy, 55, 101–104
- Signal conditioning (SC), 546
- Situation awareness (SAW)
 - challenging, 564
 - crime analysis, Brazil, 575–576
 - data and information quality, 566–567
 - human operator, 565
 - Quantify model
 - data acquisition, 569–570
 - data and information quality
 - assessment, 570–571
 - features, 568–569
 - semantic information fusion, 573–574
 - consistency and currentness, 582, 583
 - DQV, 582
 - ESAS, 582, 584
 - multicriteria assessment, 581
 - properties, 579
 - reports, 580, 581
 - risk analysis, 576–577
 - syntactic information fusion, 571–573
 - reports, 577–578
 - risk analysis, 576–577
 - user interface, 574–575
- Social media, 185–186
- Social model, 392
- Social network analysis
 - edges, 208–209
 - growing networks, 214–216
 - neighbour/contact matrix, 208
 - random graphs, 210
 - regular lattice, 209
 - reliability, 216–217
 - scale-free graphs, 214–216
 - small world effect, 210
 - clustering coefficient, 211
 - communications networks, 212–213
 - Erdős numbers, 212
 - graph's properties, 213
 - Internet, 212–213
 - local clustering coefficient, 211
 - Milgram's experiment, 212
 - Poissonian distribution, 213
 - short maximum distances, 212–213
 - Six Degrees of Separation, 212
- Social security number (SSN)
 - bank's loan database, 245–247
 - conflicting records, 244
 - data curation, 245
 - high-quality data, 245
 - PQP, 247
 - technical challenges, 247
- SOUNDEX code, 301
- Source errors, 299–300
- SST, *see* Sea surface temperature
- STANAG 2511 model, 152–153
- Stochastic Gradient Descent (SGD), 438
- Stratification method, 311
- Sub-decadal data sets, 397
- Subjective logic (SL), 111, 115
- Supervision information, 588–589
- Supervisory control and data acquisition (SCADA), 494
- Support Vector Machine (SVM), 557
- Syntactic information fusion
 - crime emergency situation, 571
 - data acquisition, 572
 - information representation, 572
 - multicriteria association, 572
 - on-demand fusion, 573
 - primary fusion, 573
 - reports, 577–578
 - risk analysis, 576–577
 - search for synergistic information, 572
 - syntactic fusion, 572–573

Syrian American Medical Society (SAMS),
195–196
 Syrian Arab News Agency (SANA), 196
 Syrian Observatory for Human Rights (SOHR),
195
 System of systems (SoS), *see* HLIF system of
systems (SoS)
 System readiness level (SRL), 501
 Systems architecture (SA), 475, 477
 Systems engineering (SE), 475, 477

T

Takagi-Sugeno approach, 65
 Talburt-Wang Index, 316
 Tasking, collection, processing, exploitation,
and dissemination (TCPED), 493
 Technology readiness level (TRL), 501
 Term Frequency-Inverse Document Frequency
factor (TF-IDF), 136
 Text Retrieval Conference (TREC), 317
 Theory of evidence (TE)
 basic probability assignment, 100–101
 belief and plausibility, 101
 total uncertainty measure
 additivity, 105
 ambiguity measure, 103
 conflict and non-specificity, 101–102
 continuous function, 101
 Hartley generalized measure and upper
entropy, 102–103
 modification of AM, 103
 monotonicity, 105–106
 probabilistic consistency, 104
 range, 105
 requirements, 106
 set consistency, 104
 subadditivity, 105
 Theory of Record Linking, 305
 Threshold satisfaction, 20
 Torrential protective actions
 BF-TOPSIS, 351–352
 DMPs, 348–349
 ER-MCDA, 349–351
 FCOWA-ER, 352–353
 Total quality management (TQM), 320
 TotalRank, 530
 Total uncertainty (TU) measure
 additivity, 105
 ambiguity measure, 103
 conflict and non-specificity, 101–102
 continuous function, 101

Hartley generalized measure and upper
entropy, 102–103
 modification of AM, 103
 monotonicity, 105–106
 probabilistic consistency, 104
 range, 105
 requirements, 106
 set consistency, 104
 subadditivity, 105
 Transferable Belief Model (TBM), 13
 Transitivity of marginalisation, 44–45
 TrustServista, 187
 TruthFinder, 113
 Twitter, 189, 201
 Two-layer conflict solving (TLCS)
 adapted conflicting factor, 548
 balancing, 551–553
 conflict relaxation parameter, 550–551
 properties, 547
 relaxed maximum conflict, 548–549

U

Uncertain data
 attribute-level statistics, 275
 extensional evaluation, 264–265
 incomplete database
 certain records, 249–250
 multisets, 250–251
 possible records, 250
 possible world semantics, 248–249
 intensional evaluation, 266–268
 lossless encodings
 C-Tables model, 257–260
 disjoint-independent database, 255–257
 tuple-independent database, 253–255
 U-Relations, 260
 world-set decompositions, 260–261
 missing value, 252
 possible worlds
 record identifiers, 273–274
 representational features, 272–273
 sample filtering, 274
 threshold filtering, 274
 top-k posterior, 275
 top-k prior filtering, 274–275
 probabilistic database, 251–252
 record-level statistics, 275
 relational algebra, 262–263
 sampling-based encodings
 definition, 261
 Monte-Carlo methods, 261

- Uncertain data (*cont.*)
 tuple bundles, 262
 world-annotated sample sets, 261
- SSN
 bank's loan database, 245–247
 conflicting records, 244
 data curation, 245
 high-quality data, 245
 PQP, 247
 technical challenges, 247
 tuple identity, 271–272
 VC-Tables, 268–271
- Uncertain distributions, 58–62
- Unequally weighted fusions, 71–76
- Union of conjunctive queries (UCQ), 267
- United States Patent and Trademark Office (USPTO) database
 birth mechanism, 525
 death mechanism, 525–526
 decay mechanism, 523, 524
 growth mechanism, 523, 524
 information quality, 522
 IPC system, 521–522
 merge mechanism, 525–526
 methods, 522–523
 split mechanism, 523, 525
 temporal behavior, 522
- Unreliable sources
 Bayesian modeling, 112–113, 115–116
 behavior estimates (*see* Behavior models)
 belief theories, 115
 BRS, 112
 Dirichlet distribution, 114–115
 EM algorithm, 113
 fabrication, 114
 fact-finding approach, 113
 fusion of information, 111–112
 fusion problem, 117–118
 quality of information, 115
 source behaviors, types, 113–114
 source estimation, 116–117
 subjective logic, 111, 115
 TRAVOS, 112
 uncertainty, 111, 113
- US Environmental Protection Agency (EPA), 192
- User interface (UI), 574–575
- V**
 Value cluster, 313
 Value harmonization, 308
 Variable generating (VG-Terms), 270
 Variable-generating relational algebra (VG-RA), 270
 Vector Model, 136
 Vehicle hypothesis (VH), 435, 447
 Verification and validation (V&V), 364–365
See also Data analysis process (DAP)
 Virtual C-Tables (VC-Tables), 268–271
 “Voting” method, 307
- W**
 Weight-based fusion (WBF), 439
 Weighted average fusion
 associated fused value, 67
 credibility function, 68–70
 dominance combinations, 67–69
 non-dominated fusions, 67–69
 prioritized aggregation, 70–71
 Zadeh's idea of computing, 70
- Wikileaks, 193–194
- Winner-take-all (WTA), 439
- Words of estimative probability
 evidential markers, 168–170
 hedges, 168
 Kent's observations, 167
 passive voice and impersonal phrasing, 170–171
 time, 170–171
 United States Central Intelligence Agency, 166–167
 US intelligence community, 167
- World Intellectual Property Organization (WIPO), 521
- World-set decompositions, 260–261
- Y**
 Yager's approach, 143–144
- Z**
 Zetta Cloud, 187, 198