

Index

A

- Approximate solution, 40, 43, 59, 60, 65, 66, 72, 73, 122, 129, 212, 217, 220, 221, 225, 235, 238, 244, 246, 260, 267, 275, 287, 298, 366, 368, 369
- Autocorrelation function, 84, 87, 416

B

- Berger
 - hypothesis, 4
- Bifurcation
 - diagram, 435
 - period doubling, 88, 100, 101, 418, 419, 435, 455
 - periodic vibrations, 92
 - zones, 454
- Biot
 - equations, 155
 - parameter, 329
 - principle, 26, 34
 - theory, 8, 9
- Bolotin, 11, 69
- Boundary
 - arbitrary form, 3
 - condition, 1–5, 10, 22, 23, 32, 33, 37, 38, 41, 46, 56, 57, 59, 65, 71, 75, 79, 82, 84, 86, 87, 101, 104, 121, 129, 135, 141, 142, 145, 146, 151, 152, 159–161, 180, 209, 221, 236, 245, 259, 261, 267, 282, 287, 305, 308–310, 316–318, 322, 326–329, 338, 343, 355, 364–366, 371, 377, 380, 388, 392–394, 404, 405, 414, 415, 425, 428, 433
 - coupled problem, 142
 - deformation, 111

- element method, 10
- layer, 12
- problem, 251, 255, 257, 263, 272, 275, 282, 296, 297
- space, 137
- surface(s), 146, 162
- value problem, vi, , vii, 2, 3, 6, 8, 11, 12, 62, 80, 133–137, 170, 218, 220, 244, 332, 453

- Brucker
 - solution, 393, 394
- Buckling
 - phenomenon, 315, 445
 - point, 76
 - rod, 102
- Budiansky
 - criterion, 69
- Budiansky–Roth
 - criterion, 70, 75–77

C

- Cash–Karp
 - method, 80
- Cauchy
 - inequality, 67, 215, 233, 240, 241
 - problem, 8, 22, 41, 49, 60, 66, 80, 81, 122, 276, 288, 289, 415, 428
- Chaos
 - control, 449
 - scenario, 85, 104, 435
 - spatiotemporal, 13, 423, 438, 445, 455
 - timing, 13, 438, 445
 - transition, 435
 - zones, 435, 448, 451

- Composite(s), 2–5, 250, 347, 348, 393, 394, 407
 plate, 5, 11
- Compression, 24, 152, 207
- Condition(s)
 compatibility, 80, 133
 contact, 143, 147, 149, 151, 181, 188
 continuity, 138
 equilibrium, 157
 exploitation, 333
 fundamental, 5, 136
 initial, 65, 67, 71, 80–82, 104, 121, 133, 135, 136, 142, 150, 154, 156, 172, 175, 180, 181, 187, 195, 196, 206, 207, 213, 220, 309, 325, 326, 414, 415, 425
 integral, 137
 kinematic, 143
 motion, 133, 134, 136, 145, 155
 orthogonality, 167
 projection, 137
 projectional, *v*, 10, 133, 331, 363
 resonance, 85
 shallowness, 312
 solvability, 182
 static, 144, 168, 190, 411
 symmetry, 135
 terminal, 134
- Convection, 33
- Convergence, 3, 5, 11, 22, 45, 46, 49, 53, 57, 72, 80, 84, 85, 332, 365, 390, 392, 393, 396, 404, 415, 416, 431, 432, 457, 458
- Coupling
 conditions, 47, 259
 effect, 7, 77, 78, 107, 109
 internal forces, 348
 kinematic relations, 135
 mechanical, 9
 thermal field, 307
- Cramer
 method, 167, 168
- D**
- Damping
 coefficient, *vi*, 14, 28, 79, 83, 104, 414, 423, 457, 458
 external, 312
- Deflection(s)
 center, 73, 101, 310, 394
 function, 272
 interval, 399
 maximum, 69, 76, 86, 91–97, 102–106, 108, 110, 308, 310, 312, 324, 328, 330, 438, 441, 445, 452
 minimum, 451
 postcritical, 314, 451
 precritical, 308, 314, 328, 330, 450
 transversal, 441
- Deformable Rigid Body (DRB), 5, 7, 133, 135, 137
- Deformation(s), 2–4, 7, 10, 13, 22, 24, 26, 29–31, 34, 69, 85, 87–100, 103, 106, 108, 110, 111, 135, 138, 140, 160, 163, 169, 196, 202, 206, 207, 220, 286, 334, 335, 337, 338, 340, 425, 460
- Density
 flow, 307, 311–314, 319–325
 mass, 72, 138, 139
 material, 39, 121, 158, 271
 stream, 33
 volume, 139
- Dependence
 fundamental, 102
 load-deflection, 86
 load-deformation, 86
 load-force, 86
 load-stress, 102
- Derivative, 8, 44, 46, 57, 61–63, 87, 111, 134, 169, 174, 180, 229, 234, 263, 279, 289, 372, 380, 388, 409, 414, 426
- Determinant, 62, 162, 167, 168, 173
- Diffraction, 11, 12, 14, 249–251, 257, 259, 267, 275, 282, 286, 305
- Displacement
 longitudinal, 2, 12, 57, 134, 272
 potential, 390
 tangential, 334, 371
 vector, 12, 136, 142, 147, 171, 188, 190, 191, 249, 251, 253, 297, 333, 411, 413
 virtual, 146, 159, 163, 338
- Duhamel–Neumann
 equations, 188, 190
 hypotheses, 24
 law, 143, 167–170, 182, 193
 principle, 165
 relation, 111
 rule, 163, 335
- E**
- Eigenfrequency, 446
 Eigenfunction, 56
 Eigenvalue, 48

- Eigenvector, 48
- Entropy
 approximation, 152
 balance, 7, 113, 135, 151, 154
 conditions, 133
 displacement, 26
 increment, 6
 vector, 156
- Equation(s)
 algebraic, 37, 79–81, 83, 162, 182, 188, 189, 193, 317, 382, 388, 392, 427
 biharmonic, 40
 continuity, 135, 139
 d’Alambert, 181
 differential, vi, 2, 4, 11, 45, 48, 57, 69, 78, 80, 113, 116, 180, 286, 342, 364, 366, 380
 Duffing-type, 5
 dynamic, 80
 elasticity, 8
 energy, 8, 135, 136, 139, 144, 145, 154, 155, 157, 158, 190
 entropy, 135
 equilibrium, 135, 158, 338, 339, 347, 372, 377
 evolutionary, 40, 57, 59, 64, 69, 78, 134, 220, 234, 235
 H, 136, 146, 148, 154, 159, 176, 181, 182, 193, 201, 207
 Hamilton, vii, 257
 heat transfer, 6–10, 14, 21–23, 27, 30, 32–35, 37, 38, 46, 63, 64, 68, 73, 74, 78–80, 104, 110, 113, 114, 116, 135, 136, 141, 148, 151–153, 156, 160, 169, 180, 207–209, 219, 236, 317, 325
 Hellinger–Reissner, 155, 156, 158, 188, 207, 208
 hyperbolic, 38, 46, 116
 integrodifferential, 80
 Marguerre, 13
 Mathieu–Hill, 3, 69
 momentum, 135, 139
 motion, 9, 30, 46, 134, 138, 148, 149, 154, 155, 163, 169, 196, 201
 multidimensional, 8
 nondimensional, 308
 nonlinear, 2, 3, 5, 9, 81
 nonlinear dynamic, 4
 Onsager, 133, 169, 257
 ordinary differential (ODE), 3–5, 9, 49, 66, 69, 72, 79–81, 83, 122, 135, 212, 221, 238, 261, 288, 310, 416, 427, 428
 parabolic, 32, 45, 116, 180
 partial differential (PDE), v–vii, 7, 8, 10, 11, 21, 22, 30–32, 34, 37, 38, 79, 80, 134, 208, 221, 249, 250, 255, 259, 260, 272, 282, 287, 308–310, 383, 393, 409, 414, 415, 423, 426
 shell, 10
 state, 135–137, 140, 148–150, 154, 155, 157, 160, 161, 165, 170, 188, 191, 193, 196, 333
 thermodynamics, 1, 134, 170
 thermoelasticity, 7
 thermomechanics, vi, 12, 249
 variational, 2, 29, 35, 37, 135–137, 148, 151, 155–157, 163, 170, 204, 208, 211, 220, 252, 254, 255, 257, 267, 272, 282, 286, 305
 vectorial, 27
- Estimation
 analogous, 55
 a priori, 41, 45, 57, 63, 66, 68, 214, 217, 240, 242, 263, 279, 282, 289, 294–296
 asymptotic, 154, 155
 error, 310
 fundamental, 233, 296
 numerical, 310
 problem, 358
 stability, 10, 331
- Euler–Bernoulli
 beam, 414, 419
 equations, 415
 model, 416, 418, 419
- Exchange, 201
- F**
- Faedo–Galerkin
 form, 416
 method, vi, vii, 3, 10, 21, 22, 40, 43, 45, 46, 48, 49, 53, 55, 59, 60, 65, 66, 72–74, 79, 83–85, 122, 134, 212, 217, 220, 221, 225, 235, 238, 244, 250, 260, 267, 275, 287, 298, 310, 366, 368, 431, 432
 procedure, 310, 423, 426–428, 458
- Feigenbaum
 constant, 423, 436
 scenario, 23, 434, 435
- Fourier
 analysis, 83
 heat transfer, 33
 law, 8, 9, 113, 139
 principle, 10, 21
 rule, 7
 series, 5, 9

- spectrum, 84, 87, 100, 416, 419
- transform, vi
- Free energy, 9, 26, 27
- Frequency
 - estimation, 4
 - excitation, 83, 84, 86, 87, 89, 91, 93, 99, 416, 419, 425, 434, 435, 446, 447, 449, 453
 - fundamental, 86–88, 91, 98–100, 443, 453, 454
 - parameter, 3
 - spectra, vi, 88, 432

- G**
- Galerkin
 - method, 3–6, 12
- Gauss
 - curvature, 333
 - formula, 171, 174, 176, 180, 193, 204, 207
 - method, 392
 - theorem, 151
 - wavelet, 416
- Geometric nonlinearity, vii, 2, 5, 13, 14, 21, 22, 30, 45, 79, 105, 116, 134, 158, 365, 394, 397, 423
- Green
 - tensor, 62
 - theory, 8
- Grigolyuk–Chulkov
 - hypotheses, 249, 250
 - model, v, vii, 10, 12, 22, 267
- Grigolyuk–Kulikov
 - model, v, vii, 10, 150, 155, 331, 332, 358, 364, 371, 390, 397–404, 406–408, 410–414
- Grönwall
 - inequality, 240
 - lemma, 43, 50, 52, 128, 215, 266, 295

- H**
- Hamilton, v, 12, 133, 158, 249
 - principle, 129
- Heat
 - extension, 6, 7, 24, 72, 111, 143, 325
 - transfer equation, v, 208
- Hellinger–Reissner
 - principle, 135
- Hopf
 - bifurcation, 13, 85, 91–93, 103, 431, 435, 454, 459

- I**
- Inequality, 40, 49, 50, 53, 56, 57, 62, 126, 128, 215, 223, 392
 - elementary, 214
- Inertia, 4, 9, 34, 70, 77, 110, 113, 114, 134, 244
- Intensity of deformation, 23, 24, 86, 88–97

- J**
- Jacobi
 - method, 382, 390

- K**
- Kantor, 69, 101
 - criterion, 69, 70
- Kinetic energy, 26, 34, 196, 254
- Kirchhoff–Love
 - approximation, 10, 22, 423
 - hypothesis, 2, 3, 24, 135, 154, 207, 249–251, 253, 282
 - model, v–vii, 7, 11, 12, 21, 22, 38, 45, 70, 155, 331, 364, 365, 392, 394, 395, 410
 - theory, 2, 3, 251
- Korn
 - inequality, 62

- L**
- Lagrange
 - equation, 135, 148, 151, 155, 163, 169, 257
 - functional, 347
 - lemma, 360
 - multiplier, 135, 136
- Laplace
 - operator, 27, 365, 367
 - transform, 9, 10
- Lebedev
 - theorem, 3
- Linearization
 - procedure, 144, 150
- Load
 - critical, 311, 312, 315, 323, 326, 397, 399, 405, 406, 411, 424, 432, 433, 441, 449–451
 - harmonic, 5, 91, 307, 312, 324, 416, 423, 435, 438, 453
 - local, vii, 14
 - mechanical, 322
 - sinusoidal, 14

- transversal, vii, 272, 307, 308, 310, 312, 322, 324, 325, 333, 414, 416, 423, 425, 427, 430, 432–434, 445, 449, 450, 452, 453, 457, 459, 462
- Lord–Shulman
 - model, 9
- Lyapunov
 - criterion, 70
 - definition, 69
 - exponent, vi, 418, 419, 449
 - function, 43, 63, 229, 233, 235
 - largest exponent, 83, 84, 105, 416, 418, 419
- M**
- Manifold, 43, 149, 159, 160, 244
- Membrane
 - stress, 311, 312, 315, 322
 - structural, 3
- Method
 - finite difference (FDM), vi, 10, 21, 22, 73, 79, 80, 83–86, 310, 366, 416
 - finite element (FEM), 3–5, 9, 11, 79, 372, 416
 - iterational, 5, 81
 - numerical, 11, 365
 - perturbation, 4, 5
 - R-functions, 4
 - relaxation, 10, 21, 80–82, 433, 434
 - variational-difference, 372, 392
- Model, 394
 - approximation, 331, 345, 394
 - asymptotic, 10
 - asymptotically compatible (ASM), 396, 401
 - compatible, 6, 134, 165, 166, 168, 193, 201, 243, 331, 371
 - continuous, 150
 - continuum, 148
 - discrete, 411
 - ε -regularization, vii, 10, 332, 401, 407
 - finite element, 5
 - hyperbolic, v, 10
 - kinematic, v, 10
 - kinetic, 110, 366
 - mathematical, 1, 10, 11, 21, 22, 38, 137, 145, 155, 188, 251, 252, 267, 282, 331, 333, 343, 355, 363, 396, 419
 - principle, 325
- Node(s), 5, 382, 383, 393, 394, 397, 398, 457
- Nonlinear dynamic, 334, 415, 416, 453, 462
- Nonlinearity
 - cubic, 3
 - geometric, 2, 10, 22
 - physical, 85
- Numerical algorithm, vi, 81, 251, 393, 396
- O**
- Object(s)
 - continuous, 1
 - structural, 1
- Operator
 - affine, 48, 51
 - biharmonic, 365, 367, 383, 399
 - continuous, 368
 - differential, vii, 29, 209, 332, 343
 - divergence, 27
 - linearly bounded, 47
 - monotonic, 368
 - nonlinear, 31, 370, 380, 383
 - positive, 263, 365
 - self-conjugated, 46, 48
 - variational, 29
- P**
- Panel(s)
 - cylindrical, 14, 69, 102, 310, 312, 314, 321, 322, 423, 424
 - spherical, 313, 314
- Phase portrait, 5, 13, 86–88, 91, 93, 99, 100, 103, 416, 434, 435, 438–440, 445, 449, 452, 455, 460
- Phenomenon
 - blister, 462
 - dilatation, 74
 - nonlinear, vii, 83, 84, 86
 - turbulence, 443
- Plane-stress, 24
- Plate(s)
 - anisotropic, 4
 - decomposition, v
 - eight-layer, 5
 - free frequencies, 5
 - isotropic, 64, 236
 - model, v–vii, 5, 133, 136
 - motion, 46
 - multilayer, 3, 4
 - one-layer, 4, 334
 - orthotropic, 3, 4
 - problem, 249
- N**
- Newton
 - method, 82

- rectangular, 3–5
 - six-layer, 4
 - sixteen-layer, 4
 - symmetric, 4
 - theory, 2, 236, 243, 246
 - thermoelastic, 7, 13, 21, 45, 249
 - three-layer, 5, 394
 - two-layer, 4
- Poincaré
 - map, 13, 83, 88, 91–93, 98–100, 103, 416, 434, 435, 452–456, 460
 - points, 92
 - section, 86, 87, 89, 91, 92, 98–100, 445, 449, 452
- Poisson's coefficient, 24, 39, 72, 111, 120, 208, 272, 337
- Pomeau–Manneville
 - scenario, 23, 101
- Principle
 - deformation, 12
 - H, 135
 - integral, 150, 156–158
 - Onsager, 6, 154
 - Prigogine, 6
 - Runge, 80, 310, 319
 - smallest increment, 6
 - variational, v, 10, 29, 135, 342
 - virtual work, 12, 133, 135, 156, 208, 249, 297
- R**
- Regime(s)
 - chaotic, 13, 86, 93, 98, 101
 - cooling, 326–328
 - evolutionary, 75, 250
 - heating, 326, 327
 - nonlinear, 84
 - periodic, 88, 89, 91, 98–100
 - quasiperiodic, 88, 91, 93, 98, 103
 - regular, 86
 - two-frequency, 445
 - vibrational, 83, 86, 89, 93, 98, 99, 101, 416, 443
- Reissner
 - equation, 155, 157, 208
 - functional, 359
 - methodology, 170
 - plate, 3
 - shallowness condition, 391
 - shell, 2, 134
- Relaxation, vi
- Reliability, vii, 10, 22, 72, 74, 133, 134, 392, 394, 415, 430
- Ritz
 - method, 4
- Ruelle–Takens–Newhouse
 - scenario, 23, 87, 100, 423, 434, 435, 453
- Runge–Kutta
 - method, 5, 72, 80, 83, 310, 416
- Runge–Kutta–Dormand–Prince
 - method, 80
- Runge–Kutta–Fehlberg
 - method, 80
- S**
- Schauder
 - fixed-point theorem, 263
 - principle, 289
- Sedov, 6, 135
 - principle, 135
- Self-correction, 246
- Self-heating, 108, 110
- Sharkovskiy
 - order, 435, 437
 - theorem, 435
- Shear
 - coefficient, 392
 - component, 6, 134, 250
 - deformation, 2, 5, 110, 135, 250, 335, 346
 - effect, 11, 251
 - function, 24, 26, 346
 - modulus, 24, 143, 208, 337, 407
 - state, 12
 - stress, 1, 2, 121, 134, 411
 - tensor, 134
- Shell(s)
 - anisotropic, 250
 - conical, 13
 - curvature, 24, 333, 392, 405, 406, 445
 - cylindrical, vii, 9, 13, 14, 307, 315, 320, 325, 329, 423, 424, 428, 430, 433, 435, 438, 443, 445, 449, 452, 453, 455
 - arc-type, 315
 - energy, 196
 - equations, v
 - five-layer, 396, 398
 - geometric parameter, 104
 - geometry, 313
 - homogeneous, 189
 - inhomogeneous, 2, 5, 249, 251
 - isotropic, 6, 134, 151, 267, 282
 - model, 2, 3, 5, 12, 38

- motion, v, 10, 86, 163
 - multi-layer, v, 1, 3, 10, 11, 14, 133, 134, 137, 155, 169, 170, 189, 208, 331, 332, 334, 343, 355, 366, 390, 407, 411
 - nonthermosensitive, 142
 - one-layer, 158, 201, 209, 338, 400
 - orthotropic, 10, 133, 137, 169
 - physical parameter, 104
 - planform, 39, 72, 74, 86, 89, 90, 92–97, 105, 108, 109, 120, 331, 411
 - precritical, 439
 - rectangular, 23, 72, 333, 391
 - shallow, vi, 2, 3, 5, 10, 12, 14, 21, 37, 57, 68, 70, 101, 102, 109, 145, 158, 180, 188, 190, 196, 206, 207, 219, 249, 259, 318, 324
 - shell, 64
 - spherical, 84, 85, 308, 312, 314, 315, 320–322, 329, 424
 - stress-strain, 14
 - thermoelastic, 7, 21, 74, 134, 209, 249, 250
 - three-layer, 3, 22, 116, 120, 129, 267, 394, 396, 401, 407
 - Sheremetev–Pelekh–Reddy–Levinson
 - approximation, v, vii, 3, 10, 12, 331, 332, 355, 394
 - beam, 416, 419
 - conditions, 161, 207
 - hypotheses, 253
 - model, 134, 148, 155, 234, 243, 282, 331, 332, 358, 364, 383, 393, 395, 396, 398–417, 419
 - system, 415
 - Shiau–Soong–Roth
 - criterion, 69, 70, 76
 - Simpson
 - method, 319
 - Solution(s)
 - analytical, 74, 80
 - appropriate, 74
 - classical, 47, 48
 - generalized, vi, vii, 6, 12, 47, 68, 134, 250, 259, 282, 286, 305, 331, 367, 370
 - geometric, 137
 - nontrivial, 170
 - numerical, 74
 - periodic, 235
 - static, 81
 - unique, 49, 150, 161, 236, 238
 - uniqueness, 8, 9
 - Spectrum
 - frequency, 88, 89, 91–93, 99, 100, 419
 - power, 89, 99, 100, 416, 431, 432, 434, 438–440, 445, 452–457
 - wavelet(s), 418, 419
 - Stability loss, 3, 13, 21, 22, 68–70, 85, 86, 101–105, 108, 307, 311, 312, 314, 317, 318, 324–327, 418, 419, 441, 446–449, 454, 455, 460
 - Stress tensor, 6, 133–135, 138, 148, 155–158, 160, 163, 165, 166, 168–170, 181, 182, 188–190, 193, 200, 207, 208, 251, 253
 - Surface(s)
 - middle, 3, 23, 24, 26, 57, 59, 102–104, 110, 112, 120, 121, 254, 271, 272, 335, 424, 427, 461
 - reference, 137, 143, 162, 333, 348, 397, 409
 - shell, 23, 26, 39, 59, 72, 86, 102, 104, 108–110, 120, 148, 272, 317, 318, 321, 325, 333, 345, 407, 427, 433, 438, 445, 449, 452, 459, 460
 - thermoisolated, 108
 - Sylvester
 - criterion, 62
- T**
- Temperature stresses, 140, 208
 - Tensor
 - deformation, 9, 158, 160
 - stress, 6, 155–157, 160, 163
 - Theory
 - Bauer, 369
 - composite shells, 2
 - 2D, 3
 - Duhamel, 6
 - elasticity, 1–3, 7, 8, 11
 - fixed point, 41, 214, 222, 279
 - implicit function, 2
 - irreversible, 6
 - multidimensional, 8
 - multilayer shells, 1, 11, 14, 133, 170, 332, 358
 - nonclassical models, 12
 - plasticity, 21
 - plates/shells, 32, 80, 136
 - shallow shells, 2, 3, 14, 21, 190, 332
 - shells, 31
 - similarity, 78
 - solution
 - existence, 2
 - uniqueness, 2
 - thermoelasticity, 7–9, 12

Thermal field, v, 10, 13, 14, 307

Thermodynamic

fundamental equations, 134

Thermoelasticity, v–vii, 5–12, 14, 21, 22, 31, 32, 38, 57, 64, 76, 77, 116, 134, 142, 153, 158, 169, 180, 208, 209, 236, 250

Time histories, 86, 316, 318, 326–329, 431

Timoshenko

approximation, v, 3, 10, 22, 331, 332

beam, 415, 419

equation, 415

hypotheses, vi, vii, 6, 134, 154, 207, 249, 250, 267, 282, 331, 343

model, 12, 22, 253, 254, 331, 332, 358, 364, 371, 373, 392–394, 398–402, 405, 412–417, 419

shell, 2, 134

V

Volmir

 criterion, 69, 70, 76, 101, 307, 311, 441

Von Kármán, vi, 13, 21, 24, 425

Vorovich, 1, 2, 8, 134

Y

Young modulus, 24, 39, 72, 120, 272, 318, 325, 407

Z

Zone

 chaotic, 435, 443, 445, 448, 449, 454, 459

 resonance, 85