

Index

A

Abdominal tuberculosis, 10, 25, 30
Acetyl salicylic acid, 127
Acid-fast bacillus (AFB), 78, 90, 103, 181, 185
Acid-fast staining (AFS), 53, 64, 184
Acido-resistant bacilli (ARB), 86
Acquired immune deficiency syndrome (AIDS), 2
Acute respiratory distress syndrome (ARDS), 196
Adenosine deaminase (ADA), 18, 19, 110, 124, 160
Administrative measures, 190
Administrative procedures, 190
Air-cleaning devices, 190
Alcoholic liver disease (ALD), 26
American Spinal Injury Association impairment scale (AIS grade), 94
American Thoracic Society (ATS), 49, 78, 92
Anorectal tuberculosis, 29
Antiretroviral treatment (ART), 93
Anti-TB drugs, 142, 143, 148, 149
Antituberculosis therapy, 20, 54
Antituberculosis treatment, 111
Antituberculous therapy (ATT), 54, 91, 92, 111, 178, 185
Antitumor necrosis factor (Anti-TNF), 175
Aortitis and aneurysm
 antituberculous drugs, 163
 clinical properties, 165
 diagnosis, 165
 pathology, 163, 164
 treatment, 165, 166
Aortography, 165
Atherosclerosis, 169

Atypical mycobacteria, 179

Autopsy, 191, 192

B

Bacille Calmette-Guerin (BCG), 66, 145, 164
Bactec 12B fluid medium, 73
Bactec MGIT 960 system, 73, 147
BCG-induced complications, 145
BCG-therapy, 143–145
Biliary stenosis, 46
Bone and joints tuberculosis (BJTB), 9
Bone tissue/abscess, 134
Brain abscesses, 127
Brain MRI, 125
British Medical Research Council (BMC), 105
Bronchopneumonia, 196
Brucellosis, 48
Buruli ulcer, 179

C

Cardiovascular tuberculosis
 aortitis and aneurysm (*see* Aortitis and aneurysm)
 aortitis and arteritis, 155
 atherosclerosis, 169
 autopsies, 155
 deep vein thrombosis, 170
 myocarditis, 161–163
 pericarditis (*see* Pericarditis)
 TA (*see* Takayasu arteritis (TA))
Centers for disease control (CDC), 185
Central nervous system (CNS), 2, 101
Central nervous system TB (CNS-TB), 8, 9

- Cerebrospinal fluid (CSF), 103
 Charcot arthropathy, 72
 Chest pain, 157
 Chest radiography (CXR), 197
 Chest X-ray, 65
 Choroidal tubercles, 183
 Choroiditis, 182
 Churg-Strauss syndrome, 20
 Coccidioidomycosis, 48
 Colonic tuberculosis, 29
 Community-Acquired Pneumonia
 Organization (CAPO), 196
 Computed tomography (CT), 2, 32, 47, 72,
 107, 197
 Constrictive pericarditis, 158
 Continuous ambulatory peritoneal dialysis
 (CAPD), 26
 Core needle biopsy (CNB), 53
 Corticoids, 127
 Corticoid therapy, 127
 Corticosteroids, 21, 112, 113, 185, 198
 C-reactive protein (CRP), 93
 Crohn's disease, 38
 ascites, 29
 GI TB, 29
 ileocaecal region, 29
 Cutaneous tuberculosis
 body organ, 175
 classification
 endogenous infection, 177
 exogenous inoculation, 176, 177
 hematogenous tuberculosis, 178
 factors, 176
 non-tuberculous mycobacteria, 179
 treatment, 179, 180
 WHO, 175
- D**
- Dacryoadenitis, 184
 Dexamethasone, 127
 Droplet nuclei, 189
 Drug-resistant tuberculosis, 112
- E**
- Eales' disease, 184
 Effusive constrictive pericarditis (ECP),
 158, 159
 Endogenous infection
 orificial TB, 177
 scrofuloderma, 177
 Endophthalmitis, 183
 Endoscopic methods, 34
- Endoscopic third ventriculostomy (ETV), 113
 Endoscopic ultrasound-guided fine-needle
 aspiration (EUS-FNA), 10
 Endoscopic USG (EUS), 47
 Endoscopy, 33
 Enhanced MTD (E-MTD), 65
 Environmental controls, 190
 Environmental measures, 190
 Enzyme-linked immunosorbent assay, 134
 Enzyme-linked immunospot (ELISPOT), 160
 Erlich-Ziehl Neelsen stain (EZN), 64
 Erythema induratum of Bazin, 178
 Erythrocyte sedimentation rate (ESR), 90, 134
 Ethambutol, 111, 126, 136, 161, 186
 European centre for disease control
 (ECDC), 60
 Exogenous inoculation
 tuberculosis verrucosa cutis, 176, 177
 tuberculous chancre, 176
 Extensively drug-resistant (XDR), 148
 Extracorporeal membrane oxygenation
 (ECMO), 198
 Extrapulmonary tuberculosis (EPTB), 25,
 50, 60
 AIDS, 190
 airborne route, 189
 autopsy, 191, 192
 droplet nuclei, 189
 epidemiology, 2–4
 HCW, 190
 infection control strategies, 190
 larynx, 191
 medical procedures, 189
 percentage, 4
 pulmonary/laryngeal TB disease, 190
 sexual transmission, 2
 spectrum, 3, 4
 spinal TB, 192
 TBTB, 191
 transmission, 189, 191
 treatment, 10, 11
- F**
- ¹⁸F-fluorodeoxyglucose positron emission
 tomography/computed tomography
 (¹⁸F-FDG PET/CT), 33
 Fine-needle aspiration cytology (FNAC),
 53, 147
 Fine needle aspiration (FNA), 64
 Fish tank granuloma, 179
 Fluoroquinolones, 126
 Frank-Starling law, 158
 Fundus fluorescein angiography, 185

G

- Gastric tuberculosis, 28
- Gastrointestinal tuberculosis (GI TB), 25
- abdomen, 27, 28
 - abdominal, 30
 - amoebiasis, 27
 - anorectal, 29
 - ascites, 30, 34
 - ascitic fluid analysis, 34
 - colonic, 29
 - Crohn's disease (*see* Crohn's disease)
 - epidemiology, 25, 26
 - gastric, 28
 - histology and cytology
 - intestinal, 35
 - peritoneal, 35
 - ileocaecal, 28
 - immunology, 36
 - intestinal tuberculosis, 27
 - investigation
 - abdominal lymph nodes, 31
 - antituberculosis therapy, 31
 - blood parameters, 31
 - radiology (*see* Radiology)
 - medical management, 36, 37
 - pathogenesis, 26, 27
 - peritoneal, 30
 - principle causative agent, 26
 - prognosis, 37, 38
 - research, 38
 - small bowel, 28
 - stomach, 28
 - surgical management, 37
 - tissue sampling (*see* Tissue sampling)
 - tracheoesophageal and mediastinal-oesophageal, 28
- Generalized urogenital tuberculosis (gUGTB), 145
- GeneXpert MTB RIF assay, 36
- Genital TB (GTB), 142
- Gen-Probe MTD test, 65
- Gibbus deformity, 84, 86
- Glandular tuberculosis, 59
- Glasgow Coma Scale (GCS), 105
- Granulomatous diseases, 90
- Granulomatous hepatitis, 45

H

- HAIN, 65
- Hematogenous spread
 - abscesses, 178
 - clinical presentations, 177
 - lupus vulgaris, 177

- reddish-brown plaque, 177
 - skin biopsy, 178
 - ulceration and necrosis, 178
- Hepatic tuberculosis, 44
- Hepatobiliary tuberculosis
 - clinical features, 46
 - complications, 50
 - definition, 43
 - diagnosis, 47, 48
 - epidemiology, 43, 44
 - infectious agents, 43
 - pathogenesis, 44, 45
 - treatment, 49
- Hepatomegaly, 46
- Hodgkin's disease, 48
- Human immunodeficiency virus (HIV), 1, 30, 59, 156
- Hydrocephalus, 127
- Hyperplasia, 62
- Hypodense lesions, 52
- Hypochoic lesions, 52
- Hyponatremia, 106
- Hypoproteinemia, 198

I

- IFN-gamma release assays (IGRAs), 66
- Ileocaecal tuberculosis, 28
- Immune reconstitution inflammatory syndrome (IRIS), 21, 93, 112, 127
- Immunosuppression, 61
- Immunosuppressive/glucocorticoids therapy, 72
- Indocyanine green angiography, 185
- Infectious Diseases Society of America (IDSA), 78, 92
- Intensive care units (ICUs)
 - CAP, 196
 - diagnosis, 195, 197
 - HIV/TB coinfections, 196
 - immunosuppression, 196
 - MOF, 196
 - neurological dysfunction, 197
 - pulmonary and extrapulmonary organs, 195–196
 - respiratory failure, 196
 - TB outcome and mortality, 198, 199
 - treatment, 197, 198
- Interferon-gamma (IFN- γ), 109, 160
- Interferon-gamma release assays (IGRAs), 7, 36, 74, 86, 109, 185
- Interleukin-27 (IL-27), 19
- Intestinal tissue, 35
- Intestinal tuberculosis, 35

Intracranial tuberculoma, 8
 Intravenous pyelography (IVP), 147
 Intravenous urography (IVU), 142
 Iridocyclitis, 182
 Isoniazid, 111, 126, 136, 161

J
 Japanese Orthopedic Association (JOA), 137
 Jaundice, 46

K
 60 kDa heat-shock protein (HSP60), 168
 65 kDa heat-shock protein (HSP65), 168
 Kidney TB (KTB), 6, 142, 143
 King's evil, 59
 Kyphosis, 137

L
 Langhans giant cells, 44, 53
 Laparoscopy, 48
 Laryngeal tuberculosis, 190, 191
 Leukocyturia, 146
 Lichen scrofulosorum, 178
 Line probe assays (LPAs), 111
 Linezolid, 148
 Lowenstein-Jensen (L-J) medium ranges, 107
 Lower paraplegia scores, 93
 Lymphadenopathy, 197
 Lymphatic/haematogenous routes, 27
 Lymphatic tuberculosis
 clinical presentation, 62, 63
 diagnosis, 64
 AFS, 64
 bacterial culture, 65
 histopathology, 64
 imaging, 65, 66
 Mantoux test, 64
 NAATs, 65
 PCR, 65
 differential diagnosis, 67
 epidemiology, 59–61
 ESR, 66
 IGRAs, 66, 67
 pathogenesis, 61, 62
 treatment, 67
 Lymph nodes, 3
 Lymph node tuberculosis
 anechoic/hypoechoic areas, 7
 granulomatous diseases, 7
 IGRA, 7
 Lymphopenia, 198

M
 Magnetic resonance imaging (MRI), 2, 8, 32, 47, 72, 107, 135
 Magnetization transfer (MT), 108
 Male genital tuberculosis (MGTB)
 epididymitis (uni-/bilateral), 144
 orchiepididymitis (uni-/bilateral), 144
 penis, 144
 prostate (infiltrative/cavernous forms), 144
 seminal vesicles, 144
 Mantoux test, 8, 64
M. avium complex (MAC), 85
 Mediastinal lymphadenopathy, 159
 Meningitis (MTB), 8
 Metastatic tuberculous abscess, 178
 Microbiology
 culture, 35
 nucleic acid amplification techniques, 36
 Microscopic observation drug susceptibility (MODS), 35
 Mild weakness/improved muscle power, 93
 Miliary tuberculosis, 45, 178, 196, 197, 199
 Minimal invasive spinal surgery, 136
 Motor-evoked potentials (MEPs), 93
M. tuberculosis PCR, 125
 Multicentric multinational study, 128
 Multidisciplinary approach, 38
 Multidrug-resistant (MDR), 112, 148
 Multidrug-resistant tuberculosis (MDR-TB), 91, 136
 Multifocal osteoarticular tuberculosis, 75
 Multiple organ failure (MOF), 196
 Musculoskeletal system, 2, 80
 Musculoskeletal tuberculosis (TB), 71
 Mycobacteria bacilli, 27
Mycobacterium bovis (*M. bovis*), 5, 142
Mycobacterium tuberculosis, 5, 43, 71, 83, 101, 122, 124, 126–127, 181, 184, 196
 Myocarditis
 clinical properties, 162
 coronary vessels and endocardium, 162
 diagnosis, 162
 pathology, 162
 treatment, 163

N
 Neuroretinitis, 183
 Nodular disease, 45
 Noninvasive pressure support ventilation (NIPSV), 197
 Noninvasive ventilation (NIV), 198
 Nonspore-forming, 103

- Non-tuberculous mycobacteria (NTM), 83, 179
- Nucleic acid amplification tests (NAATs), 65, 110
- O**
- Obstruction, 38
- Ocular tuberculosis (Ocular TB)
- antituberculosis drugs, 186
 - choroidal tubercles, 183
 - clinical manifestations, 182
 - clinical presentation, 181
 - diagnosis
 - four-drug antituberculous therapy, 185
 - guidelines, 184, 185
 - necrosis/endophthalmitis, 184
 - pars plana vitrectomy/chorioretinal biopsy, 184
 - Eales' disease, 184
 - endophthalmitis and panophthalmitis, 183
 - extrapulmonary TB, 181
 - eyelid involvement, 183
 - intraocular TB, 185
 - lacrimal gland involvement, 184
 - medical therapy, 185
 - optic neuritis and atrophy, 186
 - optic neuropathy and neuroretinitis, 183
 - orbital involvement, 183
 - PCR, 182
 - periocular/intraocular infection, 181
 - phlyctenulosis, 184
 - retinitis and retinal vasculitis, 183
 - scleritis, 184
 - signs and symptoms, 182
 - tuberculous conjunctivitis, 183
 - uveitis, 181–183
- Oesophageal tuberculosis, 28
- Open surgical drainage *vs.*
- pericardiocentesis, 161
- Optical coherence tomography (OCT), 185
- Optic neuropathy, 183
- Orbital ultrasound, 185
- Orificial TB, 177
- Osteoarticular tuberculosis, 71, 79
- P**
- Paediatric cohorts, 36
- P-aminosalicylic acid (PAS), 92
- Panophthalmitis, 183
- Papulonecrotic tuberculids, 178
- Paradoxical reaction, 52
- Paraplegia, 86
- Paravertebral cold abscess, 86
- Pericardial effusion, 157
- Pericardial lysozyme, 160
- Pericardiocentesis, 158
- Pericarditis
- clinical syndromes, 157
 - constrictive, 158
 - diagnosis
 - acid-fast bacilli, 159
 - ADA levels, 160
 - chest X-ray, 159
 - CT scanning/MRI, 159
 - ECG, 159
 - echocardiography, 159
 - gallium-67 and indium-111 scintigraphy, 159
 - pericardial fluid, 160
 - scoring system, 160
 - TB bacilli/granulomas, 159
 - treatment, 160, 161
 - tuberculin skin test, 159
 - ECP, 158, 159
 - etiology, 156
 - incidence, 156
 - pathology, 156
 - tuberculous pericarditis and pericardial effusion, 157
- Peripheral lymphadenopathy, 157
- Peritoneal tuberculosis, 35, 38
- Peritoneum, 30, 33–35
- Personal respiratory protection, 190
- Phagosome, 122
- Phlyctenulosis, 184
- Pleural drainage, 21
- Pleural effusion, 15, 17
- Pleural tuberculosis
- clinical manifestations, 17
 - diagnosis, 17–19
 - differential diagnosis, 20
 - epidemiology, 15, 16
 - management, 20, 21
 - pathogenesis, 16
 - visceral and parietal pleura, 15
- Polymerase chain reaction (PCR), 10, 36, 65, 110, 111, 134, 146, 160
- Poncet's arthritis, 71
- Positron emission tomography (PET), 135
- Posterior uveitis, 182
- Pott disease, 9, 83, 87, 132
- Prednisolone, 127
- Prosthetic joint infection (PJI), 75
- Pulmonary TB, 1, 25, 190, 198
- Purified protein derivative (PPD), 167
- Pyrazinamide, 111, 126, 136, 161
- Pyrosequencing (PSQ), 65

Q

- QuantiFERON-TB Gold In-Tube (QFT-GIT), 66, 109
- QuantiFERON tuberculosis, 48

R

- Radiology
 - abdominal lymph nodes, 33
 - CT, 32
 - functional imaging, 33
 - intestine, 32
 - MRI, 32
 - plain X-ray and barium studies, 31
 - US, 31
- Reactive nitrogen intermediates (RNI), 169
- Reactive oxygen species (ROS), 169
- Region of Difference (RD1), 66
- Reiter's disease, 75
- Rheumatoid arthritis, 20, 72
- Rich foci, 103
- Rifampicin, 111, 126, 127, 136, 161

S

- Scleritis, 184
- Scrofula, 59
- Scrofuloderma, 177
- Sensory-evoked potentials (SEPs), 93
- Sequential Organ Failure Assessment (SOFA), 198
- Seronegative arthropathies, 72
- Simplified Acute Physiology Score (SAPS) II, 198
- Sjögren's syndrome, 72
- Small bowel tuberculosis, 28
- Spinal arachnoiditis, 8
- Spinal infections, 131
- Spinal tuberculosis (STB), 9, 192
 - classification, 135
 - clinical manifestations, 85, 86
 - definition, 131
 - diagnosis, 87, 90
 - clinical course, 133
 - clinical presentation, 133
 - complications, 133
 - CT, 135
 - laboratory tests, 134
 - MRI, 135
 - non-tissue-based test, 134
 - PET, 135
 - differential diagnosis, 90
 - epidemiology, 131, 132
 - pathogenesis and pathophysiology, 84
 - pathophysiology, 132
 - prognosis, 94, 137
 - pyogenic/non-pyogenic, 131
 - radiographic features, 88
 - risk factors, 132
 - skeletal TB, 83
 - surgery, 136
 - symptoms and signs, 86
 - T1W axial post-contrast image, 89
 - T1W sagittal image, 88, 89
 - T1W sagittal image (post-contrast), 88, 89
 - T2W sagittal image, 88, 89
 - treatment, 135, 136
 - antituberculous therapy, 91, 92
 - monitorization, 93
 - neurologic deficit and spinal deformity, 91
 - surgical therapy, 92, 93
- Spina ventosa, 79
- Splenic tuberculosis
 - clinical features, 51–53
 - complications, 54
 - diagnosis, 53, 54
 - epidemiology, 50, 51
 - hematogenous dissemination, 50
 - treatment, 54
- Spondylitis, 84
- Spondylodiscitis, 84, 132
- Staphylococcus aureus*, 77, 196
- Steroids, 161
- Streptococcus pneumoniae*, 196
- Strictureplasty, 37
- Swimming pool granuloma, 179
- Swollen lymph node, 63
- Synovial fluid aspiration, 73
- Systemic lupus erythematosus, 20

T

- Takayasu arteritis (TA)
 - agalactosyl IgG, 168
 - anti-TNF therapy, 167
 - BCG vaccination, 168
 - clinical manifestations, 167
 - granulomatous reaction, 168
 - heat-shock proteins, 168
 - PPD, 167
 - stenosis/aneurysm formation, 168
 - subclavian and carotid arteries, 167
 - symptoms, 167
- Tamponade, 157
- TB biomarkers, 38
- Thalidomide, 127
- T helper subtype 1 (TH-1), 156
- Therapeutic paradoxical, 113
- Thoracic vertebrae, 85

- Tissue sampling
 abdominal lymph nodes, 33
 ascites, 34
 diagnostic surgical procedures, 34
 endoscopy, 33
 percutaneous, 33
 peritoneal/visceral adhesions, 34
 retrograde ileoscopy, 34
- Tracheobronchial tuberculosis (TBTB), 191
- T-SPOT TB test (T-Spot), 66, 109
- Tubercular ventriculitis, 108
- Tuberculids, 178
- Tuberculin skin test (TST), 64, 74, 86, 109, 184–185
- Tuberculin unit (TU), 64
- Tuberculomas, 53
- Tuberculosis arthritis
 bone and joint TB, 71
 chondrocalcinosis, 72
 clinical feature and diagnosis, 72–74
 extraspinal osteoarticular joints, 71
 management and treatment, 74, 75
 monoarticular, 72
 multifocal osteoarticular tuberculosis, 75
 PJI, 75
 sickle cell disease, 72
 synovitis, 72
 tenosynovitis, bursitis/pyomyositis, 71
 tuberculous sacroiliitis, 75
- Tuberculosis osteomyelitis
 clinical feature and diagnosis, 77–79
 epidemiology, 75, 76
 management and treatment, 79
 pathophysiology, 76, 77
- Tuberculostearic acid (TSA), 110
- Tuberculous conjunctivitis, 183
- Tuberculous encephalitis
 anatomopathology, 123
 clinical presentation, 123
 CSF, 124, 125
 definition, 121
 epidemiology, 122
 imaging, 125
 infectious metastases, 121
 pathophysiology, 122, 123
 prognosis, 128
 treatment, 125–127
- Tuberculous gumma, 178
- Tuberculous laryngitis, 191
- Tuberculous liver abscess, 45
- Tuberculous lymphadenitis (TL), 59, 60
- Tuberculous meningitis (TBM)
 ADA, 110
 chest X-ray, 107
 clinical manifestations, 105
 clinical presentation, 101, 104, 105
 CSF analysis, 106, 107
 diagnostic tests, 106
 epidemiology, 102, 103
 etiology and pathogenesis, 103, 104
 history, 101, 102
 IGRAs, 109
 pathology, 104
 PCR, 110, 111
 prognosis, 113, 114
 radiology, 107, 108
 sequelae/mortality, 101
 steroids, 112
 treatment, 111–113
 TSA, 110
 TST, 109
- Tuberculous pericarditis, 157
- Tuberculous peritonitis, 26
- Tuberculous pleural effusion (TPE), 15
- Tuberculous sacroiliitis, 75
- Tuberculous spondylodiscitis (TS), *see* Spinal tuberculosis (STB)
- Tubular (ductal) disease, 45
- Tumour necrosis factor (TNF), 16
- U**
- Ultrasonography, 47, 65, 147
- Ultrasound (US), 31
- Ultraviolet germicidal irradiation (UVGI), 190
- Urinary tract TB (UTTB), 142
 bladder, 143
 ureter, 143
 urethra, 143
- Urogenital tuberculosis (UGTB)
 bacteriological verification, 6
 bladder, 5
 chronic kidney disease, 7
 classification, 142–145
 clinical features, 145
 definitions, 142
 EPTB, 5
 history, 141
 imaging
 endoscopy, 148
 radiological examinations, 147
 ultrasonography, 147
- KTB, 6
- laboratory tests
 histology, 147
 urinalysis and culture tests, 146, 147
- organ destruction, 5
- physical examination, 145

Urogenital tuberculosis (UGTB) (*cont.*)
 proportion, 6
 prostate, 6
 renal involvement, 5, 7
 surgery, 150
 TB-DNA, 6
 treatment
 anti-TB therapy, 148
 chemotherapy, 148
 sexual function, 149
 ureters, 5
 urethra, 5
 urological and gynecological TB, 5
Uveitis, 181, 182

V

Venous thromboembolism (VTE), 170
Ventilation, 190

Ventriculo peritoneal shunting
 (VPS), 113
Vertebral osteomyelitis, 86

W

Wegener's granulomatosis, 20
World Health Organization (WHO), 15, 83,
 111, 155, 169

X

Xiphoid process, 9
Xpert MTB/RIF test, 65, 111, 125

Z

Ziehl–Neelsen staining, 134
Zoonotic tuberculosis, 26