

Index

A

Accelerometers, 225
Active Scope Camera (ASC), 15, 26
Actuator unit, 336, 344
Acuity, 499
Adaptability for various locomotion styles, 375
Aerial robot, 5, 10
Aerodynamic efficiency, 116
Air jet, 31, 32
Amazon Web Services (AWS), 147, 178
Analog computing circuit, 305
Angular momentum, 125
Apparatus, 495
Arbitrary Viewpoint Visualization System, 249, 250
Arm, 123
Arm link, 229, 232
ASC thruster, 28
ASTM International, 494
Autoencoder, 158–160
Automation, 500
Autonomic nerve system, 168
Autonomous Control Systems Laboratory Ltd (ACSL), 18
6-axis haptic device, 236

B

Backbone curve, 271
Back-drivability, 406, 439
Background image, 370
Backtrack recognition, 157, 163–165, 167
Balance, 124
Ball screw, 378
Baseline measurement, 502
Bayesian signal processing, 46

Behavior estimation, 148
Bilateral control, 203, 232
Bio-logging, 150
Bird-eye view, 250
Bird's eye view image, 204
Boom link, 229, 232
Bounding box, 164–166
Bucket-mode, 441
Business promotion, 484

C

Calibration, 500
Calibration target, 256
Camera, 147, 149, 152, 177, 499
Capabilities, 494
Catenary curve, 215
Center of gravity, 124
Center of pressure, 305
CFD code, 111, 117
Checker pattern, 256, 257
Choreonoid, 456
Chum drill, 381
Coaxial visible and LWIR camera system, 258
Collision angle, 69, 70
Collision vibration, 69
Complementarity, 459
Concentrated drive motors, 112
Constant power consumption, 113
Construction machinery, 197
Construction robot, 5, 10
Contact force, 320
Contact-force computation, 457
Contact plane, 458
Contact state, 301
Contex score, 163, 166

Contrast, 501
 Controller Area Network (CAN), 336, 341
 Convolution neural networks(CNNs), 158
 Coordinated manipulation, 238
 Corpo Nazionale Soccorso Alpino e Speleologico (CNSAS), 21
 Coulomb's friction law, 459
 Council on Competitiveness-Nippon (COCN), 4, 331, 332
 Counter torque, 124
 Crawler gait, 273
 Crawling, 342, 347
 Crossing ramps, 289
 Curvature, 272
 Cutter Robot, 403
 Cyber-enhanced Rescue Canine (CRC) suit, 145, 147, 148, 150–155, 176, 177, 185, 189
 Cyber Rescue Canine, 5, 9

D

Damage prevention, 4, 7
 Damage recovery, 4
 Debris field, 285
 Department of Homeland Security (DHS), 494
 Dexterous manipulation, 377
 3D image, 14
 Direction-of-arrival, 100
 Disaster response robot, 328
 Discrete element method, 466, 469
 Discriminability, 241
 Display of robot's heading direction, 253
 Distance estimation, 120
 Disturbance observer, 121
 Dog's action, 176–178, 181, 184
 Double-swing dual-arm mechanism, 199
 Dragon Firefighter, 15
 Drone, 204
 Dual-arm construction robot, 229, 470
 Dual-mode functions, 440
 Ducted rotor, 116, 117
 Dustproof, 280
 Dynamics equation, 225
 Dynamics simulation, 457
 Dynamic time warping, 355

E

Earthquake disaster scenario, 7
 Electrocardiogram (ECG), 169
 Electro-Hydrostatic Actuators (EHA), 433
 Emergency management center, 14

Emergency response, 4, 6
 Emotion estimation, 148, 167, 174, 175
 End effector, 234, 338, 378
 Environmental modelling, 349
 Equipment inspection, 287
 Evolutionary computation, 358
 Evolution strategy, 358
 Experimental test bed at Kobe University, 229
 Extended Kalman Filter (EKF), 312
 External force, 225
 Extreme infrared camera, 204

F

Feature extraction, 158, 164
 Field Evaluation Forum (FEF), 13, 229
 Field test, 155, 164, 165, 167, 182, 184, 189, 190
 Finger control, 446
 Fingertip force, 125
 Finite element method, 429
 Fire and Disaster Management Agency (FDMA), 18
 Firefighting, 39
 Fisheye camera, 204, 250
 Fixed fingers, 441
 Flange, 273
 Flexible Sensor Tube (FST) , 384
 Flow dividing valve, 443
 Foggy environment simulation system, 260
 Foggy scene, 249
 Force distribution, 305
 Force feedback, 224
 Force plate, 230
 Forward recognition, 157, 163, 165
 Four-limbed robot, 333, 348
 FP7, 21
 Frenet–Serret, 275
 Fukushima-Daiichi Nuclear Power Plant accident scenario, 8
 Fukushima Robot Test Field; Fukushima RTF, 13
 Fukushima Test Field, 236

G

Generalized cross correlation method with phase transform (GCC-PHAT), 310
 Global Navigation Satellite System (GNSS), 147, 148, 151, 152, 177, 185, 213
 Global Positioning System (GPS), 149
 Google Maps, 147, 155
 Gradient tree boosting, 178

Graphical User Interface (GUI), 154, 155
 Graphics engine, 455
 Grasping, 292, 377
 Great Eastern Japan Earthquake, 4
 Great East Japan Earthquake, 485
 Gripper, 291

H

H2SB, 433, 435, 437
 Half-cylindrical screen, 207
 Hand, 123
 Hand camera, 206
 Handler, 147, 149, 154, 176
 Hand-mode, 441
 Hanging a ladder, 130
 Haptic device, 208, 235
 Haptic feedback, 239
 HARK, 103
 Heart beat interval, 168, 174
 Heart Rate Variability (HRV), 168, 175
 Heavy task, 377
 Helical rolling motion, 274
 Helical wave propagation motion, 276
 Helipad, 212
 High-frame-rate, 61
 High-frequency vibration, 66, 239
 High-power-type snake robot, 279
 High-speed camera, 185
 High-step, 288
 Human interface, 318
 Hydraulic actuators, 223, 409
 Hydraulic control system, 443
 Hydraulic excavator, 197
 Hydraulic hybrid, 432
 Hydraulic Hybrid Servo Booster, 433
 Hydraulic manipulator, 439
 Hydraulic pressure sensors, 224
 Hydraulic tough hand, 440
 Hydraulic WAREC, 409

I

Image interpolation for camera malfunction, 253
 ImPACT-ASC, 27
 ImPACT-TRC, 147
 Impulsive force, 231
 Induced velocity, 120
 Industrial disruptive innovation, 11
 Industrial waste regulation, 486
 Inertial Measurement Unit (IMU), 147, 148, 152, 177, 178, 184, 186, 338, 341
 Information gathering and analysis, 6

Information gathering processes, 269
 Information visualization, 318
 Inspection, 504
 Inspection and maintenance, 268
 Interior pipe wall, 318, 321
 International safety standards, 488, 491
 Inverse dynamics, 226
 Inverse kinematics, 341
 ISO12100, 488, 489

J

Jack-up Robot, 403
 Jacobian matrix, 225
 Japan Rescue Dog Association (JRDA), 15, 145, 148, 150, 155
 JIS standards, 334, 339

K

Kalman filter, 104

L

Ladder, 273
 Ladder climbing, 342, 346
 Laser beam, 187
 Laser Range Sensor Array (LRSA), 350
 Legged robot, 5, 9, 329, 333
 Limited communication condition, 369
 Localization and mapping, 308
 LWIR, 249

M

Machine learning, 148, 168, 172–174, 176, 177, 182
 Machine-terrain interaction, 465
 Map, 161, 165, 167
 Master-slave, 208
 Master-slave system, 384
 McKibben artificial muscle, 410
 Mechanism, 124, 291
 Membrane, 293
 Metering, 433
 Metric, 494
 Microphone array, 100
 MIL standards, 334, 339
 Model task, 222
 Multiple rotor drone, 111, 112, 117
 Multiple signal classification, 99
 Multi-resolution map, 362
 Multi-Finger Hand, 470
 Multi-label classification problem, 178
 Multi-monitor system, 205

Multirotor micro unmanned aerial vehicle, 212

N

Narrow bandwidth condition, 372
 National Fire Protection Association (NFPA), 495
 National Institute for Standards and Testing (NIST), 494
 National Research Institute for Earth Science and Disaster Resilience (NIED), 18
 Newton-Euler method, 226
 Noise subtraction, 240
 Nonwheeled-type snake robot, 269, 271
 Normal force, 304
 Normalized energy stability margin, 332
 Northern Kyushu Heavy Rain disaster, 18

O

Occupancy grid mapping, 353
 Omnidirectional camera, 204
 Omnidirectional movement, 274
 Omni-Gripper, 16, 287
 On-board controller, 232
 On-Site Operations Coordination Center (OSSOC), 14
 Operational requirements, 495
 Operational scenario, 495, 503
 Optical window, 258
 Optotype, 499
 Ortho-image, 14
 Oscillating actuator, 413
 Oscillating torque actuator, 413, 416
 Output/self-weight ratio, 403

P

Parasympathetic nerve system, 168, 169, 171
 Particle excitation valve, 427
 Particle system, 472
 Past image records, 369
 Pectinate shape, 278
 Peg-in-hole task, 210
 Perching, 131
 PF-1, 18
 Physics engine, 455
 Piezoelectric element, 427
 Piezoelectric transducer, 427
 Pilot check valve, 443
 Pipe inspection, 318

Pipe map, 318, 320
 Planar four-bar linkage mechanism, 378
 Plant inspection scenario, 8
 4-port swivel joint, 441
 Position estimation, 214
 Poster, 501
 Posture estimation, 49
 Powder clutch, 217
 Power pack, 414, 417
 Pressure conductive rubber, 305
 Principal axes of inertia, 319
 Proximity sensors, 286
 Pseudo-inverse, 227

Q

QR Code, 500

R

Random forest, 172, 174
 Real time operation, 158
 Recognition algorithm, 158, 159, 162, 166, 167
 Recognition query, 161
 Reconnaissance, 505
 Recovery construction work, 7
 Reduction of motors, 113
 Redundancy, 335
 Reference model, 114
 Reference Model Following Model Predictive Control (RMF MPC), 114
 Regularization technique, 460
 Remote cockpit, 232
 Remote-controlled excavator, 220
 Remote instruction, 149
 Remotely controlled construction machines, 223
 Remote operation, 198
 Repeatability, 495
 Reproducibility, 495
 Requirements, 494
 Resistive force theory, 465
 Resolution wedge, 500
 Response robots, 494
 Retention mechanism, 377
 Retroactive search, 148
 rFlow3D, 117
 Risk assessment, 488, 493
 Risk reduction, 488, 489, 491
 Robot audition, 46, 99
 Robot hand, 376
 Rolling shutter, 56

Root Mean Square of the Successive Difference (RMSSD), 168, 169, 172
 Rotating fingers, 441
 Rotational speed control, 111
 Runge–Kutta–Gill method, 463

S

Sampling rate, 305
 Sandbag, 381
 Scale-gain adjustment, 387
 SDNN, 168, 169, 172
 Search And Rescue (SAR) dog, 145–147, 149, 150, 155, 176, 185, 189
 Self-calibration, 56, 58
 Semiautonomous stair climbing, 289
 Separation principle, 488, 493
 Serial link manipulator, 225
 Serpentine robot, 5, 9
 Servo valves, 443
 SHERPA, 21
 Simple shape, 272
 SLAM, 349
 Slider, 436
 Smooth-type snake robot, 276
 Snake-like articulated mobile robot, 285
 Snake-like robot, 294
 Social disruptive innovation, 11
 Social implementation, 482, 484
 Soft, 295
 Soil mechanics test bench, 467
 Sound source localization, 375
 Sound source mapping, 100
 Spatial resolution, 302
 Speech enhancement, 44, 45
 Stabilized head camera image, 318, 320
 Standardization, 494
 Standard Test Method (STM), 494
 State-space model, 311
 Steep staircase, 290
 Stop principle, 488
 Structure from motion, 58
 Subjective evaluation, 244
 Survey, 505
 Switchboard, 299
 Sympathetic nerve system, 168, 169, 171

T

T² Snake-3, 285
 Tactile feedback, 238
 Tactile sensing, 65
 Tactile sensor, 300
 Tangential force, 306

Target definition, 161, 165
 Technical disruptive innovation, 10
 Technology catalogue, 13
 Technology cycle, 11
 Technology Readiness Level (TRL), 482
 Tele-existence, 384
 Telemanipulation, 383
 Teleoperation, 369
 Telexistence, 201
 Terrain following, 288
 Terramechanics, 466, 469
 Tether powered MUAV, 212
 Tether tension, 216
 Thin Serpentine Robot Platform, 26
 Thin-person view, 369
 Three-dimensional steering, 288
 Three expected disaster robot functions, 4
 Three-way valve, 427, 428
 Tilt link, 232
 Time-of-flight (ToF), 308
 Time-Stretched Pulse (TSP), 310
 Tohoku University, 13
 Torque controllability, 439
 Torsion, 272
 Tough, 4
 Tough snake robot systems, 268
 Trajectory estimation, 148, 185
 Trajectory tracking, 290
 Triage, 146
 Tunnel Disaster Challenge, 21

U

Uncertainty, 495
 Unmanned Aerial Vehicle (UAV), 155
 Unmanned construction system, 198
 Unrolled picture, 318, 321
 Unsupervised learning, 158
 User needs, 18

V

Valve, 287
 Variable-inner-volume, 292
 Variable pitch control, 112
 VDSL communication system, 220
 Vehicle-like body frame, 318
 Vibration sensor, 67, 241
 Vibrotactile display, 248
 Vibrotactile feedback, 67, 239
 Victim Detection, 29
 Virtual Chassis, 318
 Virtual Fixture (VF), 387
 Virtual marionette system, 375

Vision-based predictive assist control (V-PAC), [388](#)
Visual acuity, [494](#), [499](#)
Visual SLAM, [55](#), [185](#)
Visuo-haptic feedback, [66](#)
Volumetric intersection, [457](#)

W

Water jet, [39](#)

Waterproof, [280](#)
WebRTC, [153](#)
Wheeled snake robot, [269](#), [285](#)
Wire-saving control system, [380](#)
World Robot Summit (WRS), [21](#), [473](#)

Z

Zero Velocity Point (ZVP), [186](#)