

Bibliography

- B.1. Pfeleiderer, C.: Kreiselpumpen f. Flüssigkeiten u. Gase. 5. Aufl, Springer, Berlin (1961)
- B.2. Stepanoff, A.J.: Radial- und Axialpumpen. Springer, Berlin (1959)
- B.3. Traupel, W.: Thermische Turbomaschinen. 3. Aufl, Springer, Berlin (1977)
- B.4. Anderson, H.H.: Centrifugal Pumps. Trade and Technical Press (1972)
- B.5. KSB-Kreiselpumpen-Lexikon. 3. Aufl, KSB AG, Frankenthal (1989)
- B.6. Raabe, J.: Hydro Power. VDI, Düsseldorf (1985)
- B.7. Sigloch, H.: Strömungsmaschinen. 2. Aufl, Hanser, München (1993)
- B.8. Spengler, H., et al.: Technisches Handbuch Pumpen. VEB Technik, Berlin (1976)
- B.9. Lobanoff, V.S., Ross, R.R.: Centrifugal Pumps, 2nd edn. Gulf Publishing, Houston (1985)
- B.10. Pumping Manual. 9th edn. Elsevier Advanced Technology, Oxford (1995)
- B.11. Anderson, H.H.: Centrifugal Pumps and Allied Machinery, 4th edn. Elsevier Advanced Technology, Oxford (1994)
- B.12. Faragallah, W.H.: (Hrsg) Pumpen als Turbinen. Faragallah, Sulzbach (1993)
- B.13. Faragallah, W.H.: (Hrsg) Seitenkanal-Strömungsmaschinen. Faragallah, Sulzbach (1992)
- B.14. Neumaier, R.: Hermetische Pumpen. Faragallah, Sulzbach (1994)
- B.15. Karassik, I., Messina, J., Cooper, P., Heald, C.: Pump Handbook, 4th edn. McGraw-Hill, New York (2008)
- B.16. Japikse, D., Marscher, W.D., Furst, R.B.: Centrifugal Pump Design and Performance. Concepts ETI, Norwich (1997)
- B.17. Sulzer Centrifugal Pump Handbook. 3rd edn. Elsevier Advanced Technology, Oxford (2010)
- B.18. Diczas, J.L.: Vertical Turbine, Mixed Flow, and Propeller Pumps. McGraw-Hill, New York (1987)
- B.19. Gülich, J.F., et al.: Feedpump operation and design guidelines. EPRI Report TR-102102 (June 1993)
- B.20. Gülich, J.F., Egger, R.: Part load flow and hydraulic stability of centrifugal pumps. EPRI Report TR-100219 (March 1992)
- B.21. Neumann, B.: The interaction between geometry and performance of a centrifugal pump. MEP, London (1991)
- B.22. Trokolanski, A.T., Lazarkiewicz, S.: Kreiselpumpen, Berechnung und Konstruktion. Birkhäuser, Basel (1976)
- B.23. de Kovats, A., Desmur, G.: Pumpen, Ventilatoren und Kompressoren. Braun, Karlsruhe (1968)
- B.24. Wislicenus, G.F.: Preliminary design of turbo pumps and related machinery. NASA RP 1170 (1986)

- B.25. Cumpsty, N.A.: Compressor Aerodynamics. Longman, Harlow, England (1989)
- B.26. Grist, E.: Cavitation and the Centrifugal Pump. A Guide for Pump Users. Taylor & France, ISBN 1-56032-591-7 (1999)
- B.27. Japikse, D., Baines, N.C.: Introduction to Turbomachinery. Oxford University Press (1994)
- B.28. Sterling, S.I.H.I.: Pumpenhandbuch Grundlagen für Planung von Kreiselpumpenanlagen, 7. Aufl., 2000, Sterling SIHI GmbH, Itzehoe
- B.29. Fogg, P.G.T., Gerrand, W.: Solubility of Gases in Liquids. Wiley, New York, ISBN 0 471 92925 5 (1991)
- B.30. Wesche, W.: Radiale Kreiselpumpen. Springer, Berlin (2012)

Standards

- N.1. DIN EN 12723 (formerly DIN 24260-1): Flüssigkeitspumpen; Kreiselpumpen und Kreiselpumpenanlagen. Begriffe, Formelzeichen, Einheiten. 2000-09
- N.2. ISO 9906: 2012-05 Rotodynamic pumps – Hydraulic performance acceptance tests
- N.3. DIN 1184-2: Schöpferwerke/Pumpwerke. Kreiselpumpen für den Betrieb mit Rechen. Richtlinien für die Planung. 1992
- N.4. Standards for centrifugal, rotary & reciprocating pumps. Hydraulic Institute, 14th edn. Cleveland (1983)
- N.5. IEC 60193: 1999 International code for model acceptance tests of storage pumps
- N.6. ISO13709: 2010-05 (API Standard 610): Centrifugal pumps for petroleum, petrochemical and natural gas industries
- N.7. Zustandsgrößen für Wasser und Wasserdampf in SI-Einheiten. Springer, Berlin (1989)
- N.8. ISO 10816-3: 2009 Mechanical vibration - evaluation of machine vibration by measurements on non-rotating parts. Industrial machines with power greater than 15 kW (nicht spezifisch für Pumpen)
- N.9. ISO 7919-3: 2008 Mechanical vibrations of non-reciprocating machines – Measurements on rotating shafts and evaluation criteria. Part 3: coupled industrial machines
- N.10. ANSI/HI 9.8-2012 Standard: Pump Intake Design
- N.11. ANSI/HI Standard 9.6.7-2004: Effect of liquid viscosity on pump performance. Also published as ISO/TR 17766:2005(E)
- N.12. DIN EN 12502-1/-5: 2005-03 Korrosionsverhalten von metallischen Werkstoffen
- N.13. DIN 50900, Teil 1 bis 5: Korrosion der Metalle (1993)
- N.14. EN 10283: 2010-06 Korrosionsbeständiger Stahlguß
- N.15. DIN-Taschenbuch 219: 2015-02 Korrosion u. Korrosionsschutz. Beurteilung, Prüfung, Schutzmaßnahmen. Normen, Technische Regeln, Beuth-Verlag
- N.16. ISO 10816-7: 2009 Mechanical vibration – Evaluation of machine vibration by measurements on non-rotating parts. Part 7: Rotodynamic pumps for industrial application including measurements on rotating shafts
- N.17. VDI 3839: Hinweise zur Messung und Interpretation der Schwingungen von Maschinen. Allgemeine Grundlagen. VDI-Richtlinie (2001)
- N.18. DIN 45635: Geräuschemessung an Maschinen
- N.19. Nichtrostender Stahlguß. Stahl-Eisen-Werkstoffblätter, SEW 410, 2017-12
- N.20. ISO 5198: 1987 Centrifugal, mixed and axial pumps – Code for hydraulic performance tests – precision class
- N.21. CCH 70-3: Pflichtenheft für die Abnahme von Stahlgußstücken für hydraulische Maschinen. Ausgabe 3, 1996, Groupe d' étude Cahier des charges hydrauliques, case postale 3, Ch 1297 Founex
- N.22. ISO 5389: 2005: Turbocompressors – Performance test code
- N.23. ANSI/HI Standard 1.1.-1.2-2000: Centrifugal Pumps

Index

A

Abrasion, 1154
Abrasive wear, 1072
Acceleration, 12
Acceleration due to gravity, 1239
Accelerometer, 811
Acoustic coupling, 859
Acoustic eigen frequencies, 845
Acoustic filter, 846
Acoustic-flow interaction, 721, 768
Added fluid mass, 783, 1248
Aeration elements, 1103
Afety margins, 1190
Airfoil flow, 457
Airfoil selection, 472
Alford-effect, 757, 797
Alkalization, 1117
Allowable head per stage, 1187, 1201
Allowable impeller tip speed, 1201
Allowable operation range, 938
Allowable vibrations, 806, 821, 868
Allowed operation range, 806
Alloyed cast iron, 1127
Alternate stall, 244, 775
Alternating stall, 792
Aluminum bronzes, 1134, 1148
Ammonia, 1110, 1134
Angle of attack, 460
Angular momentum, 85
Angular momentum conservation, 6
Annular casings, 123, 515, 685
Annular seal, 102, 109
Annular seal clearances, 110
Annular seal forces, 739
Approach flow, 954

Approach flow quality criteria, 957
Atmospheric pressure, 1239
Austenitic steels, 1130
Available NPSH, 378
Axial force, 651
Axial force fluctuations, 698
Axial forces in turbines, 992
Axial pumps, 255, 290, 451, 688
Axial rotor position, 266
Axial split casing, 64
Axial thrust, 266, 651
Axial thrust at start-up, 671
Axial thrust balancing, 63
Axial thrust excursions, 266
Axial thrust, propeller pumps, 665
Axial thrust reversal, 671, 792

B

Back-to-back, 1188
Back-to-back impeller arrangement, 64
Balance disks, 659
Balance pistons, 660
Ball passage diameter, 440
Barrel pumps, 62
Barske impellers, 434
Baseplate vibrations, 738, 833
Bearing damage, 702, 792
Bearing housing resonance, 796, 827
Bearing housing vibrations, 737, 788, 807, 819, 821
Bearing instability, 753
Bends, 18, 858
Bernoulli's equation, 4
Bernoulli's equation in the relative system, 7
Best efficiency point(BEP), 53, 188

- Bingham liquids, 1074
 - Biological corrosion, 1107
 - Blade blockage, 83
 - Blade design, 463
 - Blade development, 419
 - Blade passing frequency, 715, 716, 773
 - Blade wrap angle, 422, 441
 - Blow valves, 937
 - Bode plot, 758
 - Boundary conditions in CFD, 559
 - Boundary layer, 7
 - Boundary layer control, 10, 101
 - Brake mode, 994
 - Broad-band, 800
 - Broadband pressure fluctuations, 824
 - Bronzes, 1134
 - Bubble implosion, 310
 - Buffer tank, 1058
 - Bunsen coefficient, 1236
 - Busemann, 90
 - Bypass control, 925, 989
- C**
- Calcareous rust scales, 1100
 - Calculation stations, 81
 - Campbell-Diagramm, 754
 - Can pumps, 965
 - Carbon content, 1128, 1131
 - Carbon dioxide, 1109
 - Carbon steel, 1127
 - Carnot shock, 5
 - Cartridge design, 62
 - Casing materials, 1150
 - Casing treatment, 288, 296
 - Casting tolerances, 1195
 - Cast iron, 1127
 - Cathodic protection, 1103, 1111
 - Cavitation, 10, 699, 707, 844, 849
 - Cavitation coefficient, 317
 - Cavitation control, 921, 926
 - Cavitation damage, analysis and remedies, 381
 - Cavitation damage in the collector, 386
 - Cavitation damage prediction, 369
 - Cavitation damage remedies, 393
 - Cavitation erosion, 1060
 - Cavitation-induced head breakdown, 591
 - Cavitation-induced vibrations, 787
 - Cavitation intensity, hydrodynamic, 357
 - Cavitation in the diffuser, 244
 - Cavitation in two-phase pumps, 1059
 - Cavitation model, CFD, 590
 - Cavitation nuclei, 310
 - Cavity length, 364
 - Center rib, 300
 - CFD post processing, 572
 - Chloride-induced SCC, 1129
 - Chlorides, 1110, 1133
 - Chromium content, 1131
 - Circular arc blades, 431
 - Clausius-Clapeyron, 346
 - Close-coupled pumps, 59
 - Closure problem, 546
 - Coast-down time, 936
 - Collector characteristic, 188
 - Collector losses, 179
 - Collectors, 117
 - Colmonoy, 1148
 - Combination of different impellers with various casings, 192
 - Component characteristics, 175
 - Concrete volutes, 502
 - Conservation of energy, 3
 - Contact corrosion, 1103
 - Continuity equation, 3
 - Convergence of CFD, 600
 - Cooling water pumps, 445, 872
 - Cooling water requirements, 873
 - Copper alloys, 1134
 - Coriolis acceleration, 1
 - Corner vortices, 10
 - Corrosion, 1101
 - Corrosion fatigue, 1105
 - Corrosion fatigue strength, 1088
 - Crevice corrosion, 1102, 1128
 - Critical speed, 754
 - Cross-channel vortex, 234, 293, 298
 - Cutting groove, 443
 - Cutwater, 493
 - Cutwater correction, 497
 - Cutwater erosion, 1171
- D**
- Damping, 848
 - De-aeration, 1212
 - Deceleration losses, 180
 - Decibel (dB-A), 733
 - Degree of reaction, 87, 651
 - Density, 1233
 - Density ratio, 1026
 - Design guidelines, vibrations, 803
 - Developed erosion, 363
 - Deviation angle, 88
 - Dezincification, 1106
 - Diagonal seals, 109, 114
 - Diffuser, 27, 120, 1033
 - Diffuser cavitation, 389, 788
 - Diffuser channel stall, 775
 - Diffuser characteristic, 188

Diffuser efficiency, 30
 Diffuser loss model, 126
 Diffuser modifications, 208
 Diffuser opening angle, 509
 Diffuser vane number, 507
 Diffusion angle, 30
 Diffusion coefficient, 1118
 Dipoles, 722
 Direct numerical simulation, 546
 Discharge coefficients, 1222
 Discharge nozzle, 498
 Discharge piping, 966
 Discretization error, 593
 Disk friction losses, 96, 98, 142, 635
 Displacement thickness, 10
 Double-acting impeller, 435
 Double-entry impeller instability, 298
 Double-entry impellers, 663
 Double-entry pumps, 60
 Double volute, 490, 499, 683, 792, 1171
 Double-volute instability, 300
 Drag, 459
 Dredge pumps, 437, 1070
 Drive failure, 998
 Dry-running, 1146
 Duplex steels, 1130
 Dynamic instability, 930

E

Eddy viscosity, 19
 Efficiencies at partload, 502
 Efficiency, 53, 131
 Efficiency curves, 188
 Efficiency majoration formula, 141
 Efficiency scaling, 141
 Eigen frequency, 737, 741, 754, 832, 869, 1248
 Eigen frequency at the operation speed, 754
 Elastomeres, 1156
 Electrical submersible pumps, 1049
 Emulsions, 1022
 Endurance limit, 1088
 Enthalpy, 3
 Enthalpy of evaporation, 1233
 Equivalent sand roughness, 24
 Erosion corrosion, 1106, 1117
 Erosion in boiler feedpumps, 1174
 Erosion power, 364
 Erosion rate, 363
 Euler equation, 546
 Euler methods, 545
 Excitation forces, 673, 739
 Expeller vanes, 663, 665

F

Factory acceptance tests, 1205
 Fan pumps, 1074
 Far field, 717
 Fast Fourier transformation, 812
 Fatigue fractures, 1082
 Fatigue strength, 1087
 Feedwater conditioning, 1116
 Feedwater pumps, 1150
 Filtered frequencies, 806
 Flow coefficient, 93
 Flow contraction, 6
 Flow rate at zero head, 173
 Flow separation, 25
 Flow separation in the diffuser, 244
 Flow velocities in discharge pipes, 966
 Flue gas desulfurization, 1151
 Fluid- structure interaction, 798
 Forced vibrations, 1241
 Forced vortex, 15
 Fourier analysis, 724
 Free surface vortices, 952
 Free vibrations, 1241
 Free vortex, 15
 Free vortex design, 448
 Fretting corrosion, 1107
 Friction coefficient, 19, 105
 Friction pumps, 76
 Froude number, 92, 957

G

Galvanic corrosion, 1103
 Gap A, 259, 266, 730, 791, 804, 835
 Gap B, 718, 719, 727, 803
 Gas content measurement, 1059
 Gas-locking, 348, 1027, 1045, 1046
 Gas pocket, 1058
 General characteristics, 993
 Goodman diagram, 1086
 Grain shape, 1162
 Graphitic corrosion, 1106
 Grey cast iron, 1127
 Grid generation, 598
 Grid generator, 555

H

Hard chroming, 1107
 Hastelloy, 1134
 Head, 50
 Head-capacity curve, 169
 Head coefficient, 93, 131
 Head selection of semi-axial pumps, 446
 Heat capacity, 1233

- Heat treatment, 1130
 - Helico-axial pumps, 1031, 1052
 - Hematite, 1116
 - Henry's law, 1236
 - Hermetic pumps, 60
 - High-energy pumps, 738, 1200
 - Horseshoe vortex, 124
 - Horse shoe vortex erosion, 1171
 - Hydraulically rough, 21
 - Hydraulically smooth, 21
 - Hydraulic efficiency, 87, 135, 193
 - Hydraulic excitation forces, 798
 - Hydraulic imbalance, 689, 803
 - Hydraulic impeller interaction, 749, 758
 - Hydraulic losses, 96, 146
 - Hydraulic reaction forces, 739
 - Hydraulic specification, 403, 532, 1182
 - Hydraulic transport of solids, 1065
 - Hydraulic unbalance, 797, 822
 - Hydro-abrasive wear, 1157, 1160
 - Hydrocarbons, 1126
 - Hydrodynamic coupling, 859
 - Hydrodynamic lift, 13
 - Hydrodynamic near field, 717
 - Hysteresis in the Q-H-curve, 268, 271, 276, 602
- I**
- Impact test, 832, 870
 - Impedance, 732, 845
 - Impeller, basic notions, 46
 - Impeller blade inlet angles, 411
 - Impeller blade number, 408, 448, 456
 - Impeller calculation, 567
 - Impeller design, 416
 - Impeller-diffuser alignment, 797
 - Impeller eigen frequencies, 783
 - Impeller inlet, 447
 - Impeller inlet diameter, 409
 - Impeller life, 365
 - Impeller losses, 176, 182
 - Impeller loss model, 125
 - Impeller outer diameter, 408
 - Impeller outlet angle, 448
 - Impeller outlet width, 411
 - Impeller side room erosion, 1171
 - Impeller sidewall gaps, 265, 631, 642, 650
 - Impeller trim exponent, 200
 - Impeller trimming, 198, 991
 - Impingement angle, 1156
 - Incidence, 83
 - Inconel 718, 1134
 - Incubation time, 358
 - Inducer blade inlet angle, 479
 - Inducer blade outlet angle, 480
 - Inducers, 274
 - Inlet casing, 521, 603
 - Inlet casing design, 516
 - Inlet casing loss, 127
 - Inlet recirculation, 241
 - Inlet ring, 388
 - Inlet ring design, 205, 394
 - Inline pumps, 59
 - Instabilities in the Q-H-curve, 602
 - Instability, 798
 - Instrumentation, 1219
 - Intake design, 961
 - Intake model tests, 957
 - Intake structures, 949
 - Intergranular corrosion, 1104
 - Intermediate take-off, 63
 - Internal power, 4
 - Interstage seal, 96, 113
- J**
- J-grooves, 288
- K**
- Kato-Lauder k- ϵ -model, 550
 - Kicker stage, 63
 - Kinematic viscosity, 1233
 - K- ϵ -model, 549
 - K- ω - model, 548
- L**
- Laminar /turbulent transition, 103
 - Large eddy simulation (LES), 551
 - Leading edge profile, 334, 414
 - Leakage losses, 104, 111
 - Lift, 459
 - Liquid-ring pumps, 79
 - Local corrosion, 1101, 1128
 - Locked rotor, 978
 - Lock-in, 857, 861
 - Logarithmic wall function, 552
 - Lomakin effect, 743
 - Loss analysis, 143
 - Loss reduction, 149
 - Low-alloyed steel, 1127
 - Low-energy pumps, 1202
 - Low-flow impeller design, 206
 - Low-Re- k- ϵ -model, 550
- M**
- Magnetic coupling, 70
 - Magnetic-inductive flow measurement, 1220
 - Magnetite, 1116
 - Magnetite solubility, 1119

Manufacturing quality, 1195
 Manufacturing tolerances, 1195
 Martensitic steels, 1130
 Mass moment of inertia, 869
 Maximum continuous flow, 938
 Maximum flow, 939
 Maximum head, 446
 Measurement errors, 1228
 Mechanical losses, 96, 116
 Mechanical vibrations, 801
 Meridional section, 416
 Metal loss rate, 1118
 Mild steel, 1127
 Minimum continuous flow, 938
 Minimum flow, 940
 Minimum rotor damping, 756
 Misalignment, 834
 Mobility, 832
 Model laws, 92
 Model tests, 1207
 Mode shapes, 764
 Modification of pump characteristics, 196
 Mohs hardness, 1162
 Molybdenum, 1129
 Momentum, 5
 Monopoles, 722
 Multi-lobe bearings, 753
 Multistage pumps, 61

N

Navier-Stokes equations, 545
 Net positive suction head (NPSH), 51
 Neutral point, 462
 Nickel-base alloys, 1134
 Ni-Resist, 1127
 Nitrogen content, 1131
 Nodular cast iron, 1127
 Noise, 733
 Noise control, 735
 Noise generation, 717
 Noise insulation, 732
 Noise level, 733
 Noise measurement, 733
 Non-Newtonian liquids, 1073
 Non-overloading characteristic, 174
 Non-uniform approach flow, 790
 No-slip condition, 7
 Notch factor, 1083
 NPSH influence parameters, 333
 NPSH in solids transport, 1073
 NPSH margin, 327, 381
 NPSH testing, 1227
 Number of stages, maximum, 1187
 Numerical errors, 593, 601

Nyquist frequency, 812

O

Oblique trim, 204
 Oil whip, 753
 Onset of recirculation, 185
 Onset of recirculation at the impeller inlet, 279
 Onset of recirculation at the impeller outlet, 279
 Open and semi-open impellers, 707
 Open impellers, 290, 443, 668
 Opposed-impeller design, 64
 Orifices, 1222
 Over-filing, 207
 Oxygen content, 1124

P

Parallel operation, 919
 Particle velocity (acoustic), 845
 Partload recirculation, 267
 Passivation, 1100, 1111
 PEEK, 1148
 Performance curve prediction, 193
 Performance deviations, 209
 Peripheral pumps, 76
 PH, 1108
 Phase angle, 1241
 Phase resonance, 780
 Piping vibrations, 841
 Pitot tube pumps, 79
 Pitting, 1101, 1128
 Pitting index, 1128, 1133
 Plane waves, 845
 Polyetherketon, 1148
 Polytropic compression, 1039
 Polytropic efficiency, 1038
 Polyurethane, 1168
 Positive displacement pumps, 45
 Potential differentials, 1123
 Power consumption, 86
 Power failure, 937
 Power measurement, 1224
 Preferred operation range, 806
 Pre-rotation control, 927
 Pressure coefficients, 131
 Pressure distribution, 677
 Pressure loss, 18
 Pressure measurements, 1219
 Pressure peaks, 775
 Pressure pulsations, 716, 725, 758, 800, 812, 844
 Pressure recovery in the diffuser, 247
 Pressure taps, 1219
 Pressure transducers, 812

- Produced water, 1111
 Propeller pumps, 451
 Proximity probes, 811
 Pump characteristics, 53, 188
 Pumping grooves, 112
 Pump selection, 1181, 1185
 Pump size, 1185
 Pump weight, 1189
- Q**
- Quadrupoles, 722
 Quality class, 1202
 Quality criteria, 1191
 Quasi-3D-method, 543
- R**
- Radial force minimum, 680
 Radial force orbits, 690
 Radial forces, 798, 954
 Radial forces due to non-uniform approach flow, 686
 Radial forces in turbines, 992
 Radial seals, 114
 Radial split pumps, 65
 Radial thrust, 673
 Radial thrust balancing, 702
 Radial thrust coefficients, 674, 705
 Radial thrust in diffuser pumps, 685
 Range charts, 195
 Rankine vortex, 15
 Rayleigh's equation, 311
 Reaction force, 798
 Reaction ratio, 651
 Recirculation, 221, 293, 1171
 Recirculation at the impeller inlet, 252, 790
 Recirculation at the impeller outlet, 257, 282
 Recirculation, CFD, 570
 Recirculation onset, 237
 Recirculation power, 184, 825
 Reduced pressure, 620
 Reflection coefficient, 846
 Relative system, 82
 Resonance, 737, 800, 857, 1241
 Resonance condition, 765
 Return vanes, 510
 Reverse-running pumps, 971
 Reynolds-averaged Navier-Stokes equations (RANS), 546
 Reynolds number, 92
 Reynolds number effects, 143
 Reynolds stress transport model, 550
 Ring section pumps, 62
 Roller bearings, 753
 Root mean square, 724
- Rossby number, 224
 Rotating stall, 244, 290, 784
 Rotation factor, 112, 635
 Rotor damping, 805
 Rotor dynamic analysis, 805
 Rotor dynamic coefficients, 742
 Rotor eigen mode, 755
 Rotor eigen values, 754
 Rotor instability, 757
 Rotor shifting, 266
 Rotor stability, 741
 Rotor/stator interaction, 713, 761, 775
 Roughness, 21
 Roughness depth, 23
 Roughness effects, 145, 147
 Runaway speed, 977
 Rust, 1108
- S**
- Salt content, 1133
 Sand content of waters, 1161
 Sand roughness, 23
 Scaling laws for cavitation, 317
 Scaling pressure pulsations, 722
 Seal-less pumps, 70
 Seawater, 1088, 1110, 1126, 1133
 Seawater injection, 1134
 Secondary flow, 10, 18
 Secondary losses, 96
 Segmental pumps, 62
 Selective corrosion, 1106
 Self-excited vibrations, 737, 757, 798, 848
 Semi-axial diffusers, 512
 Semi-axial impellers, 665
 Semi-axial pumps, 66, 445
 Semi-open impellers, 115, 668, 1031, 1051
 Series installation, 38
 Series operation, 922
 Sewage pump, 437, 689, 1176
 Shaft materials, 1149
 Shaft vibrations, 756, 801, 819
 Shear modulus, 868
 Shear stresses, 19
 Shear stress transport model, 549
 Shockless entry, 84
 Shockless entry, turbine, 974
 Shock losses, 179
 Short-term operation, 940
 Shut-off head, 183, 290
 Shut-off power, 185
 Side band frequencies, 773
 Side bands, 786
 Side channel, 76
 Sigma phase, 1130

- Signal analysis, 812
 - Silicon carbide, 1149
 - Silver-plating, 1107
 - Similarity laws, 93, 187
 - Single-blade impeller, 1176
 - Single-channel impellers, 388, 437, 442, 689
 - Single volutes, 490
 - Siphons, 967
 - Slip factor, 89, 193, 440
 - Slug flow, 1025, 1058
 - Slurry pumps, 1065
 - Solid-borne noise, 732
 - Solidity, 470
 - Solids concentration, 1155
 - Solids hardness, 1161
 - Solubility, 1236
 - Solution of gases in water, 1236
 - Sound intensity, 735, 845
 - Sound power, 733, 845
 - Sound pressure, 733
 - Sound velocity, 846, 854, 1233
 - Sound velocity in sea water, 1240
 - Sound wave, 717
 - Specification of pumps, 1182
 - Specific mass of a pump, 1203
 - Specific speed, 54, 94
 - Specific work, 86
 - Speed control, 924, 987
 - Speed selection of semi-axial pumps, 445
 - Spinning pressure fields, 766
 - Spray coatings, 1149
 - Spring, damping and mass coefficients, 739
 - SST-model, 549
 - Stability of the Q-H-curve, 266, 494
 - Staggered double-entry impellers, 766
 - Stainless steels, 1128
 - Stalled diffuser channels, 775
 - Stall progression, 801
 - Stall propagation, 784
 - Standard-k- ϵ -model, 548
 - Standby corrosion, 1111
 - Standing waves, 845
 - Start-up of pump in viscous service, 1020
 - Start-up time, 936
 - Static head at impeller outlet at shut-off, 185
 - Static stability, 930
 - Stay vanes, 514
 - Stellite, 1149
 - Stock pumps, 1073
 - Stress corrosion cracking, 1105
 - String tests, 1206
 - Strouhal number, 855
 - Structural resonances, 824
 - Submerged vortices, 951
 - Submersible pumps, 74
 - Sub-synchronous vibrations, 758
 - Suction bell, 964
 - Suction conditions, 382
 - Suction head, 51
 - Suction impeller materials, 1151
 - Suction impellers, 424
 - Suction lift, 51
 - Suction pipe flow velocities, 943
 - Suction piping layout, 941
 - Suction pressure control, 1211
 - Suction pressure decay, 945
 - Suction specific speed, 320
 - Suction specific speed limitation, 322
 - Suction test, 323
 - Sulfates, 1110
 - Sulfides, 1110, 1131
 - Super-austenite, 1132
 - Super-duplex, 1131
 - Super-synchronous excitation, 788
 - Super-synchronous rotor instabilities, 758
 - Surface tension, 1233
 - Surge limit, 1048
 - Surging, 1046
 - Swirl brake, 748, 754, 758, 760, 804, 805, 827
 - Swirl in suction pipe, 241
 - System characteristic, 917
 - System curve for two-phase flow, 1056
- T**
- Taylor vortices, 103
 - Temperature effect on corrosion, 1134
 - Temperature rise in a pump, 940
 - Tensile strength in water, 349
 - Test loop layout, 1208
 - Theoretical characteristic, 171
 - Theoretical head, 4, 86
 - Thermal conductivity, 1233
 - Thermodynamic effects on cavitation, 346
 - Thermometric efficiency measurement, 941
 - Throttle control, 923, 988
 - Time signal, 723
 - Tip clearance vortex, 293
 - Tip leakage, 291
 - Tip speed, 442
 - Titanium, 1134
 - Torque, CFD, 569
 - Torque fluctuations, 697, 871
 - Torque meters, 1225
 - Torsional eigen frequencies, 868
 - Torsional vibrations, 737, 868
 - Total dynamic head, 50
 - Transgranular corrosion, 1105
 - Transient loading, 730

Transient suction pressure decay, 944
 Transition from laminar to turbulent, 19
 Transmission coefficient, 846
 Triangular section at diffuser inlet, 175
 Trim exponent, 200
 Trimmed impellers, 197, 1181
 Tungsten carbide, 1149
 Turbine characteristics, 979
 Turbine resistance curve, 978
 Turbines, 971
 Turbine trip, 946
 Turbulence, 737
 Turbulence levels, 548
 Turbulence models, 547, 598
 Turbulent dissipation, 25
 Twin volutes, 491
 Two-layer model, 550
 Two-phase flow in pipes, 1023
 Two-phase multipliers, 1040
 Two-phase turbines, 1062
 Type number, 94

U

Un-alloyed steel, 1127
 Unbalance, 739
 Under-filing, 207
 Uniform corrosion, 1101
 Unstable Q-H-curve, 792, 842
 Unsteady axial forces, 671
 Unsteady flow, 712
 Unsteady stall, 775

V

Vaned diffusers, 120
 Vaned inlet casing, 521
 Vaneless diffusers, 120, 251, 797
 Vane number combinations, 803, 822, 835
 Vapor volume fraction, CFD, 591
 Variable frequency drives, 871
 Velocity distribution, 8, 26, 603
 Velocity triangles, 2, 83
 Vertical-pump vibrations, 872
 Vibration analysis, 855
 Vibration diagnostics, 786, 810, 813, 830, 834
 Vibration frequency, 740

Vibration measurement, 811
 Vibrations, 1025
 Vibrations of vertical pumps, 738
 Vickers hardness, 1162
 Viscosity, 140
 Viscous NPSH, 1020
 Viscous performance, 1001
 Void fraction, 1037
 Void fraction measurement, 1059
 Volumetric losses, 96
 Volute casings, 118
 Volute cavitation, 391, 788
 Volute characteristic, 188
 Volute charwater, 119
 Volute loss model, 126
 Volute modifications, 208
 Volute throat area, 494
 Vortex breakdown, 293
 Vortex cavitation, 389
 Vortex classification, 952
 Vortex empirical data, 956
 Vortex generation, 951
 Vortex pumps, 75, 443, 1031
 Vortex ropes, 790
 Vortex shedding, 855
 Vortex street erosion, 1174
 Vortex streets, 797, 855
 Vortices, 951

W

Wall function, 599
 Water cut, 1022
 Water hammer, 730, 731, 937
 Water hardness, 1108
 Water properties, 1233
 Waukesha, 1149
 Wave length, 846
 Weber number, 957, 1049
 Weight of the pump, 1189
 Wet gas compressors, 1051
 Wet motor pumps, 60
 Whirling, 766

Z

Zero-lift angle, 461