

Index

A

Advanced oxidation process (AOP), 136
Aeroponics, 322
Ag–Ab interaction, 344–347
Agriculture/food sector
 antifungal activity, 467
 antimicrobial/antioxidants properties, 466
 disinfection agents, 466
 nanomaterials, 466
 nanotechnology, 466, 467
 pathogenic bacteria, 466
Agrochemical pesticide nanoformulations
 adverse environmental and human
 effects, 274
 CNT, 278
 controlled release technology, 273
 controlling plant pest and disease, 274
 conventional pesticides, 278
 integrated pest management, 273
 nanoparticulate system, 277
 pesticide delivery systems, 274
 polymer-based nanoformulations, 274
 smart delivery system, 277
Alternating magnetic flux (AMF), 84
(3-Aminopropyl) triethoxysilane (APTES), 101
Amperometric method, 347
Ananas comosus, 58, 59, 71
Antibacterial activity, 147
Anticancer activity, 140–143
Antimicrobial activity, 143–146
Antimicrobial/bactericidal agents, 92, 93
Antioxidants, 117, 129, 131, 141, 145, 147, 148
Anti-stokes photoluminescence, 18
Arsenic (As)
 carbonaceous material, 71
 drinking water, 56, 57

Freundlich model, 72
iron nanoparticles, 57
isoelectric point, 67, 68
isonitrilo and isocyanate groups, 72
material synthesis, 58, 59
pineapple peel, 59, 60, 62
removal, 57
sorption studies, 68, 70, 71
specific surface area, 67, 68
water, 55, 56
Artificial miRNA (amiRNA), 306
Atomic force microscopy (AFM), 340, 341, 420
Auger electron spectroscopy (AES), 455
Autographa californica multiple nuclear
 polyhedrosis virus (AcMNPV), 304
Avian leukosis virus subgroup J (ALVs-J), 123
Azurine, 349

B

Bactericidal and fungicidal mechanisms, 465
Beet Necrotic Yellow Vein Virus (BNYVV), 305
Bio-active agent nanoformulation
 biological control agents, 278
 biopesticide, 279
 CNPCFM, 279
 crop pest, 278
 inorganic/organic mineral (biomaterials)
 nanoparticles, 280
 nanobiopesticide bioactivity, 280
 nanomaterials, 278
 use of chitosan NPs, 279
Bioaggregation, 397
Biochars, 284
Biochemosensors, 355
Biocombustible cells, 373

- Bioimaging**
 advantages, 21
 applications of nanoparticles
 (*see* Nanoparticles (NPs))
 biological processes, 430
 CdSe/ZnS QDs, 22
 CNTs
 bioimaging techniques, 435
 biological specimen and
 photobleaching, 435
 CVD, 435
 dispersion of, 435
 graphite-mode (G-band), 435
 SWNTs, 435
 conventional methods, 444
 GNPs, 431, 432
 graphene, 436
 intravenous injection, 21, 23
 MNPs
 chemical methods, 433
 CT and MRI, 433
 iron oxide materials, 433
 super-paramagnetic properties, 433
 nanomedicine, 430
 organic and inorganic, 431
 process, 20
 semiconductor QDs, 434
 shrimp eggs, 21, 22
 SNPs
 bioimaging/delivery application, 432
 biomedical applications, 433
 inorganic delivery system, 432
 sol-gel process, 432
 surface functional groups, 433
 techniques, 430
- Biomedicine**
 applications, 3
 drug delivery and gene therapy, 24
 mitomycin, 24
 photoluminescence, 25
 polyethylene glycol, 25
 siRNA, 25
- Biosensing**, 119, 124
 AC-dielectrophoresis, 122
 alginate-CuO-GOD film, 120
 alpha-fetoprotein, 121
 Au@Ag-Cu₂O nanoparticles, 118
 beta-amyloid-42 plastic antibody, 118
 CEA and AFP, 122
 CeO₂-CuO-decorated sensor, 121
 Cu@Ag core-shell nanoparticles, 122
 Cu₂O/MWCNTs nanocomposites, 124
 Cu-NGr composite, 120
 CuO NPs/Ag/PET electrodes, 118
 β-cyclodextrin functionalized graphene, 122
 DNA, 117
 ECL, 118
 EDA, 120
 electrochemical and photoelectrochemical,
 117
 electrochemical aptasensor, 121
 electrochemiluminescence
 immunosensor, 120
 electrochemiluminescence ratiometric
 sensor, 120
 gold nanorods-copper oxide
 nanocomposites, 119
 hemin/G-quadruplex DNAzyme, 119
 human serum, 123
 multifunctional electrode sensor, 118
 nonenzymatic electrocatalysts redox
 probes, 120
 nonenzymatic sensor, 123
 pharmaceutical products, 119
 photoelectrochemical immunoassay, 122
 PLC/ZnO-NPs-CuO-NFs, 119
 POCT, 123
 polydopamine-coated graphene oxide, 121
 SDBS/GR/CuOCu electrode, 123
 serum samples, 117
 single-component nanozyme, 119
- Biotic stresses**
 nanoparticles-plant interaction, 315
 uptake and translocation, 314
- Bisphenol A (BPA)**, 26
 BO₆ octahedra, 36, 37
Bombyx mori silk, 11
- Bottom-up approaches**
 combustion
 aromatic compounds, 10
 natural gas, 10
 primary factors, 10
 soot derived sources, 10
 hydrothermal/solvothermal
 biological materials, 11
 Bombyx mori silk, 11, 12
 citric acid and Tris, 11
 disadvantages, 11
 ethanol solution, 11
 organic solvents, 11
 microwave irradiation
 absorbers, 12
 biocompatibility and cytotoxicity, 12
 L-lysine, 12
 penetrating ability, 12
- Bovine serum albumin (BSA)**, 359
Brassica seedlings, 239
 Brome mosaic virus (BMV), 302

C

- Cadmium telluride quantum dots
(CdTeQDs), 305
- Calcium dependent protein kinase (CDPK), 369
- Calcium titanate oxide (CaTiO₃), 40
- Carbodiimides, 359
- Carbohydrate antigen 199 (CA199), 122
- Carbon dots (CDs)
applications
 bioimaging, 20–22
 biomedicine, 24–26
 photocatalysis, 26
 sensing, 22–24
bottom-up approaches (*see also* Bottom-up approaches)
definition, 3
ethylenediamine, 3
natural resources, 3
N-CDs, 3, 4
NIR, 2
PL, 3
QY, 3, 5–6
semiconductor, 2
SQDs, 2
structural properties
 electron transfer, 19
 excitation wavelength dependent fluorescence, 16–18
 HRTEM, Raman and XRD, 13, 14
 optical absorption, 15
 UCPL, 18
 XPS and FTIR, 13
synthesis, 6, 7
top-down approaches (*see* Top-down approaches)
- Carbon nanomaterials (CNMs), 301, 315, 394, 395, 397
- Carbon nanotubes (CNTs), 237, 242, 243, 278, 379, 384, 435
- Carbon paste electrode (CPE), 141
- Carboxymethylcellulose sodium (CMC), 59
- Carcinoembryonic antigen (CEA), 118, 121, 122
- Catalyst, 100, 101
- Aegle marmelos* leaf extract, 127
- Ag/polypyrrole/Cu₂O nanocomposite, 129
- Ag-and Cu-doped nanoparticles, 124
- Ag-CuO nanoparticles, 128
- α -alkynylated N-substituted pyrrolidines, 128
- γ -Al₂O₃, 134
- AOP, 136
- Au/Cu₂O/TiO₂ core-shell nanorods, 125
- Au/MgCuCr₂O₄, 125
- Au-Cu₂O/RGO nanocomposite, 129
- benzyl alcohol, 127
- bimetallic Au-Cu nanoparticle, 133
- BiOCl-CuO photocatalyst, 124
- CIP, 126
- CMG, 126
- C-N Ullmann coupling reactions, 128
- CONPs, 126
- copper nanostructures, 133
- core-shell nano-/micro-functional materials, 135
- CSZ, 132
- Cu_{0.5}Co_{0.5}Fe₂O₄@Arg-GO catalytic system, 132
- Cu₂O/CNFs, 138
- Cu₂O/reduced graphene oxide, 130
- Cu₂O@Au yolk/shell structures, 131
- Cu₂Se-Cu₂O film, 134
- CuAAC reactions, 138
- CuAl₂O₄ nanoparticles, 137
- Cu-doped CeO₂ oxidation, 125
- CuFe₂O₄ nanoparticles, 129
- CuFe₂O₄-RGO nanocomposites, 134
- Cu-Fe-Ox, 132
- CuNPs@ZnO-PTh, 135
- CuO biosynthesis, 129
- CuO nanoparticles@TiO₂-nanotube arrays, 127
- CuO/SnO₂/Pd hollow microboxes, 136
- CuO@3D-(N)GFs, 133
- CuO-modified TiO₂ electrode, 137
- cupric oxide, 137
- Cu-ZnO-ZrO₂, 131
- 2,6-dimethylphenol aqueous solution, 129
- DMAC, 130
- Fe₃O₄@SiO₂ nanoparticles, 130
- magnetic CuO@ γ -Fe₂O₃ nanoparticles, 135
- MCF-7 cell membranes, 130
- metallic copper stabilization, 133
- MoO₃/copper complex, 125
- MWCNTs, 131
- photocatalytic studies, 131
- platinum/palladium-based nanoalloys, 128
- PMMA/CuO polymeric nanocomposites, 131
- PtPd-NFs/Cu₂O-NSs/RGO, 133
- spherical PtCu alloy, 127
- Tb-doped CuO nanoparticles, 137
- thiosemicarbazide, 130
- ultrathin PtCu nanowires, 136
- α,β -unsaturated ketone, 134
- ZnO/Cu configuration, 126
- Z-scheme heterojunction, 125
- Cellulose nanocrystals (CNCs)
applications, 410
definition, 411

- Cellulose nanocrystals (CNCs) (*cont.*)
 plants, 412
 polymeric reinforcement, 410
 production, 414–416
 properties, 413–414
- Cellulose nanofibrils (CNF)
 polymeric reinforcement, 410
 production, 411
 types, 411
- Cerium dioxide (CeO₂), 301
- Chemical vapor deposition (CVD), 435
- Chitosan nanoparticle-coated fungal metabolite (CNPCFM), 279
- Chitosan NP, 308, 309
- Computed tomography (CT), 430, 431
- Copper nanoparticles (CuNPs), 308
- Copper nanoparticles/chitosan/nanoporous alumina (CCSA) membranes, 124
- Copper oxide NPs (CuNPs)
 antibacterial activity, 147
 anticancer activity, 140–143
 antimicrobial activity, 143–146
 antioxidants activity, 117, 147, 148
 biosensing, 117–124
 catalysts, 124–138
 CO₂ conversion, 154
 diagnosis, 151–154
 drug delivery agents, 150, 151
 green syntheses, 116
 imaging, 149, 150
 metal, 115
 MNPs, 155
 MO NPs, 154
 nanobionic plants, 116
 optoelectronics, 138, 139
 plant extracts, 116, 155
 SWNTs, 116
 synthesis, 117
 therapeutic agents, 151–154
 wastewater removal and purification, 139, 140
- Cowpea mosaic virus (CMV), 302
- Crop plants
 NP
 growth and development, 312–313
 inhibitory effect, 313–314
- Cu₂O nanocages (Cu₂O-NCs), 120
- CuFe₂O₄/MIL-101/Graphene (CMG), 126
- Cytochromoxidase, 359
- D**
- Diagnostic magnetic resonance (DMR), 82
- Differential scanning calorimetry (DSC), 418
- Double-walled nanotubes (DWNTs), 435
- Drug delivery systems, 151, 179, 183, 186, 187, 193
- Dye-sensitized solar cells (DSSCs), 152
- Dynamic light scattering (DLS), 420, 421, 455, 459, 461
- E**
- Electrochemical oxidation (ECO), 137
- Electrochemiluminescence (ECL), 118, 120
- Electron transfer property, 19, 21
- Emulsion process, 270
- Endothelial ancestor cells (EPCs), 84
- Energy conversion, 46, 50, 51
- Energy dispersive spectroscopy (EDS), 455
- Engineered nanomaterials (ENMs), 179, 180, 183, 184, 194
- Enhanced permeability and retention (EPR), 25
- Ethylenediamine, 3, 5
- F**
- Fick's second law, 223
- Films, 202, 208, 209
- Fluid Injection Analytical (FIA) Systems, 358
- Fluorescence imaging (FI), 431
- Fluorescence resonance energy transfer (FRET), 305
- Foliar application, 323
- Food and Drug Administration (FDA), 224
- Food applications
 browning inhibitors, apple, 228
 controlled release, 229
 liquid smoke nanoparticles, 229
 nanostructured Nisin
 lean beef, 229
 orange juice, 228
- Food industries
 films, 208, 209
 liposomes, 203
 nanocomposite, 205
 nanoemulsions, 204
 nanoparticles, 206, 207
 nanostructured materials, 201–203
- Food quality
 microbial pathogens, 462
 nanotechnology, 466, 467
 postharvest, 467
- Foodborne diseases
 agriculture food production, 468
 cause factors, 462
 food safety, 453

health hazard, 453
pathogens, 453
Fourier-transforms infrared spectroscopy (FTIR), 13, 14, 70, 72, 419, 455, 459–461
Freundlich model, 70, 72
Fructosyltransferases, 366
Fungal spores (FS), 279
Fungicide formulation, 320

G

Gene delivery systems, 186–188, 190
Genotoxicity, 389, 398
Glucosinolates (GSLs), 144
Glucosyltransferases, 366
Glutaraldehydes, 359
Glyphosate isopropyl amine, 321
Gold electrode, 352
Gold nanoparticles (GNPs), 431
Good Agricultural Practice (GAP), 286
Graphene-CdTe quantum dots (G-CdTe QDs), 120
Graphite electrode, 352, 353
Green silver nanoparticle (GSN), 260
Green synthesis
advantages
biocompatible and nontoxic, 461
conventional methods, 460
larger-scale production, 460
Plasmon resonance, 461
approaches
catalytic activity, 459
characterization, 460
FTIR, 459
phytochemical screening, 459
plant extracts, 457
Plasmon resonance, 460
pod extracts, 459
TEM analysis, 459
mechanism, 456
plant broth preparation, 454, 455
single-step method
AgNO₃ concentration, 455
microorganisms, 455
techniques, 455

H

Halloysite clay nanotubes (HNTs), 442
Head and neck squamous cancer cells (HNSCCs), 95
Hematin, 24
Hepatitis B virus (HBV), 124

Herbicide formulation, 321
Hexacyanoferrate, 342
Hexahydrate chloride (2,2'-bipyridyl) ruthenium, 341
Hierarchical nanoporous (HNP), 121
Highest unoccupied molecular orbital (HOMO), 26
Histone deacetylase (HDACs), 141
Human dermal fibroblasts (HDF), 97
Hyaluridase, 23
Hydrogen evolution reaction (HER), 133
Hydrophilic–lipophilic balance (HLB), 270
Hydroponics, 322
Hydrothermal synthesis, 39
Hydroxyl (OH-), 9
1-Hydroxypyrene-3,6,8 trisulfonic acid, 341

I

Immunosensors, 340, 348
Indian goose grass, 321
Indium-tin-oxide (ITO), 140
Indocyanine green (ICG), 443
Ink-jet technology, 340
Inner filter effect (IFE), 23, 24
Insect pest management, 309
Insecticide formulation, 320
Integrated Pest and Disease Management (IPDM), 452
Integrated pest management (IPM), 273, 285
International Centre for Diffraction Data (ICDD), 62
Inverse gas chromatography (IGC), 421
Ion-selective field effect transistors (ISFETs), 358
Iron NPs, 78, 87–89, 92, 94, 97, 98
carbonaceous material, 58, 71, 72
removal of As, 57
use, 56, 57
zero-valent, 57, 70
Iron oxide nanoparticle micelles (ION micelles), 84
Iron oxide NPs (IONPs), 80, 81, 84–86, 89, 94, 95, 97, 98, 441

L

Layered double hydroxide (LDH), 193, 194
Light scattering spectroscopy (DLS), 460
Lipid exchange envelope penetration (LEEP), 183
Liposomes, 202, 203
Low energy ion scattering (LEIS), 455
Low-energy method, 270

- Lowest unoccupied molecular orbital (LUMO), 26
- Luminol-Au@Fe₃O₄-Cu₃(PO₄)₂, 118
- M**
- Magnesium oxide nanoparticles (MgO NPs), 315
- Magnetic nanoparticles (MNPs), 85, 94, 95, 99, 101, 433
- Magnetic particle imaging (MPI), 82, 85, 95
- Magnetic resonance imaging (MRI), 78, 82–86, 91, 93, 94, 149, 150, 430, 431, 439
- Material-based nanopesticide
 agrochemical (*see* Agrochemical pesticide nanoformulations)
 biocontrol agents (*see* Bio-active agent nanoformulation)
 controlled release mechanisms, 273
 nanomaterials, 273
 smart delivery systems, 273
- Matrix Assisted Pulsed Laser Evaporation (MAPLE), 341
- Metal-based nanopesticide
 inorganic and organic fungicides, 259
 mode of action
 antimicrobial activity and property, 263
 antimicrobial efficacy, 262
 entomopathogenic nematodes, 264
 fungal pathogens, 263
 inorganic nanomaterials, 260
 insecticidal bioactivity, 263
 microbial and nematicidal activity, 262
 multiple cellular mechanisms, 263
 nematicidal properties, 262
 pests and disease pathogens, 263
 physical, biological and chemical properties, 263
 plant pests and disease pathogens, 262
 root-knot nematode, 262
 toxic impact of AgNPs, 264
 nanoformulation
 antifungal and antiviral activity, 267
 antimicrobial agents, 267
 controlling plant diseases, 266
 environmental components, 267
 hydroponics systems, 267
 insecticidal properties, 266
 nanoform of copper, 266
 nanomaterials, 264, 266, 267
 physical and chemical properties, 266
 nanomaterials, 259
 nanoparticle
 biogold, 260
 bioiron, 260
 green and biosynthesis, 260
 GSN nematicidal effect, 260
 reducing and stabilizing agents, 259
 silver, 260
 pesticidal properties, 259
- Metribuzin, 321
- Metronidazole (MTZ), 126
- Michaelis-Menten mechanisms, 360
- Microbial cell factories, 190–192
- Microbial fuel cells (MFCs), 192, 193
- Microbial nanobionics
 cell factories, 190–192
 MFCs, 192, 193
 renewable energy, 190
- Microelectrodes, 351
- Microfibrillated cellulose (MFC), 411
- MicroRNA (miRNA), 300, 306
- Microscopy
 AFM, 420
 SEM, 419
 TEM, 420
- Microwave absorbers, 12
- Miniaturization, 339–341, 350, 363
- Minimum inhibitory concentration (MIC), 226
- Molecular recognition, 343, 344
- Multidrug resistance-associated protein (MRP), 95
- Multi-shelled hollow materials (MSHMs), 136
- Multi-walled carbon nanotubes (MWCNTs), 132, 237, 301, 435
- Murashige and Skoog (MS) media, 308
- N**
- N-(2-hydroxypropyl)-methacrylate (HPMA), 221
- N,N-Dimethylacetamide (DMAC), 130
- Nano-anatase, 244
- Nanobarcodes, 304, 305
- Nanobionics, 338, 340, 343, 361, 362, 364–369
- Nanobiosensors (NBSs), 90, 92, 304
 advantages, 340
 applications, 373
 biocompatible cells, 373
 biological components, 342–346, 348–350
 chemical/biochemical signal, 348
 DNA, nanotubes and semiconductor polymers, 351–353
 electrochemical, 354–359
 electrochemical measurement, 354

- electrochemical transducers, 355
- genetic engineering, 340
- GOx, 340
- immunosensors, 340
- industry/technology, 340
- ink-jet technology, 340
- insecticidal effect, 369, 371–373
- internal and external membranes, 360, 361
- microreactor, 340
- phytohormones, 373
- plant nanobionics (*see* Plant nanobionics)
- sensitivity, 341, 342
- Nanobiotechnology, 77, 79, 90
- Nanobubbles (NBs), 441
- Nanocapsules (NCs), 220, 221, 224–230
- Nanocellulose
 - BC, 411
 - birefringence analysis, 421
 - cellulose, 410
 - crystals, 422–424
 - DLS, 420, 421
 - IGC, 421
 - microscopy, 419–420
 - NFC, 410
 - novel techniques, 411
 - physical and chemical properties, 412
 - rheological characterization, 421
 - structural integrity, 410
 - thermal analysis, 418–419
 - XRD, 418
 - zeta potential (ξ), 416, 418
- Nanocomposites, 202, 205, 207
- Nanoemulsified systems, 269
- Nanoemulsions (NEs), 202, 204, 258, 318
- Nanoencapsulation, 202, 319
 - antimicrobials, 224, 226
 - antioxidants, 224–225
 - bioactive substances, 224
 - colorants, 227
 - conventional methods, 224
 - nanoparticle delivery systems, 224
 - vitamins, 224
- Nanofertilizers, 239, 243
- Nanofibrillated cellulose (NFC), 410, 411
- Nanofoods, 219
- Nanogels, 318
- Nanomaterials (NMs), 77, 79, 80, 90
 - anthropogenic waste materials, 377
 - antifungal impact, Ag NPs, 386
 - applications
 - food and agriculture, 184–186
 - gene delivery systems, 186–190
 - biofuel production, 191
 - carbon nanomaterials, 394, 397
 - description, 179
 - effect of graphene, 380, 383
 - engineered metal oxide nanoparticles, 181
 - ENMs, 179, 378
 - environmental pollutants, 395, 396
 - influence of graphene, 382
 - metal and metal oxide nanoparticles, 397, 398
 - microbial nanobionics (*see* Microbial nanobionics)
 - nanosize entities, 178
 - NPs/lettuce seeds, 389
 - photosynthetic process, 183
 - plant growth, 179–181
 - aluminum (Al), 390, 391
 - cadmium (Cd), 387
 - CNMs, 379
 - CNTs, 379
 - copper (Cu), 393
 - Cr toxicity, 394
 - gold (Au), 384
 - graphene and graphene oxide, 379, 383
 - iron oxide (Fe_3O_4), 391
 - in maize, 394
 - metal/metal oxide NPs, 383, 384
 - plant uptake, ENMs, 378
 - silver (Ag), 385, 387
 - titanium oxide (TiO_2), 388, 389
 - zinc (Zn), 392
 - plant nanobionics, 181, 182
 - positive/negative impact, 179
 - secondary metabolites, 194
 - use, 195
 - viruses, 189
- Nanometric systems, 227, 230
- Nanoparticles (NPs)
 - applications of, 247
 - biosynthesis, 303
 - classification of
 - carbon-based materials, 236
 - composites, 238
 - dendrimers, 238
 - fullerenes, 237
 - CNTs, 237
 - CT, 438, 439
 - fluorescence imaging, 442, 443
 - MRI, 437, 438
 - nanomaterials, 235
 - nanotechnology, 236
 - PAI, 443, 444
 - pesticidal effect, 245
 - PET, 440, 441
 - plant growth and development
 - disease management, 245–246

- Nanoparticles (NPs) (*cont.*)
- distribution and translocation, 239
 - germination and growth, 239
 - growth and development, 239
 - morphological and anatomical changes, 239
 - photosynthesis, 244
 - seed germination, 243
 - plant processes, 236
 - toxicity
 - direct and indirect effects, 246
 - photosynthetic or respiratory processes, 246
 - plants, 247
 - types of, 240–242
 - USI, 441, 442
- Nanoparticulate systems, 222
- Nanopesticides, 239, 246
- agricultural production, 256
 - agrochemical pesticides, 256, 286
 - bioactive agent, 256
 - biodegradable, 256
 - commercial product and uses
 - dip method, 280
 - fill and soak method, 280
 - impacts of nanoparticles, 281
 - nanochemical pesticide, 281
 - nanomaterials, 280, 281
 - spray method, 280
 - traditional methods, 280
 - crop pest, 256
 - environmental impact, 256
 - green technologies, 286
 - material-based (*see* Material-based nanopesticide)
 - metal-based (*see* Metal-based nanopesticide)
 - nanoformulation
 - agrochemical application, 259
 - applications of nanoemulsions, 257
 - colloidal system devices, 258
 - controlled release technology, 258
 - nanomatrix, 258
 - nanopesticide delivery methods, 258
 - NEs, 258
 - properties, 257
 - technique, 257
 - nanomaterials, 279, 285, 286
 - definition, 256
 - nanoformulation technique, 257
 - nanotechnology manufacturing system, 256
 - nanoparticle application, 256
 - oils-based (*see* Oils-based nanopesticides)
 - plant pest and disease management
 - advantage of, 283
 - agrochemicals, 282
 - antifungal properties, 283
 - antimicrobial effect, 282
 - bioactive agents, 282
 - biochars, 284
 - biocompatibility and biodegradability, 285
 - chemical and biological nanomaterials, 284
 - controlled release delivery system, 285
 - crop pest, 285
 - essential oil nanoemulsion, 282
 - hydroponics systems, 283
 - IPM concept, 284
 - mechanism of metal nanoparticle, 284
 - metal nanoparticles, 282
 - multiple cellular mechanisms, 283
 - nanoformulation system, 283
 - nanomaterials, 282, 284, 285
 - nanopesticide delivery methods, 282
 - plant-based pesticides, 285
 - smart delivery system, 282
- Nanosensors, 79, 90–92
- Nano-sized colloidal systems, 221
- Nanospheres (NSs), 220, 221, 229, 230
- Nanosuspensions, 319
- Nanotechnology
- agriculture/food sector benefits, 466
 - antimicrobials agents, 468
 - concept of, 218
 - description, 453
 - food industry
 - antioxidant and antimicrobial, 219
 - bioactive agents, 219
 - bioactive substances, 219
 - nanofoods, 219
 - nanotechnological technique/tool, 219
 - uses of, 219
 - impacts, 467
 - pharmaceutical industry, 219
 - physical and chemical properties, 218
 - research, 467
 - world economy, 218
- Near-infrared (NIR), 2, 18
- Neutron activation analysis (NAA), 62, 64
- Nitrogen-doped CDs (N-CDs), 3, 4, 13, 14
- Normal human dermal fibroblast (NHDF), 142
- Normal hydrogen electrode (NHE), 42, 45
- Nuclear magnetic resonance (NMR), 13

O

Oils-based nanopesticides

EO nanoemulsions

antimicrobial delivery systems, 269

emulsion process, 270

high energy methods, 270

ionic (polymeric) surfactants, 270

low-energy method, 270

nonionic surfactants, 270

ultrasonication emulsification
method, 270

water-in-oil type, 270

mode of action

camphor nanoemulsion, 271

green pesticide technology, 273

hydrophobic/hydrophilic bioactive
components, 272

nanoparticulate system, 272

pesticidal and antimicrobial, 271

PVA, 271

traditional emulsifiable concentrates, 273

phytochemicals, 268

plant

antimicrobial activities, 268

control released formulations, 269

cost-effectiveness and stability, 269

crop pest, 268

medicinal properties, 268

nanoemulsions, 269

nematotoxicants, 268

USEPA, 269

Optical absorption, 15, 17

Optical fiber, 347, 364–366

Optical fiber biosensors (FOBS), 364, 365

Optoelectronics, 138, 139

Organization for Economic Co-operation and
Development (OECD), 267

Oxygen evolution reaction (OER), 133

Ozone-assisted catalysis (OAC), 125

PPaper-based immunodevice for point-of-care
test (POCT), 123

Peach gum polysaccharide (PGP), 3, 5

Pencil graphite electrode (PGE), 127

Perchloroethylene, 342

Perovskite oxides

ABO₃, 36

applications, 49

applications and catalytic studies, 44, 45

band gap energy and crystal structure,
43, 50

band structure, 37

BO₆ octahedra, 36

carbon dioxide, 48

CaTiO₃, 36

cell configuration, 50

co-precipitation method, 38, 39

crystal phases, 37

electronic and optical properties, 37

greenhouse gases, 49

hydrothermal method, 39

ionic radii, 36

NO_x gases, 49

organic pollutants, 47

photocatalysis (*see* Photocatalysis)

photocatalytic water splitting, 46

photodegradation, 51

plasmonic photovoltaics, 50

solid-state method, 38

tolerance factor, 37

Peroxymonosulfate (PMS), 130

Photoacoustic imaging (PAI), 431

Photocatalysis

electronic properties, 40

HOMO, 26

light irradiation, 26

LUMO, 26

niobium based perovskite oxides, 43, 44

optical absorption, 39

process, 26

tantalum-based perovskite oxides, 41, 42

TiO₂ Degussa P25, 26titanium based perovskite oxides,
40, 41

UCPL, 18

Photocatalyst, 40, 42, 43, 45, 46, 48, 50, 51,
100, 101

Photodegradation, organic pollutants, 47

Photo-induced charge transfer (PCT), 23

Photo-induced electron transport (PET), 22

Photoluminescence (PL), 3

Photosynthesis, 179, 181–184

Photosystem II (PSII), 244

Photothermal therapy (PTT), 149, 150

Phytohormones, 343, 373

Phytotoxicity, 385, 391

Pineapple peel (PP)

composition and characterization, 59, 60, 62

iron nanoparticles, 58

trace elements, 71

Plant and foodborne pathogens

antimicrobial activity, 462–464

antimicrobials agents, 462

bacterial factors, 462

pathogenic microorganisms, 461

Plant Broth preparation, 454

- Plant diseases
 bacteria, 452
 IPDM, 452
 phytopathogenic organisms, 452
 secondary metabolites, 452
 synthetic chemical, 452
- Plant growth
 engineered metal oxide nanoparticles, 181
 nanomaterials, 179, 181
- Plant nanobionics, 181, 182
 applications, 364–369
 Clark electrode, 361–363
 engineered nanomaterials and
 photosynthesis, 183, 184
 FOBS, 364
 photosynthetic machinery, 182
 plant cell wall, 182
- Plant organelles
 nanobionic engineering, 193, 194
- Plants
 biosynthesis, NP, 303
 biotic stresses, 310–311
 cell walls, 338
 environmental stress, 338
 NBSs, 338
- Plastocyanine, 349
- Poly (caprolactone) (PCL), 221
- Poly (D,L-lactide-co-glycolide) (PLGA), 221
- Poly (glutamic acid) (PGA), 221
- Poly (lactic acid) (PLA), 221
- Poly (lactic-co-glycolic) (PLGA), 221
- Poly(acrylic acid)-b-poly(butyl acrylate)
 (PAA-b-PBA), 277
- Polyamide amine dendrimers (PAMAMs), 187
- Polychlorinated biphenyl (PCB), 86
- Polydi (carboxylatophenoxy) phosphazene
 (PCPP), 444
- Polydispersity index (PDI), 459
- Polyethylene glycol (PEG), 83, 91, 97, 99,
 100, 438
- Polyethyleneimine (PEI), 187
- Poly-L-cysteine/zinc oxide nanoparticles-
 electrospun copper oxide nanofibers
 (PLC/ZnO-NPs-CuO-NFs), 119
- Polymeric nanoformulations, 319
- Polymeric nanoparticles (PNP)
 advantages of use, 222
 antioxidant and antimicrobial, 218
 application of, 218
 biodegradable polymers, 221–222
 classification and methods of preparation, 220
 controlled release, 218, 220, 222
 encapsulation (*see* Nanoencapsulation)
- food applications (*see* Food applications)
- functionalities, 230
- micro and nanoemulsions, 218
- nanometric system, 230
- nanotechnology (*see* Nanotechnology)
- NCs, 220
- NSs, 220
- polymerization and synthesis methods, 219
- Polyvinyl alcohol/alginate-montmorillonite
 (PVA/Alg-MMT), 271
- Poly- ϵ -caprolactone (PCL), 221
- Porous Hollow Silica NPs (PHSNPs), 309
- Positron emission tomography (PET), 118,
 139, 149–151, 430, 431
- Potassium hydroxide (KOH), 38, 44
- Potassium niobite oxide (KNbO₃), 43, 44
- Potassium tantalate oxide (KTaO₃), 42
- Potentiometric method, 347
- Ppolyvinylpyrrolidone (PVP), 277
- Prostate-specific antigen (PSA), 119–121
- Protein drugs (PDs), 187
- Proton exchange membrane (PEM), 192
- Pyrroloquinoline, 342
- Q**
- Quantum dots (QDs), 305, 344
- Quantum yield (QY), 3, 4, 18
- R**
- Randomized amplified polymorphic DNA
 (RAPD), 371
- Reactive oxygen species (ROS), 308, 315, 316
- Receptor–analyte (R–A) interaction, 346
- Reference electrode, 8
- Resonance energy transfer (RET), 22
- Restriction fragment length polymorphism
 (RFLP), 371
- Rhodamine B (RhB) crystal violet, 124, 135,
 138, 140
- Rotating biological contactor (RBC), 140
- S**
- Scanning electron microscopy (SEM), 419, 455
- Seed germination, 385, 387, 388
- Semiconductor quantum dots (SQDs), 2
- Sensing
 chemical compounds, 23
 fluorescence mechanism, 22, 24
 hematin, 24
 hyaluronidase, 23

- Signaling molecules, 340, 343, 347
- Silica nanoparticles (SiO₂NPs), 307, 432–433
- Silver nanoparticles (AgNPs), 264, 307
- action mechanisms, 464, 465
 - agriculture/food sector, 466–467
 - food quality, 468
 - plant and foodborne pathogens, 461, 464
 - plant-mediated synthesis, 457–458
 - plant pathogenic fungi, 316
 - and ZnO, 317
- Silver nitrate (AgNO₃), 455
- Single nucleotide polymorphism (SNP), 371
- Single-photon-emission computed tomography (SPECT), 435
- Single sequence repeat (SSR), 371
- Single-walled carbon nanotubes (SWCNTs), 116, 237, 244, 301, 435
- Small interfering RNA (siRNA), 25
- Smart packaging
- applications, 210–212
 - biodegradability, 213
 - classification, 210
 - environmental issues, 210
 - organoleptic properties, 209
 - terminologies, 210
- Sodium hydroxide (NaOH), 38
- Sodium niobite oxide (NaNbO₃), 43
- Sodium tantalate oxide (NaTaO₃), 42
- Soil application, 322
- Speed control mechanisms, 223
- Squamous cell carcinoma (SCC), 439
- Strontium titanate oxide (SrTiO₃), 40
- Sub-Saharan Africa (SSA)
- Ag NPs (*see* Silver nanoparticles (Ag NPs))
 - nanotechnology, 467, 468
- Sunhemp rosette virus (SHRV), 263
- Superparamagnetic iron oxide nanoparticles (SPIONs), 82–85, 87, 93–95, 98–100, 150, 437, 441
- Surface-enhanced Raman scattering (SERS), 149
- Surface Plasmon resonance (SPR), 304
- Systemic acquired resistance (SAR), 321
- T**
- Tetraethylene glycol (TEG), 438
- Theranostic approach, 439
- Thermal analysis
- DSC, 418
 - FTIR spectroscopy, 419
 - TGA, 418
- Thermogravimetric analysis (TGA), 418
- Tilacloids, 366, 367
- Top-down approaches
- arc discharge
 - black suspension, 8
 - carbon nanomaterials, 7
 - plasma, 7
 - schematic drawing, 8 - electrochemical carbonization
 - non-selective method, 8
 - OH- group, 9
 - reference electrode, 8
 - treatment, 9 - laser ablation
 - organisms, 9
 - quantum confinement, 9
 - vacuum method, 9
- Toxicity
- Ag NPs, 385, 387
 - Al, 390
 - Au, 384
 - bioaggregation, 398
 - Cd, 394
 - Cr, 394
 - ENMs, 394, 397
 - genotoxicity, 389
 - metals, 378
 - NMs, 378 (*see also* Nanomaterials (NMs))
 - phytotoxicity, 387, 391
 - Zn, 392
- Traditional colloidal systems, 222
- Transmission electron microscopy (TEM), 420, 438, 455, 459, 460
- Tumor necrosis factor (TNF- α), 441
- Turnip mosaic virus (TMV), 302, 306
- Turnip yellow mosaic virus (TYMV), 306
- U**
- Ultra sound contrast agents (UCAs), 441
- Ultra-small super paramagnetic iron oxide (USPIO), 441
- Ultrasound imaging (USI), 431
- Uncoated fungal metabolite (UFM), 279
- United States Environmental Protection Agency (USEPA), 56, 269
- Up-converted photoluminescence (UCPL)
- emission wavelength, 18–20
 - monochromator, 18
- UV-vis spectra analysis, 455

V

Vaccines

bacterial sources, 192

VLPs, 190

Virus-like particle (VLP), 187, 189, 192

W

Wastewater treatment, 87, 88, 90

X

X-ray diffraction (XRD), 418, 455

X-ray photoelectron spectroscopy (XPS), 13,
14, 65, 67**Z**Zeta potential (ξ), 416, 418

Zinc oxide nanoparticles (ZnONPs), 308