

Index

A

Accurate medical history, 29–31
Atomic force microscopy (AFM), 86–89

B

Beer–Lambert law, 47
Bi-directional scattering distribution functions (BSDF), 7

C

Carbon dioxide (CO₂), 45
CariesVu, 6
Clinical attachment loss (CAL), 61, 65
Color power Doppler (CPD), 51
Confocal laser scanning microscopy (CLSM), 87, 90
Cross polarization OCT (CP-OCT), 13

D

Dental caries
 assessment
 occlusal lesions, 18
 root caries, 18, 19
 sealants, 19
 caries lesions, 1, 2
 conventional methods, 2, 3
 demineralization, 1, 19–21
 DiFoti, 3
 fluoride, 1
 FOTI, 3, 4
 occlusal transillumination, 4–6
 OCT, 11–13
 optical transillumination, 3
 proximal areas, 3
 PS-OCT, 13–17
 QLF, 9–11
 red/porphyrin fluorescence, 8, 9
 reflectance imaging, 7, 8
Dentinal–enamel junction (DEJ), 18, 21
Diagnocam, 6
Diagnodent, 9
Digital fiber-optic transillumination system (DiFoti), 3
Digital imaging technology, 3

Doppler OCT (DOCT), 77, 79
Dopplerograms, 72, 73
Doppler principle, 49, 67, 71

E

Electric pulp testing (EPT), 42, 43, 45, 48, 50
Electronic pulp testing, 53
Electronic thermography, 47
Endodontics
 bite test, 41, 54
 dental history, 30, 32
 EPT, 42, 43, 45, 48, 50
 isolated anesthesia, 42, 42, 38
 mechanical tests, 38
 medical history, 29–31
 nonionizing optical methods, 47–52
 palpation, 38, 53
 patient examination, 32–35
 percussion, 38–40
 periodontal examination, 37–38
 pulp status, 35–37
 test cavity, 41–42
 thermal testing, 43
 cold, 44–45
 electronic thermography, 47
 heat, 45–46
 plethysmography, 46–47
 surface temperature, 46
 transillumination, 40–41
Endoscopic OCT, 77

F

Fast Fourier Transform (FFT) analysis, 49
Fiber-optic transillumination (FOTI), 3, 4
Flavin adenine dinucleotide (FAD), 100
Fluorescence *in situ* hybridization (FISH), 87
Fourier domain (FD), 75

G

Galvanometers, 12
Gingival crevicular fluid (GCF), 73

Gingival microcirculation (GM), 62, 63, 67–70
Gutta percha, 34, 45, 46

H

High speed Fourier domain systems (FD-OCT), 12, 75

I

Identafi™ system, 102, 103
Infrared (IR) spectroscopy, 73
International Caries Detection and Assessment System (ICDAS), 2
Isolated anesthesia, 38, 42

L

Laser Doppler flowmetry (LDF), 49, 50, 54
 blood flow wave patterns, 62
 gingival dam, 62
 gingival microcirculation, LDI, 62, 67–70
 gingival surgery, 66, 67
 healthy and inflamed gingiva, 63–65
 non-smoker patients, 67, 68
 post-surgical gingival recovery, 65, 66
 root planning, 64, 65
 smokers, 67
Laser Doppler imaging (LDI), 67–70
Laser induced fluorescence (LIF), 9
Light sheet fluorescence microscopy (LSFM), 87, 89, 90
Linear discriminant analysis (LDA), 73

M

Magnetic resonance imaging (MRI), 52, 54
Microelectromechanical (MEMS), 12, 19, 21
Multiphoton fluorescence microscopy (MPM), 87, 89, 91–94

N

Near-infrared (NIR) spectroscopy, 5, 73, 74
Nicotinamide adenine dinucleotide (NADH), 100

O

Occlusal caries lesion (QOC), 18
Optical coherence, 54
Optical coherence domain reflectometry (OCDR), 11
Optical coherence microscopy (OCM), 90
Optical coherence tomography (OCT), 11–13, 48, 49, 90–93, 105–107
 calculus detection, 70, 71
 gingival sulcus, 70
 imaging dental microstructure, 70
 PDL, 71
 periodontal probing, 71
 probing methods, 70
Oral biofilm
 AFM, 87–89

bacterial species diversity, 90
CLSM, 87
co-localized OCM, 93, 95
component species, 92
elements, 90
intra-oral imaging, 92–94
LSFM, 89, 90
microcolonies, 90
MPM, 87, 89
OCT, 90–93
overview, 86
peri-implantitis, 88, 92, 94
preventive/interventional approaches, 92
salivary pellicle, 92
tooth cleaning, 93

Oral cancer

chemiluminescence, 103, 104
high resolution fluorescence imaging, 108
OCT, 105–107
overview of, 99, 100
photosensitizers, 104, 105
smartphone snap-on, 107, 108
tissue fluorescence
 altered cellular structure, 100
 Identafi™ system, 102, 103
 Microlux system, 103
 spectroscopy, 100
 tissue autofluorescence, 100
 VELscope™ system, 101, 102
Oral potentially premalignant lesions (OPMLs), 99

P

Palpation, 38, 53
Percussion, 38–40, 53
Perfusion units (PU), 49
Periodontal diseases
 clinical applications, 77
 diagnostic procedures, 61, 62
 factors, 78
 in vitro images, 77
 in vivo imaging, 77, 78
 IR spectroscopy, 73
 LDF (*see* Laser Doppler Flowmetry)
 limitations, 77
 movement artifacts, 77
 NIR spectroscopy, 73, 74
 OCT (*see* Optical coherence tomography)
 optical probe design, 79
 overview, 59–61
 prevalence of, 78
 refractive indices, 78
 target tissue composition and uniformity, 78
 traditional methods *vs.* minimally invasive new imaging methods, 74–76
 UFM, 71–73
Periodontal ligament (PDL), 37, 38, 71
Picture Archiving and Communication System (PACS), 79
Polarization sensitive OCT (PS-OCT), 13–17, 77

Pulpal blood flow (PBF), 50
Pulpal diagnosis *see* Endodontics
Pulse oximetry (PO), 47, 48, 53

Q
Quantitative light fluorescence (QLF), 9–11

R
Reference standard, 35
Region of interest (ROI), 17
Rotating Kernel Transformation (RKT), 18

S
Scanning probe microscopy (SPM), 87–89
Selective anesthesia, 54
Selective plane illumination microscopy (SPIM), 89–90
Spectral domain (SD-OCT) systems, 12
Sweep Imaging with Fourier Transform (SWIFT), 52
Swept-source optical coherence tomography (SSOCT) technique, 70

T
Thermal testing, 43
 cold, 44, 45, 53
 electronic thermography, 47
 heat, 45, 46, 53
 plethysmography, 46, 47, 53
 surface temperature, 46, 53
Time-domain OCT systems (TD-OCT), 12
Transillumination, 40, 41, 54
Two-dimensional (2D) radiographs, 75

U
Ultramicroscopy, 90
Ultrasonic flow meters (UFM), 71–73
Ultrasound technology, 50–52, 54

V
VELscope™ system, 101, 102
ViziLite Plus® system, 104

W
Waste treatment, 86