

# Index

## A

Abiotic, 2, 13, 30, 100, 146, 150, 176, 190, 242, 269, 274, 323, 330, 414

Abiotic stress, v, vi, 10, 11, 16, 17, 20, 24, 33, 95, 100, 118, 134, 142, 146–149, 152, 171, 174–176, 188, 192, 198, 231, 238, 243, 272, 279–283, 285, 286, 292, 296, 300–302, 318, 321, 327, 330, 331, 344, 365, 374, 378, 379, 388, 406, 408, 411, 414, 419, 423, 464, 465, 477, 483, 484, 489, 492, 493, 498, 505, 506, 508, 560, 563, 564, 574, 577–579, 583, 584

Accessions, 18, 34–35, 63–66, 88, 93, 95, 96, 109, 115, 135, 137–141, 144, 148–150, 169, 174–179, 191, 195, 232–234, 236–240, 248, 274–276, 278–281, 284, 288, 292, 295, 297–300, 318–320, 367, 379, 380, 383, 384, 387, 393, 399, 413, 414, 416–418, 493, 494, 496–499, 537, 566, 568, 569

Adaptation, 13, 31, 52, 66, 104, 120, 143, 153, 171, 260, 262, 264, 271, 280, 285, 292, 293, 301, 302, 327, 328, 362, 374, 407, 411, 413, 423, 435, 479, 483, 484, 489, 490, 492, 493, 495–499, 502, 507, 508, 510, 566

Advanced breeding lines, 501, 564

A genome, 431

Agriculture, v, vi, 2, 10, 11, 17, 31, 51, 52, 70, 84, 88, 93, 97, 100, 103, 105, 106, 108, 110, 119, 120, 137, 174, 179, 199, 231, 232, 270, 274, 293, 301, 302, 366, 367, 373, 379, 412, 414, 418, 425, 436, 438, 440, 454, 464, 488, 508, 509, 538, 585

*Agrobacterium*-mediated transformation, 23, 111, 117, 118, 134, 152, 388, 424

Alleles, 15, 25, 31, 32, 63, 95, 108, 114, 115, 117, 143, 150, 152, 171, 191, 236–238, 288, 294, 297, 298, 319, 321–323, 327–329, 354, 420, 431, 433, 459, 462, 489, 493, 495, 499, 500, 503, 508, 528, 535, 560, 566, 573, 574, 582, 583

Allergenicity, 542, 549

Allotetraploid, 84, 86, 135, 228, 287, 298, 384

Amplification, 65, 144, 178, 190, 326, 327, 385

Amplified fragment length polymorphism (AFLP), 28, 64–67, 71, 173, 191, 236, 297, 326, 362, 384, 419, 425, 537, 571, 576

Andean region, 32, 262, 264–270, 272, 273, 275, 276, 278, 279, 281, 283, 292, 297, 300, 301

Androgenesis, 424, 547

Anther culture, 68, 240, 244, 246, 322, 323, 424, 425, 502, 545–547, 549

Apomixis, 66, 183–186

Arid, 84, 100, 135, 146, 152, 166, 169, 178, 187, 197, 262, 275, 281, 490

Association mapping (AM), 150, 174, 191, 362, 420, 484, 496, 497, 568

*AVPI* gene, 118

## B

Baker's asthma, 529

Baking, 347–349, 360, 361, 429, 430, 433–435, 501, 526, 532, 536, 540

Barley, vi, 2–33, 56, 98, 115, 134, 225, 236, 243, 260, 264, 329, 344, 347, 362, 374, 376, 377, 385, 411–414, 416, 423, 436, 457, 480, 485, 526, 528, 533, 534, 561

- Biodiversity, 14, 17, 35, 65, 94–98, 153, 171–180, 272–278, 377, 379, 380, 384, 399, 536
- Biofortification, 153, 154, 195–197, 244, 248–249, 323–324
- Biogas, 345, 348, 349, 408
- Bioinformatics, 21, 23, 24, 28, 70, 146, 149, 192, 193, 299, 329, 428, 464, 465, 574
- Biolytic transformation, 190
- Biosafety, 324, 389, 463, 464
- Biotechnology, v, vi, 10, 12–14, 16, 32, 34, 97, 111–114, 134, 143–154, 188–193, 198, 244–251, 292, 295–300, 302–304, 333, 334, 385–388, 398, 424, 454, 464–466, 544, 571, 578, 583, 584
- Biotic, 2, 13, 31, 100, 102, 103, 150, 190, 242, 270, 274, 323, 330, 414, 420, 564
- Biotic stress, v, vi, 10, 11, 17, 20, 31, 33, 94, 100, 134, 142, 146–148, 171, 176–178, 188, 189, 238, 243, 269, 272, 283–286, 292, 296, 300–302, 318, 321, 327, 330, 331, 344, 374, 378, 379, 388, 406, 408, 411, 419, 423, 464, 465, 492, 498, 560, 574, 577–579, 583, 584
- Bird seed, 52, 53, 239
- Blotch diseases, 507
- Bolivia, 260–262, 264, 266, 272–276, 278, 280, 284–286, 290, 297, 301, 303, 304
- Bread, 3, 58, 59, 229, 344, 345, 348, 361, 374, 377, 414, 424, 429, 433, 435, 473, 480, 537, 540, 542, 543
- Bread wheat, 329, 407, 416, 431, 437, 454–464, 473, 474, 476, 479, 487, 489, 490, 492, 493, 495–500, 503–505, 532, 535–540, 545, 549, 550, 561, 562, 566, 574, 575, 578
- Breeding, v, 2–33, 48–71, 84–119, 134–153, 166–198, 224–249, 260–303, 318–333, 344–365, 373–397, 406–436, 454, 463, 464, 472–508, 526–550, 560–584
- behavior, 391
- plan, 352, 354
- program, v, vi, 10, 13, 14, 29, 62, 66, 68, 85, 94, 96, 104, 115, 119, 145, 146, 151, 153, 232, 239, 240, 242, 244, 246, 248, 249, 279, 285, 287, 321, 325, 327, 333, 349, 388, 389, 392, 397, 408, 414, 416, 417, 420, 423, 424, 426, 428, 429, 463, 464, 472, 479, 484, 489, 490, 493–495, 500–502, 504, 505, 508, 527, 532, 536, 537, 543, 545, 550, 560, 563–566, 570, 575, 577–579, 582, 584, 585
- progress, 20, 224–249, 356, 359–361, 365, 577
- Broomcorn millet, 225
- C**
- CaMV* 35S promoter, 461
- Candidate gene, 12, 23, 115, 144, 147, 148, 152, 193, 298, 300, 320, 321, 324, 326, 364, 496, 574
- Cappelli, 479, 491
- Carbohydrate, 23, 74, 137, 196, 228, 284, 301, 376, 432, 433, 484, 526, 527, 530, 540, 561, 562
- Cas9 promoter, 461, 463
- C4 crops, 230
- Celiac disease (CD), 58, 59, 225, 229, 377, 526–531, 533
- Celiacs, 538
- Cereals, 2, 48, 84, 134, 166, 224, 261, 318, 344, 373, 406, 462, 472, 526, 560
- Chil1* gene, 118
- Chimeroplast, 456
- Chloridoideae, 91, 377, 385
- Classification, 3, 62, 65, 95, 135, 168–169, 171, 172, 260, 377, 378, 380, 384, 473, 474, 528, 540, 561, 567
- Climate, vi, 2, 8, 9, 11, 84, 98, 100, 114, 119, 141, 170, 174, 249, 268, 272, 281, 283, 285, 289, 303, 327, 348, 350, 356, 362, 477, 487, 498, 499, 502, 507, 536, 560, 562
- Climate changes, 17, 31, 94, 110, 111, 120, 146, 150, 153, 178, 249, 269, 279, 302, 318, 327, 350, 365, 397, 454, 464, 472–508, 583, 584
- Climate-smart, 153, 166, 249, 508
- Clustered regularly interspaced short palindromic repeats/associated Cas9 protein (CRISPR/Cas9), 108, 243, 249, 331, 332, 454–464, 504
- Clustered regularly interspaced short palindromic repeats (CRISPRs), 153, 243, 330–332, 426, 455, 457–459, 462–464, 580
- Coeliac disease (CD), 462
- Cold stress tolerance, 486
- Cold treatment, 546–547
- Collinearity, 328
- Common millet, 224, 225
- Common wheat, 428, 459, 493, 504, 560, 581
- Compacta, 89, 91
- Comparative genomics, 19, 148, 300, 328–329

- Composite, 13, 104, 106, 170, 182, 183, 201, 202, 204–207, 248, 263, 264, 320, 321, 527
- Conservation, 14–19, 32, 35, 62–66, 68, 70, 73, 86, 94–98, 119, 137–142, 154, 168, 171–179, 198, 230, 231, 233–235, 250, 251, 272–278, 299, 327–329, 361, 362, 377, 379, 380, 384, 415–418, 488, 560, 566–570
- Consumer, 59, 285, 374, 377, 504, 526, 527, 538
- Contact method, 104
- Conventional breeding, 10, 12, 13, 106, 114, 142–143, 181–188, 193, 231, 285–296, 321, 323, 414, 424, 532, 577
- Conventional breeding approaches, 134, 151, 238–240, 463, 464, 489, 490
- Conventional mutagenesis, 26, 27
- CRISPR associated protein 9 (Cas9), 331, 457, 458, 463, 577, 578
- Cropping system, 119, 194, 226, 230, 231, 562
- Cultivars, v. 2, 60, 84, 134, 170, 231, 264, 318, 344, 380, 406, 472, 531, 560
- Cultivation, 2, 3, 10–14, 52–56, 58, 59, 62, 66, 71, 73, 86, 97, 99, 108, 110, 121, 141, 155, 166, 170, 171, 177, 183, 198, 200, 203, 224, 239, 251, 260, 264, 265, 267–270, 272, 276, 279, 286, 295, 301, 302, 335, 348, 356, 362, 374, 375, 377–379, 399, 411–415, 430, 437, 459, 464, 476, 478, 479, 486, 489, 491, 507, 510, 536, 550, 562–565, 585
- Cultivation practices, 52–53, 98–99, 170, 264
- Cysteine, 48, 56–58, 68, 69, 84, 230, 261, 431
- Cytogenetics, 14, 19, 32, 48, 61, 86, 94, 170, 180–181, 384, 424, 569, 570
- Cytoplasmic male sterility (CMS), 142, 186–189, 194, 195, 350–356, 363
- D**
- Database, 14, 23, 29, 37, 107, 141, 143, 145, 149, 152, 193, 243, 297, 330, 361, 388, 428, 498, 500, 531, 571, 573
- Decumbent, 89–91, 95
- Defoliator, 101
- Diabetes, 59, 85, 196, 229, 532
- Diabetics, 9, 54, 58, 377
- Dinitroaniline herbicides, 117
- Disease resistance, 12, 15, 28, 29, 31, 60, 103, 104, 108, 114, 115, 118, 134, 141, 142, 171, 240, 244, 263, 271, 302, 321, 344, 349, 353, 365, 424, 435, 437, 460, 486–488, 491, 492, 496, 497, 500, 504, 510, 536
- Diseases, 10, 13, 17, 25, 26, 53, 59, 66, 67, 84, 100–103, 107–109, 111, 114, 118, 119, 121, 170, 176–178, 181, 185, 198, 202, 229–231, 239, 240, 249, 266, 268–270, 274, 278, 284–286, 290, 292, 293, 296, 301, 302, 320, 321, 323, 329, 331, 374, 412–414, 420, 421, 423, 433, 437, 440, 442, 462, 472, 477, 479–483, 487, 498, 499, 506, 508, 526, 532, 536, 537, 540, 563, 570, 579, 581, 584
- Diversity, v. 3, 51, 85, 136, 169, 224, 262, 318, 347, 377, 413, 459, 478, 536, 560
- DNA markers, 20, 64, 66, 143, 237, 244, 245, 247, 567, 571, 573, 584
- DNA sequence, 22, 23, 66, 145, 228, 242, 297, 299, 320, 328, 331, 383, 455, 458, 492, 560, 569, 571, 583
- Domestication, 2, 10, 48, 50, 51, 86, 93, 95, 136, 169, 172, 224, 226, 237, 238, 262–264, 327, 345, 347, 348, 377, 378, 459–461, 463, 474, 477–479, 494, 535, 566
- Double haploid (DH), 27, 191, 244–246, 295, 322–323, 351, 415, 419, 420, 424, 425, 495, 502, 503, 545, 550
- Downy mildew, 155, 170, 176, 181, 183, 185–187, 189, 191, 192, 194, 195, 200, 201, 203–206, 208, 266, 268, 270, 274, 284, 289, 291, 295, 297
- Drought, 2, 11, 12, 14, 25, 31, 32, 36, 52, 66, 71, 84, 100, 108, 109, 114, 115, 118, 119, 121, 134, 139, 147, 148, 152, 153, 155, 168, 170, 171, 174, 178, 181, 188, 192–195, 197, 205–208, 226, 230, 231, 262, 270, 274, 278–283, 289, 290, 292, 299–302, 319, 321, 325, 326, 335, 350, 379, 393, 408, 411, 419, 461, 463, 472, 476, 477, 482–485, 490, 496, 498, 507, 534, 563, 565, 574, 576, 579, 584
- Drought tolerance, 25, 29, 35, 53, 55, 73, 108, 110, 114, 115, 121, 122, 134, 137, 139, 141, 142, 149, 152, 155, 174, 189, 203, 226, 235, 249, 251, 280, 300, 302, 321, 323, 327, 365, 389, 396, 397, 399, 439, 472, 484, 490, 495, 499, 501, 563, 574, 579
- Dryland farming, 230
- Durum wheat, 12, 16, 144, 416, 428, 430, 431, 433, 436, 441, 459, 461, 462, 472–508, 562, 566, 574

**E**

- EcNAC1 gene, 115  
 Economically important traits, 114  
 Ecotypes, 52, 63, 106, 170, 172, 176, 194, 264, 266, 272–276, 279, 280, 282, 289, 297, 299, 380–382, 387  
 Eleusine spp., 84–88, 90, 93  
   *E. africana*, 86, 93, 94, 111  
   *E. coracana*, 84–119, 224, 377  
   *E. floccifolia*, 86, 87, 93, 94, 97  
   *E. indica*, 86, 87, 93, 94, 97, 117, 320, 322, 324, 326  
   *E. intermedia*, 86, 87, 94  
   *E. jaegeri*, 86, 87, 94, 97  
   *E. kigeziensis*, 86, 87, 111  
   *E. multiflora*, 86, 87, 94, 97  
   *E. tristachya*, 86, 87, 94, 97  
 Elongata, 89, 90  
 Enhanced traits to improve durum wheat under climate change, 472  
 Eragrostideae, 377  
*Eragrostis tef*, 373–397  
 Ergot, 170, 176, 181, 188, 347, 349, 356, 408, 412, 414, 439  
 Ethanol, 230, 350  
 Ethyl methanesulfonate (EMS), 106, 107, 155, 193, 194, 244, 325, 326, 389, 426, 455, 491, 579  
 Expansin, 542–544  
 Expressed sequence tags (EST), 22, 115, 143–147, 149, 173, 191, 192, 297, 298, 328, 362, 385  
 Ex situ conservation, 17, 18, 32, 96, 178, 179, 274–275, 327, 417, 568

**F**

- Farmers, 2, 3, 13, 31, 52–54, 59, 62, 63, 66, 71, 99, 100, 110, 119, 137, 178, 182, 187, 197, 198, 231, 260, 263, 266, 267, 272, 275, 278, 283, 287, 292, 301, 324, 356, 360, 373, 374, 377–379, 384, 393, 396, 414, 465, 476, 489, 494, 564, 566, 568, 582  
 Feeding value, 347  
 Fermentable oligosaccharides, disaccharides, monosaccharides and polyols (FODMAPs), 527, 530–535, 540–544, 549, 550  
 Floral biology, 91, 271, 390  
 Flour quality, 543  
 Fonio, vi, 48–71  
 Fonio production, 48, 54–56

- Food and Agriculture Organization (FAO), v, 11, 17, 18, 26, 29, 31, 37, 54, 56–58, 93, 107, 260, 262, 269, 274, 345, 348, 388, 408, 428, 491, 561, 562  
 Food security, vi, 31, 52, 56, 67, 71, 100, 110, 150, 153, 198, 249, 262, 276, 318, 322, 435, 472, 485, 562, 584  
 Forage, 11, 49, 87, 120, 142, 174, 177, 181, 182, 187, 195, 197, 208, 361, 408, 412, 417, 420, 428, 429, 435, 439, 441  
 Foxtail millet, vi, 84, 134–153, 166, 224, 225, 243  
 Frost tolerance, 25  
 Fructans, 432, 433, 530, 531, 533–535, 543, 545  
 Functional genomics, 22–23, 134, 146, 148, 149, 190, 191, 318, 319, 326, 328, 334, 493, 577  
*Fusarium*, 28, 268, 349, 365, 408, 412, 414, 420, 477, 481, 488, 499, 500, 506, 576, 581

**G**

- Gamma radiation, 61, 294, 428, 455  
 Gene  
   bank, 17, 35, 96, 139, 178, 179, 198, 232, 234, 361, 366, 416, 417, 550, 566–569  
   expression, 23, 146–148, 152, 192, 299, 300, 318, 325, 329–330, 332, 462  
   introgression, 292, 327–328  
   pyramiding, 118, 292, 296, 321, 322  
 Gene pool (GP), 15, 16, 30, 32, 51, 61, 86, 94, 110, 135, 171, 172, 190, 197, 198, 204, 348, 352, 354, 363, 367, 417, 428, 435, 508, 566  
 General combining ability (GCA), 182, 183, 186, 353, 354, 364, 365, 578  
 Genetically modified, 25, 459, 464  
 Genetically modified wheat, 459  
 Genetic diversity, 3, 61, 94, 137, 169, 233, 262, 318, 361, 379, 413, 464, 479, 536, 560  
 Genetic engineering, 12, 14, 24, 25, 32, 68, 111, 114, 134, 148, 189, 190, 243, 244, 321, 362, 377, 385, 435, 458, 462, 465, 484, 504, 577–580  
 Genetic maps, 14, 114, 144, 149, 246, 298, 318, 320, 362, 385, 418, 419, 495, 497, 503  
 Genetic resources, 2, 12, 14, 15, 17–19, 32, 34, 35, 37, 62, 65, 67, 68, 71, 73, 74, 96, 97, 121, 122, 137, 154, 155, 168,

- 171–180, 189, 200, 202–208, 232–235, 251–252, 292, 333, 335, 362, 365–368, 378, 384, 399–400, 408, 415–417, 437–443, 478, 495, 505, 510, 550, 560, 566, 568–569, 583, 585–586
- Genetic transformation, 23, 68–70, 111, 151, 153, 244, 387, 415
- Genetic trends, 356, 359, 360
- Genome-assisted breeding (GAB), 148
- Genome editing, 103, 111, 119, 153, 243, 244, 249, 330–332, 426, 427, 454–464, 504, 577, 579, 580
- Genome editing in wheat, 459, 464
- Genomes, 5, 51, 87, 134, 145, 178, 224, 296, 318, 362, 384, 454, 489, 531, 560
- Genome-wide association study (GWAS), 150, 191, 364, 496, 497, 564, 573, 574, 576
- Genomic in situ hybridization (GISH), 93, 424, 570
- Genomics, v, 14, 19, 22, 23, 70, 114, 134, 146, 148–150, 152–154, 170, 178, 190, 191, 225, 246–250, 300, 318, 319, 328–330, 333, 362, 366, 398, 413, 472, 493, 498, 508, 509, 577
- Genomic selection (GS), 20, 147, 244–246, 249, 364, 365, 418, 489, 500–501, 573, 575, 576
- Genotypes, 8, 51, 84, 139, 174, 233, 261, 323, 350, 379, 417, 479, 531, 560
- Germplasm, 13, 60, 86, 134, 171, 225, 270, 318, 345, 377, 413, 465, 473, 527, 560
- Germplasm banks, 15, 274, 275, 284
- Germplasm centers, 34–35, 198, 379
- Glomeruli, 283, 287, 289
- Gluten, 3, 58, 59, 377, 430, 431, 434, 476, 486, 501, 526–529, 531, 532, 537, 539, 549, 562, 576
- Gluten-free, 167, 225, 229, 249, 377, 462, 526, 532–535
- Gluten-free diet (GFD), 229, 526, 527, 532
- Grain yield (GY), 11, 25, 37, 95, 96, 99, 101, 110, 114, 115, 119, 141, 154, 174, 186, 231, 244, 246, 266, 269, 274, 280, 282, 283, 294, 320, 322, 345, 349–351, 354, 356, 357, 359–361, 363–365, 374, 379, 380, 384, 386, 393, 394, 399, 420, 429, 435, 441, 476, 480, 485, 487, 496, 501, 504, 505, 507, 560, 563, 565, 574–576, 582–584
- Grass, 2, 4, 84, 87, 134–136, 146, 168, 172, 197, 228, 243, 344, 377, 385, 482
- Guinea, 48, 49, 51, 52, 54–56, 72
- Guli vidhana*, 99
- Gynomonica, 287
- H**
- Haploids, 5–7, 13, 27, 68, 94, 180, 183, 191, 246, 247, 322, 323, 424, 462, 502, 545, 549, 578, 584
- Hausa, 48, 167
- Heat tolerance, 171, 174, 175, 189, 271, 283, 302, 303, 483–484, 495, 501, 574, 576
- Helminthosporium* spp., 53
- Herbicides, 37, 52, 98, 117, 267, 378, 396, 412, 482, 492, 511, 536
- Herbicides resistance, 117, 142, 332, 492
- Heritability, 2, 60, 175, 181, 349, 350, 429, 484, 490, 501, 534, 565
- Hexaploid genomes, 329, 428, 569
- Hexaploids, 430
- Hidden hunger, 67, 70, 119
- High-throughput phenotyping (HTP), 176, 185, 196, 242, 246, 472, 493, 505–507
- Hordeum vulgare* L., 2–33, 344, 533, 561
- Human health, 549
- Hybrid breeding, 10, 29, 106, 153, 154, 185, 344–365
- Hybridization, 10, 12, 15, 16, 29–32, 86, 94, 103–106, 110, 114, 134, 142, 144–147, 181, 188–190, 228, 238–240, 242, 285, 287–292, 296, 299, 319, 323, 330, 379, 387, 389–394, 396, 406, 428–430, 435, 457, 459, 478, 502, 535, 561, 566, 569, 571
- Hybrids, 10, 86, 142, 170, 230, 271, 322, 344, 406, 570
- Hypoglycemic, 85
- I**
- Ideotypes, 473, 490, 507
- Immuno-reactivity, 543
- Impact of climate change on durum wheat, 508
- Improvement, 2, 55, 94, 134, 170, 227, 271, 318, 345, 377, 407, 454, 472, 536, 564
- InDels, 174, 192, 326, 496
- Indo-African cultivars (Indaf cultivars), 106, 108
- Injera*, 374, 377
- In situ conservation, 17, 32, 97, 119, 178, 179, 233, 275–276, 328, 384, 417
- Intergeneric crosses, 13, 292, 296, 502

- Inter simple sequence repeats (ISSR), 64, 94, 95, 144, 192, 236, 571
- Interspecific crosses, 111, 186, 291, 296, 385
- Intraspecific hybridization, 30, 239, 240
- In vitro, 27–28, 65, 111–113, 134, 151, 153, 154, 172, 189, 233, 280, 295, 322, 387, 459, 526–550, 578, 579
- In vitro culture, 27, 150–152, 154
- In vitro mutagenesis, 27, 28
- Iron deficiency, 67
- Irritable bowel syndrome (IBS), 530, 531
- Isozymes, 63, 66, 93, 173, 295, 418
- K**
- Kompetitive allele-specific PCR (KASP) markers, 298, 499, 500, 573
- L**
- Landraces, 14, 15, 17, 18, 31, 32, 35, 51, 52, 55, 60–62, 65–67, 71, 73, 84, 95, 96, 100, 119, 137, 142, 144, 170, 171, 174–177, 179, 188, 197, 198, 231, 236–238, 272, 278, 286, 301, 318, 319, 324, 348, 351, 361, 415, 478, 479, 490, 493–497, 500, 508, 536, 564, 566–568, 585
- Linkage, v, 13, 20, 22, 25, 95, 114, 143, 191, 192, 246, 247, 300, 320–322, 362, 384, 386, 419, 432, 433, 492, 495, 497, 500, 571, 573, 575
- Linkage map, 20, 22, 95, 114, 143, 145, 178, 191, 192, 242, 243, 246, 247, 297, 300, 320–322, 362, 384, 386, 494–497, 571
- Lodging, 29, 36, 59, 66, 67, 84, 109, 119, 121, 181, 195, 203, 204, 207, 235, 239–242, 247–249, 251, 267, 274, 335, 349, 353, 354, 356, 361, 378, 380, 386, 389, 396, 399, 420, 429, 440, 442, 490, 491, 511, 536, 537, 560, 563
- Low FODMAP diet, 530, 532–535, 543
- Low glycemic index, 9, 134, 136, 196, 225, 229, 335
- M**
- Male sterility, 29, 106, 170, 186, 187, 189, 195, 288, 289, 291, 292, 353, 391, 429
- Mali, 48, 51, 54, 58, 63, 72, 74, 167, 224, 389
- Mannitol-1-phosphate dehydrogenase (mtlD), 118
- Mapping, 12, 65, 114, 145, 174, 246, 320, 362, 385, 418, 494, 531, 568
- Mapping population, 22, 145, 178, 191, 192, 321, 419, 420, 295, 496, 572, 574, 575
- Marginal production system, 170
- Marker-assisted breeding (MAB), 20–22, 65, 134, 152, 190, 191, 324, 493, 570
- Marker-assisted selection (MAS), 20, 71, 134, 143, 144, 192, 203, 246, 247, 324, 326, 363, 364, 384, 413, 415, 418, 435, 489, 493, 497–501, 503, 573
- Markers, 10, 51, 93, 134, 169, 289, 318, 352, 383, 413, 463, 479, 567
- Methionine, 48, 56–59, 67–69, 84, 136, 229, 230, 261, 374, 376, 562
- Microarrays, 14, 146, 149, 298, 318, 329–330
- Micronutrient, 84, 119, 153, 197, 248, 323, 324, 414
- Microprotoplast-mediated chromosome transfer (MMCT), 114
- MicroRNA (miRNA), 23, 143, 145, 146, 148, 149, 152, 330
- Microsatellites, 64, 86, 114, 144, 169, 173, 191, 236, 297, 383, 413, 537, 567, 572
- Microspore culture, 13, 68, 245, 246, 322, 544–548
- Mildew, 24, 37, 84, 155, 170, 176, 181, 183, 185–187, 189, 191, 192, 194, 195, 200, 201, 203–206, 208, 272, 320, 344, 414, 423, 437, 439, 440, 442, 459–461, 491, 504, 576, 578
- Millet, vi, 2, 48, 50, 51, 53, 55, 57, 71, 84–119, 134–153, 166–198, 224–249, 374, 376, 377, 385, 478
- Millet breeding, 103, 104, 134, 141, 142, 185, 187, 189, 191, 195, 238–240, 242, 244–246, 249, 250
- Modelling, 397, 501, 507–508
- Modern cultivars, 119, 494, 495, 564, 566
- Modern molecular, 492
- Modern plant breeding approach, 493–504
- Molecular breeding, v, vi, 13, 20, 32, 48, 114, 145, 146, 191, 245, 318–333, 344, 362–365, 377, 384–385, 418–422, 435, 503, 532, 570–577, 585
- Molecular mapping, 13, 20, 571
- Molecular markers, v, 10, 12, 20, 22, 28, 63, 67, 69, 134, 137, 143–146, 173, 190–192, 197, 235, 242, 247, 292, 295–298, 318, 333, 352, 363, 383, 384, 417–419, 479, 493–496, 499, 500, 537, 544, 567, 570–576

- Morphology, 29, 66, 86, 113, 135–137, 172, 173, 234, 239, 241, 242, 263, 274, 278, 281, 290, 294, 302, 322, 326, 390, 478, 496
- Multiplexed editing, 455
- Multiplexing, 456, 464
- Mutagenesis, 22, 26–29, 193, 194, 244, 292, 325, 332, 388, 389, 426–428, 455, 458, 459, 462, 491, 492, 504, 579
- Mutant  $\alpha$ -tubulin gene (*TUAm1*), 117
- Mutants, 25, 60, 106, 171, 249, 269, 318, 361, 388, 426, 459, 491, 534, 564
- Mutant varieties, 29, 35, 37, 107, 388, 428, 491
- Mutation, 13, 60, 103, 142, 186, 243, 285, 323, 377, 426, 454, 491–493, 534, 564
- Mutation breeding, v, 25–29, 32, 61, 103, 106–108, 142, 154, 193–195, 199, 244, 294, 387–389, 426–428, 435, 491–493, 504, 564, 582
- Mutation detection, 388
- Mutation induction, 27, 285, 293
- N**
- Neglected crop, 70, 170, 249, 379, 536
- NHX1 gene, 118, 299
- Nitrogen use efficiency (NUE), 295, 485, 497
- Nutrition, v, 142, 178, 198, 200, 230, 271, 293, 324, 345, 346, 365, 374, 431, 562
- Nutritional importance, 134, 136
- Nutritious, 48, 84, 248, 261, 374, 538
- O**
- Obsolete cultivars, 564
- Oligonucleotide-directed mutagenesis (ODM), 456
- Open web sources, 145
- Origin, 2, 48, 93, 136, 168, 224, 269, 319, 344, 377, 406, 459, 478, 530, 560
- Orthologous, 149, 329, 432
- P**
- PAM sequence, 457, 458
- Panicoideae, 48, 134, 135, 168, 226, 385
- Pearl millet, vi, 50, 51, 53, 55, 71, 84, 96, 166–198, 224, 385
- Pearl millet inbred germplasm association panel (PMiGAP), 174
- Pennisetum glaucum*, 118, 166, 224
- Peru, 36, 260–262, 264–266, 272–276, 278, 280, 284–286, 297, 301, 303, 304
- Phenotypes, 15, 23, 25, 169, 182, 188, 237, 238, 242, 286, 325, 326, 332, 363, 385, 387, 389, 428, 429, 460, 462, 500, 501, 505, 581–583
- Phenotyping, 174, 237, 242, 246, 420, 484, 495, 498, 500, 501, 505, 508, 574
- Photoperiod, 119, 168, 171, 174, 282, 283, 289, 301, 328, 362, 408, 411, 489, 490, 499, 503
- Phylogenetic, 51, 66, 94, 115, 143, 169, 224, 295–296, 299, 300, 327, 383, 494, 537
- Pi2l* gene, 115
- PIN* gene, 117, 431
- Plana, 89, 90
- Plant breeding, v, vi, 2, 12–14, 18, 20, 25, 103, 111, 142, 146, 150, 154, 189, 191, 231–233, 238, 240, 242, 245, 246, 249, 285, 292, 296, 303, 304, 321, 324, 332, 333, 418, 424–426, 428, 430, 472, 502, 504, 507, 508, 544, 560–566, 575, 578, 579, 583
- Plant improvement, 15, 150
- Plant regeneration, 111–113, 323
- Ploidy, 5–7, 135, 171, 172, 292, 406, 428, 454, 455, 464, 474, 503, 545, 549, 561, 568, 578
- Ploidy levels, 135, 171, 172, 224, 406, 428, 454, 460, 464, 474, 536, 545, 549, 561, 568, 578
- Poaceae, 2, 3, 48, 91, 134, 135, 168, 224, 226, 344, 377, 531, 560, 561
- Pollen-fertility restoration, 361, 363
- Polymorphism, 28, 63, 64, 67, 95, 152, 178, 191, 192, 194, 237, 245, 246, 287, 288, 297, 300, 318, 326, 385, 425, 494, 496, 537, 569, 571
- Polyploid genomes, 454, 455
- Population cultivars, 344, 348, 356, 359–361
- Postharvest, 59, 100, 120, 269, 301, 303, 378, 483
- Proso millet, vi, 224–249
- Proteins, 5, 57, 84, 134, 166, 224, 261, 325, 346, 377, 418, 455, 476, 526, 561
- Protogyny, 168, 169
- Protoplast fusion, 30, 68, 69, 189
- Protospacer adjacent motif (PAM), 457, 458
- Pseudogamous, 66, 67
- Puccinia cahuensis*, 53
- Q**
- QTL mapping, 114, 145, 189, 246, 320–322, 363, 418–421, 495, 574–576
- Quality, 10, 56, 85, 134, 171, 229, 264, 318, 347, 374, 406, 454, 473, 530, 560

- Quantitative trait loci (QTL), 22, 71, 114, 134, 145, 150, 152, 189–192, 242, 246–248, 318–324, 327, 328, 333, 363–365, 385, 386, 418–421, 495–498, 500, 503, 534, 562, 564, 573, 574, 576, 584
- Quinoa, vi, 136, 260–303
- R**
- Ragi Jassid, 101
- Random amplified polymorphic DNA (RAPD), 51, 64, 65, 67, 71, 93, 95, 144, 146, 173, 191, 236, 296, 385, 571
- Rapid generation advance (RGA), 472, 473, 501–503
- Recurrent restricted phenotypic selection (RRPS), 182
- Resilience, 53, 114, 115, 141, 365, 374, 379, 397, 465, 493
- Restorer, 142, 183, 187, 320, 322, 351–354, 356
- Restriction fragment length polymorphism (RFLP), 64, 67, 94, 95, 144, 173, 191, 384, 571, 576
- Root system architecture (RSA), 483, 484, 496
- Rotational crop, 226, 227, 230
- Rust, 14, 148, 176, 239, 262, 344, 412, 481, 563
- Rye, vi, 2, 3, 8, 19, 56, 225, 344–365, 406, 407, 411–414, 416, 419, 420, 423, 424, 428–430, 432–435, 526, 528, 533, 534, 561
- S**
- Salt tolerance, 29, 118, 279, 299, 300, 485, 574, 578
- Saponin, 261, 263, 264, 268, 274, 278–280, 284, 286, 289–291, 293–295, 298, 300
- Seed production, 36, 142, 185, 187, 271, 295, 352, 355, 356
- Selection, 12, 51, 103, 139, 169, 230, 263, 321, 345, 378, 414, 464, 473, 531, 560
- Self-pollination, 288, 503
- Semiarid agriculture, 146, 166, 225, 226
- Sequence-specific genome editing, 456
- Sequencing, 19, 22, 23, 28, 70, 115, 145, 148, 150, 152, 178, 191, 237, 242, 244, 246, 247, 250, 296, 299–300, 318, 320, 326–327, 329, 330, 334, 362, 389, 463, 465, 492, 493, 496, 505, 566, 571, 573, 574, 577
- Setaria italica* L., 134–153, 224
- SgRNA Promoter, 461
- Shallow rooted crop, 226, 230
- Short duration, 107, 155, 194, 579
- Simple sequence repeats/microsatellites (SSR), 64
- Simple sequence repeats (SSR), 64, 67, 93, 95, 114, 134, 143–145, 174, 191, 192, 236–238, 245, 247, 297, 319, 322, 324, 383, 385, 419, 421, 495, 496, 570–574
- Single nucleotide polymorphism (SNP), 28, 64, 67, 71, 95, 115, 134, 144, 152, 173, 174, 191–193, 244, 245, 247, 297, 298, 318, 320, 326, 362, 364, 417, 419, 421, 493–500, 568, 571, 573–575
- Single seed descent (SSD), 13, 240, 290, 391, 414, 502, 504, 564, 580, 581
- Single short guide RNA (sgRNA), 332, 456, 457, 461
- Small- and micro-scale dough testing, 549
- Small grain crops, 2
- Software, 23, 149, 192, 329, 330, 572
- Somatic hybridization, 16, 114, 387
- Speed breeding, 493, 503–504
- Spelt, vi, 526–550
- Spelt breeding, 527, 544–548
- Spontanea, 86, 89
- Statistics, 8–9, 54, 574
- Structural genomics, 22, 148
- Synthetic, 98, 182, 266, 331, 352, 354–356, 463, 586
- System of crop intensification (SCI), 98, 99
- System of finger millet intensification (SFMI), 99
- T**
- Targeted-modification, 458
- Targeting induced local lesions in genomes (TILLING), 28, 29, 194, 325–326, 389, 426, 492, 582
- TaU6 promoter, 461
- Tef/teff, vi, 373–397
- Temperature, 10, 11, 14, 25, 31, 32, 36, 37, 52, 65, 93, 105, 110, 115, 122, 153, 166, 170, 175, 176, 178, 185, 197, 230, 231, 262, 269, 271, 281–283, 289, 301, 302, 327, 331, 350, 358, 360, 411, 432, 433, 472, 476, 479–483, 487, 490, 491, 495, 503, 507, 511, 576, 584
- Tift, 177, 181, 187, 191, 194, 208
- Totipotency, 387
- Traditional breeding, v, vi, 10–14, 32, 60–62, 103–111, 170, 188, 321, 377–379,



- 411–415, 426, 427, 465, 495,  
562–565, 580
- Transcription activator-like effector nucleases (TALENs), 153, 243, 455–460, 463, 504, 577, 579
- Transcription factors (TFs), 147–149, 152, 300, 331
- Transformation, 14, 16, 23, 24, 29, 68–70, 111, 117, 118, 134, 151, 153, 190, 243, 244, 318, 321, 387, 388, 415, 465, 504, 577–579
- Transposons, 325, 328, 330
- Triticale, vi, 3, 8, 141, 344, 346, 347, 363, 406–443, 533, 534
- Triticum aestivum*, 344, 454–464, 473, 474, 503, 532, 533, 535, 561, 562, 566
- Triticum spelta*, 526–550
- U**
- Ubi promoter, 461
- V**
- Variations, v, 13, 14, 17, 23, 31, 48, 57, 60–65, 68, 84, 89, 93, 95, 112, 114, 137, 138, 171, 172, 178, 193, 228, 231, 234–236, 244, 248, 277, 278, 286, 291, 294, 296, 300, 318, 322, 325–327, 349, 350, 365, 413–415, 420, 424–426, 430, 432, 459, 464, 465, 472, 479, 480, 484, 488, 497, 500, 507, 508, 533, 534, 536–539, 543, 545, 564–571, 578–579, 581–583
- Varieties, v, 29, 49, 84, 144, 170, 238, 263, 318, 358, 374, 437, 463, 472, 535, 560
- VCU trials, 356, 359–361
- Version of Cas9, 459, 461
- Vulgaris, 89, 90
- W**
- Water use efficiency, 226, 230, 249, 269, 281, 408, 485, 498
- Wheat, vi, 2, 48, 84, 141, 166, 225, 260, 329, 344, 373, 406, 454, 472, 526, 560
- Wheat biotechnology, 465–466, 560, 583
- Wheat breeding, 145, 423, 463, 465, 472, 479, 484, 490, 491, 494, 498, 500–502, 505, 510, 561–565, 571, 579–582, 584, 585
- Wheat powdery mildew, 423
- Wheat related health disorders, 528
- Whole genome sequences (WGS), 95, 115, 119, 362
- Wild forms, 263, 276, 345, 477, 564
- Wild relatives, 12, 14, 17, 18, 51, 60, 66, 68, 85, 97, 110, 111, 119, 171, 179, 186, 243, 263, 275, 302, 327–328, 415, 493, 508, 564, 566, 568, 578, 579
- Y**
- Yields, 2, 8, 53, 84, 134, 170, 224, 260, 318, 344, 374, 454, 476, 536, 560
- Z**
- Zeleny test, 544
- Zinc deficiency, 67
- Zinc finger nucleases (ZFNs), 153, 243, 455–457, 463, 504, 577, 579