

# Index

## A

Acidic extraction, 238  
ACTIVAL program, 141  
Active packaging systems, 207  
Advanced glycation end products (AGEs), 228  
Agri-food industries, 170  
Allergen-free foods  
    celiac disease, 165  
    gluten-free product, 165–167  
Allyl isothiocyanate (AIT), 206  
Aloe vera gel (AVG), 300  
Amylopectin, 163  
Amylose, 163  
Animal fat replacer, 186, 190, 191, 193, 194  
Anthocyanin-rich black rice extract powder (ABREP), 224, 225, 230  
Anthocyanins  
    antioxidant and anti-inflammatory properties, 223  
    bread making, 224  
    bread quality, 224, 225  
    cyanidin-3-rutinoside, 224  
    health benefits, 225, 226  
    natural sources, 223  
Antibrowning agents, 206, 207  
Anti-microbial agent, 112  
Antimicrobials, 295  
Antioxidant activity (AOA), 300  
Antioxidants, 251, 292  
Antioxidative activity, 254  
Apple peel paste (APP), 300  
Artichoke by-products extract (AE), 263  
Artificial sweeteners (ASs), 11  
Ascorbic acid (AA), 204  
Asian styled product, 176  
Aspartame, 17

Association of Official Agricultural Chemists (AOAC), 9  
Astaxanthin, 258  
Atomic force microscopy (AFM), 243  
Australian National Nutrition survey data, 16

## B

Bacon, 115  
Bakery products, 219  
Banana peel paste (BPP), 300  
BENEFAT®, 36  
Beta glucan, 14, 21  
Biflavonoid, 268  
Bio-layering technologies, 205  
Biomacromolecule, 235  
Biopolymers, 236  
Bio-preservation methods, 199  
Black cumin seed oil (BCSO), 278  
Black pudding, 115  
Black rice extract powder  
    anthocyanins (*see* Anthocyanins)  
Black tree fern, 238  
Blood sausages, 115  
Body composition, 8  
Body mass index (BMI), 8  
Body weight, 19–21  
Box–Behnken design, 238  
Bread restructuring, 229, 230  
Bulk density (BD), 299  
Bulk sweeteners (BSs), 10–13  
Butchery products  
    manufacturing process, 159–160  
    reformulated analysis, 160  
    seasoning, 158–159

Butylated hydroxyl aniline (BHA), 251  
Butylated hydroxyl toluene (BHT), 251

## C

Carbohydrate reformulation  
  AOAC, 9  
  BSs, 12, 13  
  dietary fibre (*see* Dietary fibre)  
  free sugar consumption, 9  
  ISs, 11, 12  
  LCS, 10  
  limitations, 23–25  
  macronutrients, 10  
  NNS, 10  
  savoury foods, 10  
  SSBs, 9  
  weight loss, 10 (*see* Weight loss)  
Carbohydrates, 65–67, 69, 71, 75, 81, 85  
Carboxymethyl cellulose (CMC), 204  
Carcinogenic N-nitrosamines, 112  
Cardiovascular diseases (CVD), 111, 130, 293  
Carotenoids, 112  
Carotenoproteins extract (CPE), 263, 268  
Carrageenan, 188  
Catechins  
  GTE (*see* Green tea extract (GTE))  
Cellulose nanocrystals, 243  
Cell walls, 66, 70–72, 77–84  
Chestnut inner shell extract (CISE), 268  
Chitosan, 201  
Cholecystokinin (CCK), 42  
Civilisation diseases, 113  
Coconut oil, 36–40  
Colon, 67, 69–71, 74, 78, 80, 81, 83  
Colorectal cancer, 111  
Confectionary products, 113  
Conjugated dienes (CD), 264  
Conjugated linoleic acid (CLA), 304  
Consumer analysis, 168  
Consumer-driven techniques, 113  
Consumer Goods Forum (CGF), 98  
Consumer textures, 101  
Controlled atmosphere packaging (CAP),  
  200–201  
Conventional heating vs. microwave-assisted  
  extraction, 237  
Corn-Bio-fiber gum (C-BFG), 206  
Coronary heart disease (CHD), 131  
Corporate Social Responsibility, 142  
Culinary techniques, 101  
Cured meats, 115  
Cyclamate, 11  
*Cyperus rotundus* rhizome powder (CRRP), 264

## D

Daily values (DVVs), 97–98  
Defecation, 71  
Depletion force, 236  
Depolarization, 102  
Design of experiment (DOE), 153, 170–172  
Diabetes, 133, 134  
Diacylglycerol (DAG), 40  
Dietary AGEs (dAGEs), 228  
Dietary carbohydrates, 65, 66  
Dietary fibres, 65–68, 71, 74, 80–84  
  beta glucan, 14, 21, 22  
  body weight, 22  
  energy intake, 22  
  glucomannan, 14, 19  
  inulin, 14  
  laxative effects, 13  
  meat products, 297, 298  
  plant-based foods, 13  
  polydextrose, 13, 18  
  polysaccharides, 13  
  RS, 14  
  scones, 19  
DIETRON model, 99  
Differential scanning calorimetry, 208  
Digestible and non-digestible carbohydrates, 66  
Digestible and non-digestible polysaccharides, 66  
Digestion, 65–67, 69–72, 75–80, 83, 84  
Disc diffusion method, 202  
Dough-based products, 101  
Drumstick leaf powder (DLP), 300  
Durian seed flour (DSF), 210  
Dutch Healthy Choices Programme, 100  
Dynamic light scattering (DLS), 243

## E

Edible seaweed, 114  
Electrospinning, 208  
Emulsifiers, 235–237  
  food by-products, 241, 242  
  pickering, 242–244  
  plant by-products, 239–241  
Emulsion gels, 190–195  
Energy expenditure (EE), 36  
Energy intake, 19–21  
Environmental strategy, 141  
Epithelial sodium channel (ENaC), 102  
European Food Safety Authority (EFSA), 12

## F

Fabulesse®, 42  
Fast-moving consumer goods (FMCG), 151

- Fat, 112, 118
  - consumer surveys, 25
  - energy-dense nutrient, 25
  - lipophilic flavour compounds, 25
  - mimetics (*see* Fat mimetics)
  - reduction, 25, 26
  - reformulation, 26
  - replacement products, 50
  - substitutes
    - coconut oil, 36, 37, 40
    - DAG, 40
    - MCTs, 29, 35, 36
    - SPL, 42
    - sucrose fatty acid polyesters, 27, 28
- Fat mimetics
  - carbohydrate-based, 47–49
  - cheesecake
    - energy and fat levels, 157
    - nutritional values, 158
    - quark, 157
    - reformulated recipe, 157
  - protein-based, 47
  - starches, 157
- Fat reduction, 113–115, 118
- Fermentation, 65, 67, 69, 71, 74, 78, 80–83, 85
- Fibres, 112
- Foaming agents, 235
- Folate, 209, 210
- Folin–Ciocalteu assay, 225
- Food and Agriculture Organization (FAO), 11
- Food and Drink Federation (FDF), 158, 159
- Food and Drug Administration (FDA), 11, 27, 279
- Food-based dietary guidelines, 89
- Food by-products, 237, 241, 242
- Food categorization, 93
- Food Composition Databases (FCDBs), 143, 144
- Food fortification, 207, 208, 212
- Food insecurity, 128
- Food product developments, 151
- Food properties
  - diffusion, particle effects on, 79
  - hydration/concentration, 75
  - large bowel
    - dietary fibre, 80
    - faecal bulk, 81–82
    - fermentation, 80–81
    - foregut digestion, 80
    - health and function, 80
  - particle/cell wall/polymer integrity, 77–78
  - polysaccharide-based structure, 73
  - polysaccharide–particle interactions, 77
  - polysaccharide–polysaccharide interaction, 75–76
  - solubility/insolubility, 74–73
  - viscosity, 74–75
- Food reformulation
  - agricultural land, 130
  - children preferences, 139–141
  - emerging economies, 129
  - FCDBs, 143, 144
  - global consumption, 1
  - health properties, 2
  - health/stealth approach, 4
  - healthier life style, 129
  - ingredient options and gut level effects
    - anti-inflammatory mechanisms, 85
    - food polysaccharide structure, 82
    - functional morphology, 82
    - health-promoting ingredients, 82
    - viscosity, 82
  - ingredients, 130
  - multidisciplinary approach, 3
  - multipronged approach, 2
  - NCDs, 1
  - nutrient profiling, 138, 139
  - nutritional balance, 2
  - obesity and diet-related chronic disease, 1
  - policy options, 142, 143
  - processing and packaging methods, 4
  - redesigning food process, 3
  - salt reduction, 130–132
  - silent approach, 141, 142
  - single-nutrient approach, 2
  - sugar reduction, 132, 133, 135
  - sustainable food production, 3
  - TFAs, 135, 137, 138
  - ultra-processed foods, 2
  - ultraprocessing, 129
  - unhealthy diet, 1
  - whole food approach, 3
- Food Safety Authority, 113
- Food Standards Agency's (FSA), 98
- Food structure, 65, 230
- Food waste, 237
- Fortified/functional tomato product, 208
- 4-Hexylresorcinol (4-HR), 204
- Fourier transform infrared spectroscopy, 208
- Free fatty acids (FFAs), 263
- Free radicals, 254
- Fresh-cut fruits and vegetables
  - and edible coatings
    - active packaging systems, 207
    - antibrowning agents, 204, 205
    - antimicrobial, 206, 207
    - application, 201

- Fresh-cut fruits and vegetables (*cont.*)  
 CAP, 201  
 internal and external factors, 200  
 lipids, 206  
 MAP, 200  
 ozone gas, 201  
 polysaccharides, 201–204  
 proteins, 205  
 foodborne disease, 199  
 microbial load, 199  
 MP, 199  
 novel shelf life extension technology, 199  
 nutritional value, 200
- Fructo-oligosaccharides, 74, 80
- Functional ingredients, 230
- Functional meat products  
 calorie reduction, 295  
 chemical additives, 291  
 cholesterol levels, 293  
 CLA, 291  
 compounds, 291  
 fatty acid composition, 292, 293  
 food components, 296–297  
 human diet, 291  
 ingredients  
 dietary fibres, 297, 298  
 herbs and essential oils, 300  
 meat fermentation, 303  
 natural antimicrobials, 302, 303  
 polysaccharides, 298–300  
 prebiotics, 303  
 probiotics, 303, 304  
 proteins, 299  
 synbiotics, 304  
 vitamins and minerals, 301, 302  
 nitrite reduction, 294, 295  
 reformulation, 292  
 sodium reduction, 294
- Functional tomato puree (ftp), 209
- G**
- Galacturonic acid, 238
- Gallbladder, 42
- Gastrointestinal chyme, 77
- Gastrointestinal tract symptoms, 161
- Gelatin, 189
- Gelled fat replacers, 186, 192–195
- Gelling agents, 237
- Generally recognized as safe (GRAS), 11, 266
- Global caloric sweetener consumption, 135
- Glucomannan, 14, 188
- Glutathione peroxidase, 263
- Gluten-free flours, 210, 211
- Gluten-free product, 153, 165–167, 169
- Gluten network, 221
- Glycemic index (GI), 219, 223
- Gradual reduction, 101
- Green labeling potential, 235
- Green tea extract (GTE), 209  
 bread making, 220, 221  
 bread quality, 221, 222  
 bread sensory properties, 222, 223  
 health benefits, 223
- Gums, 47
- Gut level processes  
 diffusion, 72–73  
 digestion, 72  
 food properties (*see* Food properties)  
 mixing, 72
- H**
- Health outcomes  
 digestion, 69  
 physiological states/intermediary  
 processes  
 dietary fibre, 71  
 diet-related disorder, 70  
 digestion, 70, 71  
 fermentation-resistant distal colonic  
 residues, 71  
 glycaemia management, 70  
 gums and mucilages, 71  
 polysaccharide-based structure, 70  
 substrates and physical support, 70  
 viscosity, 70  
 polysaccharide structures and  
 properties, 68  
 postprandial glycaemia, 69  
 viscosity, 68
- Health/stealth approach, 4
- Health Survey for England 2016, 8
- Healthier food environment, 105
- Healthy food design, 69
- Healthy function, 67
- Heterocyclic amines (HCAs), 264
- High-density lipoprotein cholesterol  
 (HDL), 135
- High hydrostatic pressure (HHP), 120
- High-pressure homogenization  
 (HPH), 206
- High-pressure processing (HPP), 117
- Hind gut process, 69
- Human pancreatic lipase, 42
- Hydrocolloids, 114
- Hydrophilic–lipophilic balance (HLB), 240
- Hydroxypropyl methylcellulose, 166, 167

**I**

- Individual classroom-based strategy, 141
- Industrial reformulation
  - biomarkers, 104
  - food and beverage, 103
  - FoP labeling systems, 104
  - intrinsic limitations, 103
  - nutrition science evidence, 104
  - paradigm shift, 104
  - public–private partnerships, 103
  - socioeconomic gradient, 103
  - tailored micronutrient fortification approach, 104
- Industry engagement, 131
- Intense sweeteners (ISs), 10–12
- Interesterification, 27
- International Food Information Council Foundation, 2
- Inulin, 14, 48, 188
- Ionic liquids, 242

**K**

- Kiwifruit sugars (KFSs), 75

**L**

- Lactic acid bacteria (LAB), 209, 277
- Lactoferrin (LF), 302
- Lancet NCD Action Group, 128
- Lauric acid, 37
- Lauric arginate ester (LAE), 206
- Laws, 279
- Legumes, 211
- Lipid content, 185, 186, 190, 192–195
- Lipid oxidation, 253
- Lipoprotein(a) (Lp(a)), 135
- Liquid chromatography–mass spectrometry, 209
- Long-chain fatty acids, 35, 36, 40
- Long-chain triglycerides (LCTs), 29, 35
- Low-calorie sweeteners (LCS), 10, 11, 18–21, 24
- Low-density lipoprotein cholesterol (LDL), 135
- Lupin-kernel fibre, 48
- Lychee seed water extract (LSWE), 258

**M**

- Malnutrition, 8
- Mango kernel starch (MKS), 203
- Meat fermentation, 303
- Meat products, 111, 113, 115
  - cold-set emulsion gels, 192, 193
  - dietary recommendations, 192

- emulsion gels, 192
  - gelled fat replacers, 192–195
  - healthier lipid profile, 192
  - lipid content, 194
  - nutritional and health claims, 194
  - oil bulking agents, 192, 194
  - reformulation strategies, 195
  - thermal treatment gelling process, 192
- Meat safety
    - antioxidants, 251
    - health hazards, 252
    - lipid oxidation, 251
    - natural antimicrobials (*see* Natural antimicrobials)
    - natural antioxidants (*see* Natural antioxidants)
    - natural ingredients, 279, 280
  - Medium chain fatty acids (MCFA), 29, 35
  - Medium chain triglycerides (MCTs), 29–37
  - Medium-long-chain triglycerides (MLCTs), 35
  - Metabolic syndrome, 229
  - Methylglyoxal (MGO), 228
  - Micronutrient deficiencies, 208
  - Middle East and North Africa (MENA), 130
  - Minerals, 301, 302
  - Minimally processing (MP), 81, 199, 200, 204
  - Minimum inhibitory concentrations (MICs), 268, 278
  - Mixture designs, 162, 166, 167, 171, 174
    - DOE
      - instrumental texture measurements, 172
      - sucrose and Sukrim products, 172
      - sweetness replacers, 170, 173
      - texture analysis, 171
  - Modified atmosphere packaging (MAP), 120, 200
  - Modified baked bread (MBB), 229
  - Modified steamed bread (MSB), 229
  - Modifying starches
    - acid-modified, 163
    - cereal starches, 162
    - chemical, 164
    - cross-linking, 164
    - gelatinisation temperature, 163
    - percentages of, 165
    - physical, 164
    - properties of, 163
    - types of, 162
    - whisky butterscotch sauce, 164–165
  - Monounsaturated fatty acids (MUFAs), 135, 156, 185, 186, 193, 292
  - Multidisciplinary approach, 3
  - Multipronged approach, 2
  - Murraya koenigii* berries (MKB), 263, 276

- Muscle food
- chronic noncommunicable diseases, 185
  - dietary habits and health, 185
  - emulsion gels
    - cold-gelling processes, 191
    - filled hydrogels, 190
    - gelling process, 190–191
    - technological–functional properties, 190
    - usage, 191
  - gelling processes
    - biopolymers, 186
    - molecular network, 186
    - polysaccharide and protein mixes, 189–190
    - polysaccharides, 188
    - proteins, 189
  - meat products (*see* Meat products)
  - nutritional quality, 185
  - oil bulking agents, 191
  - physicochemical characteristics, 186
  - technological strategies, 186
- Myoglobin oxidation, 263
- N**
- Nanofibers, 207, 208, 212
- National Cancer Institute (NCI), 298
- National Health Service (NHS), 9
- Natural antimicrobials, 302, 303
- carcinogenicity, 266
  - limitations, 278, 279
  - meat-borne disease, 266
  - meat products
    - reformulation strategies, 268, 276–278
  - mechanism of action, 266–268
  - spoilage and pathogenic microorganisms, 266
- Natural antioxidants
- chemical structures, 252
  - extraction, 255
  - hydroperoxides, 252
  - limitations, 265
  - lipid oxidation, 252
  - meat products
    - oxidation process in, 253, 254
    - reformulation strategies, 258, 263–265
  - mechanism of action, 254, 255
  - primary and secondary, 252
- Natural ingredients, 279, 280
- Natural origin, 235
- Nestlé nutritional profiling system (NNPS)
- category-specific nutrient targets, 94
  - food categories, 94
  - meal occasions, 93
  - nutrient targets, 92
  - nutrients to limit and encourage, 95
  - nutritional criteria, 96
  - nutritional value, 92
  - principles, 93
  - serving size as consumed, 95
  - target audience, 95
  - visual model, 93
- Nitrate reformulation, 116, 117
- Non-caloric artificial sweeteners (NASs), 119
- Noncommunicable diseases (NCDs), 1, 127, 128, 130
- Nonconventional techniques, 245
- Non-milk extrinsic sugars (NMES), 9
- Non-nutritive sweeteners (NNS), 9–10, 24
- NOURISHING framework, 143
- Nutraceuticals, 179
- Nutrient density, 104, 130
- Nutrient profiling systems, 138, 139
- categories, 91
  - definition, 89
  - limitations, 99, 100
  - micronutrient deficiencies, 91
  - nutritional targets
    - harmonized application, 97, 98
    - sodium reduction, 97
    - technical feasibility and strictness, 96
  - principles, 90
  - reformulation, 98, 99
  - serving size reduction, 91
- Nutrient Rich Food Index, 104
- Nutritional claims, 168
- Nutritional deficiencies, 127
- Nutritional Foundation, 95
- Nutritional quality, 89
- Nutritional reformulation, 91, 92
- Nutrition transition, 128
- Nutritive sweeteners, 12
- O**
- Oatmeal pudding, 115
- Oatrim, 49
- Obesity, 8, 127, 128
- OECD-FAO Agricultural Outlook 2018–2027, 133, 135
- Oil bulking agents, 186, 191–195
- Olestra, 27, 28
- Oligofructose, 14
- Organic solvents, 255
- Organization for Economic Cooperation and Development – Food and Agriculture Organization (OECD-FAO), 130
- Oriental steamed bread (OSB), 229

Ostwald ripening, 244  
Overweight, 8, 127, 128

**P**

Packaging technology, 120  
Pancreatic polypeptide (PP), 42  
Partially hydrogenated vegetable oil (PHVO), 135  
Pectins, 81, 82, 201, 237, 299  
Peptide YY (PYY), 21  
Phospholipids, 239, 240  
Phytochemicals, 208, 230  
Plant by-products, 239–241  
Polycyclic aromatic hydrocarbons (PAHs), 264  
Polydextrose, 13, 18, 48  
Polyols, 12, 13  
Polyphenol oxidase (PPO), 204  
Polyphenols, 219  
Polysaccharide-based structure, 65, 70, 73  
Polysaccharides, 66–68, 114, 298, 299  
Polyunsaturated fatty acids (PUFAs), 113, 135, 156, 185, 186, 193, 194, 292  
Pomegranate rind powder (PRP), 264  
*Portulaca oleracea* L. extract (POE), 263  
Potassium lactate and glycine (KLG), 116  
Practical reformulation  
  allergen-free foods (*see* Allergen-free foods)  
  allergen removal, 167–169  
  fat reduction  
    butchery products (*see* Butchery products)  
    dietary recommendation, 156  
    mimetics (*see* Fat mimetics)  
    modifying starches (*see* Modifying starches)  
  MUFA, 156  
  multiple emulsions, 161–162  
  PUFA, 156  
  SFA, 156  
  substitutes, 161  
FMCG, 151  
food product developments, 151  
health-promoting potential, 179  
legislative scaffolding, 152  
mixture designs  
  allergen-free crackers, 155  
  fish batters, 152–155  
  reducing sugar (*see* Sugar reduction)  
  salt and sugar reduction, 151  
  Scottish food and drink industry, 152  
  sugar tax, 152  
Prebiotics, 303  
Probiotics, 303

Prooxidants, 253  
Propyl gallate, 251  
Protein-/carbohydrate-based fat replacers, 26  
Pumpkin flour (PF), 210

**Q**

Quercetin  
  anti-inflammatory, 226  
  bread making, 227  
  bread quality, 227  
  cardioprotective effects, 226  
  food sources, 226  
  health benefits, 228, 229  
  hypoglycemic effects, 226

**R**

Randomized controlled trials (RCTs), 14, 20–21, 30–34  
Ranking Descriptive Analysis, 115  
Rapidly digested starch (RDS), 76, 78, 79, 223  
Reactive oxygen species (ROS), 253, 254  
Rebaudioside A, 17  
Reducing sugar  
  mixture design (*see* Mixture designs)  
  muffins, 170–174  
  nutritional information, 172–174  
  properties of, 169  
  sucrose, 170  
  sugar-free products, 170  
Regional/national policy framework, 105  
Resistant starch (RS), 14  
Response surface methodology, 202  
The Responsibility Deal, 8

**S**

Salatrim, 36  
Salt, 113  
Salt crystal structure, 102  
Saltiness-enhancing ingredients, 102  
Salt reduction, 112, 130–132  
Saponins, 239  
Saturated fatty acids (SFAs), 99, 156, 185, 186, 194  
Sausages, 114  
Scientific Advisory Committee on Nutrition (SACN), 9  
Scottish industrial overview, 152  
Sea buckthorn seed extract (SBTE), 263  
Seaweeds  
  anti-inflammatory properties, 175  
  healthy natural food products, 174

- Seaweeds (*cont.*)  
 immunostimulatory activity, 175  
 natural dietary fibre, 174  
 new product development, 175  
 pesto, 176–178  
 rehydration, 175  
 salads, 175–176  
 water-holding capacity, 175
- Selenium, 301
- Sensory Acceptance Testing, 115
- Sensory methodologies, 115
- Simplese<sup>®</sup>, 47
- Single-nutrient approach, 2
- Size-exclusion chromatography (SEC), 243
- Slowly digested starch (SDS), 76, 78, 79, 223
- Small and medium enterprises (SMEs), 144
- Small particle lipid (SPL), 42
- Sodium reduction, 102
- Soluble/insoluble fibre values, 68
- Specific expansion index (SEI), 299
- Sterols, 112
- Stevioside, 11
- Strokes, 130
- Structured triglycerides, 36
- Sucrose, 161, 169, 170, 172–174
- Sucrose fatty acid polyesters, 27, 28
- Sugar, 112, 118, 136
- Sugar reduction, 113–115, 118–120, 132, 133, 135
- Sugar reformulation, 23
- Sugar-sweetened beverage (SSB), 9
- Sugar tax, 152, 174, 179
- Superoxide dismutase (SOD), 263
- Synbiotics, 304
- T**
- Technological strategies, 186
- Texture analyser, 153, 172
- Thickeners, 237, 238
- Thiobarbituric acid reactive substances (TBARs), 258
- Tomato puree (tp), 209
- Total viable counts (TVC), 161, 277
- Total volatile base-nitrogen (TVB-N), 263, 264
- Transesterification, 27
- Trans-fatty acids (TFAs), 135, 137, 138
- Triacylglycerol (TAG), 40, 161
- Turkey meat sausages (TMSs), 268
- U**
- UK Food Standards Agency (FSA), 158, 159
- Ultraprocessing, 129
- Underweight, 127
- Unhealthy diets, 129
- Unsaturated fatty acids, 112
- US Department of Agriculture, 2
- V**
- Vacuum impregnation (VI), 205
- Vascular cell adhesion molecule (VCAM)-1, 209
- Vegetable-based ingredients, 117
- Vegetable oil consumption, 137
- Vegetable protein, 292
- Viscosity, 235–238
- Viscous polysaccharide, 77
- Vitamin A retention, 208
- Vitamin E, 207, 208
- Vitamins, 301, 302
- W**
- Waste valorization, 235
- Water-binding capacity (WBC), 299
- Weight loss  
 dietary fibre, 18, 19, 21, 22  
 sweeteners  
 aspartame, 17  
 cocoa beverages, 15  
 cumulative effect, 16  
 energy compensation,  
 15, 16  
 food and nutrition research, 14  
 gut microbiota, 18  
 ISs, 15  
 LCSSs, 18  
 low energy preloads, 17  
 metabolic parameters, 16  
 NMES, 16  
 sucrose, 15  
 water and diet beverages, 16
- Weight management, 49
- Western baked bread (WBB), 229
- Whey protein isolate (WPI), 205
- White pudding, 115
- Whole food' approach, 3
- World Health Assembly, 130
- World Health Organization (WHO), 11, 130,  
 169, 303
- X**
- X-ray diffraction, 208
- X-ray diffractograms, 243