

Appendix A

Taylor's Theorem

A.1 Single Variable

The single most important result needed to develop an asymptotic approximation is Taylor's theorem. The single variable version of the theorem is below.

Theorem A.1 *Given a function $f(x)$, assume that its $(n+1)$ st derivative $f^{(n+1)}(x)$ is continuous for $x_L < x < x_R$. In this case, if a and x are points in the interval (x_L, x_R) , then*

$$f(x) = f(a) + (x - a)f'(a) + \frac{1}{2}(x - a)^2 f''(a) + \dots + \frac{1}{n!}(x - a)^n f^{(n)}(a) + R_{n+1}, \tag{A.1}$$

where the remainder is

$$R_{n+1} = \frac{1}{(n + 1)!}(x - a)^{n+1} f^{(n+1)}(\eta), \tag{A.2}$$

and η is a point between a and x .

There are different, but equivalent, ways to write the above result. One is

$$f(x + h) = f(x) + hf'(x) + \frac{1}{2}h^2 f''(x) + \dots + \frac{1}{n!}h^n f^{(n)}(x) + R_{n+1}. \tag{A.3}$$

The requirement here is that x and $x + h$ are points in the interval (x_L, x_R) .

A.1.1 Simplification via Substitution

Perturbation expansions are used extensively in the text, and they are usually found using Taylor's theorem. How much work this requires can often be reduced by using some of the basic properties of a Taylor series. Of particular importance is the substitution rule. The following examples illustrate how substitution can be used in conjunction with some of the relatively simple Taylor series expansions given in Table 2.1.

Examples

1. Find the Taylor series, about $x = 0$, of $\frac{1}{1-x}$.

Setting $y = -x$, then $y = 0$ is equivalent to $x = 0$. With this,

$$\begin{aligned}\frac{1}{1-x} &= \frac{1}{1+y} \\ &= 1 - y + y^2 - y^3 + \dots \\ &= 1 + x + x^2 + x^3 + \dots \quad \blacksquare\end{aligned}$$

2. Find the Taylor series, about $x = 0$, of $\cos(3x)$.

Setting $y = 3x$, then $y = 0$ is equivalent to $x = 0$. With this,

$$\begin{aligned}\cos(3x) &= \cos y \\ &= 1 - \frac{1}{2}y^2 + \frac{1}{4!}y^4 + \dots \\ &= 1 - \frac{1}{2}(3x)^2 + \frac{1}{4!}(3x)^4 + \dots \quad \blacksquare\end{aligned}$$

3. Find the Taylor series, about $x = 0$, of $\sqrt{1+x^2}$.

Setting $y = x^2$, then $y = 0$ is equivalent to $x = 0$. With this,

$$\begin{aligned}\sqrt{1+x^2} &= \sqrt{1+y} \\ &= 1 + \frac{1}{2}y - \frac{1}{8}y^2 + \dots \\ &= 1 + \frac{1}{2}x^2 - \frac{1}{8}x^4 + \dots \quad \blacksquare\end{aligned}$$

To use substitution with Taylor's theorem, you are mostly limited to using integer powers of x . This is not the case when using substitution for obtaining an asymptotic expansion. To illustrate how this is done, variations of the above examples are used for finding an asymptotic expansion.

Examples

1. Find a four term expansion of $\frac{1}{1-\sqrt{\varepsilon}}$.

Setting $y = -\sqrt{\varepsilon}$, then $y = 0$ is equivalent to $\varepsilon = 0$. With this,

$$\begin{aligned}\frac{1}{1-\sqrt{\varepsilon}} &= \frac{1}{1+y} \\ &= 1 - y + y^2 - y^3 + \dots \\ &= 1 + \sqrt{\varepsilon} + \varepsilon + \varepsilon^{3/2} + \dots \quad \blacksquare\end{aligned}$$

2. Find a three term expansion of $\cos(3(\varepsilon + \varepsilon^2))$

Setting $y = 3(\varepsilon + \varepsilon^2)$, then $y = 0$ when $\varepsilon = 0$. With this,

$$\begin{aligned}\cos(3(\varepsilon + \varepsilon^2)) &= \cos y \\ &= 1 - \frac{1}{2}y^2 + \frac{1}{4!}y^4 + \dots \\ &= 1 - \frac{9}{2}(\varepsilon^2 + 2\varepsilon^3 + \varepsilon^4) + \frac{27}{8}(\varepsilon^4 + \dots) + \dots \\ &= 1 - \frac{9}{2}\varepsilon^2 - 9\varepsilon^3 + \dots \quad \blacksquare\end{aligned}$$

3. Find a three term expansion of $\sqrt{1 + (\sin \varepsilon)^2}$.

Setting $y = (\sin \varepsilon)^2$, then $\varepsilon = 0$ means that $y = 0$. With this,

$$\begin{aligned}\sqrt{1 + (\sin \varepsilon)^2} &= \sqrt{1 + y} \\ &= 1 + \frac{1}{2}y - \frac{1}{8}y^2 + \dots \\ &= 1 + \frac{1}{2}(\sin \varepsilon)^2 - \frac{1}{8}(\sin \varepsilon)^4 + \dots \\ &= 1 + \frac{1}{2}\left(\varepsilon - \frac{1}{6}\varepsilon^3 + \dots\right)^2 - \frac{1}{8}\left(\varepsilon - \frac{1}{6}\varepsilon^3 + \dots\right)^4 + \dots \\ &= 1 + \frac{1}{2}\varepsilon^2 - \frac{7}{24}\varepsilon^4 + \dots \quad \blacksquare\end{aligned}$$

A.2 Two Variables

The two-variable version of the expansion in (A.3) is

$$f(x+h, t+k) = f(x, t) + Df(x, t) + \frac{1}{2}D^2 f(x, t) + \dots + \frac{1}{n!}D^n f(x, t) + R_{n+1}, \quad (\text{A.4})$$

where

$$D = h \frac{\partial}{\partial x} + k \frac{\partial}{\partial t}.$$

Writing this out, through quadratic terms, yields

$$\begin{aligned} f(x+h, t+k) &= f(x, t) + hf_x(x, t) + kf_t(x, t) \\ &\quad + \frac{1}{2}h^2 f_{xx}(x, t) + hkf_{xt}(x, t) + \frac{1}{2}k^2 f_{tt}(x, t) + \cdots. \end{aligned}$$

The subscripts in the above expression denote partial differentiation. So, for example,

$$f_{xt} = \frac{\partial^2 f}{\partial x \partial t}.$$

It is assumed that the function f has continuous partial derivatives up through order $n + 1$.

The above expansion can be expressed in a form similar to the one in (A.1), and the result is

$$\begin{aligned} f(x, t) &= f(a, b) + (x-a)f_x(a, b) + (t-b)f_t(a, b) \\ &\quad + \frac{1}{2}(x-a)^2 f_{xx}(a, b) + (x-a)(t-b)f_{xt}(a, b) + \frac{1}{2}(t-b)^2 f_{tt}(a, b) \\ &\quad + \cdots. \end{aligned}$$

A.3 Multivariable Versions

For more than two variables it is convenient to use vector notation. In this case (A.4) takes the form

$$f(\mathbf{x} + \mathbf{h}) = f(\mathbf{x}) + Df(\mathbf{x}) + \frac{1}{2}D^2 f(\mathbf{x}) + \cdots + \frac{1}{n!}D^n f(\mathbf{x}) + R_{n+1},$$

where $\mathbf{x} = (x_1, x_2, \dots, x_k)$, $\mathbf{h} = (h_1, h_2, \dots, h_k)$ and

$$\begin{aligned} D &= \mathbf{h} \cdot \nabla \\ &= h_1 \frac{\partial}{\partial x_1} + h_2 \frac{\partial}{\partial x_2} + \cdots + h_k \frac{\partial}{\partial x_k}. \end{aligned}$$

Writing this out, through quadratic terms, yields

$$f(\mathbf{x} + \mathbf{h}) = f(\mathbf{x}) + \mathbf{h} \cdot \nabla f(\mathbf{x}) + \frac{1}{2} \mathbf{h}^T \mathbf{H} \mathbf{h} + \dots,$$

where \mathbf{H} is the Hessian and is given as

$$\mathbf{H} = \begin{pmatrix} \frac{\partial^2 f}{\partial x_1^2} & \frac{\partial^2 f}{\partial x_2 \partial x_1} & \cdots & \frac{\partial^2 f}{\partial x_k \partial x_1} \\ \frac{\partial^2 f}{\partial x_1 \partial x_2} & \frac{\partial^2 f}{\partial x_2^2} & \cdots & \frac{\partial^2 f}{\partial x_k \partial x_2} \\ \vdots & \vdots & \ddots & \vdots \\ \frac{\partial^2 f}{\partial x_1 \partial x_k} & \frac{\partial^2 f}{\partial x_2 \partial x_k} & \cdots & \frac{\partial^2 f}{\partial x_k^2} \end{pmatrix}.$$

Taylor's theorem can also be extended to vector functions, although the formulas are more involved. To write down the expansion through the linear terms, assume that $\mathbf{f}(\mathbf{x}) = (f_1(\mathbf{x}), f_2(\mathbf{x}), \dots, f_m(\mathbf{x}))$, and $\mathbf{x} = (x_1, x_2, \dots, x_k)$. In this case,

$$\mathbf{f}(\mathbf{x} + \mathbf{h}) = \mathbf{f}(\mathbf{x}) + (\nabla \mathbf{f}) \mathbf{h} + \dots,$$

where

$$\nabla \mathbf{f} = \begin{pmatrix} \frac{\partial f_1}{\partial x_1} & \frac{\partial f_1}{\partial x_2} & \cdots & \frac{\partial f_1}{\partial x_k} \\ \frac{\partial f_2}{\partial x_1} & \frac{\partial f_2}{\partial x_2} & \cdots & \frac{\partial f_2}{\partial x_k} \\ \vdots & \vdots & \ddots & \vdots \\ \frac{\partial f_m}{\partial x_1} & \frac{\partial f_m}{\partial x_2} & \cdots & \frac{\partial f_m}{\partial x_k} \end{pmatrix}.$$

Appendix B

Fourier Analysis

B.1 Fourier Series

It is assumed here that the function $f(x)$ is piecewise continuous for $0 \leq x \leq \ell$. Recall that this means $f(x)$ is continuous on the interval $0 \leq x \leq \ell$ except at a finite number of points within the interval at which the function has a jump discontinuity.

The Fourier sine series for $f(x)$ is defined as

$$S(x) = \sum_{n=1}^{\infty} \beta_n \sin(\lambda_n x), \tag{B.1}$$

where $\lambda_n = n\pi/\ell$ and

$$\beta_n = \frac{2}{\ell} \int_0^{\ell} f(x) \sin(\lambda_n x) dx. \tag{B.2}$$

The Fourier cosine series for $f(x)$ is defined as

$$C(x) = \frac{1}{2} \alpha_0 + \sum_{n=1}^{\infty} \alpha_n \cos(\lambda_n x), \tag{B.3}$$

where

$$\alpha_n = \frac{2}{\ell} \int_0^{\ell} f(x) \cos(\lambda_n x) dx. \tag{B.4}$$

A certain amount of smoothness is required of the function $f(x)$, so the above series is defined. For example, $f(x)$ must be smooth enough that the integrals in (B.2) and (B.4) exist. Certainly assuming $f(x)$ is continuous is enough for the integrals,

but, unfortunately, this is not enough to guarantee that the series in (B.1) and (B.3) converge. They will converge, however, if $f(x)$ and $f'(x)$ are piecewise continuous. The question naturally arises as to what they converge to, and for this we have the following result.

Theorem B.1 *Assume $f(x)$ and $f'(x)$ are piecewise continuous for $0 \leq x \leq \ell$. On the interval $0 < x < \ell$, the Fourier sine series and the Fourier cosine series converge to $f(x)$ at points where the function is continuous, and they converge to $\frac{1}{2}(f(x+) + f(x-))$ at points where the function has a jump discontinuity. At the endpoints, $S(0) = S(\ell) = 0$, while $C(0) = f(0^+)$ and $C(\ell) = f(\ell^-)$.*

When using a Fourier series to solve a differential equation one usually needs the expansion of the solution as well as its derivatives. The problem is that it is not always possible to obtain the series for $f'(x)$ by differentiating the series for $f(x)$. For example, given a sine series as in (B.1) one might be tempted to conclude that

$$S'(x) = \sum_{n=1}^{\infty} \beta_n \lambda_n \cos(\lambda_n x).$$

The issue is that the differentiation has resulted in λ_n appearing in the coefficient. As an example, for the function

$$f(x) = \begin{cases} 1 & \text{if } 0 \leq x \leq 1 \\ 2 & \text{if } 1 < x \leq 2, \end{cases}$$

one finds that

$$\beta_n \lambda_n = \frac{2}{\ell} [1 - 2(-1)^n + \cos(n\pi/2)].$$

The general term $\beta_n \lambda_n \cos(\lambda_n x)$ of the series does not converge to zero as $n \rightarrow \infty$, and this means that the series does not converge. Consequently, additional restrictions must be imposed on $f(x)$ to guarantee convergence. Basically what are needed are conditions that will give us $\beta_n = O(1/n^2)$, and this brings us to the next result.

Theorem B.2 *Assume $f(x)$ is continuous, with $f'(x)$ and $f''(x)$ piecewise continuous, for $0 \leq x \leq \ell$. If $f(x)$ is expanded in a cosine series, then the series for $f'(x)$ can be found by differentiating the series for $f(x)$. If $f(x)$ is expanded in a sine series, and if $f(0) = f(\ell) = 0$, then the series for $f'(x)$ can be found by differentiating the series for $f(x)$.*

The question of convergence for integration is much easier to answer. As long as the Fourier series of $f(x)$ converges, then the series for the integral of f can be found by simply integrating the series for f .

B.2 Fourier Transform

To derive the formula for the Fourier transform from the Fourier series, it is convenient to use the symmetric interval $-\ell < x < \ell$. Generalizing (B.2) and (B.3), the Fourier series of a continuous function $f(x)$ is

$$f(x) = \frac{1}{2}\alpha_0 + \sum_{n=1}^{\infty} [\alpha_n \cos(\lambda_n x) + \beta_n \sin(\lambda_n x)],$$

where $\lambda_n = n\pi/\ell$,

$$\alpha_n = \frac{1}{\ell} \int_{-\ell}^{\ell} f(x) \cos(\lambda_n x) dx,$$

and

$$\beta_n = \frac{1}{\ell} \int_{-\ell}^{\ell} f(x) \sin(\lambda_n x) dx.$$

By using the identities $\cos(\theta) = \frac{1}{2}(e^{i\theta} + e^{-i\theta})$ and $\sin(\theta) = \frac{1}{2i}(e^{i\theta} - e^{-i\theta})$, the Fourier series can be written in exponential form as

$$f(x) = \sum_{n=-\infty}^{\infty} \gamma_n e^{i\lambda_n x},$$

where

$$\gamma_n = \frac{1}{2\ell} \int_{-\ell}^{\ell} f(\bar{x}) e^{-i\lambda_n \bar{x}} d\bar{x}.$$

Combining these two expressions

$$f(x) = \sum_{n=-\infty}^{\infty} \frac{1}{2\ell} \int_{-\ell}^{\ell} f(\bar{x}) e^{i\lambda_n(x-\bar{x})} d\bar{x}.$$

The sum in the above equation is reminiscent of the Riemann sum used to define integration. To make this more evident, let $\Delta\lambda = \lambda_{n+1} - \lambda_n = \frac{\pi}{\ell}$. With this

$$f(x) = \sum_{n=-\infty}^{\infty} \frac{1}{2\pi} \int_{-\ell}^{\ell} f(\bar{x}) e^{i\lambda_n(x-\bar{x})} d\bar{x} \Delta\lambda.$$

The argument originally used by Fourier is that in the limit of $\ell \rightarrow \infty$, the above expression yields

$$f(x) = \frac{1}{2\pi} \int_{-\infty}^{\infty} \int_{-\infty}^{\infty} f(\bar{x}) e^{i\lambda(x-\bar{x})} d\bar{x} d\lambda.$$

Fourier then made the observation that the above equation can be written as $f(x) = \mathcal{F}^{-1}(\mathcal{F}(f))$, where \mathcal{F} is the Fourier transform defined in Sect. 4.5. With this, the Fourier transform was born.

To say that the above derivation is heuristic would be more than generous. However, it is historically correct, and it does show the origin of the Fourier transform and its inverse. The formal proof of the derivation can be found in Weinberger (1995).

Appendix C

Stochastic Differential Equations

The steps used to solve the Langevin equation look routine, and the solutions in (4.89) and (4.90) are not particularly remarkable. However, on closer inspection, the randomness of the forcing function raises some serious mathematical questions. An example of \mathbf{R} is shown in Fig. 4.27 using 400 points along the t -axis. As discussed in Sect. 4.8.1, the value of $\mathbf{R}(t_1)$ is independent of the value of $\mathbf{R}(t_2)$ if $t_1 \neq t_2$. This means that if more than 400 points are used, the graph would appear even more random than in Fig. 4.27. The question that immediately arises is whether the non-differentiability of this function causes the differential equation (4.88), or its solution (4.88), to be meaningless. One approach for addressing this issue rests on denial, where the calculations are carried out as if everything is just fine. This is, in fact, what was done to derive (4.89), and this approach almost works. To have it succeed, all that is needed is to make sense of the solution, and then use this to justify the entire process.

The question is, therefore, how to define the integrals in (4.89) and (4.90). The exponentials are not an issue, and so to simplify the discussion we will concentrate on the expression

$$\mathbf{W}(t) = \int_0^t \mathbf{R}(\tau) d\tau. \quad (\text{C.1})$$

The definition of this integral employs the same Riemann sum used in Calculus. With this in mind, we introduce a partition $0 < t_1 < t_2 < \dots < t_m < t$, where $t_0 = 0$ and $t_{m+1} = t$. For simplicity, it is assumed the points are equally spaced, and so $t_{j+1} - t_j = \Delta t$. Letting s_j be a point from the interval $[t_j, t_{j+1}]$, then we introduce the partial sum

$$\mathbf{S}_m = \sum_{j=0}^{m-1} \mathbf{R}(s_j) \Delta t. \quad (\text{C.2})$$

The question is, if $\Delta t \rightarrow 0$, does \mathbf{S}_m converge? The answer is yes, although convergence is measured in the mean-square sense. Knowing that it converges, then the limit of \mathbf{S}_m serves as the definition of the integral in (C.1). This definition preserves most, but not all, of the properties associated with standard integration. In particular, \mathbf{W} is a continuous function of t , and the integral is additive in the sense that if $t_1 < t_2$, then

$$\int_0^{t_2} \mathbf{R}(\tau) d\tau = \int_0^{t_1} \mathbf{R}(\tau) d\tau + \int_{t_1}^{t_2} \mathbf{R}(\tau) d\tau.$$

Moreover, the partial sums in (C.2) provide a method for numerically evaluating the stochastic integrals in (4.89) and (4.90).

Now that integration has been put onto a solid mathematical footing, we turn to the differential equation (4.88). In the case of when \mathbf{R} is smooth, this equation can be integrated to yield

$$\mathbf{v}(t) = \mathbf{v}(0) - \lambda \int_0^t \mathbf{v}(\tau) d\tau + \frac{1}{m} \int_0^t \mathbf{R}(\tau) d\tau. \quad (\text{C.3})$$

For smooth functions this integral equation is equivalent to the differential equation (4.88). This fact is used to explain what happens when a random forcing is used. Specifically, the interpretation of the differential equation (4.88) is that \mathbf{v} satisfies (C.3). It is for this reason that in the subject of stochastic differential equations, (4.88) is conventionally written using differentials as

$$d\mathbf{v} = -\lambda \mathbf{v} dt + \frac{1}{m} \mathbf{R} dt.$$

The implication in using this notation is that the stochastic differential equation is being interpreted as the solution of the associated integral equation. With this viewpoint, (C.1) can be written as $d\mathbf{W} = \mathbf{R} dt$. Those interested in pursuing the theoretical foundation of the stochastic differential equations should consult Oksendal (2003).

Appendix D

Identities

D.1 Trace

In the following, \mathbf{A} and \mathbf{B} are $n \times n$ matrices, and α and β are scalars.

$$\operatorname{tr}(\alpha\mathbf{A} + \beta\mathbf{B}) = \alpha \operatorname{tr}(\mathbf{A}) + \beta \operatorname{tr}(\mathbf{B})$$

$$\operatorname{tr}(\mathbf{AB}) = \operatorname{tr}(\mathbf{BA})$$

$$\operatorname{tr}(\mathbf{A}^T) = \operatorname{tr}(\mathbf{A})$$

If \mathbf{A} is symmetric and \mathbf{B} is skew-symmetric, then $\operatorname{tr}(\mathbf{AB}) = 0$.

D.2 Determinant

In the following, \mathbf{A} and \mathbf{B} are $n \times n$ matrices, and α and β are scalars.

$$\det(\mathbf{AB}) = \det(\mathbf{BA}) = \det(\mathbf{A})\det(\mathbf{B})$$

$$\det(\alpha\mathbf{A}) = \alpha^n \det(\mathbf{A})$$

$$\det(\mathbf{A}^T) = \det(\mathbf{A})$$

$$\det(\mathbf{A}^{-1}) = 1/\det(\mathbf{A})$$

$$\det(\mathbf{I}) = 1$$

D.3 Vector Calculus

In the following, $\phi(\mathbf{x})$ is a scalar-valued function, $\mathbf{u}(\mathbf{x})$, $\mathbf{v}(\mathbf{x})$ are vector-valued functions, and $\mathbf{A}(\mathbf{x})$, $\mathbf{B}(\mathbf{x})$ are 3×3 matrix-valued functions of \mathbf{x} .

$$\nabla \cdot \mathbf{u} = \text{tr}(\nabla \mathbf{u})$$

$$\nabla \cdot (\phi \mathbf{u}) = \mathbf{u} \cdot \nabla \phi + \phi (\nabla \cdot \mathbf{u})$$

$$\nabla \cdot (\mathbf{A} \mathbf{u}) = \mathbf{u} \cdot (\nabla \cdot \mathbf{A}) + \text{tr}(\mathbf{A}^T \nabla \mathbf{u})$$

$$\nabla \cdot (\phi \mathbf{A}) = \mathbf{A} \nabla \phi + \phi (\nabla \cdot \mathbf{A})$$

$$\nabla \times (\nabla \phi) = \mathbf{0}$$

$$\nabla \cdot (\nabla \times \mathbf{u}) = 0$$

$$(\mathbf{u} \cdot \nabla) \mathbf{u} = \frac{1}{2} \nabla (\mathbf{u} \cdot \mathbf{u}) - \mathbf{u} \times (\nabla \times \mathbf{u})$$

$$\nabla \times (\nabla \times \mathbf{u}) = \nabla (\nabla \cdot \mathbf{u}) - \nabla^2 \mathbf{u}$$

$$(\mathbf{v} \cdot \nabla) \mathbf{u} = (\nabla \mathbf{u}) \mathbf{v}$$

$$(\nabla \mathbf{u}) \mathbf{v} + (\nabla \mathbf{v}) \mathbf{u} = \nabla (\mathbf{u} \cdot \mathbf{v})$$

In the above identities, letting $\mathbf{u}(\mathbf{x}) = (u, v, w)$ and $\mathbf{x} = (x, y, z)$,

$$\nabla \mathbf{u} = \begin{pmatrix} \frac{\partial u}{\partial x} & \frac{\partial u}{\partial y} & \frac{\partial u}{\partial z} \\ \frac{\partial v}{\partial x} & \frac{\partial v}{\partial y} & \frac{\partial v}{\partial z} \\ \frac{\partial w}{\partial x} & \frac{\partial w}{\partial y} & \frac{\partial w}{\partial z} \end{pmatrix},$$

and

$$\nabla \cdot \mathbf{A} = \begin{pmatrix} \frac{\partial A_{11}}{\partial x} + \frac{\partial A_{12}}{\partial y} + \frac{\partial A_{13}}{\partial z} \\ \frac{\partial A_{21}}{\partial x} + \frac{\partial A_{22}}{\partial y} + \frac{\partial A_{23}}{\partial z} \\ \frac{\partial A_{31}}{\partial x} + \frac{\partial A_{32}}{\partial y} + \frac{\partial A_{33}}{\partial z} \end{pmatrix}.$$

D.4 Miscellaneous

$$\mathbf{A}^T (\mathbf{A} \mathbf{u} \times \mathbf{A} \mathbf{v}) = \det(\mathbf{A}) (\mathbf{u} \times \mathbf{v})$$

Appendix E

Equations for a Newtonian Fluid

E.1 Cartesian Coordinates

Letting $\mathbf{v} = (u, v, w)$ and $\mathbf{f} = (f, g, h)$, then for an incompressible Newtonian fluid in Cartesian coordinates:

$$\begin{aligned} \rho \left(\frac{\partial u}{\partial t} + u \frac{\partial u}{\partial x} + v \frac{\partial u}{\partial y} + w \frac{\partial u}{\partial z} \right) &= -\frac{\partial p}{\partial x} + \mu \left(\frac{\partial^2 u}{\partial x^2} + \frac{\partial^2 u}{\partial y^2} + \frac{\partial^2 u}{\partial z^2} \right) + \rho f \\ \rho \left(\frac{\partial v}{\partial t} + u \frac{\partial v}{\partial x} + v \frac{\partial v}{\partial y} + w \frac{\partial v}{\partial z} \right) &= -\frac{\partial p}{\partial y} + \mu \left(\frac{\partial^2 v}{\partial x^2} + \frac{\partial^2 v}{\partial y^2} + \frac{\partial^2 v}{\partial z^2} \right) + \rho g \\ \rho \left(\frac{\partial w}{\partial t} + u \frac{\partial w}{\partial x} + v \frac{\partial w}{\partial y} + w \frac{\partial w}{\partial z} \right) &= -\frac{\partial p}{\partial z} + \mu \left(\frac{\partial^2 w}{\partial x^2} + \frac{\partial^2 w}{\partial y^2} + \frac{\partial^2 w}{\partial z^2} \right) + \rho h \\ \frac{\partial u}{\partial x} + \frac{\partial v}{\partial y} + \frac{\partial w}{\partial z} &= 0 \end{aligned}$$

E.2 Cylindrical Coordinates

Letting $\mathbf{v} = (v_r, v_\theta, v_z) = v_r \mathbf{e}_r + v_\theta \mathbf{e}_\theta + v_z \mathbf{e}_z$ and $\mathbf{f} = f_r \mathbf{e}_r + f_\theta \mathbf{e}_\theta + f_z \mathbf{e}_z$, then for an incompressible Newtonian fluid in cylindrical coordinates:

$$\begin{aligned} \rho \left(\frac{\partial v_r}{\partial t} + v_r \frac{\partial v_r}{\partial r} + \frac{v_\theta}{r} \frac{\partial v_r}{\partial \theta} - \frac{v_\theta^2}{r} + v_z \frac{\partial v_r}{\partial z} \right) \\ = -\frac{\partial p}{\partial r} + \mu \left[\frac{\partial}{\partial r} \left(\frac{1}{r} \frac{\partial}{\partial r} (r v_r) \right) + \frac{1}{r^2} \frac{\partial^2 v_r}{\partial \theta^2} - \frac{2}{r^2} \frac{\partial v_\theta}{\partial \theta} + \frac{\partial^2 v_r}{\partial z^2} \right] + \rho f_r \end{aligned}$$

$$\begin{aligned} \rho \left(\frac{\partial v_\theta}{\partial t} + v_r \frac{\partial v_\theta}{\partial r} + \frac{v_\theta}{r} \frac{\partial v_\theta}{\partial \theta} + \frac{v_r v_\theta}{r} + v_z \frac{\partial v_\theta}{\partial z} \right) \\ = -\frac{1}{r} \frac{\partial p}{\partial \theta} + \mu \left[\frac{\partial}{\partial r} \left(\frac{1}{r} \frac{\partial}{\partial r} (r v_\theta) \right) + \frac{1}{r^2} \frac{\partial^2 v_\theta}{\partial \theta^2} + \frac{2}{r^2} \frac{\partial v_r}{\partial \theta} + \frac{\partial^2 v_\theta}{\partial z^2} \right] + \rho f_\theta \end{aligned}$$

$$\begin{aligned} \rho \left(\frac{\partial v_z}{\partial t} + v_r \frac{\partial v_z}{\partial r} + \frac{v_\theta}{r} \frac{\partial v_z}{\partial \theta} + v_z \frac{\partial v_z}{\partial z} \right) \\ = -\frac{\partial p}{\partial z} + \mu \left[\frac{1}{r} \frac{\partial}{\partial r} \left(r \frac{\partial v_z}{\partial r} \right) + \frac{1}{r^2} \frac{\partial^2 v_z}{\partial \theta^2} + \frac{\partial^2 v_z}{\partial z^2} \right] + \rho f_z \\ \frac{1}{r} \frac{\partial (r v_r)}{\partial r} + \frac{1}{r} \frac{\partial v_\theta}{\partial \theta} + \frac{\partial v_z}{\partial z} = 0 \end{aligned}$$

The stress tensor (9.1) for a Newtonian fluid is

$$\boldsymbol{\sigma} = \begin{pmatrix} \sigma_{rr} & \sigma_{r\theta} & \sigma_{rz} \\ \sigma_{\theta r} & \sigma_{\theta\theta} & \sigma_{\theta z} \\ \sigma_{zr} & \sigma_{z\theta} & \sigma_{zz} \end{pmatrix},$$

where $\sigma_{rr} = -p + 2\mu \partial_r v_r$, $\sigma_{r\theta} = \sigma_{\theta r} = \mu \left(r \partial_r \left(\frac{1}{r} v_\theta \right) + \frac{1}{r} \partial_\theta v_r \right)$, $\sigma_{rz} = \sigma_{rz} = \mu (\partial_z v_r + \partial_r v_z)$, $\sigma_{\theta\theta} = -p + 2\mu \frac{1}{r} (\partial_\theta v_\theta + v_r)$, $\sigma_{z\theta} = \sigma_{\theta z} = \mu (\partial_z v_\theta + \frac{1}{r} \partial_\theta v_z)$, and $\sigma_{zz} = -p + 2\mu \partial_z v_z$.

Transformation laws for velocities:

$$\begin{aligned} u &= v_r \cos \theta - v_\theta \sin \theta & v_r &= \frac{1}{\sqrt{x^2 + y^2}} (xu + yv) \\ v &= v_r \sin \theta + v_\theta \cos \theta & v_\theta &= \frac{1}{\sqrt{x^2 + y^2}} (-yu + xv) \\ w &= v_z & v_z &= w. \end{aligned}$$

Transformation laws for derivatives:

$$\begin{aligned} \frac{\partial}{\partial x} &= \cos \theta \frac{\partial}{\partial r} - \frac{\sin \theta}{r} \frac{\partial}{\partial \theta} & \frac{\partial}{\partial r} &= \frac{x}{\sqrt{x^2 + y^2}} \frac{\partial}{\partial x} + \frac{y}{\sqrt{x^2 + y^2}} \frac{\partial}{\partial y} \\ \frac{\partial}{\partial y} &= \sin \theta \frac{\partial}{\partial r} + \frac{\cos \theta}{r} \frac{\partial}{\partial \theta} & \frac{\partial}{\partial \theta} &= -y \frac{\partial}{\partial x} + x \frac{\partial}{\partial y} \end{aligned}$$

$$\frac{\partial}{\partial z} = \frac{\partial}{\partial z} \qquad \frac{\partial}{\partial z} = \frac{\partial}{\partial z}$$

$$\frac{D}{Dt} = \frac{\partial}{\partial t} + v_r \frac{\partial}{\partial r} + \frac{v_\theta}{r} \frac{\partial}{\partial \theta} + v_z \frac{\partial}{\partial z}.$$

Formulas from vector analysis:

$$\nabla \times \mathbf{v} = \left(\frac{1}{r} \frac{\partial v_z}{\partial \theta} - \frac{\partial v_\theta}{\partial z} \right) \mathbf{e}_r + \left(\frac{\partial v_r}{\partial z} - \frac{\partial v_z}{\partial r} \right) \mathbf{e}_\theta + \frac{1}{r} \left(\frac{\partial(rv_\theta)}{\partial r} - \frac{\partial v_r}{\partial \theta} \right) \mathbf{e}_z$$

$$\nabla^2 \phi = \frac{1}{r} \frac{\partial}{\partial r} \left(r \frac{\partial \phi}{\partial r} \right) + \frac{1}{r^2} \frac{\partial^2 \phi}{\partial \theta^2} + \frac{\partial^2 \phi}{\partial z^2}$$

$$\nabla \phi = \frac{\partial \phi}{\partial r} \mathbf{e}_r + \frac{1}{r} \frac{\partial \phi}{\partial \theta} \mathbf{e}_\theta + \frac{\partial \phi}{\partial z} \mathbf{e}_z$$

$$\nabla \cdot \mathbf{v} = \frac{1}{r} \frac{\partial(rv_r)}{\partial r} + \frac{1}{r} \frac{\partial v_\theta}{\partial \theta} + \frac{\partial v_z}{\partial z}.$$

References

- AAVSO, American Association of Variable Star Observers. Website (2018), <http://www.aavso.org>
- E. Abraham, O. Penrose, Physics of negative absolute temperatures. *Phys. Rev. E* **95**, 012125 (2017). <https://doi.org/10.1103/PhysRevE.95.012125>. <https://link.aps.org/doi/10.1103/PhysRevE.95.012125>
- D. Agnani, P. Acharya, E. Martinez, T.T. Tran, F. Abraham, F. Tobin, J. Bentz, Fitting the elementary rate constants of the P-gp transporter network in the hMDR1-MDCK confluent cell monolayer using a particle swarm algorithm. *PLoS ONE* **6**(10), e25086-1–e25086-11 (2011)
- T. Alazard, Low Mach number limit of the full Navier-Stokes equations. *Arch. Ration. Mech. Anal.* **180**(1), 1–73 (2006). <https://doi.org/10.1007/s00205-005-0393-2>. ISSN 1432-0673
- G.L. Aranovich, M.D. Donohue, Eliminating the mean-free-path inconsistency in classical phenomenological model of diffusion for fluids. *Physica A* **373**, 119–141 (2007)
- R. Aris, Review of rational thermodynamics. *Am. Math. Mon.* **94**, 562–564 (1987)
- R. Aris, *Vectors, Tensors and the Basic Equations of Fluid Mechanics* (Dover, New York, 1990)
- T. Asai, K. Seo, O. Kobayashi, R. Sakashita, Fundamental aerodynamics of the soccer ball. *Sports Eng.* **10**, 101–110 (2007)
- C. Atkinson, G.E.H. Reuter, C.J. Ridler-Rowe, Traveling wave solution for some nonlinear diffusion equations. *SIAM J. Math. Anal.* **12**(6), 880–892 (1981). <https://doi.org/10.1137/0512074>
- J.S. Bader, R.W. Hammond, S.A. Henck, M.W. Deem, G.A. McDermott, J.M. Bustillo, J.W. Simpson, G.T. Mulhern, J.M. Rothberg, DNA transport by a micromachined Brownian ratchet device. *Proc. Natl. Acad. Sci.* **96**, 13165–13169 (1999)
- R.W. Balluffi, S.M. Allen, W.C. Carter, *Kinetics of Materials* (Wiley, New York, 2005)
- J.R. Bamforth, S. Kalliadasis, J.H. Merkin, S.K. Scott, Modelling flow-distributed oscillations in the CDIMA reaction. *Phys Chem Chem Phys* **2**, 4013–4021 (2000)
- J. Bang, R. Pan, T.M. Hoang, J. Ahn, C. Jarzynski, H.T. Quan, T. Li, Experimental realization of Feynman’s ratchet. *N. J. Phys.* **20**(10), 103032 (2018), <http://stacks.iop.org/1367-2630/20/i=10/a=103032>
- R.C. Batra, Universal relations for transversely isotropic elastic materials. *Math. Mech. Solids* **7**, 421–437 (2002)
- A. Bayon, F. Gascon, A. Varade, Measurement of the longitudinal and transverse vibration frequencies of a rod by speckle interferometry. *IEEE Trans. Ultrason. Ferroelectr. Freq. Control* **40**, 265–269 (1993)
- A. Bayon, A. Varade, F. Gascon, Determination of the elastic constants of isotropic solids by optical heterodyne interferometry. *J. Acoust. Soc. Am.* **96**, 2589–2592 (1994)

- H. Bhatia, G. Norgard, V. Pascucci, and P.T. Bremer, The Helmholtz-Hodge decomposition - a survey. *IEEE Trans. Vis. Comput. Graph.* **19**(8), 1386–1404 (2013). <https://doi.org/10.1109/TVCG.2012.316>. ISSN 1077-2626
- T.A. Blackledge, C.Y. Hayashi, Silken toolkits: biomechanics of silk fibers spun by the orb web spider *Argiope argentata* (Fabricius 1775). *J Exp Biology* **209**, 2452–2461 (2006)
- J. Bluck, NASA tunnels test tennis balls. Press Release, 00-58AR (2000), http://www.nasa.gov/centers/ames/news/releases/2000/00_58AR.html
- J. Blum, S. Bruns, D. Rademacher, A. Voss, B. Willenberg, M. Krause, Measurement of the translational and rotational brownian motion of individual particles in a rarefied gas. *Phys. Rev. Lett.* **97**, 230601 (2006)
- G.W. Bluman, S. Anco, *Symmetry and Integration Methods for Differential Equations* (Springer, New York, 2002)
- G.W. Bluman, A. Cheviakov, S. Anco, *Applications of Symmetry Methods to Partial Differential Equations* (Springer, New York, 2010)
- R.A. Blythe, M.R. Evans, Nonequilibrium steady states of matrix-product form: a solver's guide. *J. Phys. A Math. Theor.* **40**(46), R333 (2007). <http://stacks.iop.org/1751-8121/40/i=46/a=R01>
- C. Booth, T. Beer, J.D. Penrose, Diffusion of salt in tap water. *Am. J. Phys.* **46**, 525–527 (1978)
- M. Braun, *Differential Equations and Their Applications: An Introduction to Applied Mathematics*, 4th edn. (Springer, New York, 1993)
- G.E. Briggs, J.B.S. Haldane, A note on the kinetics of enzyme action. *Biochem. J.* **19**, 338–339 (1928)
- B. Brixner, Trinity: 16 July 1945. Website (2018), http://www.radiochemistry.org/history/nuke_tests/trinity/index.html
- F.N.M. Brown, See the wind blow. Dept. Aerosp. Mech. Eng. Rep., Univ. of Notre Dame (1971)
- J.C. Butcher, *Numerical Methods for Ordinary Differential Equations*, 3rd edn. (Wiley, New York, 2016)
- J. Carlson, A. Jaffe, A. Wiles, *The Millennium Prize Problems* (American Mathematical Society, Providence, 2006). ISBN 9780821836798
- L. Cavaleri, J.-H.G.M. Alves, F. Arduin, A. Babanin, M. Banner, K. Belibassakis, M. Benoit, M. Donelan, J. Groeneweg, T.H.C. Herbers, P. Hwang, P.A.E.M. Janssen, T. Janssen, I.V. Lavrenov, R. Magne, J. Monbaliu, M. Onorato, V. Polnikov, D. Resio, W.E. Rogers, A. Sheremet, J. McKee Smith, H.L. Tolman, G. van Vledder, J. Wolf, I. Young, Wave modelling - the state of the art. *Prog. Oceanogr.* **75**(4), 603–674 (2007). <https://doi.org/10.1016/j.pocean.2007.05.005>. <http://www.sciencedirect.com/science/article/pii/S0079661107001206>. ISSN 0079-6611
- T. Cebeci, J. Cousteix, *Modeling and Computation of Boundary-layer Flows*, 2nd edn. (Springer, New York, 2005)
- L.-Q. Chen, H. Ding, Two nonlinear models of a transversely vibrating string. *Arch. Appl. Mech.* **78**(5), 321–328 (2008). <https://doi.org/10.1007/s00419-007-0164-7>. ISSN 1432-0681
- D. Chiron, Travelling waves for the nonlinear Schrödinger equation with general nonlinearity in dimension one. *Nonlinearity* **25**(3), 813 (2012). <http://stacks.iop.org/0951-7715/25/i=3/a=813>
- R.C.V. Coelho, M. Mendoza, M.M. Doria, H.J. Herrmann, Kelvin-Helmholtz instability of the Dirac fluid of charge carriers on graphene. *Phys Rev B* **96**, 184307 (2017). <https://doi.org/10.1103/PhysRevB.96.184307>. <https://link.aps.org/doi/10.1103/PhysRevB.96.184307>
- A. Colagrossi, D. Durante, J.B. Bonet, A. Souto-Iglesias, Discussion of Stokes' hypothesis through the smoothed particle hydrodynamics model. *Phys. Rev. E* **96**, 023101 (2017) <https://doi.org/10.1103/PhysRevE.96.023101>. <https://link.aps.org/doi/10.1103/PhysRevE.96.023101>
- M.S. Cramer, Numerical estimates for the bulk viscosity of ideal gases. *Phys Fluids* **24**(6), 066102 (2012). <https://doi.org/10.1063/1.4729611>
- M. Destrade, P.A. Martin, T.C.T. Ting, The incompressible limit in linear anisotropic elasticity, with applications to surface waves and elastostatics. *J. Mech. Phys. Solids* **50**(7), 1453–1468 (2002). [https://doi.org/10.1016/S0022-5096\(01\)00121-1](https://doi.org/10.1016/S0022-5096(01)00121-1). <http://www.sciencedirect.com/science/article/pii/S0022509601001211>. ISSN 0022-5096

- P.G. Drazin, W.H. Reid, *Hydrodynamic Stability*, 2nd edn. (Cambridge University Press, Cambridge, 2004)
- D. Drew, *Traffic Flow Theory and Control* (McGraw Hill, New York, 1968)
- A.S. Dukhin, P.J. Goetz, Bulk viscosity and compressibility measurement using acoustic spectroscopy. *J. Chem. Phys.* **130**(12), 124519 (2009). <https://doi.org/10.1063/1.3095471>
- B. Eckhardt, T.M. Schneider, B. Hof, J. Westerweel, Turbulence transition in pipe flow. *Annu. Rev. Fluid Mech.* **39**, 447–468 (2007)
- C.J. Efthimiou, M.D. Johnson, Domino waves. *SIAM Rev.* **49**, 111–120 (2007)
- G.A. El, M.A. Hofer, M. Shearer, Dispersive and diffusive-dispersive shock waves for nonconvex conservation laws. *SIAM Rev.* **59**(1), 3–61 (2017). <https://doi.org/10.1137/15M1015650>
- O. el Moctar, University of Duisburg-Essen. Website (2018), <https://www.uni-due.de/ISMT/>
- J. Ellenberger, P.J. Klijn, M. Tels, J. Vleggaar, Construction and performance of a cone-and-plate rheogoniometer with air bearings. *J. Phys. E Sci. Instrum.* **9**, 763–765 (1976)
- R. Engbert, F. Drepper, Chance and chaos in population biology, models of recurrent epidemics and food chain dynamics. *Chaos Solutions Fractals* **4**, 1147–1169 (1994)
- A.C. Eringen, *Microcontinuum Field Theories II. Fluent Media* (Springer, New York, 2001)
- ESO/L. Calçada/M. Kornmesser, Massive star birth (2019), <https://luiscalcada.com/massive-star-birth>. Accessed 10 Jan 2019
- L.C. Evans, *Partial Differential Equations*. Graduate Studies in Mathematics, vol. 19, 2nd edn. (American Mathematical Society, Providence, 2010)
- G. Eyink, U. Frisch, R. Moreau, A. Sobolevski, Euler equations: 250 years on, proceedings of an international conference. *Physica D* **237**(14–17), 1825–2250 (2008)
- I. Famili, B.O. Palsson, The convex basis of the left null space of the stoichiometric matrix leads to the definition of metabolically meaningful pools. *Biophys. J.* **85**(1), 16–26 (2003)
- R.P. Feynman, R.B. Leighton, M. Sands, *The Feynman Lectures on Physics, Vol. 1*, 2nd edn. (Addison Wesley, Reading, 2005)
- A. Fick, On liquid diffusion. *Philos. Mag.* **10**, 31–39 (1885)
- R.J. Field, R.M. Noyes, Oscillations in chemical systems. IV. Limit cycle behavior in a model of a real chemical reaction. *J. Am. Chem. Soc.* **60**, 1877–1884 (1974)
- R.J. Field, E. Koros, R.M. Noyes, Oscillations in chemical systems. II. Thorough analysis of temporal oscillation in the bromate-cerium-malonic acid system. *J. Am. Chem. Soc.* **94**, 8649–8664 (1972)
- M. Finnis, *Interatomic Forces in Condensed Matter* (Oxford University Press, Oxford, 2010)
- M. Frewer, More clarity on the concept of material frame-indifference in classical continuum mechanics. *Acta Mech.* **202**, 213–246 (2009)
- A. Friedman, *Generalized Functions and Partial Differential Equations* (Dover, New York, 2005)
- Y.C. Fung, *Biomechanics: Mechanical Properties of Living Tissues*, 2nd edn. (Springer, New York, 1993)
- I. Gasser, On non-entropy solutions of scalar conservation laws for traffic flow. *ZAMM* **83**, 137–143 (2003)
- F. Giustino, *Materials Modelling Using Density Functional Theory* (Oxford University Press, Oxford, 2014)
- O. Golinelli, K. Mallick, The asymmetric simple exclusion process: an integrable model for non-equilibrium statistical mechanics. *J. Phys. A Math. Gen.* **39**(41), 12679 (2006). <http://stacks.iop.org/0305-4470/39/i=41/a=S03>
- S.R. Goodwill, S.B. Chin, and S.J. Haake, Aerodynamics of spinning and non-spinning tennis balls. *J. Wind Eng. Ind. Aerodyn.* **92**, 935–958 (2004)
- P. Gray, S.K. Scott, *Chemical Oscillations and Instabilities: Non-linear Chemical Kinetics*. (Oxford University Press, Oxford, 1994)
- H. Greenberg, An analysis of traffic flow. *Oper. Res.* **7**, 79–85 (1959)
- R.D. Gregory, Helmholtz's theorem when the domain is infinite and when the field has singular points. *Q. J. Mech. Appl. Math.* **49**, 439–450 (1996)

- D.F. Griffiths, D.J. Higham, *Numerical Methods for Ordinary Differential Equations: Initial Value Problems*. Springer Undergraduate Mathematics Series (Springer, New York, 2010). ISBN 9780857291486
- G.W. Griffiths, W.E. Schiesser, Linear and nonlinear waves. *Scholarpedia* **4**(7), 4308 (2009). <https://doi.org/10.4249/scholarpedia.4308>. revision #154041
- E.-Y. Guo, H.-X. Xie, S.S. Singh, A. Kirubanandham, T. Jing, N. Chawla, Mechanical characterization of microconstituents in a cast duplex stainless steel by micropillar compression. *Mater. Sci. Eng. A Struct. Mater.* **598**(Supplement C), 98–105 (2014). <https://doi.org/10.1016/j.msea.2014.01.002>. <http://www.sciencedirect.com/science/article/pii/S0921509314000100>. ISSN 0921-5093
- M.E. Gurtin, L.C. Martins, Cauchy's theorem in classical physics. *Arch. Ration. Mech. Anal.* **60** (4), 305–324 (1976). <https://doi.org/10.1007/BF00248882>. ISSN 1432-0673
- M.E. Gurtin, V.J. Mizel, W.O. Williams, A note on Cauchy's stress theorem. *J. Math. Anal. Appl.* **22**(2), 398–401 (1968). [https://doi.org/10.1016/0022-247X\(68\)90181-9](https://doi.org/10.1016/0022-247X(68)90181-9). <http://www.sciencedirect.com/science/article/pii/0022247X68901819>. ISSN 0022-247X
- J.K. Hale, H. Kocak, *Dynamics and Bifurcations* (Springer, New York, 1996)
- P. Hänggi, F. Marchesoni, Artificial Brownian motors: Controlling transport on the nanoscale. *Rev. Mod. Phys.* **81**, 387–442 (2009). <https://doi.org/10.1103/RevModPhys.81.387>. <https://link.aps.org/doi/10.1103/RevModPhys.81.387>
- V. Henri, *Lois générales de l'action des diastases* (Librairie Scientifique A. Hermann, Paris, 1903)
- N.E. Henriksen, F.Y. Hansen, *Theories of Molecular Reaction Dynamics: The Microscopic Foundation of Chemical Kinetics* (Oxford University Press, Oxford, 2008)
- P.V. Hobbs, A.J. Kezweent, Splashing of a water drop. *Exp. Fluids* **155**, 1112–1114 (1967)
- P.M. Hoffmann, How molecular motors extract order from chaos (a key issues review). *Rep. Prog. Phys.* **79**(3), 032601 (2016). <http://stacks.iop.org/0034-4885/79/i=3/a=032601>
- M.H. Holmes, Finite deformation of soft tissue: Analysis of a mixture model in uni-axial compression. *J. Biomech. Eng.* **108**(4), 372–381 (1986)
- M.H. Holmes, *Introduction to Numerical Methods in Differential Equations*. Texts in Applied Mathematics, vol. 52 (Springer, New York, 2005)
- M. Holmes, Asymmetric random walks and drift-diffusion. *Europhys. Lett.* **102**(3), 30005 (2013a). <http://stacks.iop.org/0295-5075/102/i=3/a=30005>
- M.H. Holmes, *Introduction to Perturbation Methods*. Texts in Applied Mathematics, vol. 20, 2nd edn. (Springer, New York, 2013b)
- M.H. Holmes, *Introduction to Scientific Computing and Data Analysis*. Texts in Computational Science and Engineering, vol. 13 (Springer, New York, 2016)
- M.H. Holmes, V.C. Mow, W.M. Lai, The nonlinear interaction of solid and fluid in the creep response of articular cartilage. *Biorheology* **20**, 422 (1983)
- F. Horn, R. Jackson, General mass action kinetics. *Arch. Ration. Mech. Anal.* **47**(2), 81–116 (1972). <https://doi.org/10.1007/BF00251225>. ISSN 1432-0673
- P.L. Houston, *Chemical Kinetics and Reaction Dynamics* (Dover, New York, 2006)
- K. Hutter, K. Johnk, *Continuum Methods of Physical Modeling* (Springer, New York, 2004)
- P.E. Hydon, *Symmetry Methods for Differential Equations: A Beginner's Guide*. Cambridge Texts in Applied Mathematics (Cambridge University Press, Cambridge, 2000). ISBN 9780521497862
- U. Irion, A.P. Singh, C. Nusslein-Volhard, The developmental genetics of vertebrate color pattern formation: Lessons from zebrafish, in *Essays on Developmental Biology, Part B*, ed. by P.M. Wassarman. Current Topics in Developmental Biology, vol. 117 (Academic, New York, 2016), pp. 141–169. <https://doi.org/10.1016/bs.ctdb.2015.12.012>. <http://www.sciencedirect.com/science/article/pii/S0070215315002197>
- P. Iskyan, Cloud formation over Breckenridge, Colorado (2019), https://www.facebook.com/piskyan/media_set?set=a.1777219625455&type=3. Accessed 10 Jan 2019
- D.D. Joseph, Potential flow of viscous fluids: Historical notes. *Int. J. Multiphase Flow* **32**, 285–310 (2006)
- M. Kac, Can one hear the shape of a drum? *Am. Math. Mon.* **73**, 1–23 (1966)

- N.G. Van Kampen, *Stochastic Processes in Physics and Chemistry*, 3rd edn. (North-Holland, Amsterdam, 2007)
- S. Kavosi, *Kelvin-Helmholtz Instability at Earth's magnetopause: THEMIS Observations and OpenGGCM Simulations*, PhD thesis, University of New Hampshire (2015)
- J.B. Keller, Diffusion at finite speed and random walks. *Proc. Natl. Acad. Sci.* **101**, 1120–1122 (2004)
- D. Kiener, W. Grosinger, G. Dehm, R. Pippan, A further step towards an understanding of size-dependent crystal plasticity: in situ tension experiments of miniaturized single-crystal copper samples. *Acta Mater.* **56**(3), 580–592 (2008). <https://doi.org/10.1016/j.actamat.2007.10.015>. <http://www.sciencedirect.com/science/article/pii/S1359645407006969>. ISSN 1359-6454
- J.K. Knowles, On entropy conditions and traffic flow models. *ZAMM* **88**, 64–73 (2008)
- S.V. Kryatov, E.V. Rybak-Akimova, A.Y. Nazarenko, P.D. Robinson, A dinuclear iron(III) complex with a bridging urea anion: implications for the urease mechanism. *Chem. Commun.* **11**, 921–922 (2000)
- C. Kunkle, Velocity field in a pipe, in *Millersville University Physics: Experiment of the Month* (2008). <https://www.millersville.edu/physics/experiments/067/index.php>
- M. Kwan, *A Finite Deformation Theory for Nonlinearly Permeable Cartilage and Other Soft Hydrated Connective Tissues and Rheological Study of Cartilage Proteoglycans*, PhD Thesis, RPI (1985)
- R.S. Lakes, Viscoelastic measurement techniques. *Rev. Sci. Instrum.* **75**, 797–810 (2004)
- B. Lau, O. Kedem, J. Schwabacher, D. Kwasnieski, E.A. Weiss, An introduction to ratchets in chemistry and biology. *Mater. Horiz.* **4**, 310–318 (2017). <https://doi.org/10.1039/C7MH00062F>
- E. Lauga, M.P. Brenner, H.A. Stone, Microfluidics: the no-slip boundary condition, in *Handbook of Experimental Fluid Dynamics*, ed. by C. Tropea, A.L. Yarin, J.F. Foss (Springer, New York, 2007)
- P.D. Lax, *Hyperbolic Systems of Conservation Laws and the Mathematical Theory of Shock Waves* (Society for Industrial and Applied Mathematics, Philadelphia, 1973). <https://doi.org/10.1137/1.9781611970562>. <https://epubs.siam.org/doi/abs/10.1137/1.9781611970562>
- H.G. Lee, J. Kim, Two-dimensional Kelvin–Helmholtz instabilities of multi-component fluids. *Eur. J. Mech. B Fluids* **49**, 77–88 (2015). <https://doi.org/10.1016/j.euromechflu.2014.08.001>. <http://www.sciencedirect.com/science/article/pii/S0997754614001319>. ISSN 0997-7546
- D.S. Lemons, A. Gythiel, Paul Langevin's 1908 paper, 'on the theory of Brownian motion'. *Am. J. Phys.* **65**, 1079–1081 (1997)
- Y.K. Leong, Y.L. Yeow, Obtaining the shear stress shear rate relationship and yield stress of liquid foods from couette viscometry data. *Rheol. Acta* **42**, 365–371 (2003)
- B.W. Levin, M.A. Nosov, *Physics of Tsunamis* (Springer, New York, 2016)
- K.M. Liew, B.J. Chen, Z.M. Xiao, Analysis of fracture nucleation in carbon nanotubes through atomistic-based continuum theory. *Phys Rev B: Condens. Matter* **71**, 235424 (2005)
- M.J. Lighthill, G.B. Whitham, On kinematic waves; II. A theory of traffic flow on long crowded roads. *Proc. R. Soc. Lond. Ser. A* **229A**, 317–345 (1955)
- K. Lucas, *Molecular Models for Fluids* (Cambridge University Press, Cambridge, 2007)
- Google Maps, Map of Arlington Memorial Bridge. Website (2007), <http://maps.google.com/>
- J.E. Mark, B. Erman, *Rubberlike Elasticity: A Molecular Primer*, 2nd edn. (Cambridge University Press, Cambridge, 2007)
- J.A. Maroto, J. Duenas-Molina, J. de Dios, Experimental evaluation of the drag coefficient for smooth spheres by free fall experiments in old mines. *Eur. J. Phys.* **26**, 323–330 (2005)
- J.E. Marsden, T.J.R. Hughes, *Mathematical Foundations of Elasticity* (Dover, New York, 1994)
- R.M. Mazo, *Brownian Motion: Fluctuations, Dynamics, and Applications* (Oxford University Press, Oxford, 2002)
- R.D. Mehta, Aerodynamics of sports balls. *Ann. Rev. Fluid Mech.* **17**, 151–189 (1985)

- H. Meinhardt, Turing's theory of morphogenesis of 1952 and the subsequent discovery of the crucial role of local self-enhancement and long-range inhibition. *Interface Focus* **2**(4), 407–416 (2012). <https://doi.org/10.1098/rsfs.2011.0097>. <http://rsfs.royalsocietypublishing.org/content/2/4/407>. ISSN 2042-8898
- L. Michaelis, M. Menten, Die kinetik der invertinwirkung. *Biochem Z* **49**, 333–369 (1913)
- S.G. Mikhlin, *Mathematical Physics, an Advanced Course* (North-Holland, Amsterdam, 1970)
- P. Moon, D.E. Spencer, *Field Theory Handbook: Including Coordinate Systems, Differential Equations and Their Solutions* (Springer, New York, 1988)
- Y. Morita, N. Tomita, H. Aoki, S. Wakitani, Y. Tamada, T. Suguro, K. Ikeuchi, Visco-elastic properties of cartilage tissue regenerated with fibroin sponge. *Bio-Med. Mater. Eng.* **12**, 291–298 (2002)
- S. Morris, Boeing 777-236/ER aircraft, in *AirTeamImages* (2006)
- J. Mueller, S. Siltanen, *Linear and Nonlinear Inverse Problems with Practical Applications* (Society for Industrial and Applied Mathematics, Philadelphia, 2012). <https://doi.org/10.1137/1.9781611972344>. <http://epubs.siam.org/doi/abs/10.1137/1.9781611972344>
- T. Mullin, Experimental studies of transition to turbulence in a pipe. *Annu. Rev. Fluid Mech.* **43** (1), 1–24 (2011). <https://doi.org/10.1146/annurev-fluid-122109-160652>
- A. Murdoch, Some primitive concepts in continuum mechanics regarded in terms of objective space-time molecular averaging: the key role played by inertial observers. *J. Elast.* **84**, 69–97 (2006)
- K. Nagel, M. Schreckenberg, A cellular automaton model for freeway traffic. *J. Phys. I France* **2** (12), 2221–2229 (1992). <https://doi.org/10.1051/jp1:1992277>
- Ames Research Center NASA, Wind tunnel images. Website (2018), <https://www.hq.nasa.gov/office/aero/aavp/aetc/test/process-improvement-gallery.html>
- G.F. Newell, Nonlinear effects in the dynamics of car following. *Oper. Res.* **9**, 209–229 (1961)
- J. Nordström, A roadmap to well posed and stable problems in computational physics. *J. Sci. Comput.* **71**(1), 365–385 (2017). <https://doi.org/10.1007/s10915-016-0303-9>
- B.K. Oksendal, *Stochastic Differential Equations: An Introduction with Applications*, 6th edn. (Springer, New York, 2003)
- A. Paquier, F. Moisy, M. Rabaud, Viscosity effects in wind wave generation. *Phys. Rev. Fluids* **1**, 083901 (2016). <https://doi.org/10.1103/PhysRevFluids.1.083901>. <https://link.aps.org/doi/10.1103/PhysRevFluids.1.083901>
- R. Penrose, *The Road to Reality: A Complete Guide to the Laws of the Universe* (Vintage Books, New York, 2007)
- M. Polettini, M. Esposito, Irreversible thermodynamics of open chemical networks. i. emergent cycles and broken conservation laws. *J. Chem. Phys.* **141**(2), 024117 (2014). <https://doi.org/10.1063/1.4886396>
- Y. Qi, T. Cagin, Y. Kimura, W.A. Goddard, Molecular-dynamics simulations of glass formation and crystallization in binary liquid metals: Cu-Ag and Cu-Ni. *Phys. Rev. B* **59**, 3527–3533 (1999). <https://doi.org/10.1103/PhysRevB.59.3527>. <https://link.aps.org/doi/10.1103/PhysRevB.59.3527>
- H. Rakha, M. Van Aerde, Calibrating steady-state traffic stream and car-following models using loop detector data. *Transp. Sci.* **44**(2), 151–168 (2010). <https://doi.org/10.1287/trsc.1090.0297>
- M. Ramírez-Escudero, M. Gimeno-Pérez, B. González, D. Linde, Z. Merdzo, M. Fernández-Lobato, J. Sanz-Aparicio, Structural analysis of β -fructofuranosidase from *Xanthophyllomyces dendrorhous* reveals unique features and the crucial role of N-glycosylation in oligomerization and activity. *J. Biol. Chem.* **291**(13), 6843–6857 (2016). <https://doi.org/10.1074/jbc.M115.708495>. <http://www.jbc.org/content/291/13/6843.abstract>
- P. Raos, Modelling of elastic behaviour of rubber and its application in FEA. *Plast. Rubber Compos. Process. Appl.* **19**, 293–303 (1993)
- C. Reder, Metabolic control theory: a structural approach. *J. Theor. Biol.* **135**(2), 175–201 (1988) [https://doi.org/10.1016/S0022-5193\(88\)80073-0](https://doi.org/10.1016/S0022-5193(88)80073-0). <http://www.sciencedirect.com/science/article/pii/S0022519388800730>. ISSN 0022-5193

- L. Reese, A. Melbinger, E. Frey, Crowding of molecular motors determines microtubule depolymerization. *Biophys. J.* **101**(9), 2190–2200 (2011). <https://doi.org/10.1016/j.bpj.2011.09.009>. <http://www.sciencedirect.com/science/article/pii/S0006349511010630>. ISSN 0006-3495
- P.I. Richards, Shock waves on the freeway. *Oper. Res.* **4**, 42–51 (1956)
- R. Rioboo, C. Bauthier, J. Conti, M. Voue, J. De Coninck, Experimental investigation of splash and crown formation during single drop impact on wetted surfaces. *Exp. Fluids* **35**, 648–652 (2003)
- R.S. Rivlin, J.L. Ericksen, Stress-deformation relations for isotropic materials. *J. Ration. Mech. Anal.* **4**, 323–425 (1955). <http://www.jstor.org/stable/24900365>. ISSN 19435282, 19435290
- W. Rudin, *Principles of Mathematical Analysis*, 3rd edn. (McGraw-Hill, New York, 1976)
- H. Sawada, T. Kunimasu, Sphere drag measurements with the NAL 60cm MSBS. *J. Wind Eng.* **98**, 129–136 (2004)
- S. Schochet, The incompressible limit in nonlinear elasticity. *Commun. Math. Phys.* **102**(2), 207–215 (1985). <https://doi.org/10.1007/BF01229377>. ISSN 1432-0916
- D. Schomburg, D. Stephan, *Enzyme Handbook* (Springer, New York, 1997)
- S. Schuster, T. Hofer, Determining all extreme semi-positive conservation relations in chemical reaction systems: a test criterion for conservativity. *J. Chem. Soc. Faraday Trans.* **87**, 2561–2566 (1991) <https://doi.org/10.1039/FT9918702561>
- L.A. Segel, M. Slemrod, The quasi-steady-state assumption: A case study in perturbation. *SIAM Rev.* **31**, 446–477 (1989)
- D. Shaw, Diffusion in Semiconductors, in *Springer Handbook of Electronic and Photonic Materials*, ed. by S. Kasap, P. Capper, Chapter 6 (Springer, New York, 2017), pp. 133–149
- Y.M. Shtemler, M. Mond, V. Cherniavskii, E. Golbraikh, Y. Nissim, An asymptotic model for the Kelvin–Helmholtz and Miles mechanisms of water wave generation by wind. *Phys. Fluids* **20**(9), 094106 (2008). <https://doi.org/10.1063/1.2980350>
- M.J. Skaug, C. Schwemmer, S. Fringes, C.D. Rawlings, A.W. Knoll, Nanofluidic rocking Brownian motors. *Science* **359**(6383), 1505–1508 (2018). <https://doi.org/10.1126/science.aal3271>. <http://science.sciencemag.org/content/359/6383/1505>. ISSN 0036-8075
- A.J. Smits, S. Ogg, *Aerodynamics of the Golf Ball*. Biomedical Engineering Principles in Sports (Kluwer Academic, Boston, 2004)
- C.G. Speziale, Comments on the material frame-indifference controversy. *Phys. Rev. A At. Mol. Opt. Phys.* **36**, 4522–4525 (1987)
- C.G. Speziale, A review of material frame-indifference in mechanics. *Appl. Mech. Rev.* **51**, 489–504 (1998)
- J.P. Steinbrenner, J.P. Abelanet, Anisotropic tetrahedral meshing based on surface deformation techniques, in *Proceedings of the AIAA 45th Aerospace Sciences Meeting*, Reno, NV (2007), p. AIAA-2007-0554
- S.H. Strogatz, *Nonlinear Dynamics And Chaos: With Applications To Physics, Biology, Chemistry, And Engineering*, 2nd edn. (Westview Press, Cambridge, 2014)
- W.J. Stronge, D. Shu, The domino effect: Successive destabilization by cooperative neighbours. *Proc. R. Soc. A* **418**, 155–163 (1988)
- B. Svendsen, A. Bertram, On frame-indifference and form-invariance in constitutive theory. *Acta Mech.* **132**, 195–207 (1999)
- R.H. Swendsen, How physicists disagree on the meaning of entropy. *Am. J. Phys.* **79**(4), 342–348 (2011). <https://doi.org/10.1119/1.3536633>
- R.H. Swendsen, Thermodynamics of finite systems: a key issues review. *Rep. Prog. Phys.* **81**(7), 072001 (2018). <http://stacks.iop.org/0034-4885/81/i=7/a=072001>
- H.A. Tahini, A. Chroneos, S.C. Middleburgh, U. Schwingenschlogl, R.W. Grimes, Ultrafast palladium diffusion in germanium. *J. Mater. Chem. A* **3**, 3832–3838 (2015). <https://doi.org/10.1039/C4TA06210H>
- S. Taneda, Oscillation of the wake behind a flat plate parallel to the flow. *J. Phys. Soc. Jpn.* **13**(4), 418–425 (1958). <https://doi.org/10.1143/JPSJ.13.418>

- R. Temam, *Navier-Stokes Equations: Theory and Numerical Analysis* (American Mathematical Society, Providence, 2001)
- Thoisoi2, Chemical Clock, Briggs–Rauscher oscillating Reaction! Website (2014), <https://www.youtube.com/watch?v=WpBwlSnIXPQ>
- S.A. Thorpe, A method of producing a shear flow in a stratified fluid. *J. Fluid Mech.* **32**(4), 693–704 (1968). <https://doi.org/10.1017/S0022112068000972>
- N. Tillmark, P.H. Alfredsson, Experiments on transition in plane Couette flow. *J. Fluid Mech.* **235**, 89–102 (1992)
- T.T. Tran, A. Mittal, T. Aldinger, J.W. Polli, A. Ayrton, H. Ellens, J. Bentz, The elementary mass action rate constants of P-gp transport for a confluent monolayer of MDCKII-hMDR1 cells. *Biophys. J.* **88**, 715–738 (2005)
- C. Truesdell, *Rational Thermodynamics*, 2nd edn. (Springer, New York, 1984)
- A. Turing, The chemical basis of morphogenesis. *Philos. Trans. R. Soc. B* **237**, 37–72 (1952)
- O. Vallée, M. Soares, *Airy Functions and Applications to Physics*, 2nd edn. (Imperial College Press, London, 2010). <https://doi.org/10.1142/p345>. <https://www.worldscientific.com/doi/abs/10.1142/p345>
- H. van Haren, L. Gostiaux, E. Morozov, R. Tarakanov, Extremely long Kelvin-Helmholtz billow trains in the Romanche Fracture Zone. *Geophys. Res. Lett.* **41**(23), 8445–8451 (2014). <https://doi.org/10.1002/2014GL062421>. ISSN 1944-8007
- T. Vanderbilt, *Traffic: Why We Drive the Way We Do (and What It Says About Us)* (Knopf, New York, 2008)
- C.C. Wang, A new representation theorem for isotropic functions. *Arch. Ration. Mech. Anal.* **36**(3), 198–223 (1970). <https://doi.org/10.1007/BF00272242>. ISSN 1432-0673
- M. Watanabe, S. Kondo, Is pigment patterning in fish skin determined by the Turing mechanism? *Trends Genet.* **31**(2), 88–96 (2015). <https://doi.org/10.1016/j.tig.2014.11.005>. <http://www.sciencedirect.com/science/article/pii/S0168952514001978>. ISSN 0168-9525
- H.F. Weinberger, *A First Course in Partial Differential Equations: with Complex Variables and Transform Methods* (Dover, New York, 1995)
- A.P. Willis, J. Peixinho, R.R. Kerswell, T. Mullin, Experimental and theoretical progress in pipe flow transition. *Philos. Trans. A Math. Phys. Eng. Sci.* **366**(1876), 2671–2684 (2008). <https://doi.org/10.1098/rsta.2008.0063>. <http://rsta.royalsocietypublishing.org/content/366/1876/2671>. ISSN 1364-503X
- S.-H. Wu, N. Huang, E. Jaquay, M.L. Povinelli, Near-field, on-chip optical Brownian ratchets. *Nano Lett.* **16**(8), 5261–5266 (2016) <https://doi.org/10.1021/acs.nanolett.6b02426>. PMID: 27403605
- H. Xiao, O.T. Bruhns, A. Meyers, On isotropic extension of anisotropic constitutive functions via structural tensors. *ZAMM* **86**(2), 151–161 (2006). <https://doi.org/10.1002/zamm.200410226>. <https://onlinelibrary.wiley.com/doi/abs/10.1002/zamm.200410226>
- N. Zahibo, E. Pelinovsky, T. Talipova, A. Kozelkov, A. Kurkin, Analytical and numerical study of nonlinear effects at tsunami modeling. *Appl. Math. Comput.* **174**(2), 795–809 (2006). <https://doi.org/10.1016/j.amc.2005.05.014>. <http://www.sciencedirect.com/science/article/pii/S0096300305005102>. ISSN 0096-3003

Index

Symbols

\ll , 56

$\llbracket \rrbracket$, 4

A

Admissibility condition, 267

Advection equation, 246

Airy function, 46

Alfvén speed, 39

Almansi strain, 314, 342

Arrhenius equation, 113

Articular cartilage, 198, 313

Asymmetric simple exclusion process, 293

Asymptotically stable, 127, 129

Asymptotic expansion, 53, 65

Autocatalytic reaction, 112, 144

Avogadro's number, 177

B

Balance law, 196, 238, 400

Balancing, 68, 72, 81

Bell curve, 169

Belousov-Zhabotinskii reaction, 143

Bernoulli's theorem, 460

Bessel function, 352, 376

Binding energy, 340

Blasius boundary layer, 474

Bolyeff-Forsyth formula, 490

Bohr radius, 39

Boltzmann constant, 177, 217

Boltzmann distribution, 203

Boundary layer coordinate, 71, 81, 473

Boundary layer solution, 71, 81

Boundary layer thickness, 470, 476

Bratu's equation, 101

Brittle material, 314

Brownian motion, 165

Brownian ratchet, 180

Buckingham Pi theorem, 16

Bunge cord, 99, 296, 317, 319, 333, 339

Burgers' equation, 40, 290

C

Capture silk, 313

Carbon nanotube, 317, 341

Carburization, 178

Cauchy-Green deformation tensor, 336

Cauchy stress tensor, 406

Cellular automata modeling, 276

Characteristics, 249, 255

Clausius-Duhem inequality, 329

Complementary error function, 26, 183, 194, 352

Composite approximation, 74

Composite expansion, 83, 140

Compressive strain, 324, 347

Conservation law, 110, 120, 239

Constitutive law, 197, 312, 325

diffusion, 197

Greenshields law, 241, 257

linear elastic, 316, 345, 429

viscoelastic, 365

viscous fluid, 418

Contact discontinuity, 261

- Continuity equation, 239
 - incompressible, 402
 - material, 306, 424
 - spatial, 306, 402
- Control volume, 237, 337
- Convolution theorem, 189, 356
- Cooperativity, 162
- Couette flow, 446
- Creep, 312

- D**
- D'Alembert's paradox, 469
- D'Alembert solution, 349
- Deformation gradient, 336, 392, 427, 464
- Density, 234, 305, 402
- Descartes' rule of signs, 130, 163
- Determinant, 413, 509
 - derivative, 398
- Diffusion coefficient, 23, 175
- Diffusion equation, 40, 175, 207
 - point source solution, 41, 206, 209, 455
 - radially symmetric, 210, 455
- Diffusive boundary layer, 470
- Dimensionally complete, 18, 20
- Dimensionally homogeneous, 4, 17, 20
- Dimensionless product, 8, 19
 - independent, 19
- Dimension matrix, 17
- Direct notation, 401
- Displacement
 - gradient, 427
 - material, 296, 390
 - spatial, 297, 390
- Distinguished limit, 175
- Divergence Theorem, 399
- Drag coefficient, 10
- Drag on sphere, 6
- Drift coefficient, 218
- Drift diffusion, 202
- Drift-diffusion equation, 224
- Drift velocity, 225
- Du Bois-Reymond lemma, 304
- Ductile material, 314
- Duffing equation, 99

- E**
- Einstein-Smoluchowski equation, 176, 221
- Elastic beam, 43
- Elastic limit, 324
- Elastic modulus, 4, 316
- Elastic string, 41
- Elastomer, 324

- Elementary reaction, 114, 149
- Eley-Rideal mechanism, 152
- Entropy, 4, 329
- Epidemic equilibrium, 117, 158, 159
- Error function, 352
- Euclidean transformation, 327, 409
- Euler equations, 461
- Eulerian coordinates, 390
- Eulerian strain, 314
- Expansion fan, 40, 266
- Exponential order, 354
- Extension ratio, 313, 339
- Extreme parameter value, 150

- F**
- Fick's law of diffusion, 197
- First Piola-Kirchhoff stress tensor, 424
- Fisher's equation, 32
- Fixed junction model, 339
- FKN mechanism, 143
- Flux, 47, 195, 196, 236, 400
- Form invariance, 410
- Fourier law of heat conduction, 197
- Fourier series, 503
- Fourier transform, 186
- Fracture, 324
- Frame-indifference, 327, 410, 426
- Free-surface problem, 478
- Froude number, 492
- Fundamental diagram, 244
- Fundamental dimension, 3, 16

- G**
- Galilean transformation, 327, 409
- Gap, 276
- Geometric analysis, 124
- Geometric Brownian motion, 219
- Geometric linearity, 345, 363
- Goldilocks, 175
- Greenshields constitutive law, 241, 252
- Green strain, 314, 428

- H**
- Half-plane of convergence, 354
- Hanes-Woolf plot, 164
- Heaviside step function, 353
- Helical flow, 491
- Helicity, 493
- Helmholtz free energy, 329
- Helmholtz Representation Theorem, 457, 474
- Helmholtz's Third Vorticity Theorem, 465

Hencky strain, 314
 Hill's equation, 162
 Homogeneous material, 417
 Hopf bifurcation, 132
 Hurricane, 455
 Hurwitz matrix, 163
 Hydrogen-bromine reaction, 163
 Hyperelasticity, 331, 332

I

Ideal fluid, 461
 Ideal gas, 332, 419
 Impenetrability of matter, 303
 Impermeability boundary condition, 421
 Impulsive plate, 470, 493
 Incompressibility
 material coordinates, 439
 spatial coordinates, 402
 Indicator function, 190
 Infinitesimal deformation, 363
 Initial layer, 135
 Inner solution, 71, 139
 Instantaneous elastic modulus, 386
 Integro-differential equation, 371, 375
 Internal energy, 329
 Interstitial diffusion, 177
 Inverse Function Theorem, 304
 Inverse problems, 362
 Invertase, 116
 Inviscid fluid, 461
 Irrotational flow, 441, 457
 Isotropic material, 413

J

Jacobian matrix, 128, 392, 425
 Jacobi's formula, 398
 Jam density, 283

K

Karman vortex street, 476
 KdV equation, 46
 Kelvin-Helmholtz instability, 484
 Kelvin's Circulation Theorem, 464, 492
 Kelvin's Minimum Energy Theorem, 441
 Kelvin-Voigt model, 365
 Kermack-McKendrick model, 104
 Ketchup, 445, 449
 Kinematic viscosity, 470
 Kinetic energy, 328, 430, 433, 441
 Kutta-Joukowski theorem, 469

L

Lagrangian coordinates, 296, 390
 Lagrangian strain, 314, 430
 Lamè constants, 429
 Langevin equation, 212
 Laplace transform, 350
 Laplacian, 418
 Law of Mass Action, 108
 Left Cauchy-Green deformation tensor, 433
 Leibniz's rule, 304
 Lengyel-Epstein model, 20
 Lennard-Jones potential, 324
 Limit cycle, 133
 Lincoln Tunnel, 240
 Lindeman model, 159
 Linear flow, 435, 487
 Linear stability analysis, 128
 Logistic equation, 154
 Luminosity, 35

M

Magnetosonic waves, 39
 Markovian forcing, 216
 Markov property, 167
 Mass density, 4
 Mass, spring, dashpot, 41, 363
 Master equation, 174, 208, 224
 Matching condition, 73, 139
 Material coordinate system, 296, 390
 Material curve, 464
 Material derivative, 301, 395
 Material linearity, 345, 363, 385
 Material velocity gradient tensor, 399
 Maxwell model, 365
 Mean free path, 171, 176
 Mean-square displacement, 214, 220
 Mechanical energy equation, 342, 430
 Merge density, 235, 283
 Merritt Parkway, 240
 Metallic bonding, 321
 Method of characteristics, 348
 linear wave equation, 249
 nonlinear wave equation, 255
 Method of multiple scales, 89
 Michaelis-Menten reaction, 115, 130
 Midpoint strain, 314
 Mobility, 202
 Momentum equation
 angular, 407, 424
 material coordinates, 309, 337, 424
 spatial coordinates, 309, 407
 Mooney-Rivlin model, 341
 Morse potential function, 341

N

Nagel-Schreckenberg model, 277
 Navier equations, 430
 Navier-Stokes equation, 418
 Nernst-Planck law, 203
 Neubert-Fung relaxation function, 373
 Newtonian fluid, 416, 418, 445
 Newton-Sefan law of cooling, 42, 94
 Nondimensionalization, 27, 137
 Non-isotropic material, 413
 Non-Newtonian fluid, 448, 495
 No-slip condition, 421, 462
 Nuclear explosion, 38
 Nullcline, 124, 146

O

Objective tensor, 410, 426
 Oldroyd fluid, 386
 One-way wave equation, 248
 Oregonator, 144
 Outer solution, 71, 81, 138, 145, 472
 Overlap domain, 73

P

Partial derivative notation, 299, 500
 Pascal, 317
 Pathline, 468
 Pauli exclusion principle, 322
 Peanut butter, 445
 Pendulum, 35, 84
 P-glycoprotein, 134, 140
 Phantom traffic jam, 254
 Piecewise continuous, 503
 Pipe flow, 35, 422, 450
 Planck's constant, 39
 Plane Couette flow, 447, 454
 Plasticity, 324
 Plug-flow reactor, 20
 Point source solution of diffusion equation, 179, 206, 209, 455
 Poiseuille flow, 422, 450, 486
 Polar decomposition theorem, 428
 Polyconvexity, 334
 Polytropic fluid, 492
 Potential energy, 328, 433
 Potential flow, 466
 Power-law fluid, 449, 495
 Predator-prey model, 104, 118
 Pressure, 332
 Principal invariants, 413, 438
 Principle of Dissipation, 330, 419

Principle of Material Frame-Indifference, 327, 409, 426
 Projectile problem, 1, 27, 60
 Pure shear, 434

Q

Quantum chromodynamics, 39
 Quasi-steady state assumption, 135, 142

R

Radioactive decay, 103
 Random walk, 167, 205
 biased, 224
 lazy, 222
 non-rectangular lattice, 230
 persistent, 222
 with loss, 223
 with memory, 222
 Rankine-Hugoniot condition, 261, 386
 Rarefaction wave, 266
 Rate of deformation tensor, 416, 489
 Reaction analysis, 123
 Reaction-diffusion equations, 204
 Red light - green light problem, 249, 279
 modified, 256
 Reduced entropy inequality, 330
 Reduced problem, 30, 49
 Reference configuration, 297, 391
 Regular perturbation problem, 49
 Reiner-Rivlin fluid, 416
 Resonance, 361
 Reynolds number, 10, 472
 Reynolds Transport Theorem, 304, 397, 400
 Riemann problem, 40, 263, 264
 Right Cauchy-Green deformation tensor, 428
 Rivlin-Ericksen representation theorem, 413, 417, 442
 Rotation matrix, 394, 409, 428
 Rozenzweig-MacArthur model, 161
 Rubber, 313, 339

S

Scale functions, 65
 Scale model testing, 12
 Schnakenberg chemical oscillator, 160
 Second law of thermodynamics, 329
 Second Piola-Kirchhoff stress tensor, 427
 Secular term, 88
 Shear stress, 448, 449, 495
 Shock wave, 261

- Similarity variable, 24, 199, 210, 293
 Simple extension, 440
 Simple shear, 393
 Singular perturbation problem, 66, 138
 SIR model, 105
 - with vaccination, 158
 - with vital dynamics, 158
 Slinky, 346, 357
 Slip plane, 324
 Small disturbance approximation, 253, 482
 Space elevator, 339
 Spatial coordinate system, 297, 390
 Spatial velocity gradient tensor, 399
 Spin tensor, 416
 Standard linear model, 365
 Steady flow, 446
 Steady state, 111, 123, 311
 Stirling's approximation, 172, 224
 Stochastic differential equation, 212
 Stoichiometric coefficients, 107, 119
 Stoichiometric matrix, 120
 Stokes drag formula, 12, 202, 216
 Stokes-Einstein equation, 176, 217
 Stokes' first problem, 470
 Stokes flow, 11
 Stokes hypothesis, 419
 Stokes' Law, 37
 Stored energy function, 433
 Strain
 - Almansi, 314, 440, 441
 - energy function, 433
 - engineering, 314
 - Eulerian, 314
 - Green, 314, 338, 428
 - Hencky, 314, 339, 440, 441
 - Lagrangian, 314, 315, 430
 - midpoint, 314, 339
 - nominal, 314
 - tensor, 440
 - true, 314
 Stream function, 474
 Stress, 4, 307, 316, 403, 424
 Stress power, 431
 Stress relaxation, 311
 Surface tension, 4, 494
 Sutton-Chen potential, 324
- T**
- Tacoma Narrows Bridge, 362
 Tautochrone problem, 384
 Taylor-Couette problem, 489
 Taylor-Sedov formula, 38
 Taylor's theorem, 50, 497
- Telegraph equation, 223
 Temperature, 329, 419
 Tensile strain, 324, 347
 Tensor, 401
 Toothpaste, 445, 449
 Trace, 398, 413, 509
 Traffic flow equation
 - linear, 241, 245
 - nonlinear, 242, 252, 270
 - small disturbance approximation, 253
 - wave velocity, 243, 252
 Transcendentally small, 66
 Trimerization, 162
 Tsunami, 481
 Two-timing, 89
- U**
- Uniform approximation, 74, 83
 Uniform dilatation, 393
 Universal gas constant, 177
- V**
- Van der Pol equation, 132
 Van der Waals bonding, 324
 Velocity
 - gradient tensor, 399, 415
 - material, 297, 390
 - spatial, 297, 390
 Viscoelastic
 - fluid, 373
 - solid, 373
 Viscoelasticity
 - Burger model, 381
 - creep function, 382
 - Kelvin-Voigt model, 365
 - Maxwell model, 365
 - relaxation function, 372
 - standard linear model, 365
 Viscosity, 4, 332, 418, 446
 Viscous dissipation function, 431, 489
 Viscous fluid, 331
 Volatility, 218
 Volume fraction, 284
 Vortex, 455
 - Burger's, 488
 - line, 457, 460
 - Oseen-Lamb, 456, 463
 - Taylor, 455, 487
 Vorticity, 454, 462, 469, 489
 Vorticity tensor, 416, 454
 Vorticity transport equation, 488

W

Wave velocity, 243, 252

Weak nonlinearity, 32

Weber number, 36

Webster's equation, 337

Well-ordered, 65

Well-ordering condition, 55

Y

Young's modulus, 316, 345