

References

- Abeles, A. L., & Abeles, F. B. (1972). Biochemical pathway of stress-induced ethylene. *Plant Physiology*, *50*, 496–498.
- Aborisade, A. T., & Ayibowu, A. F. (2010). Effect of polyethylene thickness, photoperiod and initial stage at harvest on ripening of two tomato (*Lycopersicon esculentum* Mill.) cultivars. *Acta Horticulturae*, *858*, 179–184.
- Acedo, A. L., & Bautista, O. K. (1993). Optimization of indigenous ripening systems for bananas in the Philippines. *ACIAR Proceedings*, *50*, 172–185.
- Adams, D. O., & Yang, S. F. (1979). Ethylene biosynthesis: identification of 1-aminocyclopropane-1-carboxylic acid as an intermediate in the conversion of methionine to ethylene. *Proceeding of the National Academy of Sciences of the United States of America*, *76*, 170–174.
- Adão, R. C., & Glória, M. B. A. (2005). Bioactive amines and carbohydrate changes during ripening of 'Prata' banana (*Musa acuminata* × *M. balbisiana*). *Food Chemistry*, *90*, 705–711.
- Adeyemi, O. S., & Oladiji, A. T. (2009). Compositional changes in banana (*Musa* spp.) fruits during ripening. *African Journal of Biotechnology*, *8*, 858–859.
- Aghdam, M. S., Asghari, M., Khorsandi, O., & Mohayjeji, M. (2014). Alleviation of postharvest chilling injury of tomato fruit by salicylic acid treatment. *Journal of Food Science and Technology*, *51*, 2815–2820.
- Ahmad, S., & Thompson, A. K. (2006). Effect of controlled atmosphere storage on ripening and quality of banana fruit. *Journal of Horticultural Science & Biotechnology*, *81*, 1021–1024.
- Ahmad, S., & Thompson, A. K. (2007). Effect of modified atmosphere storage on the ripening and quality of ripe banana fruit. *Acta Horticulturae*, *741*, 273–278.
- Ahmad, S., Clarke, B., & Thompson, A. K. (2001a). Banana harvest maturity and fruit position on quality of ripe fruit. *Annals of Applied Biology*, *139*, 329–335.
- Ahmad, S., Thompson, A. K., Hafiz, I. A., & Asi, A. A. (2001b). Effect of temperature on the ripening behaviour and quality of banana fruit. *International Journal of Biology*, *3*, 224–227.
- Ahmad, S., Perviez, M. A., Chatha, Z. A., & Thompson, A. K. (2006). Improvement of banana quality in relation to storage humidity, temperature and fruit length. *International Journal of Agriculture and Biology*, *8*, 377–380.
- Ahmad, S., Thompson, A. K., & Perviez, M. A. (2007). Effect of fruit maturity and position of hands on the ripening behaviour and quality of banana fruit. *Acta Horticulturae*, *741*, 117–123.
- Ahmed, Z. F. R., & Palta, J. P. (2011). A natural lipid, lysophosphatidylethanolamine, may promote ripening while reducing senescence in banana fruit. *HortScience*, *46*, 273.

- Ahmed, Z. F. R., & Palta, J. P. (2015). A postharvest dip treatment with lysophosphatidylethanolamine, a natural phospholipid, may retard senescence and improve the shelf life of banana fruit. *HortScience*, *50*, 1035–1040.
- Ahmed, Z. F. R., & Palta, J. P. (2016). Postharvest dip treatment with a natural lysophospholipid plus soy lecithin extended the shelf life of banana fruit. *Postharvest Biology and Technology*, *113*, 58–65.
- Akkaravessapong, P., Joyce, D. C., & Turner, D. W. (1992). The relative humidity at which bananas are stored or ripened does not influence their susceptibility to mechanical damage. *Scientia Horticulturae*, *52*, 265–268.
- Alonso, J. M., Hirayama, T., Roman, G., Nourizadeh, S., & Ecker, J. R. (1999). EIN2, a bifunctional transducer of ethylene and stress responses in *Arabidopsis*. *Science*, *284*, 2148–2152.
- Altman, S. A., & Corey, K. A. (1987). Enhanced respiration of muskmelon fruits by pure oxygen and ethylene. *Scientific Horticulture*, *31*, 275–281.
- Alvindia, D. G., Kobayashi, T., Yaguchi, Y., & Natsuaki, K. T. (2000). Evaluation of cultural and postharvest practices in relation to fruit quality problems in Philippine non chemical bananas. *Japanese Journal of Tropical Agriculture*, *44*, 178–185.
- Al-Zaemey, A. B. S., Falana, I. B., & Thompson, A. K. (1989). Effects of permeable fruit coatings on the storage life of plantains and bananas. *Aspects of Applied Biology*, *20*, 73–80.
- Amano, T., Seo, Y., Morishima, H., & Kawagoe, Y. (1993). Studies on ripening of fruits by fuzzy theory (Part I). *Journal of the Japanese Society of Agricultural Machinery and Food Engineers*, *55*, 137–142.
- Amarakoon, R., Sarananda, K. H., & Illeperuma, D. C. K. (1999). Quality of mangoes as affected by stage of maturity. *Tropical Agricultural Research*, *11*, 74–85.
- Amaro, A. L., & Almeida, D. P. F. (2013). Lysophosphatidylethanolamine effects on horticultural commodities: A review. *Postharvest Biology and Technology*, *78*, 92–102.
- Ambuko, J. L., Sekozawa, Y., Sugaya, S., Itoh, F., Nakamura, K., & Gemma, H. (2006). Effect of seasonal variation, cultivar and production system on some postharvest characteristics of the banana. *Acta Horticulturae*, *712*, 841–849.
- Anhwange, B., Ugye, J. T., & Nyiatagher, T. D. (2009). Chemical composition of *Musa sapientum* (banana) peels. *Electronic Journal of Environmental, Agricultural and Food Chemistry*, *8*, 437–442.
- Anonymous. (2012). *Banana ripening manual*. Boston: United Fruit Sales Corp.
- Anonymous. (2019). Ripelock. <https://www.agrofresh.com/technologies/ripelock/>. Accessed 7 April 2019.
- Anuchai, J., Chumthongwattana, M., Tepsorn, R., & Supapavanich, S. (2018). Efficiency of salicylic immersion using fine-bubble technique on quality of *Musa* AAA fruit during ripening. *International Journal of Agricultural Technology*, *14*, 1003–1016.
- Apelbaum, A., Aharoni, Y., & Temkin-Gorodeiski, N. (1977). Effects of sub-atmospheric pressure on the ripening processes of banana fruits. *Tropical Agriculture*, *54*, 39–46.
- Archana, U., & Sivachandiran, S. (2015). Effect of application of gibberellic acid (GA₃) on shelf-life of banana. *International Journal of Research in Agriculture and Food Sciences*, *3*, 1–4.
- Arora, A., Choudhary, D., Agarwal, G., & Singh, V. P. (2008). Compositional variation in β-carotene content, carbohydrate and antioxidant enzymes in selected banana cultivars. *Institute of Food Science and Technology*, *43*, 1913–1921.
- Badran, A. M. (1969). *Controlled atmosphere storage of green bananas*. U.S. Patent 17 June 3, 450, 542.
- Bagnato, N., Sedgley, M., Barrett, R., & Klieber, A. (2003). Effect of ethanol vacuum infiltration on the ripening of 'Cavendish bananas' cv. Williams. *Postharvest Biology and Technology*, *27*, 337–340.
- Balasubramaniam, V. M., Farkas, D., & Turek, E. J. (2008). Preserving foods through high-pressure processing. *Food Technology*, *62*, 32–38.
- Ball, K. L., Green, J. H., & Ap Rees, T. (1991). Glycolysis at the climacteric bananas. *European Journal of Biochemistry*, *197*, 265–269.

- Bangerth, F. (1984). Changes in sensitivity for ethylene during storage of apple and banana fruits under hypobaric conditions. *Scientia Horticulturae*, 24, 151.
- Banks, N. H. (1984). Some Effects of TAL Pro-long coating on ripening bananas. *Journal of Experimental Botany*, 35, 127–137.
- Barnell, H. R. (1943). Studies in tropical fruits. Carbohydrate metabolism of the banana fruit during storage at 53 °F. *Annals of Botany New Series*, 9, 1–22.
- Barry, C. S., & Giovannoni, J. J. (2007). Ethylene and fruit ripening. *Journal of Plant Growth Regulation*, 26, 143–159.
- Baskar, R., Shrisakthi, S., Sathyapriya, B., Shyampriya, R., Nithya, R., & Poongodi, P. (2011). Antioxidant potential of peel extracts of banana varieties (*Musa sapientum*). *Food and Nutrition Sciences*, 2, 1128–1133.
- Bateman, D. (2019). S.H. Pratt & Co www.freshfruitportal.com. Accessed 26 April 2019.
- Bautista, O. K. (1990). *Postharvest technology for southeast Asian perishable crops*. Technology and Livelihood Resource Center 302 pp.
- Beatrice, E., Deborah, N., & Guy, B. (2015). Provitamin A carotenoid content of unripe and ripe banana cultivars for potential adoption in eastern. *African Journal of Food Composition and Analysis*, 43, 1–6.
- Beckles, D. M. (2012). Factors affecting the postharvest soluble solids and sugar content of tomato (*Solanum lycopersicum* L.) fruit. *Postharvest Biology and Technology*, 63, 129–140.
- Belitz, H. D., Grosch, W., & Schieberle, P. (2009). *Food chemistry* (4th ed.). Springer Publications.
- Bennett, R. N., Shiga, T. M., Hassimotto, N. M., Rosa, E. A., Lajolo, F. M., & Cordenunsi, B. R. (2010). Phenolics and antioxidant properties of fruit pulp and cell wall fractions of postharvest banana (*Musa acuminata* Juss.) cultivars. *Journal of Agricultural and Food Chemistry*, 58, 7991–8003.
- Bhardwaj, C. L., Jones, H. F., & Smith, I. H. (1984). A study of the migration of externally applied sucrose esters of fatty acids through the skins of banana, apple and pear fruits. *Journal of the Science of Food and Agriculture*, 35, 322–331.
- Bhova, H. P., Patel, J. C., & Amin, H. D. (1978). Effect of Ethrel on ripening of some varieties of mango (*Mangifera indica* L.) fruits. *Indian Journal of Agricultural Research*, 12, 263–265.
- Biale, J. B. (1960). Respiration of fruits. *Encyclopaedia of Plant Physiology*, 12, 536–592.
- Biale, J. B. (1964). Growth, maturation and senescence in fruits. *Science*, 146, 880–888.
- Biale, J. B., & Young, R. E. (1962). The biochemistry of fruit maturation. *Endeavour*, 21, 164–174.
- Blackbourn, H. D., Jeger, M. J., John, P., & Thompson, A. K. (1990). Inhibition of degreening in the peel of bananas ripened at tropical temperatures, III changes in plastid ultrastructure and chlorophyll-protein complexes accompanying ripening in bananas and plantains. *Annals of Applied Biology*, 117, 147–161.
- Blackbourn, H. D., Jeger, M. J., John, P., Telfer, A., & Barber, J. (1990a). Inhibition of degreening in the peel of bananas ripened at tropical temperatures. IV. Phytosynthetic capacity of ripening bananas and plantains in relation to changes in the lipid composition of ripening banana peel. *Annals of Applied Biology*, 117, 163–174.
- Blissett, K. A., Emanuel, M., & Barnaby, A. G. (2019). Biochemical properties of tree ripened and post harvest ripened *Mangifera indica* (cv. East Indian). *International Journal of Fruit Science*, 1–13.
- Bouzayen, M., Latché, A., Nath, P., & Pech, J. C. (2010). Mechanism of fruit ripening. Chapter 16. In *Plant developmental biology – biotechnological perspectives* (Vol. 1). Springer.
- Bowden, A. P. (1993). Modified atmosphere packaging of ‘Cavendish’ and ‘Apple’ bananas. *MSc thesis Cranfield University*.
- Bowden, A. P., Khanbari, O., Wei, Y., & Thompson, A. K. (1994). Implications of genetic variation on the marketing of fruit and vegetables. *Aspects of Applied Biology*, 39, 103–110.
- Brady, C. J. (1987). Fruit ripening. *Annual Review of Plant Physiology*, 38, 155–178.
- Brat, P., Yahia, A., Chillet, M., Bugaud, C., Bakry, F., Reynes, M., & Brillouet, J. M. (2004). Influence of cultivar, growth altitude and maturity stage on banana volatile compound composition. *Fruits*, 59, 75–82.

- Brodrick, H. T., & Strydom, G. J. (1984). The radurisation of bananas under commercial conditions – Part 1. *Subtropical Fruit Journal*, 602, 4–6.
- Broughton, W. J., Chan, B. E., & Kho, H. L. (1978). Maturation of Malaysian fruits. II. Storage conditions and ripening of banana *Musa sapientum* var 'Pisang Emas'. *Malaysian Agricultural Research and Development Institute. Research Bulletin*, 7, 28–37.
- Bugaud, C., Alter, P., Daribo, M. O., & Brillouet, J. M. (2009). Comparison of the physico-chemical characteristics of a new triploid banana hybrid, FLHORBAN920, and the Cavendish variety. *Journal of the Science of Food and Agriculture*, 89, 407–413.
- Bugaud, C., Ocrisse, G., Salmon, F., & Rinaldo, D. (2014). Bruise susceptibility of banana peel in relation to genotype and post-climacteric storage conditions. *Postharvest Biology and Technology*, 87, 113–119.
- Burdon, J. N., Dori, S., Lomaniec, E., Marinansky, R., & Pesis, E. (1994). The postharvest ripening of water stressed banana fruits. *Journal of Horticulture Science*, 69, 799–804.
- Burg, S. P. (1967). *Method for storing fruit*. US Patent 3.333967 and US patent reissue Re. 28,995 (1976).
- Burg, S. P. (2004). *Postharvest physiology and hypobaric storage of fresh produce*. Wallingford: CAB International.
- Burg, S. P. (2014). *Hypobaric storage in food industry*. London: Academic.
- Burg, S. P., & Burg, E. A. (1962). Role of ethylene in fruit ripening. *Plant Physiology*, 37, 179–189.
- Burg, S. P., & Burg, E. A. (1965). Relationship between ethylene production and ripening in bananas. *Botanical Gazette*, 126, 200–204.
- Burg, S. P., & Burg, E. A. (1967). Molecular requirements for the biological activity of ethylene. *Plant Physiology*, 42, 144–152.
- Butler, W., Cook, L., & Vayda, M. E. (1990). Hypoxic stress inhibits multiple aspects of the potato tuber wound responses. *Plant Physiology*, 93, 264–270.
- Calberto, G., Staver, C., & Siles, P. (2015). An assessment of global banana production and suitability under climate change scenarios. In A. Elbehri (Ed.), *Climate change and food systems. Global assessments and implications for food security and trade* (pp. 264–291). Rome: Food and Agriculture Organization of the United Nations.
- Campbell, C. W., & Malo, S. E. (1969). The effect of 2-chloroethyl phosphonic acid on ripening of mango fruits. *Proceedings of the American Society for Horticultural Science*, 13, 221–226.
- Cano, M. P., de Ancos, B., Matallana, M. C., Cámara, M., Reglero, G., & Tabera, J. (1997). Differences among Spanish and Latin-American banana cultivars: Morphological, chemical and sensory characteristics. *Food Chemistry*, 59, 411–419.
- Caussiol, L. P., & Joyce, D. C. (2004). Characteristics of banana fruit from nearby organic versus conventional plantations: A case study. *Journal of Horticultural Science & Biotechnology*, 79, 678–682.
- Chamara, D., Illeperuma, K., & Galappatty, P. T. (2000). Effect of modified atmosphere and ethylene absorbers on extension of storage life of 'Kolikuttu' banana at ambient temperature. *Fruits*, 55, 381–388.
- Chandel, R., Sharma, P. C., & Gupta, A. (2018). Method for detection and removal of arsenic residues in calcium carbide ripened mangoes. *Journal of Food Processing and Preservation*, 42, e13420.
- Chang, W. H., & Hwang, Y. J. (1990a). Effect of ethylene treatment on the ripening, polyphenoloxidase activity and water-soluble tannin content of Taiwan northern banana at different maturity stages and the stability of banana polyphenoloxidase. *Tropical and subtropical fruits. Acta Horticulturae*, 275, 603–610.
- Chang, W. H., & Hwang, Y. J. (1990b). Effect of some inhibitors on carbohydrate content and related enzyme activity during ripening of Taiwan northern banana fruit. *Tropical and subtropical fruits. Acta Horticulturae*, 275, 611–619.
- Chang, W. H., Hwang, Y. J., & Wei, T. C. (1990). Chemical composition and enzyme activity of Taiwan northern banana fruit of different maturity and harvested in different seasons. *Tropical and Subtropical fruits. Acta Horticulturae*, 275, 621–629.

- Chauhan, O. P., Raju, P. S., Dasgupta, D. K., & Bawa, A. S. (2006). Modified atmosphere packaging of banana (cv. Pachbale) with ethylene, carbon di-oxide and moisture scrubbers and effect on its ripening behaviour. *American Journal of Food Technology*, *1*, 179–189.
- Cheesman, E. E. (1947–1949). Classification of the bananas. *Kew Bulletin* 1947, 106–117. 1948, 11–28, 145–157, 323–328, 1949, 23–28, 133–137, 265–272, 445–449.
- Cheng, G., Yang, E., Lu, W., Jia, Y., Jiang, Y., & Duan, X. (2009). Effect of nitric oxide on ethylene synthesis and softening of banana fruit slice during ripening. *Journal of Agricultural and Food Chemistry*, *57*, 5799–5804.
- Chillet, M., & De Lapeyre De Bellaire, L. (2002). Variability in the production of wound ethylene in bananas from the French West Indies. *Scientia Horticulturae*, *96*, 127–137.
- Chillet, M., de Lapeyre de Bellaire, L., Huber, B., & Mbéguié-A-Mbéguié, D. (2008). Measurement of banana green life. *Fruits*, *63*, 125–127.
- Chotikakham, S., Chumyam, A., & Saengnil, K. (2014). Changes in membrane lipid peroxidation during fruit ripening of ‘Namwa’ banana. *Agricultural Science Journal*, *45*, 113–116.
- Choudhury, H., Chandra, K., & Baruah, K. (1996). Variation in total chlorophyll content and its partitioning in Dwarf Cavendish bananas as influenced by bunch cover treatments. *Crop Research*, *11*, 232–238.
- Chow, M. (1979). The preoccupation with food safety. In M. Chow & T. D. P. Harmon Jr. (Eds.), *Critical food issues for the eighties* (pp. 14–42). New York: Pergamon Press.
- Christelová, P., Valarik, M., Hřibová, E., De Langhe, E., & Doležel, J. (2011). A multigene sequence-based phylogeny of the Musaceae (banana) family. *BMC Evolutionary Biology*, *11*, 103–116.
- Christelová, P., De Langhe, E., Hřibová, E., Čížková, J., Sardos, J., Hušáková, M., Van den houwe, I., Sutanto, A., Kepler, A. K., Swennen, R., Roux, N., & Doležel, J. (2017). Molecular and cytological characterization of the global *Musa* germplasm collection provides insights into the treasure of banana diversity. *Biodiversity and Conservation*, *26*, 801–824.
- Collin, M. N. (1989). Conservation de bananes plantains sous film plastique et polyolefines. *IRFA Reunion Annuelle*, *37*, 7.
- Collin, M. N., & Dalnic, R. (1991). Evolution de quelques criteres physico-chimiques de la banane plantain (cultivar Orishele) au cours de la maturation. *Fruits*, *46*, 13–17.
- Collin, M. N., & Folliot, M. (1990). Caracteristiques anatomiques de l’epiderme de la banane plantain en relation avec les techniques de conservation. *Fruits*, *45*, 9–16.
- Copisarow, M. (1935). The metabolism of fruit and vegetables in relation to their preservation. *Journal of Pomology*, *XIV*, 9–18.
- Cordenunsi, B. R., & Lajolo, F. M. (1995). Starch breakdown during banana ripening: Sucrose synthase and sucrose phosphate synthase. *Journal of Agricultural and Food Chemistry*, *43*, 347–351.
- Cuadrado, Y., Fernandez, M., Recio, E., Aparicio, J. F., & Martin, J. F. (2004). Characterization of the *ask-asd* operon in aminoethoxyvinylglycine-producing *Streptomyces* sp. NRRL 5331. *Applied Microbiology and Biotechnology*, *64*, 228–236.
- Curry, E. A. (1998). *Ethylene in fruit ripening*. 14th Annual Postharvest Conference, Yakima.
- da Costa Nascimento, R., de Oliveira Freire, O., Ribeiro, L. S., Araújo, M. B., Finger, F. L., Soares, M. A., Wilcken, C. F., Zanuncio, J. C., & Ribeiro, W. S. (2019). Ripening of bananas using *Bowdichia virgilioides* Kunth leaves. *Scientific Reports* *9*, 1–6. Article number: 3548. <https://doi.org/10.1038/s41598-019-40053-3>
- Daniells, J., Jenny, C., Karamura, D., & Tomekpe, K. (Eds.). (2001). *Musalogue: t of controlled atmosphere storage on ripening and quality of banan Musa. A catalogue of Musa germplasm*. Rome: International Plant Genetic Resources Institute (IPGRI).
- Daundasekera, W. A. M., Joyce, D. C., Adkikaram, N. K. B., & Terry, L. A. (2008). Pathogen-produced ethylene and the *Colletotrichum musae*-banana fruit pathosystem. *Australasian Plant Pathology*, *37*, 448–453.
- Davey, M. W., Van den Bergh, I., Markham, R., Swennen, R., & Keulemans, J. (2009). Genetic variability in *Musa* fruit provitamin A carotenoids, lutein and mineral micronutrient contents. *Food Chemistry*, *115*, 806–813.

- Davies, P. N. (1990). *Fyffes and the banana*. London: Athlone Press.
- Davies, K., Hobson, G. E., & Grierson, D. (2006). Silver ions inhibit the ethylene-stimulated production of ripening-related mRNAs in tomato. *Plant Cell and Environment*, *11*, 729–738.
- De Martino, G., Mencarelli, F., & Golding, J. B. (2007). Preliminary investigation into the uneven ripening of banana (*Musa* sp.) peel. *New Zealand Journal of Crop and Horticultural Science*, *35*, 193–199.
- Deaquiz, Y. A., Álvarez-Herrera, J., & Fischer, G. (2014). Etileno y 1-MCP afectan el comportamiento poscosecha de frutos de pitahaya amarilla (*Selenicereus megalanthus* Haw.). *Agronomía Colombiana*, *32*, 44–51.
- Deekshika, B., Praveena Lakshmi, B., Singuluri, H., & Sukumaran, M. K. (2015). Estimation of ascorbic acid content in fruits & vegetables from Hyderabad, India – A theoretical assessment of Vitamin C activity. *International Journal of Current Microbiology and Applied Sciences*, *4*, 96–99.
- Deepthi, V. P. (2016). Taxonomic scoring and genomic grouping in bananas. *Flora and Fauna*, *22*, 151–158.
- Deng, Z., Jung, J., Simonsen, J., & Zhao, Y. (2017). Cellulose nanomaterials emulsion coatings for controlling physiological activity, modifying surface morphology, and enhancing storability of postharvest bananas (*Musa acuminata*). *Food Chemistry*, *232*, 359–368.
- Denny, F. E. (1923). *Methods of colouring citrus fruits*. US Patent no. 1, 475,938.
- Desai, B. B., & Deshpande, P. B. (1975). Chemical transformations in three varieties of banana *Musa paradisiaca* Linn fruits stored at 20 °C. *Mysore Journal of Agricultural Science*, *9*, 634–643.
- Dhembare, A. J. (2013). Bitter truth about fruit with reference to artificial ripener. *Archives of Applied Science Research*, *5*, 45–54.
- Dole. (2011). Dole offers on-board banana ripening. *The Packer* May 17 2011. <https://www.the-packer.com/article/dole-offers-board-banana-ripening>. Accessed 21 March 2019.
- Domínguez, M., Domínguez-Puigjaner, E., Saladié, M., & Vendrell, M. (1998). Effect of inhibitors of ethylene biosynthesis and action on ripening of bananas. *Acta Horticulturae*, *490*, 519–528.
- Dominguez-Puigjaner, E., Vendrell, M., & Dolores Ludevid, M. (1992). Differential protein accumulation in banana fruit during ripening. *Plant Physiology*, *98*, 157–162.
- Duan, X., Joyce, D. C., & Jiang, Y. (2007). Postharvest biology and handling of banana fruit. *Fresh Produce*, *1*, 140–152.
- Dubery, I. A., van Rensburg, L. J., & Schabort, J. C. (1984). Malic enzyme activity and related Biochemical aspects during ripening of γ -irradiated mango fruit. *Phytochemistry*, *23*, 1383–1386.
- Elitzur, T., Vrebalov, J., Giovannoni, J. J., Goldschmidt, E. E., & Friedman, H. (2010). The regulation of MADS-box gene expression during ripening of banana and their regulatory interaction with ethylene. *Journal of Experimental Botany*, *61*, 1523–1535.
- Elitzur, T., Yakir, E., Quansah, L., Zhangjun, F., Vrebalov, J., Khayat, E., Giovannoni, J. J., & Friedman, H. (2016). Banana *MaMADS* transcription factors are necessary for 14 fruit ripening and molecular tools to promote shelf-life and food security. *Plant Physiology*, *171*, 380–391.
- Embrapa. (2014). Sistema de Produção da Bananeira Irrigada: Cultivares. *Embrapa Semiárido* <http://sistemasdeproducao.cnptia.embrapa.br/FontesHTML/Banana/BananeiraIrrigada/cultivares.htm>. Accessed 2 July 2015.
- Englberger, L., Wills, R. B., Blades, B., Dufficy, L., Daniells, J. W., & Coyne, T. (2006). Carotenoid content and flesh color of selected banana cultivars growing in Australia. *Food and Nutrition Bulletin*, *27*, 281–291.
- EPA, U.S. (1988). *Guidance for the reregistration of pesticide products containing ethephon as the active ingredient*. Washington, DC: U.S. Environmental Protection Agency.
- Esguerra, E. B., Hilario, D. C. R., & Absulio, W. L. (2009). Control of finger drop in ‘Latundan’ banana (*Musa acuminata* AA group) with preharvest calcium spray. *Acta Horticulturae*, *837*, 167–170.
- FAOStat. (2019). <http://www.fao.org/faostat/en/#data>. Accessed 5 May 2019.

- Farag, K. M., & Palta, J. P. (1993). Use of lysophosphatidylethanolamine, a natural lipid to retard tomato leaf and fruit senescence. *Physiologia Plantarum*, *87*, 515–524.
- Fatemeh, S. R., Saifullah, R., Abbas, F. M. A., & Azhar, M. E. (2012). Total phenolics, flavonoids and antioxidant activity of banana pulp and peel flours: Influence of variety and stage of ripeness. *International Food Research Journal*, *19*, 1041–1046.
- Fernandes, P. A. R., Moreira, S. A., Fidalgo, L. G., Santos, M. D., Queirós, R. P., Delgado, I., & Saraiva, J. A. (2015). Food Preservation under pressure (hyperbaric storage) as a possible improvement/alternative to refrigeration. *Food Engineering Reviews*, *7*, 1–10.
- Fernández-Falcón, M., Borges, A. A., & Borges-Pérez, A. (2003). Induced resistance to Fusarium wilt of banana by exogenous applications of indole acetic acid. *Phytoprotection*, *84*, 149–153.
- Ferris, R. S. B., Wainwright, H., & Thompson, A. K. (1993). Effect of maturity, damage and humidity on ripening of plantain and cooking banana. *ACIAR Proceedings*, *50*, 434–437.
- Ferris, R. S. B., Hotsouyame, G. K., Wainwright, H., & Thompson, A. K. (1993a). The effect of genotype, damage, maturity and environmental conditions on the postharvest life of plantain. *Tropical Agriculture*, *70*, 45–50.
- Ferris, R. S. B., Wainwright, H., & Thompson, A. K. (1995). The effects of morphology, maturity and genotype on the ripening and susceptibility of plantains (AAB) to mechanical damage. *Fruits*, *50*, 45–50.
- Finger, F. L., Puschmann, R., & Santos Barros, R. (1995). Effects of water loss on respiration, ethylene production and ripening of banana fruit. *Revista Brasileira de Fisiologia Vegetal*, *7*, 115–118.
- Forster, M., Rodríguez-Rodríguez, E. M., Darias-Martín, J., & Díaz, C. (2003). Distribution of nutrients in edible banana pulp. *Food Technology and Biotechnology*, *41*, 167–171.
- Frenkel, C. (1975). Oxidative turnover of auxins in relation to the onset of ripening in Bartlett pear. *Plant Physiology*, *55*, 480–484.
- Fuchs, Y., Zauberman, G., Yanko, U., & Homsy, S. (1975). Ripening of mango fruits with ethylene. *Tropical Science*, *17*, 211–216.
- Fukao, T., & Bailey-Serres, J. (2004). Plant responses to hypoxia – is survival a balancing act? *Trends in Plant Science*, *9*, 449–456.
- Gandhi, S., Sharma, M., & Bhatnagar, B. (2016). Comparative study on the ripening ability of banana by artificial ripening agent (calcium carbide) and natural ripening agents. *Indian Journal of Nutrition and Dietetics*, *3*, 127.
- Gane, R. (1934). Production of ethylene by some ripening fruits. *Nature*, *134*, 1008.
- Gane, R. (1936). A study of the respiration of bananas. *New Phytologist*, *35*, 383–402.
- García-Salinas, C., Ramos-Parra, P. A., & Díaz de la Garza, R. I. (2016). Ethylene treatment induces changes in folate profiles in climacteric fruit during postharvest ripening. *Postharvest Biology and Technology*, *118*, 43–50.
- Gautam, D. M., & Dhakal, D. D. (1993). *Falful tatha audhogik bali*. Bharatpur: Pavitra and Rupa Publication.
- George, J. B. (1981). Storage and ripening of plantains. *University of London UK, PhD thesis*.
- George, J. B., & Marriott, J. (1985). The effect of some storage conditions on the storage life of plantains. *Acta Horticulturae*, *158*, 439–448.
- Giovannoni, J. (2001). Molecular biology of fruit maturation and ripening. *Annual Review of Plant Physiology and Plant Molecular Biology*, *52*, 725–749.
- Golding, J. B., Shearer, D., Wyllie, S. G., & McGlasson, W. B. (1998). Application of 1-MCP and propylene to identify ethylene-dependent ripening processes in mature banana fruit. *Postharvest Biology and Technology*, *14*, 87–98.
- Golding, J. B., Shearer, D., McGlasson, W. B., & Wyllie, S. G. (1999). Relationships between respiration, ethylene, and aroma production in ripening banana. *Journal of Agriculture and Food Chemistry*, *47*, 1646–1651.
- Goonatilake, R. (2008). Effects of diluted ethylene glycol as a fruit-ripening agent. *Global Journal of Biotechnology & Biochemistry*, *3*, 08–13.

- Goswami, M. K., & Handique, F. J. (2013). Explants size response to *in vitro* propagation of *Musa* (AAA Group) 'Amritsagar' *Musa* (AAB Group) 'Malbhog' and *Musa* (AAB Group) 'Chenichampa' banana. *Indian Journal of Applied Research*, 3, 40–43.
- Griffee, P. J., & Burden, O. J. (1976). Fungi associated with crown rot of boxed bananas in the Windward Islands. *Phytopathology Z*, 85, 149–158.
- Griffee, P. J., & Pinegar, J. A. (1974). Fungicides for the control of the banana Crown Rot complex; *in vivo* and *in vitro* studies. *Tropical Science*, 16, 107–120.
- Gross, J., & Flugel, M. (1982). Pigment changes in peel of the ripening banana (*Musa cavendish*). *Gartenbauwissenschaft*, 47, 62–64.
- Gunasekara, S. R. W., Hemamali, K. K. G. U., Dayananada, T. G., & Jayamanne, V. S. (2015). Postharvest quality analysis of 'Embul' banana following artificial ripening techniques. *International Journal of Science, Environment and Technology*, 4, 1625–1632.
- Hamilton, A. J., Lycett, G. W., & Grierson, D. (1990). Antisense gene that inhibits synthesis of the hormone ethylene in transgenic plants. *Nature*, 346, 284–287.
- Han, Y.-c., Chang-chun, F., Kuang, J.-f., Chen, J.-y., & Lu, W.-j. (2016). Two banana fruit ripening-related C₂H₂ zinc finger proteins are transcriptional repressors of ethylene biosynthetic genes. *Postharvest Biology and Technology*, 116, 8–15.
- Hardenburg, R. E., Watada, A. E., & Wang C. Y. (1990). *The commercial storage of fruits, vegetables and florist and nursery stocks*. United States Department of Agriculture, Agricultural Research Service, Agriculture Handbook 66.
- Hardisson, A., Rubio, C., Baez, A., Martin, M., Alvarez, R., & Diaz, E. (2001). Mineral composition of the banana (*Musa acuminata*) from the island of Tenerife. *Food Chemistry*, 73, 153–161.
- Harris, D. R., Seberry, J. A., Wills, L. J., & Spohr, L. J. (2000). Effect of fruit maturity on efficiency of 1-methylcyclopropene to delay the ripening of bananas. *Postharvest Biology and Technology*, 20, 303–308.
- Harvey R. B. (1928). *Artificial ripening of fruits and vegetables*. https://conservancy.umn.edu/bitstream/handle/11299/184046/mn_1000_b_247.pdf?sequence=1 Accessed 18 August 2019
- Heliofabia Virginia De Vasconcelos Facundo, Gurak, P. D., Mercadante, A. Z., Lajolo, F. M., & Cordenunsi, B. R. (2015). Storage at low temperature differentially affects the colour and carotenoid composition of two cultivars of banana. *Food Chemistry*, 170, 102–109.
- Heslop-Harrison, J. S., & Schwarzhacher, T. (2007). Domestication, genomics and the future for banana. *Annals of Botany*, 100, 1073–1084.
- Hesselman, C. W., & Freebairn, H. T. (1969). Rate of ripening of initiated bananas as influenced by oxygen and ethylene. *Journal of the American Society for Horticultural Science*, 94, 635.
- Ho, B. T., Joyce, D. C., & Bhandari, B. R. (2011). Release kinetics of ethylene gas from ethylene-alpha-cyclodextrin inclusion complexes. *Food Chemistry*, 129(2), 259–266.
- Ho, B. T., Yuwono, T. D., Joyce, D. C., & Bhandari, B. R. (2015). Controlled release of ethylene gas from the ethylene-alpha-cyclodextrin inclusion complex powder with deliquescent salts. *Journal of Inclusion Phenomena and Macrocyclic Chemistry*, 83(3–4), 281–288.
- Ho, B. T., Hofman, P. J., Joyce, D. C., & Bhandari, B. R. (2016). Uses of an innovative ethylene- α -cyclodextrin inclusion complex powder for ripening of mango fruit. *Postharvest Biology and Technology*, 113 77–86. Corrigendum to "Uses of an innovative ethylene- α -cyclodextrin inclusion complex powder for ripening of mango fruit". *Postharvest Biology and Technology*, 117, 239–239.
- Hong, J. H., Hwanga, S. K., Chunga, G., & Cowan, A. K. (2007). Influence of lysophosphatidyl-ethanolamine application on fruit quality of Thompson seedless grapes. *Journal of Applied Horticulture*, 9, 112–114.
- Hubbard, N. L., Pharr, D. M., & Huber, S. C. (1990). Role of sucrose phosphate synthase in sucrose biosynthesis in ripening bananas and its relationship to the respiratory climacteric. *Plant Physiology*, 94, 201–208.
- Huber, D. J. (1983). Polyuronide degradation and hemicellulose modifications in ripening tomato fruits. *Journal of the American Society for Horticultural Science*, 108, 405–409.

- Huber, O., & Mbéguié-A-Mbéguié, D. (2012). Expression patterns of ethylene biosynthesis genes from bananas during fruit ripening and in relationship with finger drop. *AOB Plants*. <https://doi.org/10.1093/aobpla/pls041>.
- Hulme, A. C. (1971). *The biochemistry of fruits and their products* (Vol. 2). London: Academic.
- Huseyin, P., Kurtoglu, S., Yagmur, F., Gumuş, H., Kumandaş, S. & Poyrazoglu, M. H. (2007). Calcium carbide poisoning via food in childhood. *Journal of Emergency Medicine*, 32, 145–149.
- Imahori, Y., Yamamoto, K., Tanaka, H., & Bai, J. (2013). Residual effects of low oxygen storage of mature green fruit on ripening processes and ester biosynthesis during ripening in bananas. *Postharvest Biology and Technology*, 77, 19–27.
- Imam, M. Z., & Akter, S. (2011). *Musa paradisiaca* L. and *Musa sapientum* L.: A phytochemical and pharmacological review. *Journal of Applied Pharmaceutical Science*, 1, 14–20.
- Inaba, A., & Nakamura, R. (1986). Effect of exogenous ethylene concentration and fruit temperature on the minimum treatment time necessary to induce ripening in banana fruit. *Journal of the Japanese Society for Horticultural Science*, 55, 348–354.
- Inaba, A., & Nakamura, R. (1988). Numerical expression for estimating the minimum ethylene exposure time necessary to induce ripening in banana fruit. *Journal of the American Society for Horticultural Science*, 561–564.
- Iqbal, N., Khan, N., Ferrante, A., Trivellini, A., Francini, A., & Khan, M. I. (2017). Ethylene role in plant growth, development and senescence: Interaction with other phytohormone. *Frontiers in Plant Science*, 8, 475. <https://doi.org/10.3389/fpls.2017.00475>. Accessed 18 August 2019.
- Islam, M. N., Rahman, A. H. M. S., Mursalat, M., Rony, A. H., & Khan, M. S. (2016). A legislative aspect of artificial fruit ripening in a developing country like Bangladesh. *Chemical Engineering Research Bulletin*, 18, 30–37.
- Izonfuo, W. A. L., & Omuaru, V. O. T. (1988). Effect of ripening on the chemical composition of plantain peels and pulps (*Musa paradisiaca*). *Journal of the Science of Food and Agriculture*, 45, 333–336.
- Jansasithorn, R., & Kanlavanarat, S. (2006). Effect of 1-MCP on physiological changes in banana 'Khai'. *Acta Horticulturae*, 712, 723–728.
- Janssen, S., Tessmann, T., & Lang, W. (2014). High sensitive and selective ethylene measurement by using a large-capacity-on-chip preconcentrator device. *Sensors and Actuators B: Chemical*, 197, 405–413.
- Jayanty, S., Song, J., Rubinstein, N. M., Chong, A., & Beaudry, R. M. (2002). Temporal relationship between ester biosynthesis and ripening events in bananas. *Journal of the American Society for Horticultural Science*, 127, 998–1005.
- Jedermann, R., Geyer, M., Praeger, U., & Lang, W. (2013). Sea transport of bananas in containers – parameter identification for a temperature model. *Journal of Food Engineering*, 115, 330–338.
- Jedermann, R., Dannies, A., Moehrke, A., Praeger, U., Geyer, M., & Lang, W. (2014). Supervision of transport and ripening of bananas by the Intelligent Container Supervision+of+transport+and + ripening+of+bananas+by+the+Intelligent+Container+&pc = MOZD&form = MOZTSB. Accessed 24 March 2019.
- Jedermann, R., Praeger, U., Geyer, M., Moehrke, A., & Lang, W. (2015). The intelligent container for banana transport supervision and ripening. *Acta Horticulturae*, 1091, 213–220.
- Jiang, Y., Joyce, D. C., & Macnish, A. (1999a). Responses of banana fruit to treatment with 1-MCP. *Plant Growth Regulation*, 28, 77–82.
- Jiang, Y., Joyce, D. C., & Macnish, A. (1999b). Extension of the shelf-life of banana fruit by 1-MCP in combination with polyethylene bags. *Postharvest Biology and Technology*, 16, 187–193.
- Jiang, Y., Joyce, D. C., & Macnish, A. J. (2000). Effect of abscisic acid on banana fruit ripening in relation to the role of ethylene. *Journal of Plant Growth Regulation*, 19, 106–111.
- Jiang, Y., Joyce, D. C., Jiang, W., & Lu, W. (2004a). Effects of chilling temperatures on ethylene binding by banana fruit. *Plant Growth Regulation*, 43, 109–115.
- Jiang, Y., Joyce, D. C., Jiang, W., & Lu, W. (2004b). Effects of chilling temperatures on ethylene binding by banana fruit. *Plant Growth Regulation*, 43, 109–115.

- Johns, G. G., & Scott, K. J. (1989). Delayed harvesting of bananas with sealed covers on bunches. I. Modified atmosphere and microclimate inside sealed covers. *Australian Journal of Experimental Agriculture*, 29, 719–726.
- Johnson, P., & Ecker, J. R. (1998). The ethylene gas signaling pathway in plants: A molecular perspective. *Annual Review of Genetics*, 32, 227–254.
- Jones, D. R. (Ed.). (2000). *Diseases of banana, abacá and enset*. Wallingford: CABI Publishing.
- Jones, D. R. (2009). Diseases and pests: Constraints to banana production. *Acta Horticulturae*, 828, 21–36.
- Joomwong, A., & Joomwong, J. (2008). Physical, chemical properties and sensory analysis of banana [*Musa* (ABBB group) ‘Kluai Teparod’] fruit. *Acta Horticulturae*, 768, 247–250.
- Jordan, R., Seelye, R., & McGlone, A. (2001). A sensory-based alternative to brix/acid ratio. *Food Technology*, 55, 36–44.
- Joyce, D. C., Macnish, A. J., Hofman, P. J., Simons, D. H., & Reid, M. S. (1999). Use of 1-methylcyclopropene to modulate banana ripening. In A. K. Kanellis, C. Chang, H. Klee, A. B. Bleeker, J. C. Pech, & D. Grierson (Eds.), *Biology and biotechnology of the plant hormone Ethylene II* (pp. 189–190). Dordrecht: Kluwer Academic Publishers.
- Junior, A. V., Nascimento, J. R. O. D., & Lajolo, F. M. (2006). Molecular cloning and characterization of an α -amylase occurring in the pulp of ripening bananas and its expression in *Pichia pastoris*. *Journal of Agricultural and Food Chemistry*, 54, 8222–8228.
- Kader, A. A. (1983). Physiological and biochemical effects of carbon monoxide added to controlled atmospheres of fruit. *Acta Horticulturae*, 138, 221–226.
- Kader, A. A. (1987). Respiration and gas exchange in vegetables. In J. Weichmann (Ed.), *Postharvest physiology of vegetables* (pp. 25–44). New York: Marcel Dekker, Inc.
- Kader, A. A. (Ed.). (1992). Postharvest biology and technology – an over-view. In *Post harvest technology of horticulture crops* (pp. 39–48). Division of Agriculture and Natural Resources, University of California.
- Kahan, R. S., Nadel-Shifman, M., Temkin-Gorodeiski, N., Eisenberg, E., Zauberman, G., & Aharoni, Y. (1968). Effects of radiation on the ripening of bananas and avocado pears. In *Preservation of fruits and vegetables by irradiation* (pp. 3–11). Vienna: International Atomic Energy Agency.
- Kamdee, C., Ketsa, S., & van Doorn, W. G. (2018). Effect of heat treatment on ripening and early peel spotting in Sucrier banana. *Postharvest Biology and Technology*, 52, 288–293.
- Kanazawa, K., & Sakakibara, H. (2000). High content of dopamine, a strong antioxidant, in Cavendish banana. *Journal of Agricultural and Food Chemistry*, 48, 844–848.
- Kanellis, A. K., Solomos, T., & Mattoo, A. K. (1989a). Hydrolytic enzyme activities and protein pattern of avocado fruit ripened in air and in low oxygen, with and without ethylene. *Plant Physiology*, 90, 259–266.
- Kanellis, A. K., Solomos, T., Mehta, A. M., & Mattoo, A. K. (1989b). Decreased cellulase activity in avocado fruit subjected to 2.5 kPa O₂ correlates with lowered cellulase protein and gene transcripts levels. *Plant Cell Physiology*, 30, 817–823.
- Kanellis, A. K., Loulakakis, K. A., Hassan, M., & Roubelakis-Angelakis, K. A. (1993). Biochemical and molecular aspects of low oxygen action on fruit ripening. In C. J. Pech, A. Latche, & C. Balague (Eds.), *Cellular and molecular aspects of the plant hormone ethylene* (pp. 117–122). Dordrecht: Kluwer Academic Publishers.
- Kang, C. K., Yang, Y. L., Chung, G. H., & Palta, J. P. (2003). Ripening promoting and ethylene evolution in red pepper (*Capsicum annuum*) as influenced by newly developed formulations of a natural lipid, lysophosphatidylethanolamine. *Acta Horticulturae*, 628, 317–322.
- Kao, H. Y. (1971). Extension of storage life of bananas by gamma irradiation. In *Disinfestation of fruit by irradiation* (pp. 125–136). Vienna: International Atomic Energy Agency.
- Karikari, S. K., Marriot, J., & Hutchins, P. (1979). Changes during the respiratory climacteric in ripening plantain fruits. *Scientia Horticulturae*, 10, 369–376.
- Karmawan, L. U., Suhandono, S., & Dwivany, F. M. (2009). Isolation of MA-ACS gene family and expression study of MA-ACS1 gene in *Musa acuminata* cultivar Pisang Ambon Lumut. *HAYATI Journal of Biosciences*, 16, 35–39.

- Kays, S. J., & Paull, R. E. (2004). Metabolic processes in harvested products. In *Postharvest biology* (pp. 79–136). Athens: Exon Press.
- Ke, L. S., & Tsai, P. L. (1988). Changes in the ACC content and EFE activity in the peel and pulp of banana fruits during ripening in relation to ethylene production. *Journal of the Agricultural Association of China*, *143*, 48–60.
- Kendrick, M. D., & Chang, C. (2008). Ethylene signaling: New levels of complexity and regulation. *Current Opinion in Plant Biology*, *11*, 479–485.
- Kesar, R., Trivedi, P. K., & Nath, P. (2010). Gene expression of pathogenesis-related protein during banana ripening and after treatment with 1-MCP. *Postharvest Biology and Technology*, *55*, 64–70.
- Khan, M. Y., Khan, F. A., & Beg, M. S. (2013). Ethanol kerosene blends: Fuel option for kerosene wick stove. *International Journal of Engineering Research and Applications*, *3*, 464–466.
- Kirk-Othmer. (2004). *Encyclopedia of Chemical Technology* (Vol. 4, 5th ed.). New York: Wiley.
- Kitinjoja, L., & Kader, A. A. (2002). *Small-scale postharvest handling practices: A manual for horticultural crops* (4th Ed.). University of California, Davis Postharvest Technology Research and Information Center.
- Klieber, A., Bagnato, N., Barrett, R., & Sedgley, M. (2002). Effect of post-ripening nitrogen atmosphere storage on banana shelf-life, visual appearance and aroma. *Postharvest Biology and Technology*, *25*, 15–24.
- Knee, M., Proctor, F. J., & Dover, C. J. (1985). The technology of ethylene control: use and removal in postharvest handling of horticultural commodities. *Annals of Applied Biology*, *107*, 581–595.
- Knight, C., Cutts, D. C., & Colhoun, J. (1977). The role of *Fusarium semitectum* in causing crown rot of bananas. *Phytopathologische Zeitschrift*, *89*, 170–176.
- Knowles, L., Trimble, M. R., & Knowles, N. R. (2001). Phosphorus status affects postharvest respiration, membrane permeability and lipid chemistry of European seedless cucumber fruit (*Cucumis sativus* L.). *Postharvest Biology and Technology*, *21*, 179–188.
- Kuang, J.-F., Chen, L., Shan, W., Yang, S., Lu, W.-j., & Chen, J.-y. (2013). Molecular characterization of two banana ethylene signaling component MaEBFs during fruit ripening. *Postharvest Biology and Technology*, *85*, 94–101.
- Kubo, Y., Akitsugu, I., & Nakamura, R. (1990). Respiration and C₂H₄ production in various harvested crops held in CO₂-enriched atmospheres. *Journal of the American Society for Horticultural Science*, *115*, 975–978.
- Kulkarni, S. G., Kudachikar, V. B., & Prakash, M. K. (2011). Studies on physico-chemical changes during artificial ripening of banana (*Musa* sp) variety 'Robusta'. *Journal of Food Science and Technology*, *48*, 730–734.
- Kumar, A., & Brahmachari, V. S. (2005). Effect of chemicals and packaging on ripening and storage behaviour of banana cv. Harichhaal (AAA) at ambient temperature. *Horticultural Journal*, *18*, 86–90.
- Lakade, A. J., Sundar, K., & Halady, P. (2018). Shetty Gold nanoparticle-based method for detection of calcium carbide in artificially ripened mangoes (*Mangifera indica*). *Food Additives & Contaminants*, *35*, 1078–1084.
- Larotonda, F. D. S., Genena, A. K., Dantela, D., Soares, H. M., Laurindo, J. B., Moreira, R. F. P. M., & Ferreira, S. R. S. (2008). Study of banana (*Musa* aaa Cavendish cv Nancia) trigger ripening for small scale process. *Brazilian Archives of Biology and Technology*, *51*, 1033–1047.
- Lee, P. J. (2008). Facts about banana potassium. <http://ezinearticles.com/?Facts-About-Banana-Potassium&id=1762995> Accessed Oct 2009.
- Leng, P., Yuan, B., & Guo, Y. (2014). The role of abscisic acid in fruit ripening and responses to abiotic stress. *Journal of Experimental Botany*, *65*, 4577–4588.
- Leong, L. P., & Shui, G. (2002). An investigation of antioxidant capacity of fruits in Singapore markets. *Food Chemistry*, *76*, 69–75.
- Latham, D. S. (1969). Influence of fertilizer treatment on apple fruit composition and physiology. II. Influence on respiration rate and contents of nitrogen, phosphorus and titratable acidity. *Australian Journal of Agricultural Research*, *20*, 1073–1085.

- Lin, W. C., & Ehret, D. L. (1991). Nutrient concentration and fruit thinning affect shelf-life of long English cucumber. *HortScience*, 26, 1299–1300.
- Littmann, M. D. (1972). Effect of water loss on the ripening of climacteric fruits. *Queensland Journal of Agriculture and Animal Science*, 29, 103–113.
- Liu, F. W. (1976a). Correlation between banana storage life and minimum treatment time required for ethylene response. *Journal of the American Society for Horticultural Science*, 101, 63–65.
- Liu, F. W. (1976b). Banana response to low concentration of ethylene. *Journal of the American Society for Horticultural Science*, 101, 222–225.
- Liu, F. W. (1976c). Storing ethylene pretreated bananas in controlled atmosphere and hypobared air. *Journal of the American Society for Horticultural Science*, 101, 198–201.
- Liu, T.-T., & Yang, T.-S. (2002). Optimization of solid-phase microextraction analysis for studying change of headspace flavor compounds of banana during ripening. *Journal of Agricultural and Food Chemistry*, 50, 653–657.
- Liu, X., Shiomi, S., Nakatsuka, A., Kubo, Y., Nakamura, R., & Inaba, A. (1999). Characterization of ethylene biosynthesis associated with ripening in banana fruit. *Plant Physiology*, 121, 1257–1265.
- Liu, R., Wang, Y., Qin, G., & Tian, S. (2016). Molecular basis of 1-methylcyclopropene regulating organic acid metabolism in apple fruit during storage. *Postharvest Biology and Technology*, 117, 57–63.
- Lizada, M. C. C., Pantastico, E. B., Abdullah Shukor, A. R., & Sabari, S. D. (1990). Ripening of banana. In H. Abdulla & E. B. Pantastico (Eds.), *Banana* (pp. 65–84). Association of Southeast Asian Nations Food Handling Bureau.
- Lohani, S., Trivedi, P. K., & Nath, P. (2004). Changes in activities of cell wall hydrolases during ethylene-induced ripening in banana: Effect of 1-MCP, ABA and IAA. *Postharvest Biology and Technology*, 31, 119–126.
- López-Gómez, R., Campbell, A., Dong, J. G., Yang, S. F., & Gómez-Lim, M. A. (1997). Ethylene biosynthesis in banana fruit: Isolation of a genomic clone to ACC oxidase and expression studies. *Plant Science*, 123, 123–131.
- Loulakakis, C. A., Hassan, M., Gerasopoulos, D., & Kanellis, A. K. (2006). Effects of low oxygen on in vitro translation products of poly(A) + RNA, cellulase and alcohol dehydrogenase expression in preclimacteric and ripening-initiated avocado fruit. *Postharvest Biology and Technology*, 39, 29–37.
- Lu and Jian-ye Chen. (2013). Molecular characterization of two banana ethylene signaling component MaEBFs during fruit ripening. *Postharvest Biology and Technology*, 85, 94–101.
- Lurie, S. (2008). Regulation of ethylene biosynthesis in fruits by aminoethoxyvinyl glycine and 1-Methylcyclopropene. *Acta Horticulturae*, 796, 31–41.
- Macklin, G. (2001). SmartAir offers in-transit banana ripening. <https://www.refrigeratedtransporter.com/archive/smartair-offers-transit-banana-ripening>. Accessed 24 March 2019.
- Madamba, S. P., Baes, A. U., & Mendoza, D. B., Jr. (1977). Effect of maturity on some biochemical changes during ripening of banana *Musa sapientum* cv. Lakatan. *Food Chemistry*, 2, 177–183.
- Maersk. (2019). The perfect environment for your bananas. <https://www.maersk.com/en/solutions/shipping/ocean-transport/refrigerated-cargo/bananas-and-pineapples>. Accessed 24 March 2019.
- Maia, V. M., Salomão, L. C. C., Siqueira, D. L., Aspiazúl, I., & Maia, L. C. B. (2014). Physical and metabolic changes induced by mechanical damage in ‘Dwarf-Prata’ banana fruits kept under cold storage. *Australian Journal of Crop Science*, 8, 1029–1037.
- Maneenuam, T., & Doorn, S. K. (2007). High oxygen levels promote peel spotting in banana fruit. *Postharvest Biology and Technology*, 43, 128–132.
- Maneenuam, T., Ketsa, S., & Van Doorn, W. G. (2007). High oxygen levels promote peel spotting in banana fruit. *Postharvest Biology and Technology*, 43, 128–132.
- Manjunatha, G., Lokesh, V., & Bhagyalakshmi, N. (2012). Nitric oxide-induced enhancement of banana fruit attributes and keeping quality. *Acta Horticulturae*, 934, 799–806.

- Manrique-Trujillo, S. M., Ramírez-López, A. C., Ibarra-Laclette, E., & GómezLim, M. A. (2007). Identification of genes differentially expressed during ripening of banana. *Journal of Plant Physiology*, *164*, 1037–1050.
- Maqbool, M., Ali, A., Ramachandran, S., Smith, D. R., & Alderson, P. G. (2010). Control of post-harvest anthracnose of banana using a new edible composition coating. *Crop Protection*, *29*, 1136–1141.
- Marchal, J., & Mallessard, R. (1979). Comparaison des immobilisations minérales de quatre cultivars de bananiers a fruits pour cuisson et de deux ‘Cavendish’. *Fruits*, *34*, 373–392.
- Marchal, J., & Nolin, J. (1990). Fruit quality. Pre- and post-harvest physiology. *Fruits Special issue*, 119–122.
- Marchal, J., Nolin, J., & Letorey, J. (1988). Influence sur la maturation de l’enrobage de bananes avec du Semprefresh. *Fruits*, *43*, 447–453.
- Marcus, Y. (1990). Recommended methods for the purification of solvents and tests for impurities: 1, 2ethanediol and 2, 2, 2-trifluoroethanol. *Pure and Applied Chemistry*, *62*, 139–147.
- Marriott, J., & New, S. (1975). Storage physiology of bananas from new tetraploid clones. *Tropical Science*, *17*, 155–163.
- Marriott, J., New, S., Dixon, E. A., & Martin, K. J. (1979). Factors affecting the preclimacteric period of banana fruit bunches. *Annals of Applied Biology*, *93*, 91–100.
- Mathooko, F. M., Tsunashima, Y., Kubo, Y., & Inaba, A. (2004). Expression of a 1-aminocyclopropane-1-carboxylate (ACC) oxidase gene in peach (*Prunus persica* L.) fruit in response to treatment with carbon dioxide and 1-methylcyclopropene: possible role of ethylene. *African Journal of Biotechnology*, *3*, 497–502.
- Matsumura, S., Tomizawa, N., Toki, A., Nishikawa, K., & Toshima, K. (1999). Novel poly(vinyl alcohol)-degrading enzyme and the degradation mechanism. *Macromolecules*, *23*, 7753–7761.
- Maxie, E. C., & Sommer, N. F. (1968). Changes in some chemical constituents in irradiated fruits and vegetables. In *Preservation of fruits and vegetables by radiation* (pp. 39–56). Vienna: International Atomic Energy Agency.
- Maxie, E. C., Amezcua, R., Hassan, B. M., & Johnson, C. F. (1968). Effect of gamma irradiation on the ripening of banana fruits. *Proceedings of the American Society for Horticultural Science*, *92*, 235–244.
- Mbégué-A-Mbégué, D., Olivier Hubert, O., Fils-Lycaon, B., Chillet, M., & Baurens, F. C. (2008). EIN3-like gene expression during fruit ripening of Cavendish banana (*Musa acuminata* cv. Grande naine). *Physiologia Plantarum*, *133*, 435–448.
- Mbégué-A-Mbégué, D., Hubert, O., Baurens, F. C., Sidibé-Bocs, S., Matsumoto, T., Chillet, M., & Fils-Lycaon, B. (2009). Expression patterns of cell wall modifying genes from banana during ripening in relationship with finger drop. *Journal of Experimental Botany*, *60*, 2021–2034.
- McCarthy, A. L., Palmer, J. K., Shaw, C. P., & Anderson, E. E. (1963). Correlation of gas chromatographic data with flavour profiles of fresh banana fruit. *Journal of Food Science*, *28*, 379–384.
- McMurchie, E. J., McGlasson, W. B., & Eaks, I. L. (1972). Treatment of fruit with propylene gives information about the biogenesis of ethylene. *Nature*, *237*, 235–236.
- Medlicott, A. P., Sigrist, J. M. M., Reynolds, S. B., & Thompson, A. K. (1987). Effects of ethylene and acetylene on mango fruit ripening. *Annals of Applied Biology*, *111*, 439–444.
- Medlicott, A. P., Semple, A. J., Thompson, A. J., Blackbourne, H. R., & Thompson, A. K. (1992). Measurement of colour changes in ripening bananas and mangoes by instrumental, chemical and visual assessments. *Tropical Agriculture*, *69*, 161–166.
- Mercantilia. (1989). *Guide to food transport – fruit and vegetables*. Copenhagen: Mercantilia Publishers.
- Meredith, D. S. (1963). Latent infections in *Pyricularia grisea* causing pitting disease of banana fruits in Costa Rica. *Plant Disease Reporter*, *47*, 766–768.
- Minas, I. S., Font, I., Forcada, C., Dangel, G. S., Gradziel, T. M., Dandekar, A. M., & Crisosto, C. H. (2015). Discovery of non-climacteric and suppressed climacteric bud sport mutations originating from a climacteric Japanese plum cultivar (*Prunus salicina* Lindl.) *Frontiers of Plant Science* *6*, 316 <https://doi.org/10.3389/fpls.2015.00316> Accessed 4 May 2019.

- Mitchell, F. G. (1990). Postharvest physiology and technology of kiwifruit. *Acta Horticulturae*, 282, 291–307.
- Mladenoska, I. (2013). The preservation of the whole banana fruits by utilization of coconut oil-beeswax edible coatings. Proceedings of the 10th Symposium “Novel technologies and Economic Development”, Leskovac, pp. 13–20.
- Moehrke, A. (2014). *Process for ripening bananas inside of a shipping container*. U.S. Provisional Patent Application No. 61/801,515, filed March 15, 2013, <https://patents.google.com/patent/WO2014144788A1/en>. Accessed 23 March 2019.
- Molina, G. (2019). Bioversity International – Asia Pacific, Philippine Office: <http://banana-networks.org/Bapnet/2016/02/05/kluai-namwa-foc-tr4-resistant-variety/>. Accessed 11 March 2019.
- Montenegro, E. H. (1988). *Postharvest behaviour of banana harvested at different stages of maturity*. BS student project, University of the Phillipines, Los Baños, Laguna.
- Moradinezhad, F., Sedgley, M., Klieber, A., & Able, A. J. (2008). Variability of responses to 1-methylcyclopropene by banana: Influence of time of year at harvest and fruit position in the bunch. *Annual Applied Biology*, 152, 223–234.
- Moric, C. L. S., dos Passosa, N. A., Oliveirab, J. E., Mattosod, L. H. C., Moric, F. A., Carvalhoc, A. G., Fonsecaa, A. S., & Tonolica, G. H. D. (2014). Electrospinning of Zzein/tannin bio-nanofibers. *Industrial Crops and Products*, 52, 298–304.
- Morris, L., Yang, S. F., & Mansfield, D. (1981). Postharvest physiology studies. Californian fresh market tomato advisory board annual report 1980–1981, 85–105.
- Morton, J. F. (1987). *Fruits of warm climates*. http://www.hort.purdue.edu/newcrop/morton/papaya_ars.html. Accessed 29 March 2019.
- Mura, K., & Tanimura, W. (2003). Changes in polyphenol compounds in banana pulp during ripening. *Food Preservation Science*, 29, 347–351.
- Murata, T. (2006). Physiological and biochemical studies of chilling injury in bananas. *Physiologia Plantarum*, 22, 401–411.
- Mustaffa, R., Osman, A., Yusof, S., & Mohamed, S. (1998). Physico-chemical changes in Cavendish banana (*Musa cavendishii* L var. Montel) at different positions within a bunch during development and maturation. *Journal of the Science of Food and Agriculture*, 78, 201–207.
- Nair, H., & Tung, H. F. (1988). Postharvest physiology and storage of Pisang Mas. Proceedings of the UKM symposium Biologi Kebangsaan ketiga, Kuala Lumpur, Nov. 22–24.
- Narasimham, P., Dalal, V. B., Nagaraja, N., Krishnaprakash, M. S., & Amla, B. L. (1971). *Effects of smoking on some physiological changes in bananas*. *Journal of Food Science and Technology*, 8, 84–85.
- Ncama, K., Magwaza, L. S., Mditshwa, A., & Tesfay, S. Z. (2018). Plant-based edible coatings for managing postharvest quality of fresh horticultural produce. *Food Packaging and Shelf-life*, 16, 157–167.
- Neljubow, D. (1901). Ueber die horizontale nutation der stengel von *Pisum sativum* und einiger Anderer. *Pflanzen Beih Bot Zentralbl*, 10, 128–139.
- Nelson, S. (n.d.). Banana ripening: Principles and practice. University of Hawaii file:///C:/Users/Anthony%20Keith%20Thomps/Downloads/Banana%20ripeningbunchmanagement.pdf. Accessed 20 Feb 2019.
- Nelson, S. C., & Javier, F. B. (2007). Trials of FHIA banana varieties for resistance to black leaf streak in Pohnpei FSM. 38th Hawaii Banana Industry Association Annual Conference, Kalaeloa, Hawaii, Aug. 24, 2007. https://www.ctahr.hawaii.edu/nelsons/HBIA_2007_Nelson_Javier.pdf. Accessed 28 March 2019.
- New, S., & Marriott, J. (1974). Post-harvest physiology of tetraploid banana fruit: Response to storage and ripening. *Annals of Applied Biology*, 78, 193–204.
- New, S., & Marriott, J. (1983). Factors affecting the development of finger drop in bananas after ripening. *Journal of Food Technology*, 18, 241–250.
- Nham, N. T., Willits, N., Zakharov, F., & Mitcham, E. J. (2017). A model to predict ripening capacity of ‘Bartlett’ pears (*Pyrus communis* L.) based on relative expression of genes associated with the ethylene pathway. *Postharvest Biology and Technology*, 128, 138–143.

- Nogueira, J. M., Fernandes, P. J., & Nascimento, A. M. (2003). Composition of volatiles of banana cultivars from Madeira Island. *Phytochemical Analysis*, *14*, 87–90.
- Nolin, J. (1985). Etat de maturite des bananes (Giant Cavendish) a la recolte, une nouvelle methode de mesure. *Fruits*, *40*, 623–631.
- Noysang, C., Buranasukhon, W., & Khuaneekaphan, M. (2019). Phytochemicals and pharmacological activities from banana fruits of several *Musa* species for using as cosmetic raw materials. *Applied Mechanics and Materials*, *891*, 30–40.
- Nura, A., Dandag, M. A., & Wali, N. R. (2018). Effects of artificial ripening of banana (*Musa* spp) using calcium carbide on acceptability and nutritional quality. *Journal of Postharvest Technology*, *6*, 14–20.
- Nyanjage, M. O., Wainwright, H., Bishop, C. F. H., & Cullum, F. J. (2000). A comparative study on the ripening and mineral content of organically and conventionally grown Cavendish bananas. *Biological Agriculture and Horticulture*, *18*, 221–234.
- Obando, J., Fernández-Trujillo, J. P., Martínez, J. A., Alarcón, A. L., Eduardo, I., Arús, P., & Monforte, A. J. (2008). Identification of melon fruit quality quantitative trait loci using near-isogenic lines. *Journal of the American Society for Horticultural Science*, *133*, 139–151.
- Ozgen, M., Farag, K. M., Ozgen, G., & Palta, J. P. (2005). Lysophosphatidylethanolamine accelerates color development and promotes shelf life of cranberries. *HortSciences*, *40*, 127–130.
- Palmer, J. K. (1971). The banana. In A. C. Hulme (Ed.), *The biochemistry of fruits and their products* (Vol. 2). Academic: London.
- Palomer, X., Roig-Villanova, I., Grima-Calvo, D., & Vendrell, M. (2005). Effects of nitrous oxide treatment on the postharvest ripening of banana fruit. *Postharvest Biology and Technology*, *36*, 167–175.
- Pan, S. L., Huang, C. Y., Wang, H. B., Pang, X. Q., Huang, X. M., & Zhang, Z. Q. (2007). Hydrogen peroxide induced chilling-resistance of postharvest banana fruit. *Journal of South China Agricultural University*, *28*, 34–37.
- Pantastico, E. B. (1975). *Editor – Postharvest physiology, handling and utilization of tropical and sub-tropical fruits and vegetables*. Westpoint: AVI Publishing Co.
- Parmar, B. R., & Chundawat, B. S. (1984). Effect of growth regulators and sleeving on maturity and quality of banana cv. Basrai. *South Indian Horticulture*, *32*, 201–204.
- Pasentsis, K., Falara, V., Pateraki, I., Gerasopoulos, D., & Kanellis, A. K. (2007). Identification and expression profiling of low oxygen regulated genes from *Citrus* flavedo tissues using RT-PCR differential display. *Journal of Experimental Botany*, *58*, 2203–2216.
- Patel, B. B., Ahlawat, T. R., & Patel, B. B. (2017). Effect of potash fertilizers and magnesium on quality of banana (*Musa paradisiaca* L.) Grand Naine. *International Journal of Chemical Studies*, *5*, 1586–1591.
- Pathak, N., Asif, M. H., Dhawan, P., Srivastava, M. K., & Nath, P. (2003). Expression and activities of ethylene biosynthesis enzymes during ripening in banana fruit and effect of 1-MCP treatment. *Plant Growth Regulation*, *40*, 11–19.
- Paul, V., Pandey, R., & Srivastava, G. C. (2012). The fading distinctions between classical patterns of ripening in climacteric and non-climacteric fruit and the ubiquity of ethylene—An overview. *Journal of Food Science and Technology*, *49*, 1–21.
- Paull, R. E. (1996). Ethylene, storage and ripening temperatures affect Dwarf Brazilian banana finger drop. *Postharvest Biology and Technology*, *8*, 65–74.
- Paull, R. E., & Chen, N. J. (2000). Heat treatment and fruit ripening. *Postharvest Biology and Technology*, *21*, 21–37.
- Peacock, B. C. (1972). Role of ethylene in the initiation of fruit ripening. *Queensland Journal of Agriculture and Animal Science*, *29*, 137–145.
- Pegoraro, C., dos Santos, R. S., Krüge, M. M., Tiecher, A., da Mai, L. C., Rombaldi, C. V., & de Oliveira, A. C. (2012). Effects of hypoxia storage on gene transcript accumulation during tomato fruit ripening. *Brazilian Journal of Plant Physiology*, *24*(2). Campos dos Goytacazes Apr./June 2012. On-line version ISSN 1677–9452. <https://doi.org/10.1590/S1677-04202012000200007>.

- Pelayo, C., Eduardo, V.de B. Vilas-Boas, Benichou, M., & Kader, A. A. (2003). Variability in responses of partially ripe bananas to 1-methylcyclopropene. *Postharvest Biology and Technology*, 28, 75–85.
- Pereira, L. C., Ngho Newilah, G. B., Davey, M. W., & Van den Bergh, I. (2011). Validation of rapid (colour-based) prescreening techniques for analysis of fruit provitamin A contents in banana (*Musa* spp.). *Acta Horticulturae*, 897, 161–168.
- Peroni-Okita, F. H. G., Cardoso, M. B., Agopian, R. G. D., Louro, R. P., Nascimento, J. R. O., & Purgatto, E. (2013). The cold storage of green bananas affects the starch degradation during ripening at higher temperature. *Carbohydrate Polymers*, 96, 137–147.
- Pinheiro, A. C. M., Boas, E.V.deB.V, & Mesquita, C. T. (2005). Action of 1-methylcyclopropene (1-MCP) on shelf life of 'Apple' banana. *Revista Brasileira de Fruticultura*, 27, 25–28.
- Ploetz, R. C., Kepler, A. K., Daniels, J., & Nelson, S. C. (2007). *Banana and plantain – An overview with emphasis of Pacific Island*. Hōlualoa: Permanent Agriculture Resources.
- Pokhrel, P. (2013). Use of higher ethylene generating fruits for ripening as an alternative to ethylene. *Journal of Food Science and Technology Nepal*, 8, 84–86.
- Ponce-Valadez, M., Fellman, S. M., Giovannonic, J., Gana, S.-S., & Watkins, C. B. (2009). Differential fruit gene expression in two strawberry cultivars in response to elevated CO₂ during storage revealed by a heterologous fruit microarray approach. *Postharvest Biology and Technology*, 51, 131–140.
- Pontes, M., Pereira, J., & Câmara, J. S. (2012). Dynamic headspace solid-phase microextraction combined with one-dimensional gas chromatography–mass spectrometry as a powerful tool to differentiate banana cultivars based on their volatile metabolite profile. *Food Chemistry*, 134, 2509–2520.
- Porcher, M. H. (1998). The University of Melbourne. <http://www.plantnames.unimelb.edu.au/Sorting/Musa-cvs.html>. Accessed 17 April 2019.
- Puraikalán, Y. (2018). Characterization of proximate, phytochemical and antioxidant analysis of banana (*Musa sapientum*) peels/skins and objective evaluation of ready to eat /cook product made with banana peels. *Current Research in Nutrition and Food Science*, 6. <https://doi.org/10.12944/CRNFSJ.6.2.13>.
- Purgatto, E., Lajolo, F. M., Oliveira do Nascimento, J. R., & Cordenunsi, B. R. (2001). Inhibition of β -amylase activity, starch degradation and sucrose formation by indole-3-acetic acid during banana ripening. *Planta*, 212, 823–828.
- Purgatto, E., Olivera do Nascimento, J. R., Lajolo, F. M., & Cordenunsi, B. R. (2002). The onset of starch degradation during banana ripening is concomitant to changes in the control of free and conjugated form of indole-3-acetic acid. *Journal of Plant Physiology*, 159, 1105–1111.
- Quazi, M. H., & Freebairn, H. T. (1970). The influence of ethylene oxygen and carbon dioxide on ripening of bananas. *Botanical Gazette*, 131, 5–14.
- Ram, H. B., Singh, S. K., Singh, R. V., & Surjeet, S. (1979). Effect of Ethrel and smoking treatment on ripening and storage of banana cultivar Himachal. *Progressive Horticulture*, 11, 69–75.
- Ram, B. K. C., Gautam, D. M., & Tiwari, S. (2009). Use of Ethephone and indigenous plant materials in ripening banana in winter. *Nepal Agricultural Research Journal*, 9, 113.
- Ramesh Kumar, A., & Kumar, N. (2007). Sulfate of potash foliar spray effects on yield, quality, and post-harvest life of banana. *Better Crops*, 91, 22–24.
- Ramsey, M. D., Daniells, J. W., & Anderson, V. J. (1990). Effects of Sigatoka leaf spot (*Mycosphaerella musicola* Leach) on fruit yields, field ripening and greenlife of bananas in North Queensland. *Scientia Horticulturae*, 41, 305–313.
- Reid, M. S. (2002). Ethylene in postharvest technology In: Kader, A.A. (ed). *Postharvest technology of horticultural crops*. University of California, Division of Agriculture and Natural Resources, Publication 3311. pp.149–162..
- Renoo, Y., Kongpensook, V., Chambers IV, E., Suwansichon, S., Oupadissakoon, C & Retiveau, A. (n.d.). The sensory characteristics of commercially available bananas in Thailand. file:///C:/Users/Anthony%20Keith%20Thomps/Downloads/SSP2008-P05-Yenket.pdf. Accessed 18 April 2019.

- Robinson, J. C., & Saúco, V. G. (2010). *Bananas and plantains* (2nd ed.). Wallingford: CAB International.
- Romero, I., Sanchez-Ballesta, M. T., Maldonado, R., Escribano, M. I., & Merodio, C. (2008). Anthocyanin, antioxidant activity and stress-induced gene expression in high CO₂-treated table grapes stored at low temperature. *Journal of Plant Physiology*, *165*, 522–530.
- Romphophak, T., Siriphanich, J., Promdang, S., & Ueda, Y. (2004). Effect of modified atmosphere storage on the shelf life of banana ‘Sucrier’. *Journal of Horticultural Science & Biotechnology*, *79*, 659–663.
- Rossetto, M. R. M., Purgatto, E., do Nascimento, J. R. O., Lajolo, F. M., & Cordenuns, B. R. (2003). Effects of gibberellic acid on sucrose accumulation and sucrose biosynthesizing enzymes activity during banana ripening. *Plant Growth Regulation*, *41*, 207–214.
- Rothan, C., Duret, S., Chevalier, C., & Raymond, P. (1997). Suppression of ripening associated gene expression in tomato fruit subjected to a high CO₂ concentration. *Plant Physiology*, *114*, 255–263.
- Salmon, B., Martin, G. J., Remaud, G., & Fourel, F. (1996). Compositional and isotopic studies of fruit flavours. Part I. The banana aroma. *Flavour and Fragrance Journal*, *11*, 353–359.
- Saltveit, M. E. (1999). Effect of ethylene on quality of fresh fruits and vegetables. *Postharvest Biology and Technology*, *15*, 279–292.
- Saltveit, M., Bradford, K. J., & Dilley, D. R. (1978). Silver ion inhibits ethylene synthesis and action in ripening fruits. *Journal of the American Society for Horticultural Science*, *103*, 472–475.
- Sanaeifar, A., Mohtasebi, S. S., Ghasemi-Varnamkhasti, M., Ahmadi, H., & Lozano, J. (2014). Development and application of a new low-cost electronic nose for the ripeness monitoring of banana using computational techniques (PCA, LDA, SIMCA, and SVM). *Czech Journal of Food Sciences*, *32*, 538–548.
- Sanchez-Nieva, F., Hernandez, L., & Bueso de Vinas, C. (1970). Studies on the ripening of plantains under controlled conditions. *Journal of Agriculture of the University of Puerto Rico*, *54*, 517–529.
- Saraiva, J. A. (2014). Storage of foods under mild pressure (hyperbaric storage) at variable (uncontrolled) room: a possible new preservation concept and an alternative to refrigeration? *Journal of Food Processing & Technology*, *5*, 56. <https://doi.org/10.4172/2157-7110.S1.002>. (Abstract).
- Sarananda, K. H. (1990). Effect of calcium carbide on ripening of ‘Embul’ bananas. *Tropical Agriculturist*, *146*, 27–35.
- Satyan, S., Scott, K. J., & Graham, D. (1992). Storage of banana bunches in sealed polyethylene tubes. *Journal of Horticultural Science*, *67*, 283–287.
- Scott, K. J., Blake, J. R., Strachan, G., Tugwell, B. L., & McGlasson, W. B. (1971). Transport of bananas at ambient temperatures using polyethylene bags. *Tropical Agriculture*, *48*, 245–253.
- Scriven, F. M., Gek, C. O., & Wills, R. B. H. (1989). Sensory differences between bananas ripened with and without ethylene. *HortScience*, *24*, 983–984.
- SeaLand. (1991). *Shipping guide to perishables*. SeaLand Services Inc., P.O. Box 800, Iselim, New Jersey 08830.
- Seenappa, M., Laswai, M., & Fernando, S. P. F. (1986). Availability of L-ascorbic acid in Tanzanian banana. *Journal of Food Science and Technology*, *23*, 293–295.
- Segall, Y., Grendell, R. L., Toia, R. F., & Casida, J. E. (1991). Composition of technical ethephon [(2-chloroethyl) phosphonic acid] and some analogues relative to their reactivity and biological activity. *Journal of Agricultural and Food Chemistry*, *39*, 380–385.
- Semple, A. J., & Thompson, A. K. (1988). Influence of the ripening environment on the development of finger drop in bananas. *Journal of the Science of Food Agriculture*, *46*, 139–146.
- Senna, M. M. H., Al-Shamrani, K. M., & Al-Arifi, A. S. (2014). Edible coating for shelf-life extension of fresh banana fruit based on gamma irradiated plasticized poly(vinyl alcohol)/carboxymethyl cellulose/tannin composites. *Materials Sciences and Applications*, *5*, 395–415.
- Seo, Y., & Hosokawa, A. (1983a). Relationship between evolved CO₂ and increase in sugar content during artificial banana ripening. *Journal of the Japanese Society of Agricultural Machinery and Food Engineers*, *44*, 633–638.

- Seo, Y., & Hosokawa, A. (1983b). Prediction of sugar content with temperature schedule in artificial banana ripening. *Journal of the Japanese Society of Agricultural Machinery and Food Engineers*, 45, 229–234.
- Seo, Y., Amano, T., Kawagoe, Y. & Sagara, Y. (1995). Artificial banana ripening by fuzzy control. Control applications in post-harvest and processing technology. 1st ifac/cigr/eurageng/ishs workshop, Ostend, 1–2 June 1995 J. de Baerdemaeker and J. Vandewalle (editors) 151–155.
- Seymour, G. B. (1986). The effect of gases and temperature on banana ripening. *PhD thesis, University of Reading*.
- Seymour, G. B., Thompson, A. K., & John, P. (1987). Inhibition of degreening in the peel of bananas ripened at tropical temperatures. 1. Effect of high temperature on changes in the pulp and peel during ripening. *Annals of Applied Biology*, 110, 145–151.
- Seymour, G. B., John, P., & Thompson, A. K. (1987a). Inhibition of degreening in the peel of bananas ripened at tropical temperature. 2. Role of ethylene, oxygen and carbon dioxide. *Annals of Applied Biology*, 110, 153–161.
- Seymour, G. B., Ryder, C. D., Cevik, V., Hammond, J. P., Popovich, A., King, G. J., Vrebalov, J., Giovannoni, J. J., & Manning, K. (2011). A SEPALLA total acidity gene is involved in the development and ripening of strawberry (*Fragaria xananassa* Duch.) fruit, a non-climacteric tissue. *Journal of Experimental Botany*, 62, 1179–1188.
- Seymour, G. B., Chapman, N. H., Chew, B. L., & Rose, J. K. C. (2013). Regulation of ripening and opportunities for control in tomato and other fruits. *Plant Biotechnology Journal*, 11, 269–278.
- Sfakiotakis, E., Antunes, M. D., Stavroulakis, G., & Niklis, N. (1999). Rapporti fra produzione di etilene e maturazione dei frutti della cultivar Hayward nelle fasi di raccolta e conservazione. *Rivista di Frutticoltura e di Ortofloricoltura*, 61, 59–65.
- Shaoying, Z., Zhu, L., & Dong, X. (2015). Combined treatment of carbon monoxide and chitosan reduced peach fruit browning and softening during cold storage. *International Journal of Nutrition and Food Sciences*, 4, 477–482.
- Sheng, K., Zheng, H., Shui, S. S., Yan, L., & Zheng, L. (2018). Comparison of postharvest UV-B and UV-C treatments on table grape: changes in phenolic compounds and their transcription of biosynthetic genes during storage. *Postharvest Biology and Technology*, 138, 74–81.
- Shiota, H. (1993). New ester compounds in the volatiles of banana fruit (*Musa sapientum* L.). *Journal of Agricultural and Food Chemistry*, 41, 2056–2062.
- Shorter, A. J., Scott, K. J., & Graham, D. (1987). Controlled atmosphere storage of bananas in bunches at ambient temperatures. *CSIRO Food Research Queensland*, 47, 61–63.
- Siddiqui, M. W., & Dhua, R. S. (2010). Eating artificial ripened fruits is harmful. *Current Science*, 99, 1664–1668.
- Sidhu, S. S., & Zafar, T. A. (2018). Bioactive compounds in banana fruits and their health benefits. *Food Quality and Safety*, 2, 183–188.
- Silvis, H., & Thompson, A. K. (1974). Preliminary investigations on improving the quality of bananas for the local market in the Sudan. *Sudan Journal of Food Science and Technology*, 6, 7–17.
- Simmonds, N. W. (1966). *Bananas* (2nd ed.). London: Longmans.
- Simmonds, N. W., & Shepherd, K. (1955). The taxonomy and origins of the cultivated *bananas*. *Journal of the Linnaean Society*, 55, 302–312.
- Sinclair, J. (1988). *Refrigerated transportation*. London: Container Marketing Limited.
- Singh, B., Singh, J. P., Kaur, A., & Singh, N. (2016). Bioactive compounds in banana and their associated health benefits – A review. *Food Chemistry*, 206, 1–11.
- Sisler, E. C. (1991). Ethylene-binding components in plants. In A. K. Mattoo & J. E. Suttle (Eds.), *The plant hormone ethylene* (pp. 81–99). Boca Raton: CRC Press.
- Sisler, E. C., & Blankenship, S. M. (1993). Diazocyclopentadiene (DACP) a light sensitive reagent for the ethylene receptor in plants. *Plant Growth Regulation*, 12, 125–132.
- Sisler, E. C., & Lallu, N. (1994). Effect of diazocyclopentadiene (DACP) on tomato fruits harvested at different ripening stages. *Postharvest Biology and Technology*, 4, 245–254.

- Slaughter, M. L. D. C., & Thompson, J. F. (1997). Optical chlorophyll sensing system for banana ripening. *Postharvest Biology and Technology*, *12*, 273–283.
- Smith, N. J. S. (1989). Textural and biochemical changes during ripening of bananas. *University of Nottingham, PhD thesis*.
- Smith, N. J. S., & Seymour, G. B. (1990). Cell wall changes in bananas and plantains. *Acta Horticulturae*, *269*, 283–289.
- Smith, N. J. S., & Thompson, A. K. (1987). The effects of temperature, concentration and exposure time to acetylene on initiation of banana ripening. *Journal of the Science of Food Agriculture*, *40*, 43–50.
- Smith, N. J. S., Seymour, G. B., & Thompson, A. K. (1986). Effects of high temperatures on ripening responses of bananas to acetylene. *Annals of Applied Biology*, *108*, 667–672.
- Snowdon, A. L. (1990). A colour atlas of postharvest diseases and disorders of fruits and vegetables. In *General introduction and fruits* (Vol. 1). London: Wolfe Scientific Ltd.
- Sogo-Temi, C. M., Idowu, O. A., & Idowu, E. (2014). Effect of biological and chemical ripening agents on the nutritional and metal composition of banana (*Musa* spp.). *Journal of Applied Sciences and Environmental Management*, *18*, 243–246.
- Solomos, T., & Biale, J. B. (1975). Facteurs et regulation de la maturation des fruits. *Colloque Internationaux du Center National de la Recherche Scientifique*, *238*, 221–228.
- Soltani, M., Alimardani, R., & Omid, M. (2011). Evaluating banana ripening status from measuring dielectric properties. *Journal of Food Engineering*, *105*, 625–631.
- Song, M., Tang, L., Zhang, X., Bai, M., Pang, X., & Zhang, Z. (2015). Effects of high CO₂ treatment on green-ripening and peel senescence in banana and plantain fruits. *Journal of Integrative Agriculture*, *14*, 875–887.
- Sonmezdag, A. S., Kelebek, H., & Selli, S. (2014). Comparison of the aroma and some physicochemical properties of Grand Naine (*Musa acuminata*) banana as influenced by natural and ethylene-treated ripening. *Journal of Food Processing and Preservation*, *38*, 2137–2145.
- Srivastava, M. K., & Dwivedi, U. N. (2000a). Delayed ripening of banana fruit by salicylic acid. *Plant Science*, *158*, 87–96.
- Timilsina, U., Shreshta, A. K., Srivastava, A., & Shrestha, B. (2017). Ripening regulation and post-harvest life improvement of banana MALBHOG using plant extracts and modified atmosphere package. *Asian Journal of Horticulture*, *12*, 255–259.
- Srivastava, M. K., & Dwivedi, U. N. (2000b). Delayed ripening of banana fruit by salicylic acid. *Plant Science*, *158*, 87–96.
- Stahler M. R. (1962). *Process for ripening bananas and citrus fruit*. U.S. Patent.
- Stavroulakis, G., & Sfakiotakis, E. (1997). Regulation of propylene-induced ripening and ethylene biosynthesis by oxygen in ‘Hayward’ kiwifruit. *Postharvest Biology and Technology*, *10*, 189–194.
- Stepanova, A. N., & Alonso, J. M. (2005). Ethylene signalling and response pathway a unique signalling cascade with a multitude of inputs and outputs. *Physiologia Plantarum*, *123*, 195–206.
- Story, A., & Simons, D. H. (Eds.). (1999). *Fresh produce manual* (3rd ed.). Australian United Fresh Fruit & Vegetable Association Ltd.
- Stover, R. H. (1972). *Banana, plantain and abaca diseases*. Slough: Commonwealth Agricultural Bureaux.
- Stover, R. H., & Simmonds, N. W. (1987). *Bananas* (3rd ed.). London: Longmans.
- Sultan, S., & Rangaraju, V. (2014). Changes in colour value of banana var. Grand Naine during ripening. *Bioscience Trends*, *7*, 726–728.
- Sun, L., Sun, Y., Zhang, M., Wang, L., Ren, J., & Cui, M. (2012). Suppression of 9-cis-epoxycarotenoid dioxygenase, which encodes a key enzyme in abscisic acid biosynthesis, alters fruit texture in transgenic tomato. *Plant Physiology*, *158*, 283–298.
- Supapvanich, S., & Promyou, S. (2013). Efficiency of salicylic acid application on postharvest perishable crops. In S. Hayat & A. A. M. Alyemei (Eds.), *Salicylic acid: Plant growth and development* (pp. 339–355). New York: Springer.

- Surendranathan, K. K., & Nair, P. M. (1972). Properties of acidic and alkaline fructose 1,6- diphosphatease in gamma irradiated banana. *Phytochemistry*, *11*, 119–123.
- Surendranathan, K. K., & Nair, P. M. (1973). Alterations in carbohydrate metabolism of gamma irradiated Cavendish banana. *Phytochemistry*, *12*, 241–246.
- Surendranathan, K. K., & Nair, P. M. (1976). Stimulation of the glyoxalate shunt in gamma irradiated banana. *Phytochemistry*, *15*, 371–774.
- Surendranathan, K. K., & Nair, P. M. (1980). Carbohydrate metabolism in ripening banana and its alteration on gamma irradiation in relation to delay in ripening. *Journal of the Indian Institute of Science*, *62*, 63–75.
- Svanes, E., & Aronsson, A. K. S. (2013). Carbon footprint of a Cavendish banana supply chain. *The International Journal of Life Cycle Assessment*, *18*, 1450–1464.
- Tchango, J. T., Achard, R., & Ngalandi, J. A. (1999). Etude des stades de recolte pour l'exportation par bateau, vers l'Europe, de trois cultivars de plantains produits au Cameroun. *Fruits*, *54*, 215–224.
- Thomas, P. (1986). Radiation preservation of foods of plant origin. III. Tropical fruits: bananas, mangoes, and papayas. *CRC Critical Reviews in Food Science and Nutrition*, *23*, 147–206.
- Thomas, P., & Janave, M. T. (1986). Isoelectric focusing evidence for banana isoenzymes with mono and diphenolase activity. *Journal of Food Science*, *51*, 384–387.
- Thomas, P., Dharkar, S. D., & Sreenivasan, A. (1971). Effect of gamma irradiation on the postharvest physiology of five banana varieties grown in India. *Food Science*, *36*, 243–248.
- Thompson, A. K. (2016). Postharvest transport. In *Horticulture compendium*. Oxford: CAB International.
- Thompson, A. K., & Burden, O. J. (1995). Harvesting and fruit care. In S. Gowen (Ed.), *Bananas and plantains* (pp. 403–433). London: Chapman and Hall.
- Thompson, A. K. (1985). Postharvest losses of bananas, onions and potatoes in PDR Yemen. *Tropical Development and Research Institute, London United Kingdom Contract Services Report CO 485*.
- Thompson, A. K. (1996). *Postharvest technology of fruits and vegetables*. London: Blackwell Science.
- Thompson, A. K., & Seymour, G. B. (1982). Comparative effects of acetylene and ethylene gas on initiation of banana ripening. *Annals of Applied Biology*, *101*, 407–410.
- Thompson, A. K., & Seymour, G. B. (1984). Inborja (CASCO) banana factory at Machala in Ecuador. *Tropical Development and Research Institute Report* (unpublished).
- Thompson, A. K., & Silvis, H. (1974). Preliminary investigations on banana handling problems under Sudanese conditions. *Food and Agricultural Organization of the United Nations, Report Sud 70/543*.
- Thompson, A. K., Been, B. O., & Perkins, C. (1972). Handling, storage and marketing of plantains. *Proceedings of the Tropical Region of the American Society of Horticultural Science*, *16*, 205–212.
- Thompson, A. K., Been, B. O., & Perkins, C. (1974). Effects of humidity on ripening of plantain bananas. *Experientia*, *30*, 35–36.
- Tiangco, E. L., Agillon, A. B., & Lizada, M. C. C. (1987). Modified atmosphere storage of 'Saba' bananas. *ASEAN Food Journal*, *3*, 112–116.
- Tadesse, T. N. (2014). Quality attributes and ripening period of banana (*Musa* spp.) fruit as affected by plant ethylene sources and packaging materials. *International Journal of Agricultural Research*, *9*, 304–311.
- Toan, V. N., Hoang, V. L., Tan, V. L., Thanh, D. C., & Luan, V. L. (2011). Effects of aminoethoxyvinylglycine (AVG) spraying time at preharvest stage to ethylene biosynthesis of Cavendish banana (*Musa* AAA). *Journal of Agricultural Science*, *3*, 206–211.
- Toan, V. N., Thanh, D. C., Le, V. H., Le, V. T., Truong, M. H., Thi Le, L. T., & Thi Thong, Q. A. (2010). Effect of near-harvest application of aminoethoxyvinylglycine (AVG) on banana fruits during postharvest storage. *Acta Horticulturae*, *875*, 163–168.
- Toemmers, S., Blesgen, A., Kuhnen, F., Esdorn, L., Hass, V. C., & Hass, V. C. (2010). Model-based process control for optimised banana ripening. *International Federation of Automatic Control (IFAC) Proceedings*, *43*, 317–322.

- Toledo, T. T., Nogueira, S. B., Cordenunsi, B. R., Gozzo, F. C., Pilau, E. J., Lajolo, F. M., & Oliveira do Nascimento, J. R. (2012). Proteomic analysis of banana fruit reveals proteins that are differentially accumulated during ripening. *Postharvest Biology and Technology*, *62*, 51–58.
- Tongdee, S. C. (1988). *Banana postharvest handling improvements*. Bangkok: Report of the Thailand Institute of Science and Technology Research.
- Tonutti, P. (2015). The technical evolution of CA storage protocols and the advancements in elucidating the fruit responses to low oxygen stress. *Acta Horticulturae*, *1079*, 53–60.
- Tressl, R., & Jennings, W. G. (1972). Production of volatile compounds in the ripening banana. *Journal of Agricultural and Food Chemistry*, *20*, 189–192.
- Truter, A. B., & Combrink, J. C. (1990). Controlled and modified atmosphere storage of bananas. *Acta Horticulturae*, *275*, 631–638.
- Tucker, G. A. (1993). Introduction. In G. Seymour, J. Taylor, & G. A. Tucker (Eds.), *Biochemistry of fruit ripening*. Cambridge: Cambridge University Press.
- Turner, D. W. (1997). Bananas and plantains. In S. K. Mitra (Ed.), *Post harvest physiology and storage of tropical and subtropical fruits* (pp. 47–83). Oxford: CAB International.
- Ullah, H., Ahmad, S., Anwar, R., & Thompson, A. K. (2006). Effect of high humidity and water on the quality and ripening of banana fruit. *International Journal of Biology*, *8*, 828–831.
- University of Queensland. (2017). file:///C:/Users/Anthony%20Keith%20Thomps/Downloads/UniQuest%20Tech%20Brief%20-%20Ripestuff%20Q3%202014.pdf. Accessed 24 March 2019.
- USDA. (2012). *Nutrient database*. <http://www.nal.usda.gov/fnic/foodcomp/Data/SR17/wtrank/sr17a306.pdf>. Accessed 24 October 2012.
- Vanderslice, J. T., Higgs, D. J., Hayes, J. M., & Block, G. (1990). Ascorbic acid and dehydroascorbic acid content of foods-as-eaten. *Journal of Food Composition and Analysis*, *3*, 105–118.
- Vendrell, M. (1969). Acceleration and delay of ripening in banana fruit tissue by gibberellic acid. *Australian Journal of Biological Sciences*, *23*, 553–559.
- Vendrell, M. (1970). Acceleration and delay of ripening in banana fruit tissue by gibberellic acid. *Australian Journal of Biological Sciences*, *23*, 553–560.
- Venkata Subbaiah, K., Jagadeesh, S. L., Thammaiah, N., & Chavan, M. L. (2013). Changes in physico-chemical and sensory characteristics of banana fruit cv. Grand Naine during ripening. *Karnataka Journal of Agricultural Sciences*, *26*, 111–114.
- Vermeir, S., Hertog, M. L. A. T. M., Vankerschaver, K., Swennen, R., Nicolai, B. M., & Lammertyn, J. (2009). Instrumental based flavour characterization of banana fruit. *LWT – Food Science and Technology*, *42*, 1647–1653.
- Vilela, C., Santos, S. A., Villaverde, J. J., Oliveira, L., Nunes, A., Cordeiro, N., Freire, C. S., & Silvestre, A. J. (2014). Lipophilic phytochemicals from banana fruits of several *Musa* species. *Food Chemistry*, *162*, 247–252.
- Von Loesecke, H. W. (1949). *Bananas*. London: Interscience.
- Wade, N. L. (1974). Effects of O₂ concentration and Ethephon upon the respiration and ripening of banana fruits. *Journal of Experimental Botany*, *25*, 955–964.
- Wade, N. L. (1995). Membrane lipid composition and tissue leakage of pre- and early- climacteric banana fruit. *Postharvest Biology and Technology*, *5*, 139–147.
- Wade, N. L., O'Connell, P. B. H., & Brady, C. J. (1972). Content of RNA and protein of the ripening banana. *Phytochemistry*, *11*, 975–979.
- Wall, M. M. (2006). Ascorbic acid, vitamin A, and mineral composition of banana (*Musa* sp.) and papaya (*Carica papaya*) cultivars grown in Hawaii. *Journal of Food Composition and Analysis*, *19*, 434–445.
- Wang, C. Y., & Mellenthin, W. M. (1972). Internal ethylene levels during ripening and climacteric in Anjou pears. *Plant Physiology*, *50*, 311–312.
- Wang, Y., Luo, Z., & Du, R. (2015a). Nitric oxide delays chlorophyll degradation and enhances antioxidant activity in banana fruits after cold storage. *Acta Physiologiae Plantarum*, *37*, 74. <http://yadda.icm.edu.pl/yadda/element/bwmeta1.element.agro-c98ec1d2-ff21-4620-a29a-def5e3ea0093>. Accessed 18 August 2019

- Wang, Y., Luo, Z., Khan, Z. U., Mao, L., & Ying, T. (2015b). Effect of nitric oxide on energy metabolism in postharvest banana fruit in response to chilling stress. *Postharvest Biology and Technology*, 108, 21–27.
- Wardlaw, C. W. (1937). Tropical fruits and vegetables: An account of their storage and transport. *Low Temperature Research Station, Trinidad Memoir 7*, Reprinted from Tropical Agriculture Trinidad, 14.
- Wardlaw, C. W. (1961). *Banana diseases*. London: Longmans.
- Wardlaw, C. W., & Leonard, E. R. (1940). *The respiration of bananas during ripening at tropical temperatures, studies in tropical fruits*. Low Temperature Research Station, Memoir 17.
- Wardlaw, C. W., Leonard, E. R., & Barnell, H. R. (1939). *Metabolic and storage investigations of the banana*. Low Temperature Research Station, Memoir 11. Imperial College of Tropical Agriculture, Low Temperature Research Station.
- Wei, Y., & Thompson A. K. (1993). Modified atmosphere packaging of diploid bananas (*Musa AA*). *Post-harvest Treatment of Fruit and Vegetables*. COST'94 Workshop, September 14 to 15 1993, Leuven.
- Wendakoon, S. K., Ueda, Y., Imahori, Y., & Ishimaru, M. (2006). Effect of short-term anaerobic conditions on the production of volatiles, activity of alcohol acetyltransferase and other quality traits of ripened bananas. *Journal of the Science of Food and Agriculture*, 86, 1475–1480.
- Wenkam, N. S. (1990). Food of Hawaii and the Pacific basin, fruits and fruit products: Raw, processed, and prepared. Volume 4: *Composition*. Hawaii Agricultural Experiment Station Research and Extension Series 110.
- Wills, R. B. H., & Gibbons, S. L. (1998). Use of very low ethylene levels to extend the postharvest life of Hass avocado fruit. *International Journal of Food Properties*, 1, 71–76.
- Wills, R. B. H. (1990). Postharvest technology of banana and papaya in Association of Southeast Asian Nations: An overview. *Association of Southeast Asian Nations Food Journal*, 5, 47–50.
- Wills, R. B. H., & Tirmazi, S. I. H. (1982). Inhibition of ripening of avocados with calcium'. *Scientia Horticulturae*, 16, 323–330.
- Wills, R. B. H., Harris, D. R., Spohr, L. J., & Golding, J. B. (2014). Reduction of energy usage during storage and transport of bananas by management of exogenous ethylene levels. *Postharvest Biology and Technology*, 89, 7–10.
- Wills, R. B. H., Ku, V. V. V., & Leshem, Y. Y. (2000). Fumigation with nitric oxide to extend the postharvest life of strawberries. *Postharvest Biology and Technology*, 18, 75–79.
- Wills, R. B. H., McGlasson, B., Graham, D., & Joyce, D. (1998). *Postharvest: An introduction to the physiology and handling of fruit, vegetables and ornamentals* (4th ed.). Wallingford: CAB International.
- Wills, R. B. H., Poi, A., Greenfield, H., & Rigney, C. J. (1984). Postharvest changes in fruit composition of *Annona atemoya* during ripening and effects of storage temperature on ripening. *HortScience*, 19, 96–97.
- Wilson Wijeratnum, R. S., Jayatilake, S., Hewage, S. K., Perera, L. R., Paranerupasingham, S., & Peiris, C. N. (1993). Determination of maturity indices for Sri Lankan Embul bananas. *Australian Centre for International Agricultural Research Proceedings*, 50, 338–340.
- Woolf, A. B., Wexler, A., Prusky, D., Kobiler, E., & Lurie, S. (2000). Direct sunlight influences postharvest temperature responses and ripening of five avocado cultivars. *Journal of the American Society for Horticultural Science*, 125, 370–376.
- Wu, B., Guo, Q., Li, Q., Ha, Y., Li, X., & Chen, W. (2014). Impact of postharvest nitric oxide treatment on antioxidant enzymes and related genes in banana fruit in response to chilling tolerance. *Postharvest Biology and Technology*, 92, 157–163.
- Yang, S. F. (1981). Biosynthesis of ethylene and its regulation. In J. Friend & M. J. C. Rhodes (Eds.), *Recent advances in the biochemistry of fruit and vegetables* (pp. 89–106). London: Academic.
- Yang, S. F., & Ho, H. K. (1958). Biochemical studies on post-ripening of banana. *Journal of the Chinese Chemical Society*, 5, 1–98.
- Yang, S. F., & Hoffman, N. E. (1984). Ethylene biosynthesis and its regulation in higher plants. *Annual Review of Plant Physiology*, 35, 155–189.

- Yang, S. F., & Pratt, H. K. (1978). The physiology of ethylene in wounded plant tissue. In G. Kahl (Ed.), *Biochemistry of wounded plant tissues* (pp. 595–622). Berlin: Walter de Gruyter.
- Yang, S. F., Adams, D. O., Lizada, C., Yu, Y., Bradford, K. J., Cameron, A. C., & Hoffman, N. E. (1979). Mechanism and regulation of ethylene biosynthesis. In F. Skoog (Ed.), *Plant growth substances 1979* (Proceedings in Life Sciences) (pp. 219–229). Berlin/Heidelberg: Springer.
- Yao, A. K., Koffi, D. M., Irié, Z. B., & Niamke, S. L. (2014). Conservation de la banane plantain (*Musa AAB*) à l'état vert par l'utilisation de films de polyéthylène de différentes épaisseurs. *Journal of Animal & Plant Sciences*, 23, 3677–3690.
- Yoo, S.-D., Cho, Y., & Sheen, J. (2009). Emerging connections in the ethylene signaling network. *Trends in Plant Science*, 14, 270–279.
- Youryon, P., & Supapvanich, S. (2017). Physicochemical quality and antioxidant changes in 'Leb Mue Nang' banana fruit during ripening. *Agriculture and Natural Resources*, 51, 47–52.
- Zaman, W., Paul, D., Alam, K., Ibrahim, M., & Hassan, P. (2007). Shelf-life extension of banana (*Musa sapientum*) by gamma radiation. *Journal of Bio-Science*, 15, 47–53.
- Zhang, M., Jiang, Y., Jiang, W., & Liu, X. (2006). Regulation of ethylene synthesis of harvested banana fruit by 1-MCP. *Food Technology and Biotechnology*, 44, 111–115.
- Zhang, M., Leng, P., Zhang, G., & Li, X. (2009). Cloning and functional analysis of 9-cis-epoxycarotenoid dioxygenase (NCED) genes encoding a key enzyme during abscisic acid biosynthesis from peach and grape fruits. *Journal of Plant Physiology*, 166, 1241–1252.
- Zhang, M., Yuan, B., & Leng, P. (2009a). Cloning 9-cis-epoxycarotenoid dioxygenase (NCED) genes and the role of ABA on fruit ripening. *Plant Signalling and Behaviour*, 4, 460–463.
- Zheng, Y., Fung, R. W. M., Wang, S. Y., & Wang, C. Y. (2008). Transcript levels of antioxidative genes and oxygen radical scavenging enzyme activities in chilled zucchini squash in response to super-atmospheric oxygen. *Postharvest Biology and Technology*, 47, 151–158.
- Zhu, X., Luo, J., JunLi, Q. L., Liu, T., Wang, R., Chen, W., & Li, X. (2018). Low temperature storage reduces aroma-related volatiles production during shelf-life of banana fruit mainly by regulating key genes involved in volatile biosynthetic pathways. *Postharvest Biology and Technology*, 146, 68–78.

Index

A

Abscisic acid (ABA), 25, 45, 68, 69
Acetylene
 advantage, 88
 biological activity, 89
 calcium carbide, 89–91
 initiation of ripening, 88
 proportional to temperature and exposure
 time, 88, 89
 sensory analysis, 91
 temperature, 88–90
 toxicity of calcium carbide, 92
Acyl steryl glycosides, 54
Agri-biosoft, 92
Air circulation systems, 102
Alcohol, 93
Ambul bananas, 20
1-Aminocyclopropane-1-carboxylic acid
 (ACC), 28–30
Aminoethoxy-vinylglycine (AVG), 69, 70
Amritsagar, 7
Amylene, 92
Angularity, 20–22
Anthracnose, 16
Antihypertensive principle, 54
Apem, 6
Apple banana, 6
Aroma, 46, 47
Arsine (AsH₃), 22
Ascorbic acid, 51
Australimusa, 2
Automation, banana ripening, 106

Auxins, 68
Avrami's equation, 87

B

Banana Bunchy Top Virus (BBTV), 4
Banana Pouyat, 4
Bananas (*Musa*)
 area of production, 1
 breeding programmes, 4, 5
 genotypes (*see* Genotypes)
 international trade, 1
 overseas transport and primary production, 1
 quantity, 1
 ripening index, 1, 2
 sun damage, 14, 15
 taxonomy, 2–4
 types, 6
 Valery, 2
Banana Streak Virus (BSV), 4
Bananitos, 7
Banavac®, 60
Bautista, 97
Biotic and abiotic stresses, 67
Blackened skin, 75
Black Sigatoka, 4, 15
Bluggoe, 7
Bodles Altafort, 7
Botryodiplodia theobromae, 17
Bowdichia virgilioides leaves, 100
Breeding programmes, 4, 5
Bunch covers, 19, 20

C

Calcium carbide, 85, 89–92
Callimusa, 2
 Calliper grade, 20–22
 Carbohydrates, 48, 49
 Carbon monoxide (CO), 94
 Caribbean Islands grades, 21
 Carotenoids, 52, 53
 Cascade application, 17
 Catalytic generators, 84, 104, 105
 Catecholamines, 54
 Cavendish, 1, 5, 7, 16
 Cellulose, 55
 Cell walls, 44
Ceratocystis paradoxa, 17
 Chemicals
 ABA, 68
 AVG, 69, 70
 DACP, 68
 gibberellic acid, 67, 68
 IAA, 68
 LPE, 69
 maleic acid, 70
 1-MCP, 64–67
 metal ions, 64
 NO, 70
 salicylic acid, 67
 Cheni Champa, 7
 Chilling injury, 74–76
 Chromatographic analytical techniques, 81
Cis-butenedioic acid, 70
 Climacteric fruit
 ABA, 26, 68
 Asian pears and peppers, 25
 autocatalytic, 28
 in avocados, 37
 biphasic respiratory, 28
 development, 25
 ethylene (*see* Ethylene)
 low P, 14
 1-MCP treatment, 65
 pattern of ripening, 25
 physiology, 28
 in respiration rate and starch, 68
 Coatings, 71, 72
 CO₂ evolution, 27
 Colour index, 1, 2
 Commercial banana ripening room, 102, 103
 Commercial coatings, 71
 Controlled atmosphere (CA) storage, 32
 effects after ripening initiation, 58, 59
 pre-climacteric bananas, 57, 58
 Cooked/boiled green, 74
 Crown tissue, 16

Cucumbers, 14
 Cyanide, 29
 Cycloartane triterpenes, 54
 Cylinders, 82, 83

D

Deliquescent salts, 88
 Diazocyclopentadiene (DACP), 68
 Dielectric constant, 27
 1,1-Diphenyl-2-picrylhydrazyl, 20
 Diseases of bananas
 anthracnose, 16
 Botryodiplodia theobromae, 17
 cascade application, 17
 Cavendish, 16
 Ceratocystis paradoxa, 17
 field-ripe, 16
 fungicides, 15
 infection, 15
 international trade, 17
 leaf damage, 15
 local marketing, 16
 packing station environment, 18
 pitting disease, 17
 plastic covering, 17, 18
 Pulpa Crema, 16
 shipment, 16
 Dominico, 7
 Dominico Harton, 7
 Dwarf Brazilian, 7
 Dwarf Cavendish, 3, 7, 19
 Dwarf-Prata bananas, 98

E

Effectively enhanced ripening, 90
 EIN3 binding F-box protein (EBF), 33
 Encapsulation of ethylene, 87, 88
 Esters, 93
 Etacelasil, 84
 Ethanol
 concentrations, 58
 Ethephon, 84
 Ethrel, 84–87
 Ethyl chloride, 92
 Ethylene
 biosynthesis, 25–28
 catalytic generators, 84
 commercial rooms, 81
 cylinders, 82, 83
 dependent and independent pathways, 25
 encapsulation, 87, 88
 endogenous, 25, 81

- ethrel, 84–87
- exogenous, 25, 26
- flammable limits, 80
- fruit maturity, 81
- fruit ripening rooms, 80
- generation, 26
- identification, 81
- internal, 28–30
- maturity of fruit and response, 34–37
- physiological levels, 81
- post ripening initiation, 31, 32
- in pre-climacteric bananas, 57
- production, 25, 27
- responsive factor, 33
- signalling interactions, 26
- Ethylene absorbents, 62–64
- Ethylene chloride, 92
- Ethylene glycol, 87
- Ethylene oxide, 92
- Ethysorb, 62
- Eumusa*, 2

- F**
- False Horn plantains, 98
- Fertilizers, 13, 14
- FHIA-01, 7
- FHIA-02, 8
- FHIA-03, 8
- FHIA-17, 8
- FHIA-18, 8
- FHIA-21, 8
- FHIA-23, 8
- Field-ripe, 16
- Film thickness, 62
- Finger drop, 41
- Flavonoids, 54
- Flavour, 46, 47
- Folates, 54
- Fruit generation, 99, 100
- Fruit ripening
 - ABA, 25
 - acidity, 50
 - aroma, 46, 47
 - ascorbic acid, 51
 - carbohydrates, 48, 49
 - carotenoids, 52, 53
 - classification, 25
 - climacteric and non-climacteric, 25
 - composition, 37, 38
 - ethylene (*see* Ethylene)
 - exposure to exogenous ethylene, 25, 26
 - finger drop, 41
 - flavour, 46, 47
 - folates, 54
 - genetic analysis, 26
 - minerals, 47, 48
 - moisture, 43, 44
 - non-climacteric fruit, 25
 - peel chemicals, 40, 41
 - peel colour, 37, 39
 - peel spotting, 40
 - phenolics, 49, 50
 - phytochemicals, 54, 55
 - pre-climacteric phase, 26, 27
 - proteins, 49
 - texture, 44–46
 - vitamin A, 52, 53
 - weight loss, 41, 42
- Fungicides, 15, 17
- Fuzzy logic, 106

- G**
- Gamma irradiation, 72
- Gamma radiation, 73
- Gas parameters, 111
- Gas tight, 103
- Gene expression, 32
- Genetic analysis, 26
- Genotypes
 - cultivar, 6
 - in international trade, 5, 6
- Giant Cavendish, 7, 27, 31
- Gibberellic acid, 67, 68
- Goldfinger, 4
- Grand Naine, 8, 85
- Green bananas, 75, 76
- Green banana transport, 106
- Green Keeper (GK), 62, 63
- Gros Michel, 8
- Guineo, 8
- Guineo Negro, 8

- H**
- Hari chhal, 8
- Harton, 8
- Harvest maturity
 - Ambul bananas, 20
 - angularity, 20–22
 - bunches, 20–22
 - calliper grade, 20–22
 - fruit and response to ethylene
 - Cavendish, 35
 - colour of the fingers, 35, 36
 - factors, 37
 - inhibitors, 34

- Harvest maturity (*cont.*)
- low concentrations, 34
 - position on the bunch, 35, 36
 - taste panel scores, 36
 - texture, 35, 36
 - TSS, 35, 36
 - in international trade, 20
 - irrigation/rainfall, 23
 - and microorganism infection, 23
 - plastic bunch cover, 20
 - quality and ripening, 20
 - recommendations, 21
 - ribbon tagging, 20
 - Robusta, 23
 - second hand form, 21, 22
- Hazard warnings, 92
- Heat, 96, 97
- Hemiterpenoid glucoside, 55
- Highgate, 8
- Hom Khiew, 8, 9
- Honey, 8
- Horn, 8
- Humidity, 76–78
- Hyperbaric conditions, 107
- Hypobaric storage, 31, 59, 60
- I**
- Incense, 96
- Indole-3-acetic acid (IAA), 68
- Ingentimusa*, 2
- Initiation of ripening
- acetylene, 88–92
 - alcohol, 93
 - CO, 94
 - comparative effectiveness, 79
 - damage and stress, 97–99
 - disadvantage, 79
 - esters, 93
 - ethylene (*see* Ethylene)
 - Food Technologists in Thailand, 79
 - fruit generation, 99, 100
 - leaves, 100
 - local markets, 79
 - Namwa, 79, 80
 - non-using ethephon, 80
 - pre-requisite, 79
 - propylene, 93
 - quality, 80
 - smoking, 95–97
- Internal ethylene
- ACC, 28–30
 - ACO activity, 29
 - binding site, 30
 - biosynthesis, 29, 30
 - cyanide, 29
 - MA-ACS genes, 29
 - MA-ACS1–9, 29
 - metabolic pathway, 28
 - methionine to SAM, 28
 - post-climacteric peak stage, 30
 - pulp, 30
 - respiration rate, 28
 - sucrose phosphate synthase activity, 30
 - synthesis, 30
- International Institute of Tropical Agriculture (IITA), 4
- International trade, 1, 5, 6, 17, 20, 102, 106
- Internet, 111
- In-transit ripening, 108–109
- Irradiation, 72–74
- Irvingia gabonensis*, 100
- J**
- Jackfruit, 97
- Jathropa curcas*, 100
- K**
- Karpuravalli, 8
- Kerosene, 95, 96
- Khai, 8, 9
- Khuai Hom Khiew Korm, 8
- Kinetics analysis, 87
- Kluai Hom, 8
- Kluai Hom Khiew, 8
- Kluai Hom Taiwan, 8
- Kluai Hom Thong, 8, 86, 87
- Kluai Hug Mook, 8
- Kluai Khai, 9
- Kluai Leb Mua Nang, 9, 10
- Kluai Nam Wah, 9
- Kluai Nark, 9
- Kluai Teparod, 9
- L**
- Lady Finger, 9, 10
- Latundan, 9
- Leaves, 100
- Lecture tubes, 83
- Light and day length, 14, 15
- Local markets, 79
- Low Temperature Research Station, 74
- Lysophosphatidylethanolamine (LPE), 69

M

MA-ACSI, 27
MA-ACSI-9 genes, 29
 MADS-box, 32
Magnapothe grisea, 17
 Malbhog, 9, 95
 Maleic acid, 70
 Mangoes, 31
 1-MCP treatment, 31
 Mechanical damage, 18
 Metal ions, 64
 Methionine to SAM, 28
 1-Methylcyclopropene (MCP), 64–67
 Methylene chloride, 92
 Methyl ethylene, 93
 Microorganism infection, 23
 Minerals, 47, 48
 Mitogen-activated protein kinase, 32
 Modified atmosphere packing (MAP), 60–63
 Moisture, 43, 44
Musa acuminata, 2
Musa balbisiana, 2
Musa cavendishii, 6

N

Namwa, 10, 79, 80
 Nanica, 10
 Nepal banana bunches, 95
 Ney Poovan, 10, 13
 Nitrous oxide (NO), 70
 Non-fungicidal methods, 17
 Non-treated fruit, 85

O

Open-Loop-Feedback-Optimal controller, 105
 Organic production, 14
 Organoleptic properties, 111
 Orishele, 10, 42

P

Pacha Naadan, 10
 Packing station environment, 18
 Pacovan, 10, 100
 Panama disease, 74
 Peel chemicals, 40, 41
 Peel colour, 37, 39
 Peel spotting, 40
 Pei Chiao, 10
 Pentose phosphate pathway, 73
 Petite Naine, 10

Phenolics, 49, 50
 Phenylalanine ammonia lyase (PAL)
 activity, 67
 Phosphine (PH₃), 92
 Phytochemicals, 54, 55
 Phytotoxicity, 73
 Pisang Ambon Lumut, 11
 Pisang Awak, 11
 Pisang Lilin, 11
 Pisang Mas, 11, 58, 60
 Pisang Ustrali, 11
 PITA 3, 11
 PITA 24, 11
 PITA 314, 11
 Pitting disease, 17
 Plastic bunch cover, 20
 Polyethylene film, 78
 Postharvest treatments
 CA (*see* Controlled atmosphere (CA)
 storage)
 chemicals (*see* Chemicals)
 coating, 71, 72
 ethylene absorbers, 62–64
 humidity, 76–78
 hypobaric storage, 59–60
 irradiation, 72–74
 MAP, 60–62
 temperature, 74–76
 Pouyat, 11
 Poyo, 11
 Prata, 11
 Pre-climacteric bananas, 57, 58
 Pre-climacteric phase, 26, 27
 Preharvest effects
 bunch covers, 19, 20
 disease, 15–18
 fertilizers, 13, 14
 light and day length, 14, 15
 maturity, 20–23
 mechanical damage, 18
 organic production, 14
 water stress, 18
 Pressure ripening, 101, 102
 Pre-storage treatments, 34
 Prevention of Food Adulteration
 Act, 92
 Propene, 93
 Propylene, 93
 Propylene chloride, 92
 Proteins, 49
 Provitamin A carotenoids (pVACs), 52
 Pulpa Crema, 16, 38
Pyricularia grisea, 17

R

- Radiation-induced injury, 73
- Rasabale, 11
- Red Banana, 11
- Red Decca, 11
- Refrigeration technology, 111
- Rhodochlamys*, 2
- Ribbon tagging, 20
- RipeLock™ technology, 67
- Ripening
 - CA effects after initiation, 58, 59
 - characterization, 28
 - ethylene biosynthesis, 28
 - genetic and biochemical pathways, 28
 - genetic effects, 32–34
 - initiation (*see* Initiation of ripening)
 - mechanisms, 28
 - technology (*see* Technology of ripening)
- Ripening index, 1, 2
- Ripening rooms
 - air circulation systems, 102
 - air-stacking, 101
 - catalytic generators, 104, 105
 - CO₂ concentrations, 105
 - commercial banana, 102, 103
 - cross-stacking, 101
 - gas tight, 103
 - good ventilation, 102
 - international trade, 102
 - polyethylene film bags, 102, 104
 - pressure ripening, 101, 102
 - requirements, 101
 - RH, 103
 - sale in supermarket, 101
 - spark-free type, 103
- Robusta, 11, 14, 23

S

- Saba, 11
- S-adenosyl-methionine (SAM), 28
- Salicylic acid, 67
- Santa Catarina Prata, 11
- Sensory analysis, 91
- Serotonin, 54
- SmartAir Technology, 108
- Smoking
 - by burning straw, 95
 - developing countries, 95

- and ethrel, 95
- heat, 96, 97
- incense, 96
- kerosene, 95, 96
- vs. non-smoking, 95
- semi-dry leaves, 95
- in Sri Lanka, 95
- Sodium hydroxide, 85
- Spark-free type, 103
- Starcare™, 107
- Starch granules, 44
- Storage humidity, 76
- Storage temperature, 34
- Strawberries, 32
- Stress, 97–99
- Succinic dehydrogenase activity, 73
- Sucrier, 11, 31, 59
- Sucrose-ester coating, 71
- Sucrose phosphate synthase
 - activity, 30
- Sugar, 11
- Sun damage, 14, 15

T

- Tasting squads, 93
- Taxonomy, 2–4
- Technology of ripening
 - modelling, 105, 106
 - reducing ripening initiation
 - in transit, 107, 108
 - rooms, 101–105
 - in transit, 108–109
 - transport, 106, 107
- Temperature, 74–76, 111
- Tetraploids, 4
- Texture, 27, 44–46
- Thylakoid membranes, 39
- Tomato *rin* mutants, 32
- Transcription factors, 33
- Transport, 106, 107
- Triploidy, 3
- Triterpenes, 54
- Tryptophan, 54

U

- Under peel discoloration (UPD), 75
- Unique biphasic respiratory climacteric, 30

V

Vacuum packing, 60
Valery, 2, 11
Varieties, 6
Ventilating operations, 106
Ventilation, 102
Vitamin A, 52, 53
Volatile compounds, 46

W

Washing water, 18
Water stress, 18, 42, 77
Weight loss, 41, 42

Y

Yellow pulp, 38