

# Bibliography

1. Abikoff, W., *The Real Analytic Theory of Teichmüller Space*, Lecture Notes in Math., 820, Springer-Verlag, Berlin (1980). §9.9
2. Abikoff, W., The uniformization theorem, *Amer. Math. Monthly*, 88 (1981), 574-592. §9.9
3. Abikoff, W. and Haas, A., Nondiscrete groups of hyperbolic motions, *Bull. London Math. Soc.*, 22 (1990), 233-238. §12.9
4. Adams, C., The noncompact hyperbolic 3-manifold of minimal volume, *Proc. Amer. Math. Soc.*, 100 (1987), 601-606. §10.6
5. Adams, C., SnapPea, The Weeks hyperbolic 3-manifold program, *Notices Amer. Math. Soc.*, 37 (1990), 273-275. §10.6
6. Adams, C., Noncompact hyperbolic 3-orbifolds of small volume, In: *Topology' 90*, edited by B. Apanasov, W. D. Neumann, A. W. Reid, and L. Siebenmann, de Gruyter, Berlin (1992), 1-15. §13.6
7. Adams, C., Hildebrand, M. and Weeks, J., Hyperbolic invariants of knots and links, *Trans. Amer. Math. Soc.*, 326 (1991), 1-56. §10.6
8. Agard, S., Remarks on the boundary mapping for a Fuchsian group, *Ann. Acad. Sci. Fenn. Ser. A. I. Math.*, 10 (1985), 1-13. §11.9
9. Aleksandrov, A. D., On the filling of space by polyhedra (Russian), *Vestnik Leningrad Univ. Ser. Mat. Fiz. Khim.*, 9 (1954), 33-43. §7.7
10. Alexander, J. W., Note on two three-dimensional manifolds with the same group, *Trans. Amer. Math. Soc.*, 20 (1919), 339-342. §8.7
11. Alperin, R. C., An elementary account of Selberg's lemma, *Enseign. Math.*, 33 (1987), 269-273. §7.7
12. Andreev, E. M., Intersection of plane boundaries of a polytope with acute angles, *Math. Notes*, 8 (1970), 761-764. §6.9
13. Aomoto, K., Analytic structure of Schläfli function, *Nagoya Math. J.*, 68 (1977), 1-16. §7.7
14. Apanasov, B. N., Kleinian groups in space, *Siberian Math. J.*, 16 (1975), 679-684. §12.9
15. Apanasov, B. N., A universal property of Kleinian groups in the hyperbolic metric, *Soviet Math. Dokl.*, 16 (1975), 1418-1421. §12.9
16. Apanasov, B. N., Geometrically finite hyperbolic structures on manifolds, *Ann. Glob. Anal. Geom.*, 1 (1983), 1-22. §12.9
17. Appell, P., Goursat, É. and Fatou, P., *Théorie des Fonctions Algébriques II, 2nd Ed.*, Gauthier-Villars, Paris (1930). §12.9
18. Archimedes, *The Works of Archimedes*, edited by T. L. Heath, Cambridge Univ. Press, Cambridge (1897) (Dover, New York, 2002). §1.6, §1.6, §6.9
19. Armstrong, M. A., The fundamental group of the orbit space of a discontinuous group, *Proc. Camb. Phil. Soc.*, 64 (1968), 299-301. §13.6

20. Ascher, E. and Janner, A., Algebraic aspects of crystallography. Space groups as extensions, *Helv. Phys. Acta*, 38 (1965), 551-572. §7.7, §7.7
21. Atiyah, M. F. and Macdonald, I. G., *Introduction to Commutative Algebra*, Addison-Wesley, Reading, MA (1969). §7.7
22. Auslander, L., An account of the theory of crystallographic groups, *Proc. Amer. Math. Soc.*, 16 (1965), 1230-1236. §7.7
23. Auslander, L. and Kuranishi, M., On the holonomy group of locally Euclidean spaces, *Ann. of Math.*, 65 (1957), 411-415. §8.7
24. Autonne, L., Sur l'Hermitien, *Rend. Circ. Mat. Palermo*, 16 (1902), 104-128. §5.6
25. Avérous, G. and Kobayashi, S., On automorphisms of spaces of nonpositive curvature with finite volume, In: *Differential Geometry and Relativity*, edited by M. Cahen and M. Flato, D. Reidel, Dordrecht (1976), 19-26. §12.9
26. Barbarin, P., Études de géométrie analytique non Euclidienne, *Acad. Roy. Belg. Mem.*, 60 (1901), 1-168. §3.6
27. Barnett, J. H., Enter, stage center: the early drama of the hyperbolic functions, *Math. Mag.*, 77 (2004), 15-30. §3.6
28. Basmajian, A., Generalizing the hyperbolic collar lemma, *Bull. Amer. Math. Soc.*, 27 (1992), 154-158. §12.9
29. Beardon, A. F., Fundamental domains for Kleinian groups, In: *Discontinuous Groups and Riemann Surfaces*, edited by L. Greenberg, Ann. of Math. Studies, 79, Princeton Univ. Press, Princeton, NJ (1974), 31-41. §6.9
30. Beardon, A. F., *The Geometry of Discrete Groups*, Graduate Texts in Math., 91, Springer-Verlag, New York (1983). §3.6, §5.6, §5.6, §5.6, §5.6, §6.9, §6.9, §12.9
31. Beardon, A. F. and Maskit, B., Limit points of Kleinian groups and finite-sided fundamental polyhedra, *Acta Math.*, 132 (1974), 1-12. §12.9, §12.9, §12.9, §12.9
32. Beardon, A. F. and Wilker, J. B., The norm of a Möbius transformation, *Math. Proc. Camb. Phil. Soc.*, 96 (1984), 301-308. §12.9
33. Bellavitis, G., Teoria della figure inverse, e loro uso nella geometria elementare, *Ann. Sci. Regno Lombardo-Veneto*, 6 (1836), 126-141. §4.8, §4.8
34. Belolipetsky, M., Arithmetic hyperbolic reflection groups, *Bull. Amer. Math. Soc.* 53 (2016), 437-475. §12.9
35. Beltrami, E., Saggio di interpretazione della geometria non-euclidea, *Giorn. Mat.*, 6 (1868), 248-312 (Essay on the Interpretation of non-Euclidean geometry, In: *Sources of Hyperbolic Geometry*, J. Stillwell, Hist. Math. 10, Amer. Math. Soc., Providence, RI (1996), 7-34). §1.6, §1.6, §4.8, §4.8, §6.9
36. Beltrami, E., Teoria fondamentale degli spazii di curvatura costante, *Ann. Mat. Pura Appl.*, 2 (1868), 232-255 (Fundamental theory of spaces of constant curvature, In: *Sources of Hyperbolic Geometry*, J. Stillwell, Hist. Math. 10, Amer. Math. Soc., Providence, RI (1996), 41-62). §1.6, §1.6, §4.8, §6.9
37. Benedetti, R. and Petronio, C., *Lectures on Hyperbolic Geometry*, Universitext, Springer-Verlag, Berlin (1992). §10.6, §11.9
38. Berestovskii, V. N., Homogeneous Busemann  $G$ -spaces, *Siberian Math. J.*, 23 (1982), 141-150. §8.7
39. Berger, M., Convexity, *Amer. Math. Monthly*, 97 (1990), 650-678. §6.9

40. Bers, L. and Gardiner, F. P., Fricke Spaces, *Adv. Math.*, 62 (1986), 249-284. §5.6, §9.9
41. Besson, G., Courtois, G., and Gallot, S., Minimal entropy and Mostow's rigidity theorems, *Ergodic Theory Dynamical Systems*, 16 (1996), 623-649. §11.9
42. Bianchi, L., Sulle forme differenziali quadratiche indefinite, *Atti. Accad. Naz. Lincei. Mem.*, 5 (1888), 539-603. §3.6
43. Bieberbach, L., Über die Bewegungsgruppen der Euklidischen Räume I, *Math. Ann.*, 70 (1911), 297-336. §5.6, §7.7, §7.7
44. Bieberbach, L., Über die Bewegungsgruppen der Euklidischen Räume II, *Math. Ann.*, 72 (1912), 400-412. §7.7
45. Birkhoff, G. and Bennett, M. K., Felix Klein and his "Erlanger Programm", In: *History and Philosophy of Modern Mathematics*, edited by W. Aspray and P. Kitcher, Minnesota Studies Philos. Sci., 11, Univ. Minnesota Press, Minneapolis, MN (1988), 145-176. §1.6
46. Bishop, R. L. and O'Neill, B., Manifolds of negative curvature, *Trans. Amer. Math. Soc.*, 145 (1969), 1-49. §12.9
47. Böhm, J. and Hertel, E., *Polyedergeometrie in n-dimensionalen Räumen konstanter Krümmung*, Birkhäuser, Basel (1981). §3.6
48. Boileau, M., Maillot, S., and Porti, J., *Three-Dimensional Orbifolds and their Geometric Structures*, Panoramas et Synthèses 15, Soc. Math. France, Paris (2003). §13.6
49. Bolyai, J., Appendix, scientiam spatii absolute veram exhibens, In: *Tentamen Juventutem studiosam in elementa Matheseos purae*, W. Bolyai, Maros Vásárhelyini (1832) (*Appendix*, edited by F. Kárteszi, North-Holland Math. Studies, 138, North-Holland, Amsterdam, 1987). §1.6, §3.6, §4.8, §4.8
50. Bonahon, F., Geometric structures on 3-manifolds, In: *Handbook of Geometric Topology*, Edited by R.J. Daverman and R.B. Sher, Elsevier, Amsterdam (2002), 93-164. §8.7
51. Bonola, R., *Non-Euclidean Geometry*, translated by H. S. Carslaw, Open Court, Chicago (1912) (Dover, New York, 1955). §1.6
52. Borel, A., Compact Clifford-Klein forms of symmetric spaces, *Topology*, 2 (1963), 111-122. §11.9, §12.9
53. Borel, A., On the automorphisms of certain subgroups of semi-simple Lie groups, In: *Algebraic Geometry*, Oxford Univ. Press, Oxford (1969), 43-73. §11.9, §13.6
54. Borel, A., *Introduction Aux Groupes Arithmétiques*, Hermann, Paris (1969). §12.9, §12.9
55. Borel, A. and Harish-Chandra, Arithmetic subgroups of algebraic groups, *Ann. of Math.*, 75 (1962), 485-535. §12.9
56. Bourbaki, N., *Groupes et Algèbres de Lie*, Éléments de mathématique, 34, Hermann, Paris (1968). §7.7, §7.7
57. Bowditch, B. H., Geometrical finiteness for hyperbolic groups, *J. Funct. Anal.*, 113 (1993), 245-317. §12.9, §12.9, §12.9, §12.9, §12.9, §12.9, §12.9
58. Boy, W., Über die Curvatura integra und die Topologie geschlossener Flächen, *Math. Ann.*, 57 (1903), 151-184. §9.9
59. Brody, E. J., The topological classification of the lens spaces, *Ann. of Math.*, 71 (1960), 163-184. §8.7

60. Brøndsted, A., *An Introduction to Convex Polytopes*, Graduate Texts in Math., 90, Springer-Verlag, New York (1983). §6.9, §6.9
61. Brooks, R. and Matelski, J. P., Collars in Kleinian groups, *Duke Math. J.*, 49 (1982), 163-182. §12.9
62. Brown, H., Bülow, R., Neubüser, J., Wondratschek, H. and Zassenhaus, H., *Crystallographic Groups of Four-Dimensional Space*, Wiley, New York (1978). §7.7
63. Busemann, H., Spaces with non-positive curvature, *Acta Math.*, 80 (1948), 259-310. §6.9
64. Busemann, H., *The Geometry of Geodesics*, Pure Appl. Math., 6, Academic Press, New York (1955). §1.6, §1.6
65. Busemann, H. and Kelly, P. J., *Projective Geometry and Projective Metrics*, Pure Appl. Math., 3, Academic Press, New York (1953). §3.6
66. Buser, P., A geometric proof of Bieberbach's theorems on crystallographic groups, *Enseign. Math.*, 31 (1985), 137-145. §7.7
67. Cajori, F., Generalizations in geometry as seen in the history of developable surfaces, *Amer. Math. Monthly*, 36 (1929), 431-437. §8.7
68. Cannon, J. W., The combinatorial structure of cocompact discrete hyperbolic groups, *Geom. Dedicata*, 16 (1984), 123-148. §11.9
69. Cao, C. and Meyerhoff, G. R., The orientable cusped hyperbolic 3-manifolds of minimum volume, *Invent. Math.*, 146 (2001), 451-478. §10.6
70. Cartan, É., La théorie des groupes continus et la géométrie, *Encyclop. Sci. Math.* (1915) (*Oeuvres de É. Cartan*, Vol. III, 1727-1861). §5.6
71. Cartan, É., L'application des espaces de Riemann et l'analysis situs, *Assoc. Avanc. Sci. Lyon* (1926), 53 (*Oeuvres de É. Cartan*, Vol. III, 993-995). §8.7, §8.7
72. Cartan, É., Le rôle de la théorie des groupes de Lie dans l'évolution de la géométrie moderne, *C. R. Congrès Intern. Oslo I* (1936), 92-103 (*Oeuvres de É. Cartan*, Vol. III, 1373-1384). §8.7
73. Cauchy, A., *Cours d'Analysis*, Paris (1821). §1.6
74. Cauchy, A., Sur l'équation à l'aide de laquelle on détermine les inégalités séculaires des mouvements des planètes, *Exercices de Math.*, 4 (1829) (*Oeuvres de Cauchy* (2) 9, 174-195). §1.6
75. Cauchy, A., Mémoire sur les lieux analytiques, *C. R. Acad. Sci. Paris*, 24 (1847), 885-887. §1.6
76. Cayley, A., Chapters in the analytical geometry of ( $n$ ) dimensions, *Cambridge Math. J.*, 4 (1843), 119-127. §1.6
77. Cayley, A., A memoir on the theory of matrices, *Philos. Trans. Roy. Soc. London*, 148 (1858), 17-37. §5.6
78. Cayley, A., A sixth memoir upon quantics, *Philos. Trans. Roy. Soc. London*, 149 (1859), 61-91. §2.6, §8.7
79. Charlap, L. S., *Bieberbach Groups and Flat Manifolds*, Universitext, Springer-Verlag, New York (1986). §8.7
80. Chasles, M., Note sur les propriétés générales du système de deux corps semblables entr'eux, *Bull. Sci. Math.*, 14 (1830), 321-326. §5.6
81. Chein, M., Recherche des graphes des matrices de Coxeter hyperboliques d'ordre  $\leq 10$ , *Rev. Francaise Informat. Rech. Opération*, 3 (1969), 3-16. §7.7

82. Chen, S. S. and Greenberg, L., Hyperbolic Spaces, In: *Contributions to Analysis*, edited by L. V. Ahlfors, I. Kra, B. Maskit, and L. Nirenberg, Academic Press, New York (1974), 49-87. §5.6, §12.9
83. Chern, S.-S., On curvature and characteristic classes of a Riemann manifold, *Abh. Math. Sem. Univ. Hamburg*, 20 (1955), 117-126. §11.9
84. Clausen, T., Ueber die Function  $\sin \phi + \frac{1}{2^2} \sin 2\phi + \frac{1}{3^2} \sin 3\phi + \text{etc.}$ , *J. Reine Angew. Math.*, 8 (1832), 298-300. §10.6
85. Clifford, W., Preliminary sketch of biquaternions, *Proc. London Math. Soc.*, 4 (1873), 381-395. §2.6, §8.7, §9.9
86. Cohn-Vossen, S., Existenz kürzester Wege, *Dokl. Akad. Nauk. SSSR*, 3 (1935), 339-342. §8.7
87. Conway, J. H., Friedrichs, O. D., Huson, D. H., and Thurston, W. P., On three-dimensional space groups, *Beiträge Algebra Geom.* 42 (2001), 475-507. §7.7
88. Cox, H., Homogeneous coordinates in imaginary geometry and their application to systems of forces, *Quart. J. Pure Appl. Math.*, 18 (1882), 178-215. §3.6
89. Coxeter, H. S. M., Groups whose fundamental regions are simplexes, *J. London Math. Soc.*, 6 (1931), 133-136. §7.7
90. Coxeter, H. S. M., The polytopes with regular-prismatic vertex figures II, *Proc. London Math. Soc.*, 34 (1932), 126-189. §7.7, §7.7, §7.7
91. Coxeter, H. S. M., Discrete groups generated by reflections, *Ann. of Math.*, 35 (1934), 588-621. §7.7
92. Coxeter, H. S. M., The complete enumeration of finite groups of the form  $R_i^2 = (R_i R_j)^{k_{ij}} = 1$ , *J. London Math. Soc.*, 10 (1935), 21-25. §7.7
93. Coxeter, H. S. M., The functions of Schläfli and Lobatschefsky, *Quart. J. Math. Oxford*, 6 (1935), 13-29. §10.6, §10.6
94. Coxeter, H. S. M., Regular honeycombs in hyperbolic space, *Proc. Intern. Congr. Math., 1954, Amsterdam*, 3 (1956), 155-169. §6.9
95. Coxeter, H. S. M., *Non-Euclidean Geometry, 5th Ed.*, Univ. Toronto Press, Toronto (1968). §3.6
96. Coxeter, H. S. M., *Regular Polytopes, 3rd Ed.*, Dover, New York (1973). §4.8, §6.9, §6.9, §7.7, §7.7, §7.7
97. Coxeter, H. S. M., Gauss as a geometer, *Historia Math.*, 4 (1977), 379-396. §3.6
98. Coxeter, H. S. M., Angels and devils, In: *The Mathematical Gardner*, edited by D. A. Klarner, Wadsworth, Belmont, CA (1981), 197-209. §1.6
99. Coxeter, H. S. M. and Moser, W. O. J., *Generators and Relations for Discrete Groups, 4th Ed.*, *Ergeb. Math. Grenzgeb.*, 14, Springer-Verlag, Berlin (1980). §7.7
100. Coxeter, H. S. M. and Whitrow, G. J., World-structure and non-Euclidean honeycombs, *Proc. Royal Soc. London*, A201 (1950), 417-437. §7.7
101. Davis, M. W., A hyperbolic 4-manifold, *Proc. Amer. Math. Soc.*, 93 (1985), 325-328. §11.9
102. Dedekind, R., Schreiben an Herrn Borchardt über die Theorie der elliptischen Modulfunctionen, *J. Reine Angew. Math.*, 83 (1877), 265-292. §6.9
103. Dehn, M., Die Eulersche Formel im Zusammenhang mit dem Inhalt in der Nicht-Euklidischen Geometrie, *Math. Ann.*, 61 (1905), 561-586. §6.9, §11.9

104. Dehn, M., Über unendliche diskontinuierliche Gruppen, *Math. Ann.*, 71 (1912), 116-144 (On infinite discontinuous groups, In: *Papers on Group Theory and Topology*, translated by J. Stillwell, Springer-Verlag, New York (1987), 133-178). §11.9
105. de la Harpe, P., An invitation to Coxeter groups, In: *Group theory from a geometric viewpoint (Trieste, 1990)*, 193-253, World Sci. Publ., River Edge, NJ, 1991. §7.7
106. deRham, G., Sur les polygones générateurs de groupes fuchsien, *Enseign. Math.*, 17 (1971), 49-61. §9.9, §9.9, §13.6
107. Desargues, G., *Brouillon project d'une atteinte aux événements des rencontres du cône avec un plan*, Paris (1639) (Rough draft of an essay on the results of taking plane sections of a cone, In: *The Geometrical Work of Girard Desargues*, J. V. Field and J. J. Gray, Springer-Verlag, New York (1987), 69-143). §2.6
108. Descartes, R., De solidorum elementis, In: *Oeuvres inédites de Descartes*, Vol. 2, Foucher de Careil, Paris (1860), 214-234 (The elements of solids, In: *Descartes on Polyhedra*, P. J. Federico, Sources Hist. Math. Phys. Sci., 4, Springer-Verlag, New York, 1982). §6.9
109. Dieudonné, J., *History of Algebraic Geometry*, translated by J. D. Sally, Wadsworth, Monterey, CA (1985). §9.9
110. Dirichlet, G. L., Über die reduction der positiven quadratischen Formen mit drei unbestimmten ganzen Zahlen, *J. Reine Angew. Math.*, 40 (1850), 209-227. §6.9
111. Douady, A., L'espace de Teichmüller, In: *Travaux de Thurston sur les surfaces*, edited by A. Fathi, F. Laudenbach, and V. Poénaru, Astérisque, 66-67, Soc. Math. France, Paris (1979), 127-137. §9.9
112. Dugac, P., Histoire des espaces complets, *Rev. Hist. Sci.*, 37 (1984), 3-28. §8.7
113. Du Val, P., The unloading problem for plane curves, *Amer. J. Math.*, 62 (1940), 307-311. §7.7
114. Dyck, W., Gruppentheoretische Studien, *Math. Ann.*, 20 (1882), 1-44. §6.9
115. Dyck, W., Vorläufige Mittheilungen über die durch Gruppen linearer Transformationen gegebenen regulären Gebietseintheilungen des Raumes, *Ber. Verh. Säch. Akad. Wiss. Leipzig. Math.-Phys. Kl.* (1883), 61-75. §7.7
116. Dyck, W., Beiträge zur Analysis situs, *Math. Ann.*, 32 (1888), 457-512. §9.9, §9.9
117. Efremovič, V. A. and Tihomirova, E. S., Continuation of an equimorphism to infinity, *Soviet Math. Dokl.*, 4 (1963), 1494-1496. §11.9
118. Ehresmann, C., Sur les espaces localement homogènes, *Enseign. Math.*, 35 (1936), 317-333. §8.7
119. Epstein, D. and Gunn, C., *Not Knot*, video, Jones and Bartlett, Boston (1991). §13.6
120. Epstein, B. A. and Petronio, C., An exposition of Poincaré's polyhedron theorem, *Enseign. Math.*, 40 (1994), 113-170. §13.6
121. Euclid, *The Thirteen Books of Euclid's Elements*, Vol. 1-3, 2nd Ed., edited by T. L. Heath, Cambridge Univ. Press, Cambridge (1926) (Dover, New York, 1956). §1.6, §1.6, §6.9, §6.9

122. Euler, L., De linea brevissima in superficie quacunquē duo quaelibet puncta iungente, *Comment. Acad. Sci. Petrop.*, 3 (1732), 110-124 (*Opera omnia* (1) 25, 1-12). §1.6, §2.6
123. Euler, L., Principes de la trigonométrie sphérique tirés de la méthode des plus grands et plus petits, *Mem. Acad. Sci. Berlin*, 9 (1755), 223-257 (*Opera omnia* (1) 27, 277-308). §2.6
124. Euler, L., Elementa doctrinae solidorum, *Novi Comment. Acad. Sci. Petrop.*, 4 (1758), 109-140 (*Opera omnia* (1) 26, 71-93). §6.9, §9.9
125. Euler, L., Demonstratio nonnullarum insignium proprietatum quibus solida hedris planis inclusa sunt praedita, *Novi Comment. Acad. Sci. Petrop.*, 4 (1758), 140-160 (*Opera omnia* (1) 26, 94-108). §9.9
126. Euler, L., Considerationes de traiectoriis orthogonalibus, *Novi Comment. Acad. Sci. Petrop.*, 14 (1770), 46-71 (*Opera omnia* (1) 28, 99-119). §4.8
127. Euler, L., Problema algebraicum ob affectiones prorsus singulares memorabile, *Novi Comment. Acad. Sci. Petrop.*, 15 (1771), 75-106 (*Opera omnia* (1) 6, 286-315). §1.6, §1.6
128. Euler, L., De solidis quorum superficiem in planum explicare licet, *Novi Comment. Acad. Sci. Petrop.*, 16 (1772), 3-34 (*Opera Omnia* (1) 28, 161-186). §8.7
129. Euler, L., Formulae generales pro translatione quacunquē corporum rigidorum, *Novi Comment. Acad. Sci. Petrop.*, 20 (1776), 189-207 (*Opera omnia* (2) 9, 84-98). §1.6
130. Euler, L., De mensura angulorum solidorum, *Acta Acad. Sci. Petrop.*, 2 (1781), 31-54 (*Opera omnia* (1) 26, 204-223). §2.6, §6.9
131. Euler, L., Trigonometria sphaerica universa ex primis principiis breviter et dilucide derivata, *Acta Acad. Sci. Petrop.*, 3 (1782), 72-86 (*Opera omnia* (1) 26, 224-236). §2.6
132. Euler, L., De centro similitudinis, *Nova Acta Acad. Sci. Petrop.*, 9 (1795), 154-165 (*Opera Omnia* (1) 26, 276-285). §8.7
133. Everitt, B., 3-manifolds from Platonic solids, *Topology Appl.*, 138 (2004), 253-263. §10.6, §10.6
134. Farb, B. and Margalit, D., *A Primer on Mapping Class Groups*, Princeton Math. Ser. 49, Princeton Univ. Press, Princeton, NJ (2012). §9.9
135. Farkas, D. R., Crystallographic groups and their mathematics, *Rocky Mountain J. Math.*, 11 (1981), 511-551. §7.7, §7.7
136. Fenchel, W., Bemerkungen zur allgemeinen Theorie der diskontinuierlichen Transformationsgruppen, *Proc. XIII Congr. Math. Scand.* (1957), 77-85. §5.6
137. Fenchel, W., *Elementary Geometry in Hyperbolic Space*, de Gruyter Studies Math., 11, de Gruyter, Berlin (1989). §3.6
138. Fenchel, W. and Nielsen, J., *Discontinuous Groups of Isometries in the Hyperbolic Plane*, edited by Schmidt, A. L., de Gruyter Studies Math., 29, de Gruyter, Berlin (2003). §5.6, §9.9, §12.9, §12.9, §13.6, §13.6
139. Fleming, W., *Functions of Several Variables*, Undergraduate Texts in Math., Springer-Verlag, New York (1977). §11.9
140. Floyd, E. E., Some characterizations of interior maps, *Ann. of Math.*, 51 (1950), 571-575. §13.6

141. Ford, L. R., On the foundations of the theory of discontinuous groups of linear transformations, *Proc. Nat. Acad. U.S.A.*, 13 (1927), 286-289. §4.8, §12.9
142. Ford, L. R., *Automorphic Functions, 2nd Ed.*, Chelsea, New York (1951). §4.8, §5.6, §5.6, §5.6
143. Fréchet, M., Sur quelques points du calcul fonctionnel, *Rend. Circ. Mat. Palermo*, 22 (1906), 1-74. §1.6, §8.7
144. Fricke, R., Ueber eine besondere Classe discontinuirlicher Gruppen reeller linearer Substitutionen, *Math. Ann.* 38 (1891), 50-81. §12.9
145. Fricke, R., Die Kreisbogenseite und das Princip der Symmetrie, *Math. Ann.*, 44 (1894), 565-599. §12.9
146. Fricke, R. and Klein, F., *Vorlesungen über die Theorie der automorphen Functionen*, Vols. I, II, B. G. Teubner, Leipzig (1897, 1912) (*Lectures on the Theory of Automorphic Functions*, translated by A. M. DuPre, Classical Topics Math. 3, 4, Higher Education Press, Beijing (2017)). §5.6, §5.6, §5.6, §9.9, §9.9, §12.9, §12.9, §12.9, §12.9, §12.9, §12.9, §12.9
147. Fried, D., Closed similarity manifolds, *Comment. Math. Helv.*, 55 (1980), 576-582. §10.6
148. Friedland, S. and Hersonsky, S., Jorgensen's inequality for discrete groups in normed algebras, *Duke Math. J.*, 69 (1993), 593-614. §12.9
149. Frobenius, G., Über die principale Transformation der Thetafunctionen mehrerer Variabeln, *J. Reine Angew. Math.*, 95 (1883), 264-296. §5.6
150. Frobenius, G., Über den von L. Bieberbach gefundenen Beweis eines Satzes von C. Jordan, *Sitzungsber. Preuss. Akad. Wiss.* (1911), 241-248. §5.6, §12.9
151. Fubini, G., Sulla teoria dei gruppi discontinui, *Ann. Mat. Pura Appl.*, 11 (1905), 159-186. §5.6
152. Fubini, G., *Introduzione alla teoria dei gruppi discontinui e delle funzioni automorfe*, Pisa (1908). §12.9, §12.9
153. Gabai, D., Hyperbolic 3-manifolds in the 2000's, *Proc. Intern. Cong. Math. Hyderabad, India, 2010, Vol. II*, Hindustan Book Agency, New Delhi (2010) 960-972. §10.6
154. Gabai, D., Meyerhoff, R., and Milley, P., Minimum volume cusped hyperbolic three-manifolds, *J. Amer. Math. Soc.*, 22 (2009), 1157-1215. §10.6
155. Gallo, D., A 3-dimensional hyperbolic collar lemma, In: *Kleinian Groups and Related Topics*, edited by D. M. Gallo and R. M. Porter, Lecture Notes in Math., 971, Springer-Verlag, Berlin (1983), 31-35. §12.9
156. Galois, É., Mémoire sur les conditions de résolubilité des équations par radicaux, *J. Math. Pures Appl.*, 11 (1846), 417-433. §1.6
157. Garland, H. and Raghunathan, M. S., Fundamental domains for lattices in  $(\mathbb{R})$ -rank 1 semisimple Lie groups, *Ann. of Math.*, 92 (1970), 279-326. §12.9, §12.9
158. Gauss, C. F., Disquisitiones generales circa superficies curvas, *Comment. Soc. Reg. Sci. Göttingen. Rec.*, 6 (1828), 99-146 (General investigations of curved surfaces, In: *150 Years after Gauss' "Disquisitiones generales circa superficies curvas"*, P. Dombrowski, Astérisque, 62 (1979)). §1.6, §1.6
159. Gauss, C. F., Anzeige. Untersuchungen über die Eigenschaften der positiven ternären quadratischen Formen von Ludwig August Seeber, *Göttingische gelehrte Anzeigen* (1831) (*Gauss Werke*, Vol. II, 188-196). §6.9



160. Gauss, C. F., Grundlagen der Geometrie, In: *Carl Friedrich Gauss Werke*, Vol. VIII, B. G. Teubner, Leipzig (1900), 157-268. §1.6
161. Giesecking, H., *Analytisch Untersuchungen über topologische Gruppen*, Dissertation, Univ. Münster (1912). §10.6
162. Goldman, W. M., Geometric structures on manifolds and varieties of representations, In: *Geometry of Group Representations*, edited by W. M. Goldman and A. R. Magid, Contemporary Math., 74, Amer. Math. Soc., Providence, RI (1988), 169-198. §8.7
163. Goursat, É., Sur les substitutions orthogonales et les divisions régulières de l'espace, *Ann. Sci. École Norm. Sup.*, 6 (1889), 9-102. §7.7
164. Grassmann, H., *Die lineale Ausdehnungslehre*, Leipzig (1844) (*Gesammelte mathematische und physikalische Werke*, Vol. 1, Pt. 1, B. G. Teubner, Leipzig, 1894). §1.6, §2.6
165. Grassmann, H., *Die lineale Ausdehnungslehre. Vollständig und in strender Form bearbeitet*, Berlin (1862) (*Gesammelte mathematische und physikalische Werke*, Vol. 1, Pt. 2, B. G. Teubner, Leipzig, 1896). §1.6
166. Grassmann, H., On the Ausdehnungslehre, In: *A Source Book In Mathematics*, D. E. Smith, Dover, New York (1959), 684-696. §1.6
167. Gray, J., Non-Euclidean geometry - a re-interpretation, *Historia Math.*, 6 (1979), 236-258. §1.6
168. Gray, J., *Linear Differential Equations and Group Theory from Riemann to Poincaré*, Birkhäuser, Boston (1986). §5.6, §9.9
169. Gray, J., The discovery of non-Euclidean geometry, In: *Studies in the History of Mathematics*, edited by E. R. Phillips, MAA Studies Math., 26, Math. Assoc. America, Washington DC (1987), 37-60. §1.6
170. Green, G., On the determination of the exterior and interior attractions of ellipsoids of variable densities, *Trans. Cambridge Philos. Soc.*, 5 (1835), 395-430. §2.6
171. Greenberg, L., Discrete groups of motions, *Canad. J. Math.*, 12 (1960), 415-426. §12.9
172. Greenberg, L., Discrete subgroups of the Lorentz group, *Math. Scand.*, 10 (1962), 85-107. §12.9, §12.9, §12.9
173. Greenberg, L., Commensurable groups of Moebius transformations, In: *Discontinuous Groups and Riemann Surfaces*, edited by L. Greenberg, Ann. of Math. Studies, 79, Princeton Univ. Press, Princeton, NJ (1974), 227-237. §5.6
174. Greenberg, L., Finiteness theorems for Fuchsian and Kleinian groups, In: *Discrete Groups and Automorphic Functions*, edited by W. J. Harvey, Academic Press, London (1977), 199-257. §12.9
175. Greenberg, M. J., *Euclidean and Non-Euclidean Geometries, 3rd Ed.*, W. H. Freeman, New York (1993). §1.6
176. Gromov, M., Manifolds of negative curvature, *J. Diff. Geometry*, 13 (1978), 223-230. §12.9, §12.9
177. Gromov, M., Hyperbolic manifolds according to Thurston and Jørgensen, In: *Séminaire Bourbaki vol. 1979/80*, Lecture Notes in Math., 842, Springer-Verlag, Berlin (1981), 40-53. §10.6, §12.9
178. Gromov, M., Volume and bounded cohomology, *Inst. Hautes Études Sci. Publ. Math.*, 56 (1982), 5-99. §11.9, §11.9, §11.9

179. Gromov, M. and Pansu, P., Rigidity of lattices: An introduction, In: *Geometric Topology: Recent Developments*, edited by P. de Bartolomeis and F. Tricerri, Lecture Notes in Math., 1504, Springer-Verlag, Berlin (1991), 39-137. §11.9
180. Gromov, M. and Piatetski-Shapiro, I., Non-arithmetic groups in Lobachevsky spaces, *Inst. Hautes Études Sci. Publ. Math.*, 66 (1988), 93-103. §12.9
181. Grünbaum, B., *Convex Polytopes*, Pure Appl. Math., 16, Interscience, London (1967). §6.9
182. Gucul, I. S., On a series of compact three-dimensional manifolds of constant negative curvature, *Soviet Math. Dokl.*, 20 (1979), 996-999. §10.6
183. Haagerup, U. and Munkholm, H. J., Simplices of maximal volume in hyperbolic  $n$ -space, *Acta. Math.*, 147 (1981), 1-11. §11.9
184. Haefliger, A., Orbi-espaces, In: *Sur les groupes hyperboliques d'après Mikhael Gromov*, edited by E. Ghys and P. de la Harpe, Progress Math., 83, Birkhäuser, Boston (1990), 203-213. §13.6
185. Halpern, N., A proof of the collar lemma, *Bull. London Math. Soc.*, 13 (1981), 141-144. §12.9
186. Hamilton, E., Geometrical finiteness for hyperbolic orbifolds, *Topology*, 37 (1998), 635-657. §12.9
187. Hamilton, W., On quaternions; or on a new system of imaginaries in algebra, *Philos. Mag.*, 25-36 (1844-1850) (*The Mathematical Papers of Sir William Rowen Hamilton*, Vol. III, 227-297). §2.6, §2.6, §2.6
188. Hantzsche, W. and Wendt, H., Dreidimensionale euklidische Raumformen, *Math. Ann.*, 110 (1935), 593-611. §8.7
189. Harvey, W. J., Spaces of discrete groups, In: *Discrete Groups and Automorphic Functions*, edited by W. J. Harvey, Academic Press, London (1977), 295-348. §9.9
190. Hausdorff, F., Analytische Beiträge zur nichteuklidischen Geometrie, *Ber. Verh. Königl. Sächs. Ges. Wiss. Leipzig. Math.-Phys. Kl.*, 51 (1899), 161-214. §4.8
191. Hausdorff, F., *Grundzüge der Mengenlehre*, de Gruyter, Leipzig (1914). §1.6
192. Hawkins, T., Another look at Cayley and the theory of matrices, *Arch. Internat. Hist. Sci.*, 27 (1977), 82-112. §5.6
193. Hawkins, T., Weierstrass and the theory of matrices, *Arch. Hist. Exact. Sci.*, 17 (1977), 119-163. §5.6
194. Hawkins, T., Non-Euclidean geometry and Weierstrassian mathematics: The background to Killing's work on Lie algebras, *Historia Math.*, 7 (1980), 289-342. §8.7
195. Hawkins, T., The Erlanger Programm of Felix Klein: Reflections on its place in the history of mathematics, *Historia Math.*, 11 (1984), 442-470. §1.6
196. Heath, T., *A History of Greek Mathematics*, Vols. I, II, Clarendon Press, Oxford (1921) (Dover, New York, 1981). §2.6, §2.6, §4.8
197. Hedlund, G. A., Fuchsian groups and transitive horocycles, *Duke Math. J.*, 2 (1936), 530-542. §12.9
198. Helgason, S., *Differential Geometry, Lie Groups, and Symmetric Spaces*, Pure Appl. Math., 80, Academic Press, New York (1978). §1.6

199. Hermite, C., Sur la théorie des formes quadratiques, *J. Reine Angew. Math.*, 47 (1854), 343-368. §5.6
200. Hilbert, D., Ueber Flächen von constanter Gausscher Krümmung, *Trans. Amer. Math. Soc.*, 2 (1901), 87-99. §1.6
201. Hilden, H. M., Lozano, M. T. and Montesinos, J. M., On the Boro-  
meoan orbifolds: Geometry and arithmetic, In: *Topology' 90*, edited by B.  
Apanasov, W. D. Neumann, A. W. Reid, and L. Siebenmann, de Gruyter,  
Berlin (1992), 133-167. §13.6
202. Hilden, H. M., Lozano, M. T. and Montesinos, J. M., The arithmeticity of  
the figure eight knot orbifolds, In: *Topology' 90*, edited by B. Apanasov, W.  
D. Neumann, A. W. Reid, and L. Siebenmann, de Gruyter, Berlin (1992),  
169-183. §13.6
203. Hilden, H. M., Lozano, M. T., Montesinos, J. M. and Whitten, W. C., On  
universal groups and three-manifolds, *Invent. Math.*, 87 (1987), 441-456.  
§13.6
204. Hodgson, C. D., Meyerhoff, G. R. and Weeks, J. R., Surgeries on the White-  
head link yield geometrically similar manifolds, In: *Topology' 90*, edited  
by B. Apanasov, W. D. Neumann, A. W. Reid, and L. Siebenmann, de  
Gruyter, Berlin (1992), 195-206. §10.6
205. Hodgson, C. D. and Rivin, I., A characterization of compact convex poly-  
hedra in hyperbolic 3-space, *Invent. Math.*, 111 (1993), 77-111. §6.9
206. Hodgson, C. D., Rivin, I. and Smith, W. D., A characterization of convex  
hyperbolic polyhedra and of convex polyhedra inscribed in the sphere, *Bull.  
Amer. Math. Soc.*, 27 (1992), 246-251. §6.9
207. Hopf, H., Zum Clifford-Kleinschen Raumproblem, *Math. Ann.*, 95 (1926),  
313-339. §8.7, §8.7, §8.7
208. Hopf, H., Die Curvatura integra Clifford-Kleinscher Raumformen, *Nachr.  
Ges. Wiss. Göttingen, Math.-Phys. Kl.* (1926), 131-141. §11.9
209. Hopf, H. and Rinow, W., Ueber den Begriff der vollständigen differential-  
geometrischen Fläche, *Comment. Math. Helv.*, 3 (1931), 209-225. §8.7
210. Houzel, C., The birth of non-Euclidean geometry, In: *1830-1930: A Cen-  
tury of Geometry*, edited by L. Boi, D. Flament, and J.-M. Salanskis, Lec-  
ture Notes in Physics, 402, Springer-Verlag, Berlin (1992), 3-21. §1.6
211. Humphreys, J. E., *Reflection Groups and Coxeter Groups*, Cambridge Stud-  
ies Adv. Math., 29, Cambridge Univ. Press, Cambridge (1990). §7.7, §7.7
212. Jacobi, C. G. J., De binis quibuslibet functionibus homogeneis secundi  
ordinis per substitutiones lineares in alias binas transformandis, quae solis  
quadratis variabilium constant, *J. Reine Angew. Math.*, 12 (1834), 1-69.  
§2.6
213. Johnson, N. W., Kellerhals, R., Ratcliffe, J. G., and Tschantz, S. T., The  
size of a hyperbolic Coxeter simplex, *Transform. Groups*, 4 (1999), 329-353.  
§7.7
214. Jordan, C., La déformation des surfaces, *J. Math. Pures Appl.*, 11 (1866),  
105-109. §9.9
215. Jordan, C., Recherches sur les polyèdres, *C. R. Acad. Sci. Paris*, 62 (1866),  
1339-1341. §9.9
216. Jordan, C., Sur les groupes de mouvements, *C. R. Acad. Sci. Paris*, 65  
(1867), 229-232. §1.6, §1.6

217. Jordan, C., Mémoire sur les groupes de mouvements, *Ann. Mat. Pura Appl.*, 2 (1869), 167-215, 322-345. §5.6
218. Jordan, C., Essai sur la géométrie à  $n$  dimensions, *Bull. Soc. Math. France*, 3 (1875), 103-174. §1.6, §4.8, §5.6
219. Jordan, C., Mémoire sur les équations différentielles linéaires à intégrale algébrique, *J. Reine Angew. Math.*, 84 (1878), 89-215. §5.6
220. Jordan, C., Sur la détermination des groupes d'ordre fini contenus dans le groupe linéaire, *Atti Accad. Sci. Napoli*, 8 (1879), 1-41. §5.6
221. Jordan, C., *Cours d'Analyse, Vol. I, 2nd Ed.*, Gauthier-Villars, Paris (1893). §1.6
222. Jørgensen, T., A note on subgroups of  $SL(2, \mathbb{C})$ , *Quart. J. Math. Oxford*, 28 (1977), 209-212. §12.9
223. Jørgensen, T., Compact 3-manifolds of constant negative curvature fibering over the circle, *Ann. of Math.*, 106 (1977), 61-72. §10.6
224. Kapovich, M., *Hyperbolic Manifolds and Discrete Groups*, Progress Math. 183, Birkhäuser, Boston (2001). §5.6, §11.9, §13.6
225. Každan, D. A. and Margulis, G. A., A proof of Selberg's conjecture, *Math. USSR-Sbornik*, 4 (1968), 147-152. §12.9, §12.9, §12.9
226. Keen, L., Collars on Riemann surfaces, In: *Discontinuous groups and Riemann Surfaces*, edited by L. Greenberg, Ann. of Math. Studies, 79, Princeton Univ. Press, Princeton, NJ (1974), 263-268. §12.9
227. Kellerhals, R., On the volume of hyperbolic polyhedra, *Math. Ann.*, 285 (1989), 541-569. §10.6
228. Kellerhals, R., The dilogarithm and volumes of hyperbolic polytopes, In: *Structural Properties of Polylogarithms*, edited by L. Lewin, Math. Surveys Monographs, 37, Amer. Math. Soc., Providence, RI (1991), 301-336. §10.6
229. Kellerhals, R. and Zehrt, T., The Gauss-Bonnet formula for hyperbolic manifolds of finite volume, *Geom. Dedicata*, 84 (2001), 49-62. §11.9
230. Killing, W., Ueber zwei Raumformen mit constanter positiver Krümmung, *J. Reine Angew. Math.*, 86 (1878), 72-83. §3.6, §4.8
231. Killing, W., Die Rechnung in den Nicht-Euklidischen Raumformen, *J. Reine Angew. Math.*, 89 (1880), 265-287. §3.6
232. Killing, W., *Die Nicht-Euklidischen Raumformen in analytischer Behandlung*, B. G. Teubner, Leipzig (1885). §2.6, §3.6, §3.6, §3.6
233. Killing, W., Ueber die Clifford-Klein'schen Raumformen, *Math. Ann.*, 39 (1891), 257-278. §8.7, §8.7
234. Klee, V., Some characterizations of convex polyhedra, *Acta Math.*, 102 (1959), 79-107. §6.9
235. Klein, F., Ueber die sogenannte Nicht-Euklidische Geometrie, *Math. Ann.*, 4 (1871), 573-625 (On the so-called non-Euclidean geometry, In: *Sources of Hyperbolic Geometry*, J. Stillwell, Hist. Math. 10, Amer. Math. Soc., Providence, RI (1996), 69-111). §1.6, §1.6, §3.6, §4.8, §6.9
236. Klein, F., Ueber Liniengeometrie und metrische Geometrie, *Math. Ann.*, 5 (1872), 257-277. §4.8
237. Klein, F., *Vergleichende Betrachtungen über neuer geometrische Forschungen*, Erlangen (1872) (*Math. Ann.*, 43 (1893), 63-100; A comparative review of recent researches in geometry, *Bull. New York Math. Soc.*, 2 (1893), 215-249). §1.6

238. Klein, F., Ueber die sogenannte Nicht-Euklidische Geometrie (Zweiter Aufsatz.), *Math. Ann.*, 6 (1873), 112-145. §3.6, §4.8, §5.6, §6.9
239. Klein, F., Bemerkungen über den Zusammenhang der Flächen, *Math. Ann.*, 7 (1874), 549-557. §9.9
240. Klein, F., Ueber binäre Formen mit linearen Transformationen in sich selbst, *Math. Ann.*, 9 (1876), 183-208. §5.6
241. Klein, F., Ueber den Zusammenhang der Flächen, *Math. Ann.*, 9 (1876), 476-483. §9.9
242. Klein, F., Ueber die Transformation der elliptischen Functionen und die Auflösung der Gleichungen fünften Grades, *Math. Ann.*, 14 (1879), 111-172. §4.8, §5.6, §6.9
243. Klein, F., *Ueber Riemanns Theorie der algebraischen Functionen und ihrer Integrale*, B. G. Teubner, Leipzig (1882) (*On Riemann's Theory of Algebraic Functions and their Integrals*, translated by F. Hardcastle, Macmillan and Bowes, Cambridge, 1893). §9.9
244. Klein, F., Neue Beiträge zur Riemannschen Functionentheorie, *Math. Ann.*, 21 (1883), 141-218. §5.6, §6.9, §6.9, §9.9, §9.9, §12.9, §12.9
245. Klein, F., Zur Nicht-Euklidischen Geometrie, *Math. Ann.*, 37 (1890), 544-572. §8.7
246. Klein, F., Ueber den Begriff des functionentheoretischen Fundamentalbereichs, *Math. Ann.*, 40 (1891), 130-139. §9.9
247. Klein, F., Über die geometrischen Grundlagen der Lorentzgruppe, *Jber. Deutsch. Math. Verein.*, 19 (1910), 281-300. §3.6
248. Klein, F., *Vorlesungen über nicht-euklidische Geometrie*, Grundlehren Math. Wiss., 26, Springer-Verlag, Berlin (1928). §3.6, §8.7
249. Klein, F., *Development of Mathematics in The 19th Century*, translated by M. Ackerman, Lie Groups: History, Frontiers, and Applications, Vol. 9, Math Sci Press, Brookline, MA (1979). §1.6, §6.9
250. Kneser, H., Der Simplexinhalt in der nichteuklidischen Geometrie, *Deutsche Math.*, 1 (1936), 337-340. §7.7, §7.7
251. Koebe, P., Ueber die Uniformisierung beliebiger analytischer Kurven, *Nachr. Akad. Wiss. Göttingen. Math.-Phys. Kl.* (1907), 191-210. §9.9
252. Koebe, P., Allgemeine Theorie der Riemannschen Mannigfaltigkeiten, *Acta Math.*, 50 (1927), 27-157. §9.9
253. Koebe, P., Riemannsche Mannigfaltigkeiten und nichteuklidische Raumformen. III, *Sitzungsber. Preuss. Akad. Wiss. Berlin. Math.-Phys. Kl.* (1928), 385-442. §9.9, §9.9, §9.9, §12.9, §12.9
254. Koebe, P., Riemannsche Mannigfaltigkeiten und nichteuklidische Raumformen. V, *Sitzungsber. Preuss. Akad. Wiss. Berlin. Math.-Phys. Kl.* (1930), 304-364. §13.6, §13.6
255. Koecher, M. and Roelcke, W., Diskontinuierliche und diskrete Gruppen von Isometrien metrischer Räume, *Math. Z.*, 71 (1959), 258-267. §5.6, §5.6
256. Kuiper, N. H., Compact spaces with a local structure determined by the group of similarity transformations in  $E^n$ , *Indag. Math.*, 12 (1950), 411-418. §10.6
257. Kulkarni, R. S., Conjugacy classes in  $M(n)$ , In: *Conformal Geometry*, edited by R. S. Kulkarni and U. Pinkall, Aspects of Math., E12, Vieweg, Braunschweig (1988), 41-63. §5.6

258. Lagrange, J., Nouvelle solution du problème du mouvement de rotation d'un corps de figure quelconque qui n'est animé par aucune force accélératrice, *Nouv. Mem. Acad. Roy. Sci. Bel.-Let. Berlin* (1773) (*Oeuvres de Lagrange*, 3, 579-616). §1.6, §2.6
259. Lagrange, J., Sur l'attraction des sphéroïdes elliptiques, *Nouv. Mem. Acad. Roy. Sci. Bel.-Let. Berlin* (1773) (*Oeuvres de Lagrange*, 3, 619-658). §1.6
260. Lambert, J. H., Observations trigonométriques, *Mem. Acad. Sci. Berlin*, 24 (1770), 327-354 (*Opera Mathematica*, 2, 245-269). §3.6
261. Lambert, J. H., Theorie der Parallellinien, *Mag. Reine Angew. Math.* (1786), 137-164, 325-358 (In: *Die Theorie der Parallellinien von Euklid bis auf Gauss*, F. Engel and P. Stäckel, B. G. Teubner, Leipzig (1895), 152-208). §3.6, §4.8
262. Lannér, F., On complexes with transitive groups of automorphisms, *Med. Lunds Univ. Math. Sem.*, 11 (1950), 1-71. §7.7
263. Lawson, H. B. and Yau, S. T., Compact manifolds of nonpositive curvature, *J. Diff. Geometry*, 7 (1972), 211-228. §12.9
264. Lehner, J., *Discontinuous Groups and Automorphic Functions*, Math. Surveys, 8, Amer. Math. Soc., Providence, RI (1964). §5.6, §12.9
265. Leutbecher, A., Über Spitzen diskontinuierlicher Gruppen von lineargebrochenen Transformationen, *Math. Z.*, 100 (1967), 183-200. §12.9
266. Lhuillier, M., Mémoire sur la polyédrométrie; contenant une démonstration directe du Théorème d'Euler sur les polyèdres, et un examen des diverses exceptions auxquelles ce théorème est assujetti, *Ann. Math. Pures Appl.*, 3 (1813), 169-189. §9.9
267. Lie, S., Ueber diejenige Theorie eines Raumes mit beliebig vielen Dimensionen, die der Krümmungs-Theorie des gewöhnlichen Raumes entspricht, *Nachr. Akad. Wiss. Göttingen. Math.-Phys. Kl.* (1871), 191-209. §4.8
268. Liouville, J., Note au sujet de l'article précédent, *J. Math. Pures Appl.*, 12 (1847), 265-290. §4.8, §4.8
269. Liouville, J., Sur le théorème de M. Gauss, concernant le produit des deux rayons de courbure principaux en chaque point d'une surface, In: *Application de l'Analyse à la Géométrie*, G. Monge, Paris (1850), 583-600. §4.8
270. Liouville, J., Extension au cas des trois dimensions de la question du tracé géographique, In: *Application de l'Analyse à la Géométrie*, G. Monge, Paris (1850), 609-616. §4.8
271. Lobachevsky, N. I., On the principles of geometry (Russian), *Kazanskij Vestnik*, 25-28 (1829-1830) (Ueber die Anfangsgründe der Geometrie, In: *Nikolaj Iwanowitsch Lobatschewskij. Zwei geometrische Abhandlungen*, edited by F. Engel, B. G. Teubner, Leipzig (1898), 1-66). §1.6, §3.6, §3.6, §4.8
272. Lobachevsky, N. I., *Application of Imaginary Geometry to certain Integrals* (Russian), Kazan (1836) (*N. J. Lobatschewskij's Imaginäre Geometrie und Anwendung der imaginären Geometrie auf einige Integrale*, edited by H. Liebmann, B. G. Teubner, Leipzig, 1904). §10.6, §10.6
273. Lobatschewsky, N., Géométrie imaginaire, *J. Reine Angew. Math.*, 17 (1837), 295-320. §3.6
274. Löbell, F., *Die überall regulären unbegrenzten Flächen fester Krümmung*, Dissertation, Univ. Tübingen (1927). §9.9, §12.9

275. Löbell, F., Über die geodätischen Linien der Clifford-Kleinschen Flächen, *Math. Z.*, 30 (1929), 572-607. §12.9
276. Löbell, F., Ein Satz über die eindeutigen Bewegungen Clifford-Kleinscher Flächen in sich, *J. Reine Angew. Math.*, 162 (1930), 114-124. §12.9
277. Löbell, F., Beispiele geschlossener dreidimensionaler Clifford-Kleinscher Räume negativer Krümmung, *Ber. Verh. Sächs. Akad. Wiss. Leipzig. Math.-Phys. Kl.*, 83 (1931), 167-174. §10.6, §12.9
278. Loewy, A., Ueber bilineare Formen mit conjugirt imaginären Variablen, *Math. Ann.*, 50 (1898), 557-576. §7.7
279. Lorentz, H. A., Electromagnetic phenomena in a system moving with any velocity less than that of light, *Proc. Acad. Sci. Amsterdam*, 6 (1904), 809 (In: *The Principle of Relativity*, H. A. Lorentz, A. Einstein, H. Minkowski, and H. Weyl, Dover, New York (1952), 9-34). §3.6
280. Maclachlan, C., Commensurability classes of discrete arithmetic hyperbolic groups, *Groups Geom. Dyn.* 5 (2011), 767-785. §12.9
281. Maclachlan, C. and Reid, A. W., *The Arithmetic of Hyperbolic 3-Manifolds*, Graduate Texts in Math., 219, Springer-Verlag, New York (2003). §12.9
282. Magnus, W., *Noneuclidean Tessellations and their Groups*, Pure Appl. Math., 61, Academic Press, New York (1974). §5.6
283. Mandelbrot, B. B., Self-inverse fractals osculated by sigma-discs and the limit sets of inversion groups, *Math. Intelligencer*, 5 (1983), 9-17. §12.9
284. Mangler, W., Die Klassen von topologischen Abbildungen einer geschlossenen Fläche auf sich, *Math. Z.*, 44 (1938), 541-554. §9.9
285. Marden, A., Universal properties of Fuchsian groups in the Poincaré metric, In: *Discontinuous Groups and Riemann Surfaces*, edited by L. Greenberg, Ann. of Math. Studies, 79, Princeton Univ. Press, Princeton, NJ (1974), 315-339. §12.9
286. Marden, A., The geometry of finitely generated Kleinian groups, *Ann. of Math.*, 99 (1974), 383-462. §12.9, §12.9
287. Margulis, G. A., On the arithmeticity of discrete groups, *Soviet Math. Dokl.*, 10 (1969), 900-902. §12.9
288. Margulis, G. A., Isometry of closed manifolds of constant negative curvature with the same fundamental group, *Soviet Math. Dokl.*, 11 (1970), 722-723. §11.9
289. Mark, A., Reflection groups of the quadratic form  $-px_0^2 + x_1^2 + \dots + x_n^2$  with  $p$  prime, *Publ. Mat.* 59 (2015), 353-372. §12.9
290. Martin, G. J., On discrete Möbius groups in all dimensions: A generalization of Jørgensen's inequality, *Acta Math.*, 163 (1989), 253-289. §5.6, §12.9, §12.9
291. Maskit, B., On Poincaré's theorem for fundamental polygons, *Adv. Math.*, 7 (1971), 219-230. §9.9, §9.9, §10.6, §11.9, §13.6
292. Maskit, B., *Kleinian Groups*, Grundlehren Math. Wiss., 287, Springer-Verlag, Berlin (1988). §5.6, §13.6
293. Massey, W. S., *Algebraic Topology: An Introduction*, Graduate Texts in Math., 56, Springer-Verlag, New York (1967). §9.9
294. Matveev, S. V. and Fomenko, A. T., Constant energy surfaces of Hamiltonian systems, enumeration of three-dimensional manifolds in increasing order of complexity, and computation of volumes of closed hyperbolic manifolds, *Russian Math. Surveys*, 43 (1988), 3-24. §10.6

295. Mcleod, J., Hyperbolic reflection groups associated to the quadratic forms  $-3x_0^2 + x_1^2 + \dots + x_n^2$ , *Geom. Dedicata*, 152 (2011), 1-16. §12.9
296. McMullen, C., Riemann surfaces and the geometrization of 3-manifolds, *Bull. Amer. Math. Soc.*, 27 (1992), 207-216. §10.6
297. Menger, K., Untersuchungen über allgemeine Metrik. Vierte Untersuchung. Zur Metrik der Kurven, *Math. Ann.*, 103 (1930), 466-501. §1.6
298. Meyerhoff, R., The cusped hyperbolic 3-orbifold of minimum volume, *Bull. Amer. Math. Soc.*, 13 (1985), 154-156. §13.6
299. Miller, A. I., A study of Henri Poincaré's "Sur la dynamique de l'électron", *Arch. Hist. Exact Sci.*, 10 (1973), 208-328. §3.6
300. Millson, J. J., On the first Betti number of a constant negatively curved manifold, *Ann. of Math.*, 104 (1976), 235-247. §11.9
301. Milnor, J., Hyperbolic geometry: The first 150 years, *Bull. Amer. Math. Soc.*, 6 (1982), 9-24. §1.6, §10.6, §10.6, §10.6
302. Milnor, J., How to compute volume in hyperbolic space, In: *John Milnor Collected Papers, Vol. 1 Geometry*, Publish or Perish, Houston, TX (1994), 189-212. §10.6, §10.6
303. Milnor, J., The Schläfli differential equality, In: *John Milnor Collected Papers, Vol. 1 Geometry*, Publish or Perish, Houston, TX (1994), 281-295. §7.7, §7.7
304. Milnor, T. K., Efimov's theorem about complete immersed surfaces of negative curvature, *Adv. Math.*, 8 (1972), 474-543. §1.6
305. Minding, F., Wie sich entscheiden läßt, ob zwei gegebene krumme Flächen auf einander abwickelbar sind oder nicht, *J. Reine Angew. Math.*, 19 (1839), 370-387. §1.6
306. Minkowski, H., Die Grundgleichungen für die elektromagnetischen Vorgänge in bewegten Körpern, *Nachr. Akad. Wiss. Göttingen. Math.-Phys. Kl.* (1908), 53-111. §3.6
307. Minkowski, H., Raum and Zeit, *Jber. Deutsch. Math.-Verein.*, 18 (1909), 75-88 (Space and Time, In: *The Principle of Relativity*, H. A. Lorentz, A. Einstein, H. Minkowski, and H. Weyl, Dover, New York (1952), 73-96). §3.6
308. Minkowski, H., Theorie der konvexen Körper, insbesondere Begründung ihres Oberflächenbegriffs, *Gesammelte Abhandlungen von Hermann Minkowski*, 2 (1911), 131-229. §6.9
309. Minkowski, H., Das Relativitätsprinzip, *Ann. Physik*, 47 (1915), 927-938. §3.6
310. Möbius, A. F., Ueber eine neue Verwandtschaft zwischen ebenen Figuren, *Ber. Verh. Königl. Sächs. Ges. Wiss. Math.-Phys. Kl.*, 5 (1852), 14-24 (*J. Reine Angew. Math.* 52 (1856), 218-228). §4.8
311. Möbius, A. F., Die Theorie der Kreisverwandtschaft in rein geometrischer Darstellung, *Abh. Königl. Sächs. Ges. Wiss. Math.-Phys. Kl.*, 2 (1855), 529-595. §4.8, §4.8
312. Möbius, A. F., Theorie der elementaren Verwandtschaft, *Ber. Verh. Sächs. Akad. Wiss. Leipzig. Math.-Phys. Kl.*, 15 (1863), 18-57. §9.9
313. Möbius, A. F., Ueber die Bestimmung des Inhaltes eines Polyeders, *Ber. Verh. Sächs. Akad. Wiss. Leipzig. Math.-Phys. Kl.*, 17 (1865), 31-68. §9.9
314. Möbius, A. F., Zur Theorie der Polyeder und der Elementarverwandtschaft, *Gesammelte Werke*, 2 (1886), 513-560. §9.9



315. Moise, E. E., *Geometric Topology in Dimensions 2 and 3*, Graduate Texts in Math., 47, Springer-Verlag, New York (1977). §9.9
316. Molnár, E., Two hyperbolic football manifolds, In: *Differential Geometry and Applications*, Proceedings of the Conference, 1988, Dubrovnik, edited by N. Bokan, I. Čomić, J. Nikić, and M. Prvanović, Univ. Novi Sad, Novi Sad (1989), 217-241. §10.6
317. Moore, E. H., An universal invariant for finite groups of linear substitutions, *Math. Ann.*, 50 (1898), 213-219. §7.7
318. Morgan, J. W., On Thurston's uniformization theorem for three-dimensional manifolds, In: *The Smith Conjecture*, edited by J. W. Morgan and H. Bass, Pure Appl. Math., 112, Academic Press, New York (1984), 37-125. §10.6
319. Morgan, J. W. and Fong, F. T.-H., *Ricci Flow and Geometrization of 3-Manifolds*, Univ. Lecture Ser. 53, Amer. Math. Soc., Providence, RI (2010). §8.7
320. Morokuma, T., A characterization of fundamental domains of discontinuous groups acting on real hyperbolic spaces, *J. Fac. Sci. Univ. Tokyo Sect. IA Math.*, 25 (1978), 157-183. §13.6
321. Morse, H. M., A fundamental class of geodesics on any closed surface of genus greater than one, *Trans. Amer. Math. Soc.*, 26 (1924), 25-60. §11.9
322. Mostow, G. D., Quasi-conformal mappings in  $n$ -space and the rigidity of hyperbolic space forms, *Inst. Hautes Études Sci. Publ. Math.*, 34 (1968), 53-104. §11.9
323. Mostow, G. D., The rigidity of locally symmetric spaces, *Actes, Congrès Intern. Math.*, 2 (1970), 187-197. §11.9
324. Mostow, G. D., *Strong Rigidity of Locally Symmetric Spaces*, Ann. of Math. Studies, 78, Princeton Univ. Press, Princeton, NJ (1973). §11.9
325. Munkholm, H. J., Simplices of maximal volume in hyperbolic space, Gromov's norm, and Gromov's proof of Mostow's rigidity theorem (following Thurston), In: *Topology Symposium, Siegen 1979*, edited by U. Koschorke and W. D. Neumann, Lecture Notes in Math., 788, Springer-Verlag, Berlin (1980), 109-124. §11.9, §11.9
326. Myrberg, P. J., Die Kapazität der singulären Menge der linearen Gruppen, *Ann. Acad. Sci. Fenn. Ser. A. I. Math.-Phys.*, 10 (1941), 1-19. §5.6
327. Naber, G. L., *The Geometry of Minkowski Spacetime*, Appl. Math. Sci., 92, Springer-Verlag, New York (1992). §3.6
328. Neumann, W. D. and Zagier, D., Volumes of hyperbolic three-manifolds, *Topology*, 24 (1985), 307-332. §10.6
329. Newcomb, S., Elementary theorems relating to the geometry of a space of three dimensions and of uniform positive curvature in the fourth dimension, *J. Reine Angew. Math.*, 83 (1877), 293-299. §2.6
330. Nicholls, P. J., The limit set of a discrete group of hyperbolic motions, In: *Holomorphic Functions and Moduli II*, edited by D. Drasin, C. J. Earle, F. W. Gehring, I. Kra, and A. Marden, Springer-Verlag, New York (1988), 141-164. §12.9
331. Nicholls, P. J., *The Ergodic Theory of Discrete Groups*, London Math. Soc. Lecture Notes Ser., 143, Cambridge Univ. Press, Cambridge (1989). §12.9
332. Nielsen, J., Über topologische Abbildungen geschlossener Flächen, *Abh. Math. Sem. Univ. Hamburg*, 3 (1924), 246-260. §11.9

333. Nielsen, J., Untersuchungen zur Topologie der geschlossenen zweiseitigen Flächen, *Acta Math.*, 50 (1927), 189-358 (Investigations in the topology of closed orientable surfaces I, In: *Jakob Nielsen: Collected Mathematical Papers*, Vol. 1 (1986), 223-341). §9.9, §11.9
334. Nielsen, J., Über Gruppen linearer Transformation, *Mitt. Math. Ges. Hamburg*, 8 (1940), 82-104. §12.9, §12.9
335. Nowacki, W., Die euklidischen, dreidimensionalen, geschlossenen und offenen Raumformen, *Comment. Math. Helv.*, 7 (1934), 81-92. §8.7
336. Oliver, R. K., On Bieberbach's analysis of discrete Euclidean groups, *Proc. Amer. Math. Soc.*, 80 (1980), 15-21. §5.6
337. Patterson, B. C., The origins of the geometric principle of inversion, *Isis*, 19 (1933), 154-180. §4.8
338. Penrose, R., The geometry of the universe, In: *Mathematics Today Twelve Informal Essays*, edited by L. A. Steen, Springer-Verlag, New York (1978), 83-125. §3.6
339. Peschl, E., Winkelrelationen am Simplex und die Eulersche Charakteristik, *Sitzungsber. Math.-Nat. Kl. Bayer. Akad. Wiss.* (1956), 319-345. §11.9
340. Plücker, J., Analytisch-geometrische Aphorismen, *J. Reine Angew. Math.*, 11 (1834), 219-225. §4.8, §4.8
341. Poincaré, H., Sur les applications de la géométrie non euclidienne a la théorie des formes quadratiques, *Assoc. Française Avancement Sci.* 10<sup>e</sup> Session (1881), 132-138. (Poincaré Œuvres, Vol. V, 267-274). §3.6, §12.9
342. Poincaré, H., Sur les fonctions fuchsienues, *C. R. Acad. Sci. Paris*, 92 (1881), 333-335 (On Fuchsian functions, In: *Papers on Fuchsian Functions*, translated by J. Stillwell, Springer-Verlag, New York (1985), 47-50). §5.6, §6.9, §6.9, §6.9
343. Poincaré, H., Sur les fonctions fuchsienues, *C. R. Acad. Sci. Paris*, 92 (1881), 1484-1487. §6.9
344. Poincaré, H., Sur les groupes kleinéens, *C. R. Acad. Sci. Paris*, 93 (1881), 44-46. §4.8, §5.6, §6.9, §6.9
345. Poincaré, H., Théorie des groupes fuchsienus, *Acta Math.*, 1 (1882), 1-62 (Theory of Fuchsian groups, In: *Papers on Fuchsian Functions*, translated by J. Stillwell, Springer-Verlag, New York (1985), 55-127). §1.6, §6.9, §8.7, §9.9, §13.6, §13.6
346. Poincaré, H., Sur les fonctions fuchsienues, *Acta Math.*, 1 (1882), 193-294 (On Fuchsian functions, In: *Papers on Fuchsian Functions*, translated by J. Stillwell, Springer-Verlag, New York (1985), 128-254). §4.8, §12.9, §12.9, §12.9
347. Poincaré, H., Mémoire sur les groupes kleinéens, *Acta Math.*, 3 (1883), 49-92 (Memoir on Kleinian groups, In: *Papers on Fuchsian Functions*, translated by J. Stillwell, Springer-Verlag, New York (1985), 255-304). §5.6, §5.6, §6.9, §7.7, §12.9, §12.9, §13.6
348. Poincaré, H., Sur les groupes des équations linéaires, *Acta Math.*, 4 (1884), 201-311 (On the groups of linear equations, In: *Papers on Fuchsian Functions*, translated by J. Stillwell, Springer-Verlag, New York (1985), 357-483). §9.9, §9.9, §9.9
349. Poincaré, H., Sur un théorème de M. Fuchs, *Acta Math.*, 7 (1885), 1-32. §8.7, §12.9, §12.9

350. Poincaré, H., Sur les hypothèses fondamentales de la géométrie, *Bull. Soc. Math. France*, 15 (1887), 203-216. §3.6
351. Poincaré, H., Les fonctions fuchsienues et l'arithmétique, *J. Math.* 3 (1887), 405-464. §12.9
352. Poincaré, H., Analysis situs, *J. École Polytech.*, 1 (1895), 1-121. §8.7, §10.6
353. Poincaré, H., Cinquième complément à l'analysis situs, *Rend. Circ. Mat. Palermo*, 18 (1904), 45-110. §9.9
354. Poincaré, H., La généralisation d'un théorème élémentaire de géométrie, *C. R. Acad. Sci. Paris*, 140 (1905), 113-117. §11.9
355. Poincaré, H., Sur la dynamique de l'électron, *Rend. Circ. Mat. Palermo*, 21 (1906), 129-176. §3.6, §3.6
356. Poincaré, H., Sur l'uniformisation des fonctions analytiques, *Acta Math.*, 31 (1907), 1-63. §9.9
357. Poincaré, H., *Papers on Fuchsian Functions*, translated by J. Stillwell, Springer-Verlag, New York (1985). §4.8
358. Poncelet, J. V., *Traité des propriétés projectives des figures*, Paris (1822). §2.6
359. Pont, J.-C., *La Topologie Algébrique des origines à Poincaré*, Presses Universitaires de France, Paris (1974). §9.9
360. Pontrjagin, L., *Topological Groups*, translated by E. Lehmer, Princeton Univ. Press, Princeton, NJ (1939). §5.6, §5.6
361. Prasad, G., Strong rigidity of  $\mathbb{Q}$ -rank 1 lattices, *Invent. Math.*, 21 (1973), 255-286. §11.9
362. Pyenson, L., Hermann Minkowski and Einstein's Special Theory of Relativity, *Arch. Hist. Exact Sci.*, 17 (1977), 71-95. §3.6
363. Ranum, A., Lobachefskian polygons trigonometrically equivalent to the triangle, *Jber. Deutsch. Math. Verein.*, 21 (1912), 228-240. §3.6, §3.6, §3.6
364. Ratcliffe, J. G., On the isometry groups of hyperbolic manifolds, *Contemp. Math.*, 169 (1994), 491-495. §12.9
365. Ratcliffe, J. G., On the isometry groups of hyperbolic orbifolds, *Geom. Dedicata*, 78 (1999), 63-67. §13.6
366. Ratcliffe, J. G., Hyperbolic manifolds, In: *Handbook of Geometric Topology*, Edited by R.J. Daverman and R.B. Sher, Elsevier, Amsterdam (2002), 899-920. §11.9
367. Ratcliffe, J. G. and Tschantz, S. T., Volumes of integral congruence hyperbolic manifolds, *J. Reine Angew. Math.*, 488 (1997), 55-78. §11.9
368. Ratcliffe, J. G. and Tschantz, S. T., The volume spectrum of hyperbolic 4-manifolds, *Experiment. Math.*, 9 (2000), 101-125. §11.9
369. Ratcliffe, J. G. and Tschantz, S. T., On the Davis hyperbolic 4-manifold, *Topology Appl.*, 111 (2001), 327-342. §11.9
370. Riemann, B., Theorie der Abel'schen Functionen, *J. Reine Angew. Math.*, 54 (1857), 115-155. §4.8, §9.9, §9.9, §9.9
371. Riemann, B., Über die Hypothesen, welche der Geometrie zu Grunde liegen, *Abh. Ges. Wiss. Göttingen*, 13 (1867), 133-152. §2.6, §4.8, §8.7, §8.7, §8.7
372. Riley, R., A quadratic parabolic group, *Math. Proc. Camb. Phil. Soc.*, 77 (1975), 281-288. §10.6

373. Riley, R., An elliptical path from parabolic representations to hyperbolic structures, In: *Topology of Low-Dimensional Manifolds (Proc. Second Sussex Conf., Chelwood Gate, 1977)*, Lecture Notes in Math., 722, Springer-Verlag, Berlin (1979), 99-133. §10.6
374. Riley, R., Applications of a computer implementation of Poincaré's theorem on fundamental polyhedra, *Math. Comp.*, 40 (1983), 607-632. §13.6
375. Rosenfeld, B. A., *A History of Non-Euclidean Geometry*, translated by A. Shenitzer, Studies Hist. Math. Phys. Sci., 12, Springer-Verlag, New York (1988). §1.6, §1.6, §2.6, §3.6, §4.8
376. Rowe, D. E., Klein, Lie, and the "Erlanger Programm", In: *1830-1930: A Century of Geometry*, edited by L. Boi, D. Flament, and J.-M. Salanskis, Lecture Notes in Physics, 402, Springer-Verlag, Berlin (1992), 45-54. §1.6
377. Saccheri, G., *Euclides ab omni naevo vindicatus: sive conatus geometricus quo stabiliuntur prima ipsa universae geometriae principia*, Milan (1733) (*Euclides vindicatus*, translated by G. B. Halsted, Open Court, Chicago, 1920). §3.6
378. Satake, I., On a generalization of the notion of manifold, *Proc. Nat. Acad. Sci. U.S.A.*, 42 (1956), 359-363. §13.6
379. Schilling, F., Ueber die geometrische Bedeutung der Formeln der sphärischen Trigonometrie im Falle complexer Argumente, *Math. Ann.*, 39 (1891), 598-600. §3.6
380. Schilling, F., Beiträge zur geometrischen Theorie der Schwarz'schen  $s$ -Function, *Math. Ann.*, 44 (1894), 161-260. §3.6
381. Schläfli, L., Réduction d'une intégrale multiple, qui comprend l'arc de cercle et l'aire du triangle sphérique comme cas particuliers, *J. Math. Pures Appl.*, 20 (1855), 359-394. §1.6, §2.6, §6.9, §7.7, §11.9
382. Schläfli, L., On the multiple integral  $\int^n dx dy \cdots dz$ , whose limits are  $p_1 = a_1x + b_1y + \cdots + h_1z > 0$ ,  $p_2 > 0, \dots, p_n > 0$ , and  $x^2 + y^2 + \cdots + z^2 < 1$ , *Quart. J. Pure Appl. Math.*, 2 (1858), 269-301. §1.6, §2.6, §2.6
383. Schläfli, L., On the multiple integral  $\int^n dx dy \cdots dz$ , whose limits are  $p_1 = a_1x + b_1y + \cdots + h_1z > 0$ ,  $p_2 > 0, \dots, p_n > 0$ , and  $x^2 + y^2 + \cdots + z^2 < 1$ , *Quart. J. Pure Appl. Math.*, 3 (1860), 54-68, 97-108. §2.6, §6.9
384. Schläfli, L., *Theorie der vielfachen Continuität*, Zürich (1901). §2.6, §6.9, §7.7
385. Scholz, E., *Geschichte des Mannigfaltigkeitsbegriffs von Riemann bis Poincaré*, Birkhäuser, Boston (1980). §8.7, §9.9
386. Scholz, E., The rise of symmetry concepts in the atomistic and dynamistic schools of crystallography, 1815-1830, *Rev. Hist. Sci.*, 42 (1989), 109-122. §5.6
387. Scholz, E., Crystallographic symmetry concepts and group theory (1850-1880), In: *The History of Modern Mathematics II*, edited by D. E. Rowe and J. McCleary, Academic Press, Boston (1989), 3-27. §5.6
388. Scholz, E., Riemann's vision of a new approach to geometry, In: *1830-1930: A Century of Geometry*, edited by L. Boi, D. Flament, and J.-M. Salanskis, Lecture Notes in Physics, 402, Springer-Verlag, Berlin (1992), 22-34. §8.7
389. Schottky, F., Ueber die conforme Abbildung mehrfach zusammenhängender ebener Flächen, *J. Reine Angew. Math.*, 83 (1877), 300-351. §12.9
390. Schreier, O., Abstrakte kontinuierliche Gruppen, *Abh. Math. Sem. Univ. Hamburg*, 4 (1925), 15-32. §5.6, §5.6, §5.6

391. Schwarz, H. A., Ueber diejenigen Fälle, in welchen die Gaussische hypergeometrische Reihe eine algebraische Function ihres vierten Elementes darstellt, *J. Reine Angew. Math.*, 75 (1873), 292-335. §7.7
392. Scott, P., The geometries of 3-manifolds, *Bull. London Math. Soc.*, 15 (1983), 401-487. §8.7
393. Seifert, H., Komplexe mit Seitenzuordnung, *Nachr. Akad. Wiss. Göttingen. Math.-Phys. Kl. II* (1975), 49-80. §7.7, §9.9, §9.9, §10.6, §11.9, §13.6, §13.6
394. Selberg, A., On discontinuous groups in higher-dimensional symmetric spaces, In: *Contributions to Function Theory*, edited by K. Chandrasekharan, Tata Inst. of Fund. Research, Bombay (1960), 147-164. §7.7
395. Selberg, A., Recent developments in the theory of discontinuous groups of motions of symmetric spaces, In: *Proceedings of the 15th Scandinavian Congress, Oslo 1968*, edited by K. E. Aubert and W. Ljunggren, Lecture Notes in Math., 118, Springer-Verlag, Berlin (1970), 99-120. §12.9
396. Sforza, G., Sul volume dei poliedri, *Soc. Nat. Math. Modena*, 9 (1907), 1-8. §7.7
397. Shimizu, H., On discontinuous groups operating on the product of the upper half planes, *Ann. of Math.*, 77 (1963), 33-71. §12.9
398. Siegel, C. L., Über die analytische Theorie der quadratischen Formen II, *Ann. of Math.*, 37 (1936), 230-263. §12.9
399. Siegel, C. L., Discontinuous groups, *Ann. of Math.*, 44 (1943), 674-689. §5.6, §6.9, §6.9
400. Siegel, C. L., Some remarks on discontinuous groups, *Ann. of Math.*, 46 (1945), 708-718. §9.9, §12.9
401. Sommerville, D. M. Y., *Bibliography of Non-Euclidean Geometry, 2nd Ed.*, Chelsea, New York (1970). §1.6
402. Spivak, M., *A Comprehensive Introduction to Differential Geometry, 2nd Ed.*, Vol. II, Publish or Perish, Berkeley, CA (1979). §1.6, §2.6, §8.7
403. Stäckel, P., Bemerkungen zur Geschichte der geodätischen Linien, *Abh. Sächs. Akad. Wiss. Leipzig. Math.-Natur. Kl.*, 45 (1893), 444-467. §1.6
404. Steinitz, E., Bedingt konvergente Reihen und konvexe Systeme, *J. Reine Angew. Math.*, 143 (1913), 128-175. §6.9
405. Steinitz, E., Bedingt konvergente Reihen und konvexe Systeme (Fortsetzung), *J. Reine Angew. Math.*, 144 (1914), 1-40. §6.9
406. Steinitz, E., Bedingt konvergente Reihen und konvexe Systeme (Schluss), *J. Reine Angew. Math.*, 146 (1916), 1-52. §6.9
407. Stillwell, J., *Sources of Hyperbolic Geometry*, Hist. Math. 10, Amer. Math. Soc., Providence, RI (1996). §1.6, §1.6
408. Sturm, J. and Shinnar, M., The maximal inscribed ball of a Fuchsian group, In: *Discontinuous Groups and Riemann Surfaces*, edited by L. Greenberg, Ann. of Math. Studies, 79, Princeton Univ. Press, Princeton, NJ (1974), 439-443. §12.9
409. Sullivan, D., On the ergodic theory at infinity of an arbitrary discrete group of hyperbolic motions, In: *Riemann Surfaces and Related Topics*, edited by I. Kra and B. Maskit, Ann. of Math. Studies, 97, Princeton Univ. Press, Princeton, NJ (1980), 465-496. §11.9
410. Susskind, P. and Swarup, G. A., Limit sets of geometrically finite hyperbolic groups, *Amer. J. Math.*, 114 (1992), 233-250. §12.9

411. Szczepański, A., *Geometry of crystallographic groups*, Algebra Discrete Math., 4, World Sci. Publ. Co., Hackensack, NJ (2012). §7.7, §8.7
412. Taurinus, F. A., *Geometriae prima elementa*, Cologne (1826) (Stücke In: *Die Theorie der Parallellinien von Euklid bis auf Gauss*, F. Engel and P. Stäckel, B. G. Teubner, Leipzig (1895), 267-286). §3.6
413. Teichmüller, O., Extremale quasikonforme Abbildungen und quadratische Differentiale, *Abh. Preuss. Akad. Wiss. Math-Nat. Kl.*, 22 (1939), 1-197. §9.9
414. Thomson, W., Extrait d'une lettre de M. William Thomson à M. Liouville, *J. Math. Pures Appl.*, 10 (1845), 364-367. §4.8, §4.8
415. Thurston, W. P., *The Geometry and Topology of Three-Manifolds*, lecture notes, Princeton Univ., Princeton, NJ (1979). §4.8, §9.9, §10.6, §10.6, §10.6, §10.6, §10.6, §10.6, §10.6, §10.6, §11.9, §11.9, §11.9, §11.9, §11.9, §12.9, §12.9, §12.9, §12.9, §13.6, §13.6, §13.6, §13.6, §13.6
416. Thurston, W. P., Hyperbolic geometry and 3-manifolds, In: *Low-Dimensional Topology (Bangor, 1979)*, London Math. Soc. Lecture Note Ser., 48, Cambridge Univ. Press, Cambridge-New York, (1982), 9-25. §8.7
417. Thurston, W. P., Three dimensional manifolds, Kleinian groups, and hyperbolic geometry, *Bull. Amer. Math. Soc.*, 6 (1982), 357-381. §8.7, §10.6
418. Thurston, W. P., *Three-dimensional Geometry and Topology*, edited by S. Levy, Princeton Univ. Press, Princeton, NJ (1997). §3.6, §8.7, §10.6
419. Tukia, P., On isomorphisms of geometrically finite Möbius groups, *Inst. Hautes Études. Sci. Publ. Math.*, 61 (1985), 171-214. §5.6
420. van Dantzig, D. and van der Waerden, B. L., Über metrisch homogene Räume, *Abh. Math. Sem. Univ. Hamburg*, 6 (1928), 367-376. §5.6
421. van Vleck, E. B., On the combination of non-loxodromic substitutions, *Trans. Amer. Math. Soc.*, 20 (1919), 299-312. §12.9
422. Veblen, O. and Whitehead, J. H. C., A set of axioms for differential geometry, *Proc. Nat. Acad. Sci. U.S.A.*, 17 (1931), 551-561. §8.7
423. Vesnin, A. Y., Three-dimensional hyperbolic manifolds of Löbell type, *Siberian Math. J.*, 28 (1987), 731-734. §10.6
424. Vesnin, A. Y., Three-dimensional hyperbolic manifolds with a common fundamental polyhedron, *Math. Notes Acad. Sci. USSR*, 49 (1991), 575-577. §10.6
425. Vinberg, E. B., Discrete groups generated by reflections in Lobacevskii spaces, *Math. USSR-Sbornik*, 1 (1967), 429-444. §6.9, §7.7, §7.7
426. Vinberg, E. B., Hyperbolic reflection groups, *Russian Math. Surveys*, 40 (1985), 31-75. §7.7
427. Vinberg, E. B., Volumes of non-Euclidean polyhedra, *Russian Math. Surveys*, 48 (1993), 15-45. §10.6
428. Vinberg, E. B., *Geometry II, Spaces of Constant Curvature*, Encyclopaedia Math. Sci. 29, Springer-Verlag, Berlin (1993). §11.9
429. von Helmholtz, H., On the origin and significance of geometrical axioms, *Mind*, 1 (1876), 302-321 (In: *The World of Mathematics I*, J. R. Newman, Simon and Schuster, New York (1956), 647-668). §8.7
430. Wall, C. T. C., Geometries and geometric structures in real dimension 4 and complex dimension 2, In: *Geometry and Topology*, edited by J. Alexander and J. Harer, Lecture Notes in Math., 1167, Springer-Verlag, Berlin (1985), 268-292. §8.7

431. Wang, H.-C., On a maximality property of discrete subgroups with fundamental domain of finite measure, *Amer. J. Math.*, 89 (1967), 124-132. §12.9
432. Wang, H.-C., Discrete nilpotent subgroups of Lie groups, *J. Diff. Geometry*, 3 (1969), 481-492. §12.9, §12.9
433. Wang, H.-C., Topics on totally discontinuous groups, In: *Symmetric Spaces*, edited by W. M. Boothby and G. L. Weiss, Pure Appl. Math., 8, Marcel Dekker, New York (1972), 459-487. §11.9
434. Waterman, P. L., Purely elliptic Möbius groups, In: *Holomorphic Functions and Moduli II*, edited by D. Drasin, C. J. Earle, F. W. Gehring, I. Kra, and A. Marden, Springer-Verlag, New York (1988), 173-178. §5.6
435. Weber, C. and Seifert, H., Die beiden Dodekaederräume, *Math. Z.*, 37 (1933), 237-253. §10.6, §11.9, §13.6
436. Weeks, J. R., *The Shape of Space*, Pure Appl. Math., 96, Marcel Dekker, New York (1985). §9.9, §9.9
437. Weeks, J. R., Convex hulls and isometries of cusped hyperbolic 3-manifolds, *Topology Appl.*, 52 (1993), 127-149. §10.6
438. Weil, A., On discrete subgroups of Lie groups, *Ann. of Math.*, 72 (1960), 369-384. §9.9
439. Whitehead, J. H. C., Locally homogeneous spaces in differential geometry, *Ann. of Math.*, 33 (1932), 681-687. §8.7
440. Whitehead, J. H. C., On the covering of a complete space by the geodesics through a point, *Ann. of Math.*, 36 (1935), 679-704. §8.7
441. Wielenberg, N., Discrete Moebius groups: fundamental polyhedra and convergence, *Amer. J. Math.*, 99 (1977), 861-877. §12.9, §12.9
442. Wielenberg, N., The structure of certain subgroups of the Picard group, *Math. Proc. Camb. Phil. Soc.*, 84 (1978), 427-436. §10.6
443. Wielenberg, N., Hyperbolic 3-manifolds which share a fundamental polyhedron, In: *Riemann Surfaces and Related Topics*, edited by I. Kra and B. Maskit, Ann. of Math. Studies, 97, Princeton Univ. Press, Princeton, NJ (1980), 505-513. §10.6
444. Witt, E., Spiegelungsgruppen und Aufzählung halbeinfacher Liescher Ringe, *Abh. Math. Sem. Univ. Hamburg*, 14 (1941), 289-322. §7.7, §7.7
445. Wolf, J. A., *Spaces of Constant Curvature*, 5th Ed., Publish or Perish, Wilmington, DE (1984). §8.7, §8.7
446. Wolpert, S., The Fenchel-Nielsen deformation, *Ann. of Math.*, 115 (1982), 501-528. §9.9
447. Wussing, H., *The Genesis of the Abstract Group Concept*, translated by A. Shenitzer, MIT Press, Cambridge, MA (1984). §1.6
448. Yaglom, I. M., *Felix Klein and Sophus Lie*, translated by S. Sossinsky, Birkhäuser, Boston (1988). §1.6
449. Zassenhaus, H., Beweis eines Satzes über diskrete Gruppen, *Abh. Math. Sem. Univ. Hamburg*, 12 (1938), 289-312. §12.9
450. Zassenhaus, H., Über einen Algorithmus zur Bestimmung der Raumgruppen, *Comment. Math. Helv.*, 21 (1948), 117-141. §7.7
451. Zastrow, A., On the (non)-coincidence of Milnor-Thurston homology theory with singular homology theory, *Pacific J. Math.*, 186 (1998), 369-396. §11.9

# Index

## A

- abstract
    - polygon 388
    - polyhedron 506
  - acting
    - discontinuously 160
    - effectively 170
    - freely 337
    - trivially 170
  - action of a group 18, 22
  - adjacent sides 209
  - admissible quadratic form 681
  - affine
    - basis 27
    - combination 27
    - function 27
    - hull 27
    - set 27
  - affinely
    - equivalent 344
    - independent points 27
  - algebraic integer 678
  - angle
    - of  $D^n$  191
    - of  $E^n$  14
    - of  $H^n$  66
    - of a triangle
      - of  $H^2$  78, 82
      - of  $S^2$  46
    - of parallelism 94
    - sum of a cycle 379
  - angles
    - of a hyperbolic triangle 78
    - of a spherical triangle 46
    - of rotation 138, 164
  - anisotropic 686
  - antipodal
    - transformation 16
    - vectors 35
  - arc length
    - element
      - of  $B^n$  125
      - of  $D^n$  189
      - of  $E^n$  31
      - of  $H^n$  74
      - of  $S^n$  42
      - of  $U^n$  130
    - in a metric space 28
  - area
    - of a cusp 427
    - of a disk
      - of  $H^2$  77
      - of  $S^2$  45
    - of a triangle
      - of  $H^2$  84
      - of  $S^2$  49
  - arithmetic group 682
  - asymptotic lines 9
  - atlas
    - of a manifold 347
    - of an orbifold 708
  - atomic measure 564
  - attractive fixed point 139
  - automorphic function 184
  - average of a simplex 575
  - axis
    - of a hyperbolic transformation 137
    - of an elementary group 178
    - of an elliptic transformation 138
- ## B
- $B(a, r)$  15
  - $B^n$  116, 120
  - barycentric subdivision 279
  - Beltrami's model 7



- Bieberbach
  - group 318
  - theorem 314
- bilinear form 282
- Borel measure 563
- Borromean rings 458
  - complement 458
- boundary
  - of a convex set 192
  - of a manifold 335
  - of a surface 377
- bounded parabolic limit point 618
- C**
- $C(a, r)$  15
- $\mathbb{C}^*$  143
- $\mathbb{C}^n$  142
- $\hat{\mathbb{C}}$  105
- $C^1$ 
  - curve 30
  - topology 562
- carrier face 206
- Cauchy
  - inequality 13
  - sequence 361
- center of a Dirichlet domain 240
- centroid 222
- change of scale 20
  - equivalent 20
- chart
  - of a manifold 347, 348
  - of an orbifold 708, 710
- chordal metric 105
- circle at infinity 7
- circumference
  - of a cusp 427
  - of a disk
    - of  $H^2$  77
    - of  $S^2$  45
- classical
  - projective space 41
  - Schottky group 610
- Clifford parallels 41
- Clifford-Klein space-form 341
- closed
  - ball 15
  - geodesic 404
  - half-space 71, 197
  - manifold 334
  - surface 375
- coefficient vector 110
- collinear points
  - of  $E^n$  25
  - of  $H^n$  63
  - of  $S^n$  37
- combinatorially equivalent 228
- commensurable groups 682
- common orthogonal 66
- compact-open topology 148
- complete
  - manifold 367
  - structure 368
  - metric space 361
  - orbifold 740
  - structure 740
- cone point 712
- conformal
  - ball model 120
  - disk model 8
  - function 101
- congruence transformation 19
- congruent sets 19
- conical limit point 614
- conjugates
  - of an algebraic integer 678
- connected
  - set of polyhedra 251
  - sum of surfaces 376
- constant  $(X, G)$ -path 723, 727
- continuation 355
- convex
  - combination 27
  - core 634
  - hull 27, 207, 218, 598
  - polyhedron 198
  - set 24, 191
- coordinate
  - change
    - of a manifold 347
    - of an orbifold 708
- frame
  - of  $E^n$  26
  - of  $H^n$  71
  - of  $S^n$  39
- neighborhood
  - of a manifold 347
  - of an orbifold 708

coplanar 21  
 corner point 712  
 coset space 145  
 Coxeter  
   graph 271  
   group 271  
 cross  
   product 34  
   ratio 107  
 crystallographic group 308  
 crystallography 308  
 curvature  
   of a manifold 371  
   of a surface 5  
 curve 22  
   of type  $C^1$  30  
 cusp 634  
   of a manifold 445, 674  
   of a polyhedron 621  
   of a surface 427  
   point  
     of a manifold 443, 510  
     of a polyhedron 510, 621  
     of an orbifold 757  
 cusped  
   limit point 618  
   region 616, 617  
   side 628  
 cycle  
   of a facet-pairing 507  
   of a side-pairing  
     of a polyhedron 252  
     of polygons 379  
   of polyhedra 435, 745  
   of cusp points 510, 757  
   of edges 481  
   of ideal points 510, 757  
   of ideal vertices  
     of polygons 421  
     of polyhedra 443  
   of polyhedra 253  
   of ridges 257  
   of sides 256, 421  
   relation 257  
   transformation 256, 423  
 cyclic ridge cycle 746

**D**

$D^n$  185  
 Davis 120-cell space 509  
 de Rham cohomology 567  
 deformation space 396  
 degree  
   of a number field 679  
   of an algebraic integer 678  
 Dehn surgery 497  
   invariant 496  
 Dehn-Nielsen theorem 395  
 developing map  
   of a manifold 358  
   of an orbifold 733  
 dihedral  
   angle 210  
   sum 435, 747  
   ridge cycle 746  
 dilogarithm function 465  
 dimension of a convex set 192  
 Dirichlet  
   domain 240  
   polyhedron 246  
 discontinuous  
   action 160  
   group 160  
 discrete  
   faithful representation 396  
   group 156  
   reflection group 262  
 disjoint  
   set of polyhedra 507, 745  
 distance between sets 231  
 dual 228

**E**

$E^n$  15  
 $\hat{E}^n$  105  
 $\eta(x, y)$  57, 66, 67, 69  
 edge 231  
   cycle 435  
   invariants 481  
   of an abstract polygon 388  
 effective action 170  
 elementary  
   group 174, 182  
   space-form 344

- elliptic
    - closed curve 406
    - elementary group 174
    - geometry 40
    - isometry of  $E^n$  163
    - line 40
    - modular group 163, 246
    - plane 41
    - space 40
    - transformation
      - of  $B^n$  133
      - of  $U^n$  134
    - type 174
  - enhanced Coxeter graph 272
  - Erlangen Program 21
  - Euclidean
    - angle 14
    - distance 14
    - geometry 1, 13
    - inner product 13
    - isometry 15
    - line 19
    - manifold 348
      - structure 348
    - metric 14
    - norm 13
    - orbifold 710
    - plane 19
    - similarity 20
      - manifold 348
      - orbifold 710
      - structure 348
    - space 15
    - space-form 341
    - sphere 99, 122
    - topology 15
    - torus 343
  - Euler characteristic
    - of a surface 376
    - of an orbifold 713
  - exact
    - fundamental
      - polyhedron 248
      - tessellation 250
  - extended hyperplane 106
  - exterior of light cone 53
- F**
- face 203
  - facet 506
  - facet-pairing 507
  - field of fractions 322
  - figure-eight knot 449
    - complement 447
  - finitely
    - compact metric space 149
    - generated ring 330
  - first kind 604
  - flag 225, 230
  - free action 337
  - freely homotopic 406
  - Fuchsian group 183
  - full-scale lattice 312
  - fundamental
    - cycle 575
    - domain 233
    - orbifold group 725
    - polyhedron 246
    - region 233
    - set 239
- G**
- $GL(n, \mathbb{C})$  143
  - $GL(n, \mathbb{R})$  144
  - Gauss-Bonnet theorem 390, 526
  - general linear group 143
  - generalized
    - polytope 223
    - simplex 223
    - triangle 82
    - vertex 218
  - genus of a surface 377
  - geodesic 26
    - arc 22
    - curve 25
    - half-line 25
    - line 25
    - ray 25
    - section 25
    - segment 23
  - geodesically
    - complete 26
    - connected 24
    - convex 24

- geometric
  - manifold 373
  - orbifold 709
  - space 335
- geometrically finite
  - group 635
  - manifold 667
  - polyhedron 625
- geometry 372
- Gieseking manifold 461
- gluing invariant 423
- gnomonic projection
  - of  $\mathbb{R}^n$  into  $S^n$  40
  - of  $D^n$  onto  $H^n$  185
- Gram matrix 283
- Gram-Schmidt process 18
- great
  - circle 37
  - sphere 39
- Gromov
  - norm 553
  - theorem 559
- group
  - action 18
  - of isometries 15
  - of similarities 20
  - of symmetries 157
  - of the first kind 604
  - of the second kind 604
- H**
- $H^n$  59, 61
- Haar
  - integral 558, 572, 682
  - measure 558, 572, 682
- Hermitian
  - inner product 142
  - norm 142
- hexagon 90
- Hilbert's theorem 12
- holonomy
  - of a manifold 359
  - of an orbifold 726
- homogeneous
  - coordinates 186
  - metric space 16
- homotopic  $(X, G)$ -paths 725
- homotopically distinct 409
- horoball 124, 130
- horocusp 633
- horocusped region 633
- horocycle 124, 130
- horodisk 124, 130
- horopoint 214
- horosphere 124, 129
  - of  $B^n$  124
  - of  $U^n$  129
- hyperbolic
  - angle
    - of  $D^n$  191
    - of  $H^n$  66
  - closed curve 406
  - convex 65, 598
    - hull 598
  - coordinates 75
  - cosine laws 80
  - distance 59
  - elementary group 174
  - geometry 3
  - hexagon 90
  - isometry 61
  - law of sines 80
  - line
    - of  $B^n$  123
    - of  $D^n$  189
    - of  $H^n$  63
    - of  $U^n$  129
  - manifold 348
    - structure 348
  - metric 61
  - orbifold 710
  - pentagon 89
  - plane 5
    - of  $B^n$  123
    - of  $D^n$  188
    - of  $H^n$  62
    - of  $U^n$  129
  - quadrilateral 88, 89
  - right triangle 94
  - space 61
  - space-form 341
  - sphere
    - of  $B^n$  124
    - of  $U^n$  129
  - transformation
    - of  $B^n$  133
    - of  $U^n$  134

translation 121, 137, 541  
 triangle 78, 82  
 trigonometry 78  
 type 174  
 volume 76  
 hyperboloid model 12, 59  
 hyperplane  
   of  $E^n$  19  
   of  $H^n$  65

**I**

$I(X)$  15  
 icosahedral group 276  
 ideal  
   boundary 673  
   point 213  
   polytope 224  
   simplex 224  
   triangle 82  
   vertex 216  
 incident 214  
 induced  
   metric  
     on a manifold 352  
     on an orbifold 721  
   structure  
     on a manifold 349  
     on an orbifold 709  
 infinite triangle 82  
 initial point of a curve 22  
 inner product 13  
 inscribed  
   curve 29  
   length of a curve 28  
 integral  
   closure 324  
   domain 322  
   element 323  
   ring 324  
 integrally closed 324  
 interior  
   of a convex set 192  
   of a manifold 335  
   of light cone 53  
 intrinsic metric 28, 708  
 inverse points 111  
 inversion 99  
 inversive geometry 97

irreducible Coxeter group 272  
 isometric  
   circle 112  
   metric spaces 15  
   sphere 109  
 isometry 15  
 isomorphic  
   topological groups 143  
 isotropic 686

**J**

Jordan decomposition 563  
 junction  
   of an  $(X, G)$ -path 724

**K**

Klein bottle 377  
 Klein's model 7  
 Kleinian group 183

**L**

$LF(\hat{C})$  112  
 Lambert quadrilateral 88  
 lattice 158  
   subgroup 171  
 length  
   of a closed geodesic 411  
   of a curve  
     in a manifold 350  
     in a metric space 28  
     in an orbifold 720  
 length-twist coordinates 416  
 lens space 342  
 light-like  
   vector 53  
   subspace 56  
 limit  
   point 597  
   set 597  
 line  
   of  $B^n$  123  
   of  $D^n$  189  
   of  $E^n$  19  
   of  $H^n$  63  
   of  $P^n$  40  
   of  $U^n$  129  
 segment 21, 23

- linear fractional transformation 112
- link
  - of a cusp point
    - of a manifold 444, 511
    - of a polyhedron 510, 621
    - of an orbifold 757
  - of a polyhedron 211, 214
  - of an ideal vertex 443
- Lipschitz
  - condition 578
  - constant 578
- Lobachevsky function 464
- local
  - isometry 337
  - ring 323
- localization 323
- locally
  - convex 27
  - discrete 652
  - finite 160
  - fundamental region 235
  - geodesically
    - connected 708
    - convex 340
- longitude 494
- Lorentz
  - group 55
  - orthogonal vectors 56
  - orthonormal
    - basis 54
    - vectors 63
  - rectifiable curve 72
  - transformation 54
- Lorentzian
  - angle 57, 66, 67, 69
  - complement 58
  - cross product 60
  - distance 71
  - geometry 52
  - inner product 52
  - inscribed length 72
  - length of a curve 72
  - matrix 55
  - norm 53
  - quadratic form 680
  - reflection 58
  - space 52
- loxodromic transformation 137
- lune of  $S^2$  48
- M**
  - $M(B^n)$  117
  - $M(S^n)$  116
  - $M(U^n)$  113
  - $M(\hat{E}^n)$  108
  - magnification 20
  - manifold 334
  - manifold-with-boundary 335
  - mapping class group 394
  - Margulis
    - constant 654
    - lemma 653
    - region 658
  - maximal ideal 323
  - measurable subset
    - of  $H^n$  76
    - of  $S^n$  43
  - measure homology 564
  - meeting at infinity 68
  - meridian 494
  - meridian-longitude pair 494
  - metric 14
    - manifold 350
    - of  $\hat{E}^n$  105
    - of  $B^n$  120
    - of  $E^n$  14
    - of  $H^n$  59
    - of  $P^n$  40
    - of  $S^n$  35
    - of  $U^n$  128
  - orbifold 720
  - space 15
  - topology 15
- metrically equivalent 15
- minimal polynomial 678
- Minkowski space-time 95
- mirror point 712
- Möbius
  - group
    - of  $\hat{E}^n$  108
    - of  $B^n$  117
    - of  $S^n$  116
    - of  $U^n$  113
  - transformation
    - of  $\hat{E}^n$  108
    - of  $B^n$  117

- of  $S^n$  116
  - of  $U^n$  113
- modular group 159
- moduli 432
  - space 393
- Mostow rigidity theorem 594
- multiplicatively closed 322
  
- N**
  
- $N(S, r)$  15
- natural Euclidean metric 136
- near sets 660
- nearest point 605
  - retraction 605
  - to a line 132
- negative
  - light-like vector 53
  - Lorentzian matrix 56
  - time-like vector 53
- neighborhood 15
- non-Euclidean geometry 3
- nondegenerate
  - bilinear form 282
  - quadratic form 686
- norm
  - of a matrix 143, 165
  - of a partition 28
  - of a vector 13, 53
- normalized
  - solid angle 507
  - sum 508, 521
  - volume 521
- number field 679
  
- O**
  
- $O(1, n)$  55
- $O(n)$  17
- $O(n, 1)$  119
- $O^+(1, n)$  56
- $O^+(n, 1)$  144
- octahedral group 275
- one-point compactification 105
- open
  - ball 15
  - half-space 197
  - manifold 335
  - set 15
- unit  $n$ -ball 116
  - unit  $n$ -disk 185
- operator norm 165
- orbifold 709
- orbit 159
  - space 231
  - metric 231
- order of a point 711
- ordinary
  - point
    - of a group 604
    - of an orbifold 711
  - set
    - of a group 604
    - of an orbifold 711
- orientable
  - manifold 360
  - space-form 341
  - surface 376
- orthogonal
  - complement 21
  - group 17
    - of a quadratic form 680
  - line and hyperplane
    - of  $E^n$  22
    - of  $H^n$  66
  - matrix 17
  - spheres 114, 123
  - transformation 16
  - vectors
    - in  $\mathbb{C}^n$  144
    - in  $\mathbb{R}^n$  14
- orthonormal basis
  - of  $\mathbb{C}^n$  144
  - of  $\mathbb{R}^n$  16
- orthotetrahedron 461
- outer automorphism group 395
  
- P**
  
- $P(a, t)$  97
- $P^n$  40
- $PO(1, n - 1)$  58
- $PSL(2, \mathbb{C})$  146
- $PSL(2, \mathbb{R})$  146
- packing 609
- pair of pants 412
- paired
  - points

- of a polyhedron 252
  - of polygons 379
  - of polyhedra 435, 745
- sides
  - of a polyhedron 252
  - of polygons 378
  - of polyhedra 434, 745
- parabolic
  - closed curve 406
  - elementary group 174
  - isometry of  $E^n$  163
  - transformation
    - of  $B^n$  133
    - of  $U^n$  134
  - translation 136
  - type 174
- parallel
  - hyperbolic lines 70
  - planes 21
  - postulate 2
- parallels 12
- partition of an interval 28
- path metric 28, 708
- pentagon 89
- period of a geodesic line 404
- periodic geodesic line 404
- Picard's group 163
- piecewise geodesic curve 29
- plane
  - of  $B^n$  123
  - of  $D^n$  188
  - of  $E^n$  19
  - of  $H^n$  62
  - of  $P^n$  41
  - of  $U^n$  129
- Poincaré
  - dodecahedral space 441
  - extension 113, 116
  - metric
    - of  $B^n$  120
    - of  $U^n$  128
  - polyhedron theorem
    - for manifolds 516
    - for orbifolds 762
- point 15
  - group 311
  - of approximation 695
- polar triangle
  - of a spherical triangle 48
  - of an ultra-ideal triangle 91
- polyhedral wedge 620
- polytope 220
- positive
  - definite
    - bilinear form 282
    - inner product 13
  - light-like vector 53
  - Lorentz group 56
  - Lorentzian matrix 56
  - semidefinite 282
  - special Lorentz group 56
  - time-like vector 53
- preservation
  - of angles 101
  - of distances 15
- prime ideal 322
- primitive element
  - of a group 405
  - of a number field 679
- principal group 21
- product
  - of  $(X, G)$ -paths 725
  - of curves 29
- projective
  - disk model 7, 185
  - general linear group 146
  - Lorentz group 58
  - modular group 162
  - space 40, 41
  - special
    - linear group 146
    - unitary group 146
  - transformation 187
- proper
  - cuspidal region 616, 617
  - face 203
  - facet-pairing 508
  - fundamental region 244
  - horocusp 633
  - horocusped region 633
  - pair of points 191
  - side-pairing
    - of polygons 379
    - of polyhedra 435
- properly discontinuous
  - group 183
- pseudo-isometry 580



**Q**

quadratic form 680  
 quadrilateral 88, 89  
 quasi-isometry 580  
 quaternions 118, 155  
 quotient topological group 145

**R**

$\overline{\mathbb{R}^n}$  41  
 $\mathbb{R}^n$  13  
 $\mathbb{R}^{1,n}$  52  
 $\mathbb{R}^{n,1}$  52  
 ray 25  
 real projective space 40  
 rectifiable curve  
   in a manifold 350  
   in a metric space 28  
   in an orbifold 721  
 refinement of a partition 28  
 reflection 58, 71, 97, 106  
   group 262  
 regular  
   polytope 225, 230  
   simplex 530  
   tessellation 250  
 related  
    $(X, G)$ -paths 727  
   points  
     of a polyhedron 252  
     of polygons 379  
     of polyhedra 435, 745  
 reparameterization  
   of a curve 31  
   of an  $(X, G)$ -path 724  
 repulsive fixed point 139  
 residually finite group 331  
 ridge 200  
   cycle 745  
 Riemann  
   sphere 105  
   surface 432  
 right angle 7  
 right-angled hexagon 90  
 rigid metric space 238  
 ring  
   of algebraic integers 679  
   of fractions 322

rotation 18

**S**

$S(a, r)$  99  
 $S^n$  34, 36  
 $SL(n, \mathbb{C})$  144  
 $SL(n, \mathbb{R})$  144  
 $SU(n)$  145  
 $S(X)$  20  
 Salem  
   number 693  
   polynomial 693  
 scalar triple product 35  
 scale factor  
   of a conformal function 101  
   of a similarity 20  
 Schläfli symbol 228  
 Schottky  
   group 610  
   polyhedron 610  
 seam of a pair of pants 412  
 second kind 604  
 section of a geodesic 25  
 sector of  $H^2$  81  
 Seifert-Weber  
   dodecahedral space 442  
 Selberg's lemma 331  
 side 195  
 side-pairing  
   of a polyhedron 252  
   of polygons 378  
   of polyhedra 434, 745  
 relation 257  
 transformation 252  
 signature  
   of a bilinear form 282  
 similar  
   metric spaces 20  
   structures 393  
 similarity 20  
 simple closed  
   curve 407  
   geodesic 407  
 simplex 221, 525  
   reflection group 274  
 simplicial  
   norm 553  
   volume 553

singular  
 chain complex 553  
 point  
   of an orbifold 711  
   of an orbit space 708  
 set  
   of an orbifold 711  
 simplex 553  
 small homotopy  
   of an  $(X, G)$ -path 724  
 smear of a simplex 573  
 smooth map 578  
 solid angle 435  
   sum 435  
 space-form 338  
 space-like  
   angle 66  
   vector 53  
   subspace 56  
 space-time 52  
 special  
   linear group 144  
   Lorentz group 56  
   orthogonal group 18  
   relativity 52  
   unitary group 145  
 sphere  
   of  $\tilde{E}^n$  107  
   of  $B^n$  124  
   of  $E^n$  99  
   of  $U^n$  129  
 spherical  
   convex 50  
   coordinates 43  
   cosine laws 48  
   distance 35  
   geometry 34  
   isometry 36  
   law of sines 47  
   manifold 348  
   structure 348  
   metric 36  
   orbifold 709  
   right triangle 50  
   space 36  
   space-form 341  
   triangle 46  
   trigonometry 46  
   volume 43

spherical-hyperbolic  
 duality 3, 32, 59, 81  
 splitting group 316  
 stabilizer 159  
 standard  
   basis of  $\mathbb{R}^n$  16  
   coordinate frame of  $E^n$  26  
   Gram matrix 283  
   orientation 548  
   simplex 221  
   transformation 116  
 stereographic projection  
   of  $B^n$  onto  $H^n$  119  
   of  $E^n$  into  $S^n$  104  
 straight singular simplex 554  
 structure  
   of a manifold 348  
   of an orbifold 709  
 subdivision  
   of an  $(X, G)$ -path 724  
 submultiple 262  
 subproper side-pairing 747  
 surface 375  
   with boundary 377

## T

$\theta(x, y)$  14  
 tangent  
   bundle  
     of  $H^n$  541  
     of a space-form 543  
   space  
     of  $H^n$  71, 541  
     of  $S^n$  39  
     of a space-form 543  
   vector  
     to  $H^n$  71, 541  
     to  $S^n$  39  
     to a space-form 543  
 Teichmüller space 394  
 terminal point of a curve 22  
 tessellation 250  
 tetrahedral group 275  
 thick  
   part of a manifold 667  
 thin  
   cusp 643  
   part of a manifold 667

time-like  
 angle 57, 67, 69  
 vector 53  
 subspace 56  
 topological group 143  
 torus 340, 343  
 total variation 563  
 totally geodesic 26  
 totally real number field 680  
 trace of a transformation 138  
 tractrix 5  
 tractroid 5  
 transitive group action 18  
 translation 16, 121, 136, 137  
 length 137  
 of an  $(X, G)$ -path 724  
 vector 174  
 triangle  
 group 274  
 inequality 14  
 of  $H^2$  78, 82  
 of  $S^2$  46  
 reflection group 274  
 triangulation 375  
 trivial action 170  
 twist coefficient 416  
 type  
 of a symmetric matrix 282  
 of an elementary  
 group 174  
 space-form 344

**U**

$U^n$  113, 128  
 $U(n)$  144  
 ultra-ideal  
 triangle 91  
 vertex 87  
 ultraparallels 12  
 unimodular group 159  
 unipotent matrix 685  
 unitary  
 group 144  
 matrix 144  
 universal  
 orbifold covering  
 projection 728  
 space 728  
 upper

half-plane model 8, 10  
 half-space 113  
 model 128

**V**

valuation ring 326  
 vertex 207  
 invariants 479  
 of an abstract polygon 388  
 volume  
 element  
 of  $B^n$  126  
 of  $D^n$  190  
 of  $H^n$  76  
 of  $S^n$  44  
 of  $U^n$  131  
 form  
 of  $H^n$  549  
 of a space-form 551  
 of  $S^n$  45  
 of a ball  
 of  $H^3$  77  
 of  $H^n$  77  
 of a space-form 341  
 of a subset 548  
 of an orbit space 245, 608

**W**

Whitehead link 456  
 complement 453  
 winding degree 415

**X**

$(X, G)$ -  
 atlas  
 of a manifold 347  
 of an orbifold 708  
 equivalence  
 of manifolds 369  
 of orbifolds 743  
 manifold 348  
 structure 348  
 map  
 of manifolds 356  
 of orbifolds 742  
 orbifold 709  
 structure 709  
 path 723