

References

- Aalten, D., Amadei, A., Linssen, A., Eijnsink, V., Vriend, G., Berendsen, H.: The essential dynamics of thermolysin-conformation of the hinge-bending motion and comparison of simulations in vacuum and water. *Proteins* **22**, 45–54 (1993)
- Abarbanel, H.D.I.: *Analysis of Observed Chaotic Data*. Springer, New York (1996)
- Abarbanel, H.D.I., Kennel, M.B.: Local false nearest neighbors and dynamical dimensions from observed chaotic data. *Phys. Rev. E* **47**(5), 3057–3068 (1993)
- Abraham, F.F.: *Computational statistical mechanics, methodology, applications, and supercomputing*. *Adv. Phys.* **35**, 1 (1986)
- Abraham, F.F., Rudge, W.E., Auerbach, D.J., Koch, S.W.: Molecular-dynamic simulations of the incommensurate phase of krypton on graphite using more than 100,000 atoms. *Phys. Rev. Lett.* **52**, 445 (1984)
- Albers, J., Deutch, J.M., Oppenheim, I.: Generalized Langevin equations. *J. Chem. Phys.* **54**(8), 3541–3546 (1971)
- Alder, B.J., Hoover, W.G., Young, D.A.: Studies in molecular dynamics. V. High-Density equation of state and entropy for hard disks and spheres. *J. Chem. Phys.* **49**, 3688–3696 (1968)
- Alder, B.J., Wainwright, T.E.: Studies in molecular dynamics. I. General method. *J. Chem. Phys.* **31**(2), 459 (1959)
- Alfrey, T. Jr., Berg, P.W., Morawetz, H.: The counter ion distribution in solutions of rod-shaped polyelectrolytes. *J. Polym. Sci.* **7**, 543–547 (1951)
- Allen, M.P., Tildesley, D.J.: *Computer Simulation of Liquids*. Oxford University Press, New York (1989)
- Allinger, N.L.: Conformational analysis 130. MM2. a hydrocarbon force field utilizing V_1 and V_2 torsional terms. *J. Am. Chem. Soc.* **99**, 8127–8134 (1977)
- Allinger, N.L., Li, F., Yan, L., Tai, J.C.: Molecular mechanics. the MM3 force field for alkenes. *J. Comput. Chem.* **11**, 848–867 (1990a)
- Allinger, N.L., Li, F., Yan, L., Tai, J.C.: Molecular mechanics (MM3) calculations on conjugated hydrocarbons. *J. Comput. Chem.* **11**, 868–895 (1990b)
- Allinger, N.L., Chen, K., Katzenelenbogen, J.A., Wilson, S.R., Anstead, G. M.: Hyperconjugative effects on carbon-carbon bond lengths in molecular mechanics (MM4). *J. Comput. Chem.* **17**, 747–755 (1996a)
- Allinger, N.L., Chen, K., Lii, J-H.: An improved force field (MM4) for saturated hydrocarbons. *J. Comput. Chem.* **17**, 642–668 (1996b)
- Amadei, A., Linssen, A.B.M., Berendsen, H.J.C.: Essential dynamics of proteins. *Proteins Struct. Funct. Genet.* **17**, 412–425 (1993)

- Amadei, A., de Groot, B., Ceruso, M., Paci, M., Di Nola, A., Berendsen, H.: A kinetic model for the internal motions of proteins: diffusion between multiple harmonic wells. *Proteins* **35**(3), 283–292 (1999a)
- Amadei, A., de Groot, B.L., Ceruso, M.A., Paci, M., Di Nola, A., Berendsen, H.J.C.: A kinetic model for the internal motions of proteins: diffusion between multiple harmonic wells. *Proteins Struct. Funct. Genet.* **35**, 283 (1999b)
- Andersen, H.C.: Molecular dynamics simulations at constant pressure and/or temperature. *J. Chem. Phys.* **72**, 2384–2393 (1980)
- Anderson, J.A.: *An Introduction to Neural Networks*. MIT Press, Cambridge (1995)
- Andricioaei, I., Straub, J.E.: Generalized simulated annealing algorithms using Tsallis statistics: application to conformational optimization of a tetrapeptide. *Phys. Rev. E* **53**, R3055 (1996a)
- Andricioaei, I., Straub, J.E.: Finding the needle in the haystack: algorithms for conformational optimisation. *Comput. Phys.* **10**, 449–454 (1996b)
- Andricioaei, I., Straub, J.E.: Global optimisation using bad derivatives: derivative-free method for molecular energy minimisation. *J. Comput. Chem.* **19**(13), 1445–1455 (1998)
- Andricioaei, I., Straub, J.E.: On Monte Carlo and molecular dynamics methods inspired by Tsallis statistics: methodology, optimization, and application to atomic clusters. *J. Chem. Phys.* **107**, 9117–9124 (1997)
- Anfinsen, C.B., Scheraga, H.A.: Experimental and theoretical aspects of protein folding. *Adv. Protein Chem.* **29**, 205–300 (1975)
- Arkhipov, A., Yin, Y., Schulten, K.: Four-scale description of membrane sculpting by BARdomains. *Biophys. J.* **95**, 2806 (2008)
- Arnold, V.I.: *Mathematical Methods of Classical Mechanics*. Springer, Berlin (1978)
- Arnold, V.I.: *Mathematical Methods of Classical Mechanics*, 2nd edn. Springer, New York (1988)
- Ashbaugh, H.S., Kaler, E.W., Paulaitis, M.E.: A universal surface area correlation for molecular hydrophobic phenomena. *J. Am. Chem. Soc.* **121**, 9243–9244 (1999)
- Bahar, I., Jernigan, R.L.: Inter-residue potentials in globular proteins and the dominance of highly specific hydrophilic interactions at close separation. *J. Mol. Biol.* **266**, 195–214 (1997)
- Baker, D.: Metastable states and folding free energy barriers. *Nat. Struct. Biol.* **5**, 1021–1024 (1998)
- Baker, D., Agard, D.A.: Kinetics versus thermodynamics in protein folding. *Biochemistry* **33**, 7505–7509 (1994)
- Balucani, U., Zoppi, M.: *Dynamics of the Liquid State*. Clarendon, Oxford (1994)
- Bandt, C., Pompe, B.: Permutation entropy: a natural complexity measure for time series. *Phys. Rev. Lett.* **88**, 174102 (2002)
- Bartels, C., Karplus, M.: Probability distributions for complex systems: adaptive umbrella sampling of the potential energy. *J. Phys. Chem. B* **102**, 865–880 (1998)
- Barth, E., Schlick, T.: Overcoming stability limitations in biomolecular dynamics. I. Combining force splitting via extrapolation with Langevin dynamics in LN. *J. Chem. Phys.* **109**(5), 1617–1632 (1998a)
- Barth, E., Schlick, T.: Extrapolation versus impulse in multiple-timestepping schemes. II. Linear analysis and applications to Newtonian and Langevin dynamics. *J. Chem. Phys.* **109**(5), 1633–1642 (1998b)
- Barth, E., Schlick, T.: Overcoming stability limitations in biomolecular dynamics: I. Combining force splitting via extrapolation with Langevin dynamics in LN. *J. Chem. Phys.* **109**, 1617–1632 (1998c)
- Barth, E.J., Laird, B.B., Leimkuhler, B.J.: Generating generalised distributions from dynamical simulation. *J. Chem. Phys.* **118**, 5759–5768 (2003)
- Bashford, D., Case, D.A.: Generalized Born model of macromolecular solvation effects. *Annu. Rev. Phys. Chem.* **51**, 129–152 (2000)
- Beglov, D., Roux, B.: Dominant solvation effects from the primary shell of hydration: approximation for molecular dynamics simulations. *Biopolymers* **35**, 171–178 (1994a)
- Beglov, D., Roux, B.: Finite representation of an infinite bulk system: solvent boundary potential for computer simulations. *J. Chem. Phys.* **100**, 9050–9063 (1994b)

- Beglov, D., Roux, B.: Numerical solutions of the hypernetted chain equation for a solute of arbitrary geometry in three dimensions. *J. Chem. Phys.* **103**, 360–364 (1995)
- Ben-Naim, A.: Standard thermodynamics of transfer. Uses and misuses. *J. Phys. Chem.* **82**, 792–803 (1978)
- Benguria, R., Kac, M.: Quantum langevin equation. *Phys. Rev. Lett.* **46**, 1 (1981)
- Bereau, T., DiStasio, R.A. Jr., Tkatchenko, A., von Lilienfeld, O.A.: Non-covalent interactions across organic and biological subsets of chemical space: physics-based potentials parametrized from machine learning. *J. Chem. Phys.* **148**, 241706–241714 (2018)
- Berendsen, H.J.C., Postma, J.P.M., van Gunsteren, W.F., DiNola, A., Haak, J.R.: Molecular dynamics with coupling to an external bath. *J. Chem. Phys.* **81**, 3684–3690 (1984)
- Berg, B.A.: Markov Chain Monte Carlo Simulations and their Statistical Analysis. World Scientific, Singapore (2004)
- Berg, B.A., Celik, T.: New approach to spin-glass simulations. *Phys. Rev. Lett.* **69**, 2292–2295 (1992)
- Berg, B.A., Neuhaus, T.: Multicanonical algorithms for first order phase transitions. *Phys. Lett.* **B267**, 249–253 (1991)
- Berg, B.A., Neuhaus, T.: Multicanonical ensemble: A new approach to simulate first-order phase transitions. *Phys. Rev. Lett.* **68**, 9–12 (1992)
- Bernal, J.D.: The Bakerian lecture, 1962: the structure of liquids. *Proc. R. Soc.* **280**(1382), 299–322 (1964)
- Beveridge, D.L., DiCapua, F.M.: Free energy via molecular simulation. *Ann. Rev. Biophys.* **18**, 431–492 (1989)
- Bishop, T.C., Skeel, R.D., Schulten, K.: Difficulties with multiple time stepping and fast multipole algorithm in molecular dynamics. *J. Comput. Chem.* **18**(14), 1785–1791 (1997)
- Bolhuis, P.G., Chandler, D., Dellago, C., Geissler, P.L.: Transition path sampling: throwing ropes over rough mountain passes, in the dark. *Annu. Rev. Phys. Chem.* **53**, 291–318 (2002)
- Bonanno, C., Mega, M.: Toward a dynamical model for prime numbers. *Chaos Solitons Fractals* **20**, 107–118 (2004)
- Bond, S.D., Laird, B.B., Leimkuhler, B.J.: The Nosé-Poincaré method for constant temperature molecular dynamics. *J. Comput. Phys.* **151**, 114 (1999)
- Born, M.: Volumen und Hydratationswärme der Ionen. *Z. Phys.* **1**, 45–48 (1920)
- Bren, M., Florián, J., Mavri, J., Bren, U.: Do all pieces make a whole? Thiele cumulants and the free energy decomposition. *Theor. Chem. Acc.* **117**, 535–540 (2007)
- Bren, U., Martínek, V., Florián, J.: Decomposition of the solvation free energies of Deoxyribonucleoside Triphosphates using the free energy perturbation method. *J. Phys. Chem. B* **110**, 12782–12788 (2006)
- Brooks, B.R., Brooks, C.L., MacKerell, A.D., Nilsson, L., Petrella, R.J., Roux, B., Won, Y., Archontis, G., Bartels, C., Boresch, S., Cafisch, A., Caves, L., Cui, Q., Dinner, A.R., Feig, M., Fischer, S., Gao, J., Hodoscek, M., Im, W., Kuczera, K., Lazaridis, T., Ma, J., Ovchinnikov, V., Paci, E., Pastor, R.W., Post, C.B., Pu, J.Z., Schaefer, M., Tidor, B., Venable, R.M., Woodcock, H.L., Wu, X., Yang, W., York, D.M., Karplus, M.: CHARMM: the biomolecular simulation program. *J. Comput. Chem.* **30**(10), 1545–1614 (2009)
- Brooks, B.B., Janežic, D., Karplus, M.: Harmonic-analysis of large systems. 1. Methodology. *J. Comput. Chem.* **16**, 1522–1542 (1995)
- Brünger, A., Brooks III, C.L., Karplus, M.: Stochastic boundary conditions for molecular dynamics simulations of ST2 water. *Chem. Phys. Lett.* **105**, 495–500 (1982)
- Cagin, T., Pettitt, B.M.: Molecular dynamics with a variable number of molecules. *Mol. Phys.* **72**, 169 (1991a)
- Cagin, T., Pettitt, B.M.: Grand molecular dynamics: A method for open systems. *Mol. Simul.* **6**, 5 (1991b)
- Callen, H.: Introduction to Thermodynamics and Thermostatistics. Wiley, New York (1985)
- Camsari, K.Y., Faria, R., Sutton, B.M., Datta, S.: Stochastic p-bits for invertible logic. *Phys. Rev. X* **7**, 031014 (2017)

- Camsari, K.Y., Sutton, B.M., Datta, S.: P-bits for probabilistic spin logic. *Appl. Phys. Rev.* **6**, 011305 (2019)
- Canutescu, A.A., Shelenkov, A.A., Dunbrack, R.L. Jr.: A graph-theory algorithm for rapid protein side-chain prediction. *Protein Sci.* **12**, 2001–2014 (2003)
- Carlsson, G.: Topology and data. *Bull. Am. Math. Soc.* **46**, 255 (2009)
- Case, D.A.: Normal mode analysis of protein dynamics. *Curr. Opin. Struc. Biol.* **4**, 290–385 (1994)
- Cellucci, C.J., Albano, A.M., Rapp, P.E.: Comparative study of embedding methods. *Phys. Rev. E* **67**, 066210–066213 (2003)
- Cellucci, C.J., Albano, A.M., Rapp, P.E.: Statistical validation of mutual information calculations: comparison of alternative numerical algorithms. *Phys. Rev. E* **71**, 066208–066214 (2005)
- Chandrasekhar, S.: Brownian motion, dynamical friction, and stellar dynamics. *Mod. Mod. Phys.* **21**, 383 (1949)
- Chapman, D.L.: A contribution to the theory of electrocapillarity. *Phil. Mag.* **25**, 475–481 (1913)
- Cheatham III, T.E., Miller, J.L., Fox, T., Darden, T.A., Kollman, P.A.: Molecular dynamics simulations on solvated biomolecular systems: the particle mesh ewald method leads to stable trajectories of DNA, RNA and proteins. *J. Am. Chem. Soc.* **117**, 4193–4194 (1995)
- Chen, J., Brooks III, C.L.: Implicit modelling of non polar solvation for simulating protein folding and conformational transitions. *Phys. Chem. Chem. Phys.* **10**, 471–481 (2008)
- Chen, R., Liu, X., Jin, S., Lin, J., Liu, J.: Machine learning for drug-target interaction prediction. *Molecules* **23**, 2208–2215 (2018)
- Cheng, X., Cui, G., Hornak, V., Simmerling, C.: Modified replica exchange simulation methods for local structure refinement. *J. Phys. Chem. B* **109**, 8220–8230 (2005)
- Chodera, J.D., Swope, W.C., Pitera, J.W., Seok, C., Dill, K.A.: Use of the weighted histogram analysis method for the analysis of simulated and parallel tempering simulations. *J. Chem. Theory Comput.* **3**, 26–41 (2007)
- Chothia, C.: Hydrophobic binding and accessible surface area in proteins. *Nature* **248**, 338–339 (1974)
- Ciccotti, G., Vanden-Eijnden, E.: The trees and the forest. *Aims and objectives of molecular dynamics simulations. Eur. Phys. J. Special Topics* **224**, 2515–2518 (2015)
- Clarage, J.B., Romo, T., Andrews, B.K., Pettitt, B.M., Phillips, G.N. Jr.: A sampling problem in molecular dynamics simulations of macromolecules. *Proc. Natl. Acad. Sci. USA* **92**, 3288–3292 (1995)
- Coffey, W.T., Kalmykov, Y.P., Waldron, J.T.: *The Langevin Equation*, vol. 14. World Scientific Series in Contemporary Chemical Physics, 2nd Edition, World Scientific, (1996)
- Collins, C.R., Gordon, G.J., von Lilienfeld, O.A., Yaron, D.J.: Constant size descriptors for accurate machine learning models of molecular properties. *J. Chem. Phys.* **148**, 241718–241711 (2018)
- Connolly, M.L.: Solvent-accessible surfaces of proteins and nucleic acids. *Science* **221**, 709 (1983a)
- Connolly, M.L.: Analytical molecular surface calculation. *J. Appl. Cryst.* **16**, 548–558 (1983b)
- Connolly, M.L.: Molecular surface triangulation. *J. Appl. Cryst.* **18**, 499 (1985)
- Cornell, W.D., Cieplak, P., Bayly, C.I., Gould, I.R., Merz, K.M. Jr., Ferguson, D.M., Spellmeyer, D.C., Fox, T., Caldwell, J.W., Kollman, P.A.: A second generation force field for the simulation of proteins, nucleic acids and organic molecules. *J. Am. Chem. Soc.* **117**, 5179–5197 (1995)
- Cramer, C.J., Truhlar, D.G.: Implicit solvation models: equilibria, structure, spectra, and dynamics. *Chem. Rev.* **99**(8), 2161–2200 (1999)
- Creutz, M., Goksch, A.: Higher-order hybrid Monte-Carlo algorithms. *Phys. Rev. Lett.* **63**, 9–12 (1989)
- Dama, J.F., Sinitskiy, A.V., McCullagh, M., Weare, J., Roux, B., Dinner, A.R., Voth, G.A.: *J. Chem. Theory Comput.* **9**, 2466 (2013)
- Darden, T., York, D., Perderson, L.: Particle-mesh Ewald: an $n \log n$ method for Ewald sums in large systems. *J. Chem. Phys.* **98**, 10089–10092 (1993)

- Darden, T.A., Perera, L., Li, L., Pedersen, L.: New tricks for modellers from the crystallography toolkit: the particle mesh Ewald algorithm and its use in nucleic acid simulations. *Struct. Folding Des.* **7**, R55–R60 (1999)
- de Oliveira, P.M.C.: Broad histogram simulation: microcanonical ising dynamics. *Int. J. Mod. Phys. C* **9**, 497–503 (1998)
- de Oliveira, P.M.C., Penna, T.J.P., Herrmann, H.J.: Broad histogram method. *Braz. J. Phys.* **26**, 677 (1996)
- Debye, P., Hückel, E.: Zur theorie der elektrolyte. *Phys. Zeitschr.* **24**, 185–206 (1923)
- Decherchi, S., Berteotti, A., Bottegoni, G., Rocchia, W., Cavalli, A.: The ligand binding mechanism to purine nucleoside phosphorylase elucidated via molecular dynamics and machine learning. *Nat. Commun.* **6**(6155), 1–10 (2015)
- Derjaguin, B., Landau, L.: A theory of the stability of strongly charged lyophobic solid and the coalescence of strongly charged particles in electrolytic solution. *Acta Phys. Chim. USSR* **14**, 633–662 (1941)
- Derreumaux, P., Schlick, T.: Long-time integration for peptides by the dynamics driver approach. *Proteins Struct. Funct. Genet.* **21**, 282–302 (1995)
- Deserno, M., Holm, C.: How to mesh up Ewald sums. I A theoretical and numerical comparison of various particle mesh routines. *J. Chem. Phys.* **109**, 7678–7693 (1998a)
- Deserno, M., Holm, C.: How to mesh up Ewald sums. II An accurate error estimate for the particle-particle-particle-mesh algorithm. *J. Chem. Phys.* **109**, 7694–7701 (1998b)
- Ding, H., Karasawa, N., Goddard III, W.A.: The reduced cell multipole method for Coulomb interactions in periodic systems with million-atom unit cell. *Chem. Phys. Lett.* **196**, 6–10 (1992)
- Dinner, A.R., Karplus, M.: A metastable state in folding simulations of a protein model. *Nat. Struct. Biol.* **5**, 236–241 (1998)
- Doniach, S., Eastman, P.: Protein dynamics simulations from nanoseconds to microseconds. *Curr. Opin. Struct. Biol.* **9**, 157–163 (1999)
- Dror, R.O., Arlow, D.H., Maragakis, P., Mildorf, T.J., Pan, A.C., Xu, H., Borhani, D.W.: Activation mechanism of the β_2 -adrenergic receptor. *Proc. Natl. Acad. Sci. USA* **108**, 18684–18689 (2011)
- Earl, D.J., Deem, M.W.: Parallel tempering: theory, applications, and new perspectives. *Phys. Chem. Chem. Phys.* **7**, 3910 (2005)
- Edberg, R., Evans, D.J., Moriss, G.P.: Constrained molecular dynamics: simulations of liquid alkanes with a new algorithm. *J. Chem. Phys.* **84**(12), 6933 (1986)
- Edelsbrunner, H., Harer, J.: *Computational Topology: An Introduction*. Amer. Math. Soc., (2010)
- Einstein, A.: *Investigations on the Theory of the Brownian Movement*. (Edited by Fürth), Methuen and Co. Ltd., London (1926)
- Eisenberg, D., McLachlan, A.D.: Solvation energy in protein folding and binding. *Nature* **319**, 199–203 (1986)
- Ernst, J.A., Clubb, R.T., Zhou, H.Z., Gronenborn, A.M., Clore, G.M.: Demonstration of positionally disordered water within a protein hydrophobic cavity by NMR. *Science* **267**, 1813–1816 (1995)
- Escobedo, F.A., Martinez-Veracoechea, F.J.: Optimized expanded ensembles for simulations involving molecular insertions and deletions. I. Closed systems. *J. Chem. Phys.* **127**, 174103 (2007)
- Evans, D.J., Hoover, W.G., Failor, B.H., Moran, B., Ladd, A.J.C.: Nonequilibrium molecular dynamics via Gauss's principle of least constraint. *Phys. Rev. A* **28**(2), 1016 (1983)
- Ewald, P.: Die Berechnung optischer und elektrostatischer Gitter potenciales. *Annalen der Physik* **64**, 253–287 (1921)
- Faber, F.A., Christensen, A.S., Huang, B., von Lilienfeld, O.A.: Alchemical and structural distribution based representation for universal quantum machine learning. *J. Chem. Phys.* **148**, 241717–12 (2018)
- Falcioni, M., Deem, M.W.: A biased Monte Carlo scheme for zeolite structure solution. *J. Chem. Phys.* **110**(3), 1754 (1999)
- Feynman, R.P.: Simulating physics with computers. *Int. J. Theor. Phys.* **21**, 467–488 (1982)

- Fogolari, F., Briggs, J.M.: On variational approach to the Poisson-Boltzmann free energies. *Chem. Phys. Lett.* **281**, 135–139 (1997)
- Fogolari, F., Zuccato, P., Esposito, G., Viglino, P.: Biomolecular electrostatics with the linearised Poisson-Boltzmann equation. *Biophys. J.* **76**, 1–16 (1999)
- Fogolari, F., Brigo, A., Molinari, H.: The Poisson-Boltzmann equation for biomolecular electrostatics: a tool for structural biology. *J. Mol. Recognit.* **15**, 377–392 (2002)
- Foloppe, N., MacKerell, A.: All-atom empirical force field for nucleic acids: I. Parameter optimization based on small molecule and condensed phase macromolecular target data. *J. Comput. Chem.* **21**, 86–104 (2000)
- Ford, G.W., Kac, M.: On the quantum Langevin equation. *J. Stat. Phys.* **46**, 803–810 (1987)
- Ford, G.W., Lewis, J.T., O'Connell, R.F.: Quantum Langevin equation. *Phys. Rev. A* **37**, 4419 (1988)
- Fowler, R.H., Guggenheimer, E.A.: *Statistical Thermodynamics*. Cambridge University Press, Cambridge (1939)
- Frauenfelder, H., Sligar, S.G., Wolynes, P.G.: The energy landscape and motions of proteins. *Science* **254**, 1598–1603 (1991)
- Frenkel, D., Smit, B.: *Understanding Molecular Simulation from Algorithms to Applications*. Academic, San Diego (2001). ISBN 9780122673511
- Friedrichs, M.S., Eastman, P., Vaidyanathan, V., Houston, M., Legrand, S., Beberg, A.L., Ensign, D.L., Bruns, C.M., Pande, V.S.: Accelerating molecular dynamics simulation on graphics processing units. *J. Comput. Chem.* **30**, 864–872 (2009)
- Fukuda, I., Nakamura, H.: Tsallis dynamics using the Nosé-Hoover approach. *Phys. Rev. E* **65**, 026105 (2002)
- Fukuda, I., Nakamura, H.: Non-Ewald methods: theory and applications to molecular systems. *Biophys. Rev.* **4**, 161–170 (2012)
- Fukunishi, H., Watanabe, O., Takada, S.: On the Hamiltonian replica exchange method for efficient sampling of biomolecular systems: application to protein structure prediction. *J. Chem. Phys.* **116**, 9058–9067 (2002)
- Galicchio, E., Levy, R.M.: AGBNP: an analytic implicit solvent model suitable for molecular dynamics simulations and high-resolution modeling. *J. Comput. Chem.* **25**, 479–499 (2004)
- Galicchio, E., Andrec, M., Felts, A.K., Levy, R.M.: Temperature weighted histogram analysis method, replica exchange, and transition paths. *J. Phys. Chem. B* **109**, 6722–6731 (2005)
- Gallo, P., Rovere, M., Ricci, M.A., Hartnig, C., Spohr, E.: Non-exponential kinetic behaviour of confined water. *Europhys. Lett.* **49**(2), 183 (2000)
- Garcia, A.E.: Large-amplitude nonlinear motions in proteins. *Phys. Rev. Lett.* **68**, 2696 (1992)
- Garcia, A.E., Onuchic, J.N.: Folding a protein in a computer: an atomic description of the folding/unfolding of protein A. *Proc. Natl. Acad. Sci. USA* **100**, 13898–13903 (2003)
- Gastegger, M., Schwiedrzik, L., Bittermann, M., Berzsenyi, F., Marquetand, P.: wACSF-Weighted atom-centered symmetry functions as descriptors in machine learning potentials. *J. Chem. Phys.* **148**, 241709–241711 (2018)
- Gay, J.G., Berne, B.J.: Modification of the overlap potential to mimic a linear site-site potential. *J. Chem. Phys.* **74**, 3316 (1981)
- Geyer, G.J.: Practical Markov chain Monte Carlo. *Stat. Sci.* **7**, 473–483 (1992)
- Gibbs, J.W.: *Elementary Principles in Statistical Mechanics*. Yale University Press, New Haven (1902)
- Gilson, M.K., Honig, B.: The dielectric constant of a folded protein. *Biopolymers* **25**, 2097–2119 (1986)
- Gilson, M.K., Honig, B.H.: Calculation of the total electrostatic energy of a macromolecular system: solvation energies, binding energies, and conformational analysis. *Proteins* **4**, 7–18 (1988)
- Go, N.: A theorem on amplitudes of thermal atomic fluctuations in large molecules assuming specific conformations calculated by normal mode analysis. *Biophys. Chem.* **35**, 105–112 (1990)

- Goh, G.B., Siegel, C., Vishnu, A., Hodas, N., Baker, N.: How much chemistry does a deep neural network need to know to make accurate predictions? In: 2018 IEEE Winter Conference on Applications of Computer Vision (WACV), pp. 1340–1349 (2018)
- Gohlke, H., Thorpe, M.F.: A natural coarse graining for simulating large biomolecular motion. *Biophys. J.* **91**, 2115–2120 (2006)
- Gohlke, H., Kiel, C., Case, D.A.: Insights into protein-protein binding by binding free energy calculation and free energy decomposition for Ras-Raf and Ras-RaIGDS complexes. *J. Mol. Biol.* **330**(4), 891–913 (2003)
- Goldberg, M.E.: The second translation of the genetic message: protein folding and assembly. *TIBS* **10**, 388–391 (1985)
- Goldstein, H.: *Classical Mechanics*, 2nd edn. Addison-Wesley, San Francisco (2002)
- Gopal, S.M., Mukherjee, S., Cheng, Y.M., Feig, M.: PRIMO/PRIMONA: A coarse-grained model for proteins and nucleic acids that preserves near-atomistic accuracy. *Proteins* **78**, 1266–1281 (2010)
- Gourévitch, B., Eggermont, J.: Evaluating information transfer between auditory cortical neurons. *J. Neurophysiol.* **97**, 2533–2543 (2007)
- Gouy, M.: Sur la constitution de la charge électrique a la surface d'un électrolyte. *J. Phys.* **9**, 457–468 (1910)
- Granger, J.: Investigating causal relations by econometric models and crossspectral methods. *Acta Physica Polonica B* **37**, 424–438 (1969)
- Grassberger, P.: Finite sample corrections to entropy and dimension estimates. *Phys. Lett. A* **128**, 369–373 (1988)
- Grassberger, P., Procaccia, I.: Measuring the strangeness of strange attractors. *Physica D* **9**, 189 (1983)
- Greengard, L., Rokhlin, V.: A fast algorithm for particle simulations. *J. Comput. Phys.* **73**, 325–348 (1987)
- Grimme, S.: A general quantum mechanically derived force field (QMDF) for molecules and condensed phase simulations. *J. Chem. Theory Comput.* **10**(10), 4497–4514 (2014)
- Gront, D., Kolinski, A.: Efficient scheme for optimization of parallel tempering Monte Carlo method. *J. Phys. Condens. Matter* **19**, 036225 (2007)
- Gronwall, T.H., La Mer, V.K., Sandved, K.: Über den einfluss der sogenannten höheren glieder in der Debye-Hückelschen theorie der lösungen starker elektrolyte. *Phys. Zeitschr.* **29**, 358–393 (1928)
- Grubmüller, H.: Predicting slow structural transitions in macromolecular systems: conformational flooding. *Phys. Rev. E* **52**, 2893 (1995)
- Grycuk, T.: Deficiency of the Coulomb-field approximation in the generalised Born model: an improved formula for form radii evaluation. *J. Chem. Phys.* **119**, 4817–4826 (2003)
- Hagler, A.T., Lifson, S.: Energy functions for peptides and proteins. II. Amide hydrogen bond and calculation of amide crystal properties. *J. Am. Chem. Soc.* **96**(17), 5327–5335 (1974)
- Hagler, A.T., Huler, E., Lifson, S.: Energy functions for peptides and proteins. I. Derivation of a consistent force field including the hydrogen bond from amide crystals. *J. Am. Chem. Soc.* **96**(17), 5319–5327 (1974)
- Hagler, A.T., Lifson, S., Dauber, P.: Consistent force field studies of intermolecular forces in hydrogen-bonded crystals. 1. Carboxylic acids, amides, and the C:O...H-hydrogen bonds. *J. Am. Chem. Soc.* **101**(18), 5111–5121 (1979a)
- Hagler, A.T., Lifson, S., Dauber, P.: Consistent force field studies of intermolecular forces in hydrogen-bonded crystals. 2. A benchmark for the objective comparison of alternative force fields. *J. Am. Chem. Soc.* **101**(18), 5122–5130 (1979b)
- Hall, L.H., Kier, L.B.: Electropotential state indices for atom types: a novel combination of electronic, topological, and valence state information. *J. Chem. Inf. Comput. Sci.* **35**, 1039–1045 (1995)
- Halle, B., Andersson, T., Forsen, S., Lindman, B.: Protein hydration from water oxygen-17 magnetic relaxation. *J. Am. Chem. Soc.* **103**, 500–508 (1981)

- Hänggi, P., Ingold, G.-L.: Fundamental aspects of quantum Brownian motion. *Chaos* **15**, 026105–1 (2005)
- Hansen, J.P., McDonald, I.R.: *Theory of Simple Liquids*. Academic Press, London (1986)
- Hansmann, U.H.E., Okamoto, Y.: Generalized-ensemble Monte Carlo method for systems with rough energy landscape. *Phys. Rev. E* **56**(2), 2228–2233 (1997)
- Hansmann, U.H.E., Okamoto, Y.: *Annual Reviews in Computational Physics VI*. World Scientific, Singapore (1999)
- Hansmann, U.H.E., Okamoto, Y., Eisenmenger, F.: Molecular dynamics, Langevin and hybrid Monte Carlo simulations in a multicanonical ensemble. *Chem. Phys. Lett.* **259**, 321–330 (1996)
- Hardy, D.J., Stone, J.E., Vandivort, K.L., Gohara, D., Rodrigues, C., Schulten, K.: Fast molecular electrostatics algorithms on GPUs. In: Wen mei Hwu, W. (ed.) *GPU Computing Gems*, pp. 43–58. Morgan Kaufmann Publishers, San Francisco (2011)
- Hastie, T., Tibshirani, R., Friedman, J.: *The Elements of Statistical Learning*, 2 edn. Springer, New York (2009)
- Hawkins, G.D., Cramer, C.J., Truhlar, D.G.: Pairwise solute descreening of solute charges from a dielectric medium. *Chem. Phys. Lett.* **246**, 122–129 (1995)
- Hawkins, G.D., Cramer, C.J., Truhlar, D.G.: Parametrized models of aqueous free energies of solvation based on pairwise descreening of solute atomic charges from a dielectric medium. *J. Phys. Chem.* **100**, 19824–19839 (1996)
- Herr, J.E., Yao, K., McIntyre, R., Toth, D.W., Parkhill, J.: Metadynamics for training neural network model chemistries: a competitive assessment. *J. Chem. Phys.* **148**, 241710–9 (2018)
- Hirata, F., Rossky, P.J.: An extended RISM equation for molecular polar fluids. *Chem. Phys. Lett.* **83**, 329–334 (1981)
- Hockney, R., Eastwood, J.: *Computer simulation using particles*. McGraw-Hill, New York (1981)
- Hockney, R.W., Eastwood, J.W.: *Computer Simulation Using Particles*. Adam Hilger, Bristol (1988)
- Hoover, W.G.: Canonical dynamics: equilibrium phase-space distributions. *Phys. Rev. A* **31**, 1695–1697 (1985a)
- Hoover, W.G.: *Computational Statistical Mechanics*, 1st edn. Elsevier Science, Burlington (1991)
- Hoover, W.G., Ree, F.H.: Melting transition and communal entropy for hard spheres. *J. Chem. Phys.* **49**, 3609 (1968)
- Hoover, W.G.: Canonical dynamics: equilibrium phase-space distributions. *Phys. Rev. A* **31**, 1695 (1985b)
- Hu, M., Strachan, J.P., Li, Z., Grafals, E.M., Davila, N., Graves, C., Lam, S., Ge, N., Yang, J.J., Williams, R.S.: Dot-product engine for neuromorphic computing: programming 1t1m crossbar to accelerate matrix-vector multiplication. In: *Proceedings of the 53rd annual design automation conference*, p. 19 (2016)
- Hukushima, K., Nemoto, K.: Exchange Monte Carlo method and application to spin glass simulations. *J. Phys. Soc. Jpn.* **65**, 1604–1608 (1996)
- Humphrey, W., Dalke, A., Schulten, K.: VMD – Visual molecular dynamics. *J. Mol. Graph.* **14**, 33–38 (1996)
- Hünenberger, P.H., van Gunsteren, W.F.: *Computer Simulation of Biomolecular Systems, Theoretical and Experimental Applications*. Kluwer, Dordrecht (1997)
- Ichiye, T., Karplus, M.: Collective motions in proteins: a covariance analysis of atomic fluctuations in molecular-dynamics and normal mode simulations. *Proteins* **11**, 205–217 (1991)
- Irbäck, A., Sjunnesson, F., Wallin, S.: Hydrogen bonds, hydrophobicity forces and the character of the collapse transition. *Proc. Natl. Acad. Sci. U.S.A.* **97**, 13614 (2000)
- Islam, M.A.: Einstein - Smoluchowski diffusion equation: A discussion. *Physica Scripta.* **70**, 120 (2004)
- Izaguirre, J.A., Catarello, D.P., Wozniak, J.M., Skeel, R.D.: Langevin stabilization of molecular dynamics. *J. Chem. Phys.* **114**(5), 2090–2098 (2001)
- Jackson, J.D.: *Classical Electrodynamics*. Wiley, New York (1962)
- Jain, M.K.: *Introduction to Biological Membranes*. Wiley-Interscience, New York (1988)

- Janežic, D., Brooks, B.B.: Harmonic analysis of large systems: II. Comparison of different protein models. *J. Comput. Chem.* **16**, 1543–1553 (1995)
- Jang, S., Voth, G.A.: Simple reversible molecular dynamics algorithms for Nosé-Hoover chain dynamics. *J. Chem. Phys.* **107**(22), 9514–9526 (1997)
- Jang, S., Shin, S., Pak, Y.: Replica-exchange method using the generalized effective potential. *Phys. Rev. Lett.* **91**, 058305 (2003)
- Jang, S., Kim, E., Pak, Y.: All-atom level direct folding simulation of $\beta\beta\alpha$ miniprotein. *J. Chem. Phys.* **128**, 105102 (2008)
- Ji, J., Pettitt, B.M.: Phase transitions of water at constant excess chemical potential. An application of grand molecular dynamics. *Mol. Phys.* **82**, 67–83 (1994)
- Ji, J., Cagin, T., Pettitt, B.M.: Dynamic simulations of water at constant chemical potential. *J. Chem. Phys.* **96**, 1333 (1992)
- Joe, H.: Relative entropy measures of multivariate dependence. *J. Am. Statist. Assoc.* **84**, 157–164 (1989)
- Jorgensen, W.L., Tirado-Rives, J.: The OPLS potential functions for proteins – energy minimizations for crystals of cyclic-peptides and crambin. *J. Am. Chem. Soc.* **110**, 1666–1671 (1988)
- Kamath, A., Vargas-Hernández, R.A., Krems, R.V., Carrington, T. Jr., Manzhos, S.: Neural networks vs Gaussian process regression for representing potential energy surface: a comparative study of fit quality and vibrational spectrum accuracy. *J. Chem. Phys.* **148**, 241702–7 (2018)
- Kamberaj, H.: A theoretical model for the collective motion of proteins by means of principal component analysis. *Cent. Eur. J. Phys.* **9**(1), 96–109 (2011)
- Kamberaj, H.: Conformational sampling enhancement of replica exchange molecular dynamics simulations using swarm particle intelligence. *J. Chem. Phys.* **143**, 124105–8 (2015)
- Kamberaj, H.: Sampling Convergence of collective motions in proteins. *J. Appl. Phys. Sci. Int.* **8**(3), 101–112 (2017)
- Kamberaj, H.: Faster protein folding using enhanced conformational sampling of molecular dynamics simulation. *J. Mol. Graph. Model.* **81**, 32–49 (2018)
- Kamberaj, H.: Advanced methods used in molecular dynamics simulation of macromolecules. In: Kale, S.A. (ed.) *Mechanical Design, Materials and Manufacturing*, pp. 57–134. Nova Science Publishers, Inc., New York (2019)
- Kamberaj, H., van der Vaart, A.: Extracting the causality of correlated motions from molecular dynamics simulations. *Biophys. J.* **97**, 1747–1755 (2009a)
- Kamberaj, H., van der Vaart, A.: Extracting the causality of correlated motions from molecular dynamic simulations. *Biophys. J.* **97**, 1747–1755 (2009b)
- Kamberaj, H., van der Vaart, A.: Multiple scaling replica exchange for the conformational sampling of biomolecules in explicit water. *J. Chem. Phys.* **127**, 234102–234109 (2007)
- Kamberaj, H., van der Vaart, A.: An optimised replica exchange method for molecular dynamics simulations. *J. Chem. Phys.* **130**, 074904 (2009)
- Kamberaj, H., Low, R.J., Neal, M.P.: Time reversible and symplectic integrators for molecular dynamics simulations of rigid molecules. *J. Chem. Phys.* **122**(22), 224114 (2005)
- Karhunen, K.: Über lineare Methoden in der Wahrscheinlichkeitsrechnung. *Ann. Acad. Sci. Fenn. Ser. A1*, **37**, 1–79 (1947)
- Karolak, A., van der Vaart, A.: Importance of local interactions for the stability of inhibitory helix 1 of Ets-1 in the apo state. *Biophys. Chem.* **165–166**(3), 74–78 (2012)
- Karplus, M., Jushick, J.N.: Method for estimating the configurational entropy of macromolecules. *Macromolecules* **14**, 325–332 (1981)
- Karplus, M., Kuriyan, J.: Molecular dynamics and protein function. *Proc. Natl. Acad. Sci. USA* **102**(19), 6679–6685 (2005)
- Karplus, M., McCammon, J.A.: Molecular dynamics simulations of biomolecules. *Nat. Struct. Biol.* **9**(9), 646–652 (2002); With corrigenda in *Nat. Struct. Biol.* **9**(10), 788 (2002)
- Katchalski, A.: Polyelectrolytes. *Pure Appl. Chem.* **26**, 327–371 (1971)
- Katzgraber, H.G., Trebst, S., Huse, D.A., Troyer, M.: Feedback-optimized parallel tempering Monte Carlo. *J. Stat. Mech.* **2006**(3), P03018 (2006)

- Kennel, M.B., Brown, R., Abarbanel, H.D.I.: Determining embedding dimension for phase-space reconstruction using a geometrical construction. *Phys. Rev. A* **45**, 3403–3411 (1992)
- Kim, J., Straub, J.E.: Optimal replica exchange method combined with Tsallis weight sampling. *J. Chem. Phys.* **130**, 144114–11 (2009)
- Kirkwood, J.G.: On the theory of strong electrolyte solutions. *J. Chem. Phys.* **2**, 767–781 (1934a)
- Kirkwood, J.G.: Theory of solutions of molecules containing widely separated charges with special applications to zwitterions. *J. Chem. Phys.* **7**, 351–361 (1934b)
- Kitao, A., Hirata, F., Go, N.: The effect of solvent on the conformation and the collective motions of protein: normal mode analysis and molecular dynamics simulations of Melittin in water and in vacuum. *Chem. Phys.* **158**, 447–472 (1991)
- Klimov, D.K., Thirumalai, D.: Viscosity dependence of the folding rates of proteins. *Phys. Rev. Lett.* **79**, 317–320 (1997)
- Kollman, P.A.: Free energy calculations: applications to chemical and biochemical phenomena. *Chem. Rev.* **93**, 2395–2418 (1993)
- Kollman, P.A., Massova, I., Reyes, C., Kuhn, B., Huo, S.H., Chong, L., Lee, M., Lee, T., Duan, Y., Wang, W., Donini, O., Cieplak, P., Srinivasan, J., Case, D.A., Cheatham, T.E.: Calculating structures and free energies of complex molecules: combining molecular mechanics and continuum models. *Accounts Chem. Res.* **33**(12), 889–897 (2000)
- Kone, A., Kofke, D.A.: Selection of temperature intervals for parallel-tempering simulations. *J. Chem. Phys.* **122**, 206101 (2005)
- Kraskov, A., Stögbauer, H., Grassberger, P.: Estimating mutual information. *Phys. Rev. E* **69**(6), 066138 (2004)
- Kullback, S.: *Information Theory and Statistics*. Wiley, New York (1959)
- Kullback, S.: The Kullback-Leibler distance. *Am. Stat.* **41**, 340–341 (1987)
- Kullback, S., Leibler, R.A.: On information and sufficiency. *Ann. Math. Stat.* **22**, 79–86 (1951)
- Lange, O.F., Grubmüller, H.: Can principal components yield a dimension reduced description of protein dynamics on long time scales? *J. Phys. Chem. B* **110**, 22842–22852 (2006)
- Lange, O.F., Schäfer, L.V., Grubmüller, H.: Flooding in GROMACS: accelerated barrier crossing in molecular dynamics. *J. Comput. Chem.* **27**(14), 1693–1702 (2006)
- Lazaridis, T.: Inhomogeneous fluid approach to solvation thermodynamics 2. Application to simple fluid. *J. Phys. Chem.* **102**, 3542–3550 (1998a)
- Lazaridis, T.: Inhomogeneous fluid approach to solvation thermodynamics 1. Theory. *J. Phys. Chem.* **102**, 3531–3541 (1998b)
- Lazaridis, T.: Solvent reorganisation energy and entropy in hydrophobic hydration. *J. Phys. Chem. B* **104**, 4964–4979 (2000)
- Lazaridis, T.: Solvent size versus cohesive energy density as the origin of hydrophobicity. *Acc. Chem. Res.* **34**, 931–937 (2001)
- Lazaridis, T., Karplus, M.: Effective energy function for proteins in solution. *Proteins* **35**, 133–152 (1999)
- Lazaridis, T., Karplus, M.: Thermodynamics of protein folding: a microscopic view. *Biophys. Chem.* **100**, 367–395 (2003)
- Lazaridis, T., Paulaitis, M.E.: Entropy of hydrophobic hydration: a new statistical mechanical formulation. *J. Phys. Chem.* **96**, 3847–3855 (1992)
- Lazaridis, T., Paulaitis, M.E.: Simulation studies of the hydration entropy of simple hydrophobic solutes. *J. Phys. Chem.* **98**, 635–642 (1994)
- Leach, A.R.: *Molecular Modelling. Principles and Applications*, 2nd edn. Pearson Education Limited, Edingburgh Gate/Prentice Hall (2001)
- Lee, B., Richards, F.M.: The interpretation of protein structures: estimation of static accessibility. *J. Mol. Biol.* **55**, 379–400 (1971)
- Lee, J., Bahri, Y., Novak, R., Schoenholz, S.S., Pennington, J., Sohl-Dickstein, J.: Deep neural networks as gaussian processes. In: *Conference Proceedings in ICLR*, pp. 1–8 (2018)
- Lee, M.S., Salsbury, F.R. Jr., Brooks III, C.L.: Novel generalized Born methods. *J. Chem. Phys.* **116**, 10606–10614 (2002)

- Lehrman, M., Rechester, A.B., White, R.B.: Symbolic analysis of chaotic signals and turbulent fluctuations. *Phys. Rev. Lett* **78**, 54–57 (1997)
- Leimkuhler, B.J., Reich, S.: *Geometric Numerical Methods for Hamiltonian Mechanics*. Cambridge University Press, Cambridge (2004)
- Levitt, M., Sander, C., Stern, P.S.: Protein normal-mode dynamics: trypsin inhibitor, crambin, ribonuclease and lysozyme. *J. Mol. Biol.* **181**, 423–447 (1985)
- Levy, R.M., Zhang, L.Y., Gallicchio, E., Felts, A.K.: On the nonpolar hydration free energy of proteins: surface area and continuum solvent models for the solute-solvent interaction energy. *J. Am. Chem. Soc.* **125**, 9523–9530 (2003)
- Li, X., O'Brien, C.P., Collier, G., Vellore, N.A., Wang, F., Latour, R.A.: An improved replica-exchange sampling method: temperature intervals with global energy reassignment. *J. Chem. Phys.* **127**, 164116 (2007)
- Liang, X.S.: The Liang-Kleeman information flow: theory and applications. *Entropy* **15**, 327–360 (2013)
- Liang, X.S., Kleeman, R.: Information transfer between dynamical system components. *Phys. Rev. Lett.* **95**, 244101 (2005)
- Lifson, S., Katchalski, A.: The electrostatic free energy of polyelectrolyte solutions. *J. Polym. Sci.* **13**, 43–55 (1954)
- Lifson, S., Warshel, A.: Consistent force field for calculations of conformations, vibrational spectra, and enthalpies of cycloalkane and *n*-alkane molecules. *J. Chem. Phys.* **49**, 5116–5129 (1968)
- Linderstrom-Lang, K.: On the ionisation of proteins. *Compt. Rend. Trav. Lab. Carlsberg* **15**, 1–29 (1924)
- Liu, P., Kim, B., Friesner, R.A., Berne, B.J.: Replica exchange with solute tempering: a method for sampling biological systems in explicit water. *Proc. Natl. Acad. Sci. USA* **103**(39), 13749–13754 (2005)
- Liu, Y., Tuckerman, M.E.: Generalized Gaussian moment thermostating: a new continuous dynamical approach to the canonical ensemble. *J. Chem. Phys.* **112**(4), 1685 (2000)
- Lo, C., Palmer, B.J.: Alternative Hamiltonian for molecular dynamics simulations in the grand canonical ensemble. *J. Chem. Phys.* **102**, 925 (1995)
- Loncharich, R.J., Brooks, B.R., Pastor, R.W.: Langevin dynamics of peptides: the frictional dependence of isomerization rates of N-acetylalanine-N' – methylamide. *Biopolymers* **32**, 523–535 (1992)
- London, F.: Zur Theorie und Systematik der Molekularkräfte. *Zeitschrift für Physik* **63**, 245–279 (1930)
- Lubbers, N., Smith, J.S., Barros, K.: Hierarchical modeling of molecular energies using a deep neural network. *J. Chem. Phys.* **148**, 241715–8 (2018)
- Luo, R., Moul, J., Gilson, M.K.: Dielectric screening treatment of electrostatic solvation. *J. Phys. Chem. B* **101**, 11216–11236 (1997)
- Luty, B.A., David, M.E., Tironi, I.G., van Gunsteren, W.F.: A comparison of particle-particle, particle-mesh and Ewald methods for calculating electrostatic interactions in periodic molecular systems. *Mol. Simul.* **14**, 11–20 (1994)
- Luty, B.A., Tironi, I.G., van Gunsteren, W.F.: Lattice-sum methods for calculating electrostatic interactions in molecular simulations. *J. Chem. Phys.* **103**, 3014–3021 (1995)
- Lynch, G.C., Pettitt, B.M.: Grand canonical ensemble molecular dynamics simulations: reformulation of extended system dynamics approaches. *J. Chem. Phys.* **107**, 8594 (1997)
- Ma, Q., Izaguirre, J.A.: Targeted mollified impulse: a multi scale stochastic integrator for long molecular dynamics simulations. *Multiscale Model. Simul.* **2**(1), 1–21 (2003)
- Ma, Q., Izaguirre, J.A., Skeel, R.D.: Verlet-I/r-RESPA/Impulse is limited by nonlinear instabilities. *SIAM J. Sci. Comput.* **24**, 1951–1973 (2003)
- Maciejczyk, M., Spasic, A., Liwo, A., Scheraga, H.A.: Coarse grained model of nucleic acid bases. *J. Comput. Chem.* **31**, 1644 (2010)

- MacKerell, A., Banavali, N.: All-atom empirical force field for nucleic acids: II. Parameter optimization based on small molecule and condensed phase macromolecular target data. *J. Comput. Chem.* **21**, 105–120 (2000)
- MacKerell, A.D., Bashford, D., Bellott, M., Dunbrack, R.L. Jr., Evanseck, J.D., Field, M.J., Fischer, S., Al Gao, J., Guo, H., Ha, S., McCarthy, D.J., Kuchnir, L., Kuczera, K., Lau, F.T.K., Mattos, C., Michnick, S., Ngo, T., Nguyen, D.T., Prodhom, B., Reiher, W.E., Toux, B., Schlenkrich, M., Smith, J.C., Stote, R., Straub, J., Watanabe, M., Kuczera, J.W., Yin, D., Karplus, M.: All atom empirical potential for molecular modelling and dynamics studies of protein. *J. Phys. Chem. B* **102**, 3586–3616 (1998)
- MacKerell, A.D. Jr., Feig, M., Brooks III, C.L.: Extending the treatment of backbone energetics in protein force fields: limitations of gas-phase quantum mechanics in reproducing protein conformational distributions in molecular dynamics simulations. *J. Comput. Chem.* **25**, 1400–1415 (2004)
- Majeux, N., Scarsi, M., Apostolakis, J., Ehrhardt, C., Caffisch, A.: Exhaustive docking of molecular fragments with electrostatic solvation. *Proteins* **37**, 88–105 (1999)
- Mamuye, A.L., Rucco, M., Tesei, L., Merelli, E.: Persistent homology analysis of RNA. *Mol. Based Math. Biol.* **4**, 14–25 (2016)
- Manning, G.S.: The molecular theory of polyelectrolyte solutions with applications to the electrostatic properties of polynucleotides. *Q. Rev. Biophys.* **11**, 179–246 (1978)
- Marcus, R.A.: Calculation of thermodynamic properties of polyelectrolytes. *J. Chem. Phys.* **23**, 1057–1068 (1955)
- Martyna, G.J., Tobias, D.J., Klein, M.L.: Constant pressure molecular dynamics algorithms. *J. Chem. Phys.* **101**(5), 4177–4189 (1994)
- Martyna, G.J., Tuckerman, M., Tobias, D.J., Klein, M.L.: Explicit reversible integrators for extended systems dynamics. *Mol. Phys.* **87**(5), 1117–1157 (1996)
- Massova, I., Kollman, P.A.: Combined molecular mechanical and continuum solvent approach (MM-PBSA/GBSA) to predict ligand binding. *Persp. Drug Disc. Des.* **18**, 113–135 (2000)
- Matubayasi, N., Reed, L.H., Levy, R.M.: Thermodynamics of the hydration shell I. Excess energy of a hydrophobic solute. *J. Phys. Chem.* **98**, 10640–10649 (1994)
- McCammon, J.A., Northrup, S.H., Karplus, M., Levy, R.M.: Helixcoil transitions in a simple polypeptide model. *Biopolymers* **19**, 2033–2045 (1980)
- McCulloch, W.S., Pitts, W.H.: A logical calculus of the ideas immanent in neural nets. *Bull. Math. Biophys.* **5**, 115–133 (1943)
- McQuarrie, D.A.: *Statistical Mechanics*. Harper & Row, New York (1976)
- McQuarrie, D.A.: *Statistical Mechanics*, 2nd edn. University Science Books, Sausalito (2000)
- Mehler, E.L.: The Lorentz-Debye-Sack theory and dielectric screening of electrostatic effects in proteins and nucleic acids. In: Murray, J.S., Sen, K. (eds.) *Molecular Electrostatic Potential: Concepts and Applications*, vol. 3, pp. 371–405. Elsevier Science, Amsterdam (1996)
- Mehler, E.L., Guarnieri, F.: A self-consistent, micro-environment modulated screened Coulomb potential approximation to calculate pH-dependent electrostatic effects in proteins. *Biophys. J.* **77**, 3–22 (1999)
- Melchionna, S., Ciccotti, G., Holian, B.L.: *Mol. Phys.* **78**, 533 (1993)
- Metz, M.P., Piszczatowski, K., Szalewicz, K.: Automatic generation of intermolecular potential energy surfaces. *J. Chem. Theory Comput.* **12**(12), 5895–5919 (2016)
- Minary, P., Tuckerman, M.E., Martyna, G.J.: Long time molecular dynamics for enhanced conformational sampling in biomolecular systems. *Phys. Rev. Lett.* **93**, (150201-4) (2004)
- Misquitta, A.J., Podeszwa, R., Jeziorski, B., Szalewicz, K.: Intermolecular potentials based on symmetry-adapted perturbation theory with dispersion energies from time-dependent density-functional calculations. *J. Chem. Phys.* **123**(21), 214103 (2005)
- Misra, V.K., Sharp, K.A., Friedman, R.A., Honig, B.: Salt effects on ligand-DNA binding. Minor groove antibiotics. *J. Mol. Biol.* **238**, 245–263 (1994)
- Mobley, D.L., Bannan, C.C., Rizzi, A., Bayly, C.I., Chodera, J.D., Lim, V.T., Lim, N.M., Beauchamp, K.A., Shirts, M.R., Gilson, M.K., Eastman, P.K.: Open force field consortium:

- escaping atom types using direct chemical perception with SMIRNOFF. *BioRxiv*, Mar 21 (2018)
- Mokshin, A.V., Yulmetyev, R.M., Hänggi, P.: Diffusion processes and memory effects. *New J. Phys.*, **7**:9 (2005)
- Moon, Y.L., Rajagopalam, B., Lall, U.: Estimation of mutual information using kernel density estimators. *Phys. Rev. E* **52**, 2318 (1995)
- Murtola, T., Karttunen, M., Vattulainen, I.: Systematic coarse graining from structure using internal states: application to phospholipid/ cholesterol bilayer. *J. Chem. Phys.* **131**, 055101 (2009)
- Nadler, W., Hansmann, U.H.E.: Generalized ensemble and tempering simulations: a unified view. *Phys. Rev. E* **75**, 026109 (2007)
- Nakajima, N., Nakamura, H., Kidera, A.: Multicanonical ensemble generated by molecular dynamics simulation for enhanced conformational sampling of peptides. *J. Phys. Chem. B* **101**, 817–824 (1997)
- Neal, R.M.: Sampling from multimodal distributions using tempered transitions. *Stat. Comput.* **6**(4), 353–366 (1996)
- Nemethy, G., Scheraga, H.A.: The structure of water and hydrophobic bonding in proteins. III. The thermodynamic properties of hydrophobic bonds in proteins. *J. Phys. Chem.* **66**, 1773–1789 (1962)
- Noakes, L.: The Takens embedding theorem. *Int. J. Bifurcation Chaos Appl. Sci. Eng.* **1**, 867–872 (1991)
- Nosé, S.: A molecular dynamics method for simulation in the canonical ensemble. *Mol. Phys.* **52**, 255 (1984a)
- Nosé, S.: A unified formulation of the constant temperature molecular dynamics methods. *J. Chem. Phys.* **81**, 511–519 (1984b)
- Nosé, S.: A molecular dynamics method for simulation in the canonical ensemble. *Mol. Phys.* **52**, 255 (1984c)
- Nosé, S.: Constant temperature molecular dynamics methods. *Prog. Theor. Phys. Supp.* **103**, 1–46 (1991)
- Nosé, S., Klein, M.L.: Constant pressure molecular dynamics for molecular systems. *Mol. Phys.* **50**, 1055–1076 (1983)
- Nozaki, Y., Tanford, C.: Examination of titration behaviour. *Meth. Enzymol.* **11**, 715–734 (1967)
- Okamoto, Y., Hansmann, U.H.E.: Thermodynamics of helix-coil transitions studied by multicanonical algorithms. *J. Phys. Chem.* **99**, 11276–11287 (1995)
- Okur, A., Wickstrom, L., Layten, M., Geney, R., Song, K., Hornak, V., Simmerling, C.J.: Improved efficiency of replica exchange simulations through use of hybrid explicit/implicit salvation model. *J. Chem. Theory Comput.* **2**, 420–433 (2006)
- Oldziej, S., Liwo, A., Czaplewski, C., Pillardy, J., Scheraga, H.A.: Optimization of the UNRES force field by hierarchical design of the potential-energy landscape. 2. Off-lattice tests of the method with single proteins. *J. Phys. Chem. B* **108**, 16934–16949 (2004)
- Onsager, L.: Theories of concentrated electrolytes. *Chem. Rev.* **13**, 73–89 (1933)
- Ooi, T., Oobatake, M., Nemethy, G., Scheraga, H.A.: Accessible surface area as a measure of the thermodynamic parameters of hydration of peptides. *Proc. Natl. Acad. Sci. USA* **84**, 3086–3090 (1987)
- Otting, G., Liepinsh, E., Wüthrich, K.: Protein hydration in aqueous solution. *Science* **254**, 974–980 (1991)
- Paass, G.: Assessing and improving neural network predictions by the bootstrap algorithm. In: Hanson, S.J., Cowan, J.D., Giles, C.L. (eds.) *Advances in Neural Information Processing Systems*, vol. 5, pp. 196–203. Morgan-Kaufmann, San Francisco (1993)
- Packard, N.H., Crutchfield, J.P., Farmer, J.D., Shaw, R.S.: Geometry from a time series. *Phys. Rev. Lett.* **45**(9), 712–716 (1980)
- Pak, Y., Wang, S.: Folding of a 16-residue helical peptide using molecular dynamics simulation with Tsallis effective potential. *J. Chem. Phys.* **111**, 4359 (1999)

- Pak, Y., Wang, S.: Application of a molecular dynamics simulation method with a generalized effective potential to the flexible molecular docking problems. *J. Phys. Chem. B* **104**, 354–359 (2000)
- Palmer, B.J., Lo, C.: Molecular dynamics implementation of the Gibbs-Ensemble calculation. *J. Chem. Phys.* **101**, 10899–10907 (1994)
- Palmer, R.: Broken ergodicity. *Adv. Phys.* **32**, 669–735 (1982)
- Park, S., Schulten, K.: Calculating potentials of mean force from steered molecular dynamics simulations. *J. Chem. Phys.* **120**(13), 5946 (2004)
- Pastor, R.W.: Techniques and applications of Langevin dynamics simulations. In: *The Molecular Dynamics of Liquid Crystals*. Kluwer Academic, Dordrecht (1994)
- Pastor, R.W., Brooks, B.R., Szabo, A.: An analysis of the accuracy of Langevin and molecular dynamics algorithms. *Mol. Phys.* **65**, 1409–1419 (1988)
- Pearlman, D.A., Kollman, P.A.: A new method for carrying out free energy perturbation calculations: dynamically modified windows. *J. Chem. Phys.* **90**, 2460–2470 (1989)
- Penna, T.J.P.: Traveling salesman problem and Tsallis statistics. *Phys. Rev. E* **51**, R1 (1995)
- Perez, A., Morrone, J.A., Brini, E., MacCallum, J.L., Dill, K.A.: Blind protein structure prediction using accelerated free-energy simulations. *Sci. Adv.* **2**, e1601274 (2016)
- Petitjean, M.: On the analysis calculation of van der Waals surfaces and volumes: some numerical aspects. *J. Comput. Chem.* **15**, 507–523 (1994)
- Pettitt, B.M., Rossky, P.J.: Alkali halides in water: ion-solvent correlations and ion-ion potentials of mean force at infinity dilution. *J. Chem. Phys.* **84**, 5836–5844 (1986)
- Phillips, J.C., Stone, J.E., Vandivort, K.L., Armstrong, T.G., Wozniak, J.M., Wilde, M., Schulten, K.: Petascale Tcl with NAMD, VMD, and Swift/T. In: *SC'14 Workshop on High Performance Technical Computing in Dynamic Languages*. IEEE Press (2014)
- Piana, S., Klepeis, J.L., Shaw, D.E.: Assessing the accuracy of physical models used in protein-folding simulations: quantitative evidence from long molecular dynamics simulations. *Curr. Opin. Struct. Biol.* **24**, 98–105 (2014)
- Pierotti, R.A.: A scaled particle theory of aqueous and nonaqueous solutions. *Chem. Rev.* **76**, 717–726 (1976)
- Plastino, A.R., Anteneodo, C.: A dynamical thermostatting approach to nonextensive canonical ensembles. *Ann. Phys.* **255**, 250–269 (1997)
- Poole, G.S.: *Classical Mechanics*, 3rd edn. Pearson Education Limited, Edinburgh (2001)
- Posch, H.A., Hoover, W.G., Vesely, F.J.: Dynamics of the Nosé-Hoover oscillator: chaos, order, and stability. *Phys. Rev. A* **33**, 4253 (1986)
- Potestio, R., Pontiggia, F., Micheletti, C.: *Biophys. J.* **96**, 4993 (2009)
- Predescu, C., Predescu, M., Ciobanu, C.: The incomplete beta function law for parallel tempering sampling of classical canonical systems. *J. Chem. Phys.* **120**(9), 4119–4128 (2004)
- Predescu, C., Predescu, M., Ciobanu, C.V.: On the efficiency of exchange in parallel tempering Monte Carlo simulations. *J. Phys. Chem. B* **109**, 4189–4196 (2005)
- Prokopenko, M., Lizier, J.T.: Transfer entropy and transient limits of computation. *Sci. Rep.* **4**, 5394 (2014)
- Prokopenko, M., Lizier, J.T., Price, D.C.: On thermodynamic interpretation of transfer entropy. *Entropy* **15**: 524–543 (2013)
- Qian, N.: On the momentum term in gradient descent learning algorithms. *Neural Netw.* **12**, 145–151 (1999)
- Raedt, H.D., Raedt, B.D.: Applications of the generalized Trotter formula. *Phys. Rev. A* **28**(6), 3575 (1983)
- Rajagopal, G., Needs, R.: An optimized Ewald method for long-ranged potentials. *J. Comput. Phys.* **115**, 399–405 (1994)
- Raschke, T.M., Tsai, J., Levitt, M.: Quantification of the hydrophobic interaction by simulations of the aggregation of small hydrophobic solutes in water. *Proc. Natl. Acad. Sci. USA* **98**, 5965–5969 (2001)
- Rasmussen, C.E., Williams, C.K.: *Gaussian Processes for Machine Learning*, vol. 1. MIT Press, Cambridge (2006)

- Rathore, N., Chopra, M., de Pablo, J.J.: Optimal allocation of replicas in parallel tempering simulations. *J. Chem. Phys.* **122**, 024111 (2005)
- Rechester, A.B., White, R.B.: Symbolic kinetic equations for a chaotic attractor. *Phys. Lett. A* **156**, 419–424 (1991a)
- Rechester, A.B., White, R.B.: Symbolic kinetic analysis of two-dimensional maps. *Phys. Lett. A* **158**, 51–56 (1991b)
- Reiner, E.S., Radke, C.J.: Variational approach to the electrostatic free energy in charged colloidal suspensions: general theory for open systems. *J. Chem. Soc. Faraday Trans.* **86**, 3901–3912 (1990)
- Reiss, H.: Scaled particle methods in the statistical thermodynamics of fluids. *Adv. Chem. Phys.* **9**, 1–84 (1965)
- Richards, F.M.: Areas, volumes, packing, and protein structure. *Annu. Rev. Biophys. Bioeng.* **6**, 151–176 (1977)
- Richards, F.M.: Optical matching of physical models and electron density maps: early developments. *Methods Enzymol.* **115**, 145–154 (1985)
- Rogal, J., Bolhuis, P.G.: Multiple state transition path sampling. *J. Chem. Phys.* **129**, 224107 (2008)
- Rogers, D., Hahn, M.: Extended-connectivity fingerprints. *J. Chem. Inf. Model.* **50**, 742–754 (2010)
- Rotkiewicz, P., Skolnick, J.: Fast procedure for reconstruction of full-atom protein models from reduced representations. *J. Comput. Chem.* **29**, 1460–1465 (2008)
- Roux, B., Simonson, T.: The implicit solvent models. *Biophys. Chem.* **78**, 1–20 (1999)
- Rupp, M., Tkatchenko, A., Müller, K.R., von Lilienfeld, O.A.: Fast and accurate modeling of molecular atomization energies with machine learning. *Phys. Rev. Lett.* **108**, 058301 (2012)
- Ryckaert, J.P., Ciccotti, G., Berendsen, H.J.C.: Numerical integration of the Cartesian equations of motion of a system with constraints: molecular dynamics of n-alkanes. *J. Comput. Phys.* **23**, 327–341 (1977)
- Sabo, D., Meuwly, M., Freeman, D.L., Doll, J.D.: A constant entropy increase model for the selection of parallel tempering ensembles. *J. Chem. Phys.* **128**, 174109 (2008)
- Sanz-Serna, J.M., Calvo, M.P.: Numerical Hamiltonian Problems. Chapman and Hall, New York (1995)
- Sauer, T., Yorke, J.A., Casdagli, M.: Embedology. *J. Stat. Phys.* **65**, 579–616 (1991)
- Scarpazza, D.P., Ierardi, D.J., Lerer, A.K., Mackenzie, K.M., Pan, A.C., Bank, J.A., Chow, E., Dror, R.O., Grossman, J.P., Killebrew, D., Moraes, M.A., Predescu, C., Salmon, J.K., Shaw, D.E.: Extending the generality of molecular dynamics simulations on a special-purpose machine. In: Proceedings of the 27th IEEE International Parallel and Distributed processing Symposium, pp. 933–945. IEEE Computer Society, Boston (2013)
- Schaefer, M., Froemmel, C.: A precise analytical method for calculating the electrostatic energy of macromolecules in aqueous solution. *J. Mol. Biol.* **216**, 1045–1066 (1990)
- Schlick, T.: Mathematical Applications to Biomolecular Structure and Dynamics, IMA Volumes in Mathematics and its Applications, vol. 82. Springer, New York (1996)
- Schlick, T.: Molecular Modeling and Simulation. An Interdisciplinary Guide, 2nd edn. Springer, New York (2010)
- Schlick, T., Mandziuk, M., Skeel, R.D., Srinivas, K.: Nonlinear resonance artefacts in molecular dynamics simulations. *J. Comput. Phys.* **140**(1), 1–29 (1998)
- Schneider, E., Dai, L., Topper, R.Q., Drechsel-Grau, C., Tuckerman, M.E.: Stochastic neural network approach for learning high-dimensional free energy surfaces. *Phys. Rev. Lett.* **119**, 150601 (2017)
- Schreiber, T.: Measuring information transfer. *Phys. Rev. Lett.* **85**, 461–464 (2000)
- Schutz, C.N., Warshel, A.: What are the dielectric “constants” of proteins and how to validate electrostatic models? *Proteins Struct. Funct. Genet.* **44**, 400–417 (2001)
- Seyler, S.L., Beckstein, O.: Sampling large conformational transitions: adenylate kinase as a testing ground. *Mol. Sim.* **40**(10–11), 855–877 (2014)
- Shannon, C.E., Weaver, W.: The Mathematical Theory of Information. University of Illinois Press, Urbana (1949)

- Sharp, K.A., Honig, B.: Calculating total electrostatic energies with non-linear Poisson-Boltzmann equation. *J. Phys. Chem.* **94**, 7684–7692 (1990)
- Sharp, K.A., Nicholis, A., Fine, R.F., Honig, B.: Reconciling the magnitude of the microscopic and macroscopic hydrophobic effects. *Science* **252**, 106–109 (1991)
- Shi, Q., Izvekov, S., Voth, G.A.: Mixed atomistic and coarse-grained molecular dynamics: simulation of membrane-bound ion channel. *J. Phys. Chem. B* **110**, 15045–15048 (2006)
- Shih, A.Y., Arkhipov, A., Freddolino, P.L., Schulten, K.: Coarse grained protein-lipid model with application to lipid-protein particles. *J. Phys. Chem. B* **110**, 3674–3684 (2006)
- Shimada, J., Kaneko, H., Takada, T.: Efficient calculations of coulombic interactions in biomolecular simulations with periodic boundary conditions. *J. Comput. Chem.* **14**, 867–878 (1993)
- Shimada, J., Kaneko, H., Takada, T.: Performance of fast multipole methods for calculating electrostatic interactions in biomacromolecular simulations. *J. Comput. Chem.* **15**, 28–43 (1994)
- Simonson, T.: Accurate calculation of the dielectric constant of water from simulations of a microscopic droplet in vacuum. *Chem. Phys. Lett.* **250**, 450–454 (1996)
- Simonson, T.: Dielectric constant of cytochrome c from simulations in water droplet including all electrostatic interactions. *J. Am. Chem. Soc.* **120**, 4875–4876 (1998)
- Simonson, T.: Macromolecular electrostatics: continuum models and their growing pains. *Curr. Opin. Struct. Biol.* **11**, 243–252 (2001)
- Simonson, T., Brunger, A.T.: Solvation free energies estimated from macroscopic continuum theory: an accuracy assessment. *J. Phys. Chem.* **98**, 4683–4694 (1994)
- Sinitskiy, A.V., Saunders, M.G., Voth, G.A.: Optimal number of coarsegrained sites in different components of large biomolecular complexes. *J. Phys. Chem. B* **116**, 8363–8374 (2012)
- Sitkoff, D., Sharp, K.A., Honig, B.: Accurate calculation of hydration free energies using macroscopic solvent models. *J. Phys. Chem.* **98**, 1978–1988 (1994)
- Skeel, R.D., Zhang, G., Schlick, T.: A family of symplectic integrators: stability, accuracy, and molecular dynamics applications. *SIAM J. Sci. Comput.* **18**(1), 203–222 (1997)
- Smith, A.V., Hall, C.K.: α -helix formation: discontinuous molecular dynamics on an intermediate-resolution protein model *Proteins* **44**, 344–360 (2001a)
- Smith, A.V., Hall, C.K.: Assembly of a tetrameric α -helical bundle: computer simulations on an intermediate-resolution protein model. *Proteins* **44**, 376–391 (2001b)
- Srinivasan, J., Trevathan, M.W., Beroza, P., Case, D.A.: Application of a pairwise generalized Born model to proteins and nucleic acids: inclusion of salt effects. *Theor. Chem. Acc.* **101**, 426–434 (1999)
- Srivastava, N., Hinton, G.E., Krizhevsky, A., Sutskever, I., Salakhutdinov, R.: A simple way to prevent neural networks from overfitting. *J. Mach. Learn. Res.* **15**, 1929–1958 (2014)
- Staniek, M., Lehnertz, K.: Symbolic transfer entropy. *Phys. Rev. Lett.* **100**, 158101 (2008)
- Stepanova, M.: Dynamics of essential collective motions in proteins: theory. *Phys. Rev. E* **76**(5), 051918 (2007)
- Still, W.C., Tempczyk, A., Hawley, R.C., Hendrickson, T.: Semi-analytical treatment of solvation for molecular mechanics and dynamics. *J. Am. Chem. Soc.* **112**, 6127–6129 (1990)
- Stoffer, D.: Variable steps for reversible integration methods. *Computing* **55**, 1–22 (1995)
- Stone, J.E., Hardy, D.J., Israelowitz, B., Schulten, K.: GPU algorithms for molecular modelling. In: Bader, D.A., Kurzak, J. (eds.) *Scientific Computing with Multicore and Accelerators*, pp. 351–371. Chapman & Hall, Boca Raton (2011)
- Stone, J.E., Vandivort, K.L., Schulten, K.: Gpu-accelerated analysis and visualisation on petascale supercomputing platforms. In: *Proceedings of the 8th International Workshop on Ultrascale Visualization*, pp. 6:1–6:8, New York (2013) *UltraVis'13*
- Strang, G.: On the construction and comparison of different schemes. *SIAM J. Numer. Anal.* **5**, 506–517 (1968)
- Sturgeon, J.B., Laird, B.B.: Symplectic algorithm for constant-pressure molecular dynamics using a Nosé-Poincaré thermostat. *J. Chem. Phys.* **112**(8), 3474–3482 (2000)
- Sugita, Y., Okamoto, Y.: Replica-exchange molecular dynamics method for protein folding. *Chem. Phys. Lett.* **314**, 141–151 (1999)

- Sugita, Y., Okamoto, Y.: Replica-exchange multicanonical algorithm and multicanonical replica-exchange method for simulating systems with rough energy landscape. *Chem. Phys. Lett.* **329**, 261–270 (2000)
- Suzuki, M.: General theory of fractal path integrals with applications to many-body theories and statistical physics. *J. Math. Phys.* **32**, 400 (1991)
- Takahashi, M., Imada, M.: Monte Carlo calculation of quantum systems. II. Higher order correction. *J. Phys. Soc. Jpn.* **53**, 3765–3769 (1984)
- Takens, F.: Detecting strange attractors in fluid turbulence, *Dynamical Systems and Turbulence*. Springer, Berlin (1981)
- Tanford, C.: Interfacial free energy and the hydrophobic effect. *Proc. Natl. Acad. Sci. USA* **76**, 4175–4176 (1979)
- Tauber, U.C.: Renormalization group: applications in statistical physics. *Nucl. Phys. B Proc. Suppl.* **00**:1–28, (2011)
- Thomas, M.C., Joy, A.T.: *Elements of Information Theory*. Wiley, Hoboken (2006)
- Tjong, H., Zhou, H.X.: GBr⁶: a parametrization-free, accurate, analytical generalised Born method. *J. Phys. Chem. B* **111**, 3055–3061 (2007a)
- Tjong, H., Zhou, H.X.: GBr⁶NL: a generalised Born method for accurately reproducing solvation energy of the nonlinear Poisson-Boltzmann equation. *J. Chem. Phys.* **126**, 195102 (2007b)
- Tobias, D.J., Martyna, G.J., Klein, M.L.: An analysis of the accuracy of Langevin and molecular dynamics algorithms. *J. Phys. Chem.* **97**(49), 12959 (1993)
- Toukmaji, A.Y., Board, J.A. Jr., Ewald summation techniques in perspective: a survey. *Comput. Phys. Commun.* **95**, 73–92 (1996)
- Tozzini, V.: Coarse-grained models for proteins. *Curr. Opin. Struct. Bio.* **15**, 144–150 (2005)
- Tozzini, V., McCammon, J.: A coarse grained model for the dynamics of the early stages of the binding mechanism of HIV-1 protease. *Chem. Phys. Lett.* **413**, 123–128 (2005)
- Tozzini, V., Rocchia, W., McCammon, J.A.: Mapping all-atom models onto one-bead coarse-grained models: general properties and applications to a minimal polypeptide model. *J. Chem. Theory Comput.* **2**, 667–673 (2006)
- Trebst, S., Huse, D.A., Troyer, M.: Optimizing the ensemble for equilibrium in broad-histogram Monte Carlo. *Phys. Rev. E* **70**, 046701 (2004)
- Trebst, S., Troyer, M., Hansmann, U.H.E.: Optimized parallel tempering simulations of proteins. *J. Chem. Phys.* **124**, 174903 (2006)
- Trotter, H.F.: On the product of semi-groups of operators. *Proc. Am. Math. Soc.* **10**, 545–551 (1959)
- Tsallis, C.: Possible generalization of boltzmann-gibbs statistics. *J. Stat. Phys.* **52**, 479–487 (1988)
- Tschöp, W., Kremer, K., Hahn, O., Batoulis, J., Bürger, T.: Simulation of polymer melts. II. From coarse-grained models back to atomistic description. *Acta Polym.* **49**, 75–79 (1998)
- Tuckerman, M., Parrinello, M.: Integrating the Car-Parrinello equations. I. Basic integration techniques. *J. Chem. Phys.* **101**(2), 1302 (1994)
- Tuckerman, M.E., Berne, B.J.: Molecular dynamics algorithm for multiple time scales: systems with long range forces. *J. Chem. Phys.* **94**, 6811 (1991a)
- Tuckerman, M.E., Berne, B.J.: Molecular dynamics in systems with multiple time scales: Systems with stiff and soft degrees of freedom and with short and long range forces. *J. Chem. Phys.* **95**, 8362 (1991b)
- Tuckerman, M.E., Martyna, G.J.: Understanding modern molecular dynamics: Techniques and Applications. *J. Phys. Chem. B* **104**, 159–178 (2000)
- Tuckerman, M.E., Berne, B.J., Rossi, A.: Molecular dynamics algorithm for multiple time scales: Systems with disparate masses. *J. Chem. Phys.* **94**, 1465 (1991)
- Tuckerman, M.E., Martyna, G.J., Berne, B.J.: Molecular dynamics algorithm for condensed systems with multiple time scales. *J. Chem. Phys.* **93**, 1287 (1990)
- Tuckerman, M.E., Berne, B.J., Martyna, G.J.: Reversible multiple time step scale molecular dynamics. *J. Chem. Phys.* **97**(3), 1990–2001 (1992)
- Tuckerman, M.E., Mundy, C.J., Martyna, G.J.: On the classical statistical mechanics of non-Hamiltonian systems. *Europhys. Lett.* **45**, 149–155 (1999)

- Tuckerman, M.E., Liu, Y., Ciccotti, G., Martyna, G.J.: Non-Hamiltonian molecular dynamics: generalizing Hamiltonian phase space principles to non-Hamiltonian systems. *J. Chem. Phys.* **115**(4), 1678–1702 (2001)
- Ueda, Y., Taketomi, H., Go, N.: Studies on protein folding, unfolding, and fluctuations by computer simulation. II. A three-dimensional lattice model of lysozyme. *Biopolymers* **17**, 1531–1548 (1978)
- Unke, O.T., Meuwly, M.: A reactive, scalable, and transferable model for molecular energies from a neural network approach based on local information. *J. Chem. Phys.* **148**, 241708–15 (2018)
- Vandenbrande, S., Waroquier, M., Speybroeck, V.V., Verstraelen, T.: The monomer electron density force field (MEDFF): a physically inspired model for noncovalent interactions. *J. Chem. Theory Comput.* **13**(1), 161–179 (2017)
- van Gunsteren, W.F., Bakowies, D., Baron, R., Chandrasekhar, I., Christen, M., Daura, X., Gee, P., Geerke, D.P., Glättli, A., Hünenberger, P.H., Kastenholz, M.A., Oostenbrink, C., Schenk, M., Trzesniak, D., van der Vegt, N.F.A., Yu, H.B.: Biomolecular modeling: goals, problems, perspectives. *Angew. Chem. Int. Ed.* **45**(25), 4064–4092 (2006)
- Verwey, E.J.W., Overbeek, J.T.G.: *Theory of the Stability of Lyophobic Colloids*. Elsevier, Amsterdam (1948)
- Van Vleet, M.J., Misquitta, A.J., Stone, A.J., Schmidt, J.: Beyond Born-Mayer: improved models for short-range repulsion in ab initio force fields. *J. Chem. Theory Comput.* **12**, 3851–3870 (2016)
- Vorobjev, Y.N., Hermans, J.: SIMS: computation of a smooth invariant molecular surface. *Biophys. J.* **73**, 722 (1997)
- Voter, A.F.: Hyperdynamics: accelerated molecular dynamics of infrequent events. *Phys. Rev. Lett.* **78**, 3908–3911 (1997)
- Voth, G.A. (ed.): *Coarse-Graining of Condensed Phase and Biomolecular Systems*. CRC Press, Boca Raton (2008)
- Wade, R.C., Davis, M.E., Luty, B.A., Madura, J.D., McCammon, J.A.: Gating of the active site of triose phosphate isomerase: Brownian dynamics simulations of flexible peptide loops in the enzyme. *Biophys. J.* **64**, 9–15 (1993)
- Wainwright, T., Alder, B.J., Gass, D.M.: Decay time correlations in two dimensions. *Phys. Rev. A* **4**, 233 (1971)
- Wang, F., Landau, D.P.: Efficient, multiple-range random walk algorithm to calculate the density of states. *Phys. Rev. Lett.* **86**, 2050 (2001a)
- Wang, F., Landau, D.P.: Efficient, multiple-range random walk algorithm to calculate the density of states. *Phys. Rev. Lett.* **86**(10), 2050–2053 (2001b)
- Wang, F., Landau, D.P.: Determining the density of states for classical statistical models: a random walk algorithm to produce a flat histogram. *Phys. Rev. E* **64**, 056101–16 (2001c)
- Wang, J.S., Swendsen, R.H.: Replica Monte Carlo simulation of spin glasses. *Phys. Rev. Lett.* **57**, 2607–2609 (1986)
- Wang, W., Reyes, O.D.C., Kollman, P.A.: Biomolecular simulations: recent developments in force fields, simulations of enzyme catalysis, protein-ligand, protein-protein, and protein-nucleic acid noncovalent interactions. *Annu. Rev. Bioph. Biom.* **30**, 211–243 (2001)
- Warshel, A., Lifson, S.: Consistent force field calculations. II. Crystal structures, sublimation energies, molecular and lattice vibrations, molecular conformations, and enthalpies of alkanes. *J. Chem. Phys.* **53**, 582 (1970)
- Weerasinghe, S., Pettitt, B.M.: Ideal chemical potential contribution in molecular dynamics simulations of the grand canonical ensemble. *Mol. Phys.* **82**, 897 (1994)
- Wehmeyer, C., Noé, F.: Time-lagged autoencoders: deep learning of slow collective variables for molecular kinetics. *J. Chem. Phys.* **148**, 241703–9 (2018)
- Weininger, D.: SMILES, a chemical language and information system. I. Introduction to methodology and encoding rules. *J. Chem. Inf. Comput. Sci.* **28**, 31–36 (1988)
- Wetlaufer, D.B., Ristow, S.S.: Acquisition of three-dimensional structure of proteins. *Annu. Rev. Biochem.* **42**, 135–158 (1973)

- Whitfield, T.W., Bu, L., Straub, J.E.: Generalized parallel sampling. *Physica A: Statistical Mechanics and its Applications*, **305**:157–171, (2002)
- Widom, B.: Some topics in the theory of fluids. *J. Chem. Phys.* **39**, 2808–2812 (1963)
- Wolfram, S.: *A New Kind of Science*. Wolfram Media, Inc., Champaign (2002)
- Xia, K., Zhao, Z., Wei, G.W.: Multiresolution persistent homology for excessively large biomolecular datasets. *J. Chem. Phys.* **143**, 134103 (2015)
- York, D.M., Wlodawer, A., Pedersen, L., Darden, T.A.: Atomic-level accuracy in simulations of large protein crystals. *Proc. Natl. Acad. Sci. USA* **91**, 8715–8718 (1994)
- Yoshida, H.: Construction of higher order symplectic integrators. *Phys. Lett. A.* **150**, 262–268 (1990)
- Yu, H.A., Karplus, M.: A thermodynamic analysis of solvation. *J. Chem. Phys.* **89**, 2366–2379 (1988)
- Yulmetyev, R.M., Mokshin, A.V., Hänggi, P.: Diffusion time-scale invariance, randomization processes, and memory effects in lennard-jones liquids. *Phys. Rev. E* **68**, 051201 (2003)
- Zacharias, M.: Protein-protein docking with a reduced protein model accounting for side-chain flexibility. *Protein Sci.* **12**, 1271 (2003)
- Zare, K., Szebehely, V.: Time transformations in the extended phase-space. *Celest. Mech.* **11**, 469 (1975)
- Zeni, C., Rossi, K., Glielmo, A., Fekete, Á., Gaston, N., Baletto, F., De Vita, A.: Building machine learning force fields for nanoclusters. *J. Chem. Phys.* **148**(24), 241739 (2018)
- Zhang, G., Schlick, T.: LIN: a new algorithm combining implicit integration and normal mode techniques for molecular dynamics. *J. Comput. Chem.* **14**, 1212–1233 (1993)
- Zhang, G., Schlick, T.: The Langevin/implicit-Euler/Normal-Mode scheme (LIN) for molecular dynamics at large time steps. *J. Chem. Phys.* **101**, 4995–5012 (1994)
- Zhang, J., Muthukumar, M.: Simulations of nucleation and elongation of amyloid fibrils. *J. Chem. Phys.* **130**, 035102 (2009)
- Zhou, H.X.: Macromolecular electrostatic energy within the nonlinear Poisson-Boltzmann equation. *J. Chem. Phys.* **100**, 3152–3162 (1994)
- Zhou, R.: Free energy landscape of protein folding in water: explicit vs. implicit solvent. *Proteins Struct. Funct. Bioinf.* **53**(2), 148–161 (2003)
- Zhou, R., Berne, B.J.: Can a continuum solvent model reproduce the free energy landscape of a β -hairpin folding in water? *Proc. Natl. Acad. Sci. USA* **99**, 12777–12782 (2002)
- Zotin, A.I.: *Thermodynamic Aspects of Developmental Biology*. *Monogr. Dev. Biol.*, **5**:1–59 (1972)
- Zwanzig, R.W.: High-temperature equation of state by a perturbation method. 1. Nonpolar gases. *J. Chem. Phys.* **22**, 1420–1426 (1954)

Index

A

Angle bending, 134
Angular momentum, 4
Artificial neural network, 294
Atomic feature descriptors, 288
Atomic solvation parameter (ASP), 158

B

Berendsen thermostat, 192
Binding free energy, 129
Biological phenomena, 117
Boltzmann's factor, 99
Bond stretching, 134
Boundary wall, 58

C

Canonical ensemble, 95
The canonical (NVT) ensemble, 192
Canonical partition function, 99
Canonical transformations, 30, 33
Cartesian coordinates, 16
Cell lists, 379
Center of mass of system, 2
Chemical potential, 69
Classical force fields interaction types, 305
Classical thermodynamics, 58
Closed system, 93
Configurational entropy, 123
Configuration space, 22
Conformation transitions, 122
Conservation Law for Linear Momentum, 4
Conservation Law for Total Angular
Momentum, 4

Conservation law of energy, 9
Conservative unconstrained system, 9
Coulomb matrix, 289
Cyclic coordinates, 31

D

D'Alembert's Principle, 20
Damping constant, 215
Debye-Hückel approximation, 182
Density of states, 97
Dielectric surface boundary free energy, 161
Dihedral angle, 134
Distribution function, 95
Dynamical systems, 14

E

Effective Born radius, 180
Electrostatic interactions, 134
Empirical solvation models, 157
Energy fluctuations, 109
Energy landscape, 119
Ensemble, 49
Ensemble average, 96
Enthalpy, 72
Entropy, 62
Environment descriptors, 289
Equation of the Gibbs-Duhem, 81
Equilibrium states, 61
The ergodic hypothesis, 190
Ewald summation method, 381
Ewald summation parameters, 384
Excess chemical potential, 121

Excluded volume integral, 181
 Explicit solvent model, 131
 Extended canonical transformations, 33
 Extensive, 59

F

Fast Fourier Transformation (FFT), 389
 Fast multipole algorithm, 391
 The first law of thermodynamics, 60
 Free energy of the transition, 127
 Free energy perturbation theory, 132

G

Gaussian integrals, 188
 Gaussian process regression, 294
 Gaussian theorem, 179
 Gaussian thermostat, 214
 Generalized Born approximation, 169
 Generalized coordinates, 9
 Generalized ensemble, 105
 Generalized ensemble molecular dynamics simulation, 423
 Generalized force, 10
 Generating function, 33
 Geometric Integrator Algorithms, 401
 Gibbs free energy, 72
 Grand canonical ensemble, 95
 Grand canonical ensemble MD simulation, 238
 Grand isothermal-isobaric ensemble, 95, 107
 Grycuk-Kirkwood approximation, 186

H

Hamilton equations, 25
 Hamiltonian method, 24
 Hamiltonian splitting methods, 401
 Hamiltonian system's flow-map, 401
 Hamilton's equations of motion, 26
 Hamilton's principle, 22
 Heat absorbed, 60
 Heat bath, 95
 Helmholtz free energy, 71

I

Implicit solvation model, 131
 Improper dihedral, 134
 Infinitesimal canonical transformation, 41
 Initial configuration, 372
 Intensive, 59
 Internal energy, 60
 Intra-macromolecule interactions, 120

Irreversible adiabatic process, 62
 Isokinetic dynamics method, 193
 Isolated system, 59
 Isothermal-isobaric ensemble, 95

J

Jacobian matrix, 43

K

Kernel-ridge method, 293
 Kinetic control, 118

L

Lagrange's equation, 15
 Lagrangian for constrained systems, 19
 Lagrangian for unconstrained systems, 16
 Lagrangian mechanics, 15
 Langevin dynamics, 192, 215
 LASSO, 293
 Least square fitting, 286
 Legendre transformations, 36, 69
 Lennard-Jones (LJ), 134
 Liouvillean operator, 403
 Liouville formalism, 403
 Liouville's theorem, 49

M

Machine-like learning approach, 287
 Macromolecular binding stability, 131
 Macromolecular reaction, 128
 Macroscopic and microscopic, 58
 Maxwell equation, 179
 Maxwell relations, 73
 Microcanonical ensemble, 95
 Minimum image convention, 375
 Mnemonic diagram, 77
 Molecular dynamics, 189
 Molecular mechanics force field parameters calibration, 284
 Molecular mechanics force fields, 121
 Molecular surface area, 158
 Multicanonical ensemble, 423

N

Neighbor lists, 378
 Newton's second law, 1
 Non-polar solvation free energy, 157
 Nosé-Hoover chains, 201
 Nosé-Hoover generalized ensemble, 275
 Nosé-Hoover thermostat, 192

- Nosé-Poincaré-Andersen chain of thermostats, 237
Nosé-Poincaré-Andersen Hamiltonian, 236
Nosé-Poincaré generalized ensemble, 276
Numerical integrator algorithms, 397
- O**
Open system, 59
- P**
Pair correlation function, 133
Particle-mesh Ewald (PME) method, 372, 388
Particle-Particle Particle-Mesh (PPPM), 385, 387
Particle-Particle Particle-Mesh/Multipole expansion method, 391
Periodic boundary conditions, 373
Persistent homology, 302
Phase point, 13
Phase space, 13
Point transformations, 31
Poisson-Boltzmann model, 169
Poisson bracket, 44
Poisson's Law, 47
Polar solvation free energy, 157
Potential cutoffs, 375
Potential of mean force, 119
Probabilistic-bits, 302
Protein folding, 119
- R**
Reaction field method, 391
Replica exchange method, 433
Resonance phenomena, 422
Restricted canonical transformations, 33
Reversible adiabatic process, 62
- S**
Scale transformation, 32
Second law of thermodynamics, 62
Semi-closed system, 93
SHAKE, 372
Short-range dispersion interactions, 158
SMx models, 184
Solvation entropy, 122
Solvation free energy, 119, 157
Solvent configurational integral, 121
Solvent-macromolecule interactions, 120
Solvent-solvent interactions, 120
Statistical mechanics, 93
Statistical thermodynamics, 58
Strang splitting scheme, 404
Surrounding, 59
Swarm particle-like molecular dynamics method, 428
Swarm particle-like replica exchange method, 434
Symmetric Trotter factorisation, 404
Symplectic condition, 41
Symplectic formulation, 36
Symplectic matrix, 41
Symplectic numerical integrator algorithms, 402
Symplectic property, 401
- T**
Thermal equilibrium, 66
Thermodynamic control, 118
Thermodynamic integration, 132
Thermodynamic temperature, 64
The thermostat, 192
The third law of Newton, 1
Time-reversibility, 400
Topological data analysis (TDA), 300
Total potential energy function, 9
Trajectory, 13
Tsallis statistics molecular dynamics (TSMD) method, 426
- U**
Universe, 59
- V**
Variation principle, 66
Variation principle of energy, 68
Vibrational entropy, 126
Virial theorem, 27
Virtual displacement, 10
- W**
Weighted Histogram Analysis Method (WHAM), 436
Work, 60
Work-kinetic energy law, 6
- Y**
Yoshida-Suzuki factorization scheme, 410
Yoshida-Suzuki integration, 404