

Index

A

- Abdominal phonogram
 - discussion, 17–18
 - problem definition, 6, 7
 - results, 12–17
 - SCICA (*see* Single-channel ICA (SCICA))
 - single-channel dataset, 7

Automatic detection

- co-occurrence pattern, 53–54
- current challenges, 55
- denoising biomedical signals, 2
- fetal independent components, 9–11
- gene-disease association databases, 53
- machine learning approaches, 54–55
- manual curation, 51
- rule-based approaches, 54
- SCICA, 14
- text analysis, 36

B

- Biomedical natural language processing, 51–52
- Biomedical signals
 - denoising, 2
 - ICA algorithms (*see* Independent component analysis (ICA))
 - sensors/electrodes, 2
- Blind source separation, 97
- Bootstrapping aggregation, 22, 111
- Breast cancer screening program (BCSP)
 - discussion, 86–87
 - intervention's effect, 81–82
 - mortality time series, 86

- PHIs (*see* Public health intervention (PHIs))
- post-intervention mortality rate, 83
- pre-intervention analysis, 81
- results, 82–86

C

- Cardiac contraction dynamics
 - anatomical and physiological basis
 - electric conduction system, 132–133
 - mechanical, 132–134
 - CRT, 137–139
 - dyssynchrony (*see* Cardiac dyssynchrony)
 - ERNA-SPECT studies, 162
 - heart failure, 137–139
 - M-mode ultrasound images, 139
 - ventricular dynamics
 - ECG, 135
 - imaging modalities, 135–137
- Cardiac dyssynchrony
 - data acquisition, 154
 - FADS, 158–164
 - Fourier phase analysis, 154–158
 - severity classification
 - study population, 165–166
 - supervised classification, 166–167
- Cardiac failure (CF) patients, 176, 178, 179
- Cardiac function assessment, 151–153, 168
- Cardiac imaging analysis
 - equilibrium radionuclide
 - angiocardiology, 146–150
 - GMPS, 150–151

- Cardiac magnetic resonance (CMR), 136, 137, 151–153, 168
- Cardiac resynchronization therapy (CRT), 137–139, 151, 157, 165, 167
- Chagas diseases
 - automated system, 65, 66
 - images
 - analysis, 66
 - pre-processing, 66–67
 - parasite detection, 68–69
 - processing, 66
 - protozoan parasite, 64
 - results, 69–71
 - segmentation, 67–68
 - stages, 64
 - T. cruzi*, 64
- Chemotherapy patients, 94
- Chronic case types (CCT), 190–191
- Clinical knowledge base (CKB), 182–184
- Cochlear implants (CIs), 2, 19, 24–27
 - electrical artifact, 19
 - LLAEP waveform, 20
 - multichannel EEG, 2, 21
 - optimal clustering, 27
 - symmetric approach, 23
- Consultation assistants, 191–193
- E**
- Echocardiography
 - and CMR, 137
 - conventional M-mode, 139–140
 - left ventricular function, 136
 - medical imaging modalities, 135
 - M-mode, 139–140
 - speckle tracking, 143–146
 - TDI, 140–142
 - TSI, 142–143
- Electrocardiogram (ECG), 213
 - clinical assessment tool, 135
 - gating, 168
 - QRS complex, 17
 - R-R interval, 148
 - R wave, 147
 - SCICA, 12
 - single-channel abdominal phonogram, 14
- Electrogastrography (EGG)
 - dataset, 93–96
 - multichannel records, 93
 - myoelectrical activity, 93
 - signal processing, 100
- Error estimation, 110, 114–115
- F**
- Factor analysis of dynamic structures (FADS), 158–167
- Fetal heart rate
 - acoustic signal, 18
 - S1 and S2, 6
 - single biological rhythm, 10, 14
 - single-channel abdominal phonogram (*see* Abdominal phonogram)
- G**
- Gated myocardial perfusion SPECT (GMPS), 150, 151
- Gene differential expression
 - clustering profiles, 50
 - methodologies, 47–49
 - profile construction, 47
 - scope and limitation, 50–51
- Gene-disease association extraction
 - automatic extraction
 - co-occurrence pattern, 53–54
 - current challenges, 55
 - databases, 53
 - machine learning approaches, 54–55
 - rule-based approaches, 54
 - biomedical natural language processing, 51–52
 - information extraction, 52
- Genomic data
 - algorithms without alignments, 46–47
 - pattern recognition techniques, 36
 - variants (*see* Genomic variants)
- Genomic variants
 - algorithms, alignments
 - duplicate removal, 43
 - genotype assignment, 45
 - insertions and deletions, 44
 - pattern recognition, 41–43
 - quality score recalibration, 44–45
 - importance, 40
- Genotype assignment, 45
- H**
- Health technology assessment (HTA)
 - decision-making process, 74
 - global scale, 74
 - MCDA, 198
- Heart failure (HF), 135, 137–139, 165, 168
- High-order statistics (HOS), 4, 21–22

High-throughput sequencing technologies

- DNA-RNA sequencing
 - challenges, 39
 - ligation, 38
 - real-time, 39
 - synthesis, 38–39
- genes, 37
- genomes, 37
- microarrays, 37–38

HIV drug resistance

- accuracy, 121
 - AUC values, 123
 - CI, 122
 - CT and LR, 120
 - genotype, 119
 - HIVDB, 118, 120
 - Kyte-Doolittle hydrophobicity scale, 120
 - performance measures, 122
 - predictor variables, 119, 121
 - regression and classification, 119
- HIV drug resistance database (HIVDB), 118, 120

I

- Image processing, 65, 66, 69, 169
- Independent component analysis (ICA), 97–99, 103–105
 - CI (see Cochlear implants (CIs))
 - Ext-Infomax, 4–5
 - FastICA, 3–4
 - HOS, 21–22
 - Infomax, 4–5
 - optimal parameters, 22–25
 - performance evaluation, 2
 - SCICA (see Single-channel ICA (SCICA))
 - SOS, 21–22
 - spatial diversity, 2
 - statistical independence, 3
 - TDSep, 5
- Indicator for medical equipment replacement (IMER), 206–207
 - application
 - clinical, 208–209
 - economic, 209–210
 - technical, 207–208
 - global indicator, 230
 - medical equipment replacement, 198
 - US, 213–214
- Information and communication technology (ICT), 177, 179
- Information extraction, 52, 167
- Interoperability, 186–187

Interrupted time series analysis

- Box and Tiao approach, 78–79
- Box-Jenkins models, 78
- guidelines, 76
- interventions' response patterns, 77
- PHI, 75
- pulse function, 77
- temporal series, 76

Intraventricular dyssynchrony (iLV), 166–167

L

Late latency auditory evoked potentials

(LLAEP)

- auditory system, 27–28
- discussion, 28–29
- multichannel
 - dataset, 19–20
 - ICA, 20–21
- optimal
 - clustering, 27
 - ICA parameters, 22–25
- problem definition, 18–19

Ligation, 38

Linear support vector machines (LSVM)

- balanced samples, 167
- LibSVM toolbox, 166

M

Medical equipment assessment

- decision-making, 198
- diagnostic tools, 176
- HTA, 74
- IMER, 206–210
- patient's demand, 198
- service, 203

Medical equipment replacement

- IMER (see Indicator for medical equipment replacement (IMER))
 - qualitative scale, 207

Medical informatics, 176, 181

Medical knowledge, 181, 186–188

Medical records, 180–182, 186–189, 192

Microscope, 65, 66, 71

Multichannel electrogastrography (EEG)

- analysis, 20
- CI artifact, 2
- gastric information, 96
- ICA (see Independent component analysis (ICA))
- LLAEP, 19
- simulations, 104

Multi-criteria decision analysis (MCDA),
198–200
Multiple case types (MCT), 188–189

N

National health programs, 176

Nausea

classification
performance evaluation, 102
RBF kernel, 101
discrimination method
extraction process, feature, 98–99
feature selection, 99–100
ICA, 97–98
preprocessing step, 97
ECG, 93
EGG, 93–96
gastric motor dysfunction, 93
PONV, 92
results
classification, 103–105
feature selection process, 103–105

Next-generation sequencing technologies
(NGS)

genomic content, 55
replicates, 49
RNA quantity, 48

P

Partial case type (PCT), 189

Pattern recognition techniques, 36, 55, 56, 93

CF, 176
chronic conditions, 176
ECG, 213
electronic medical records, 180–181
ICTs, 176, 177
IMER (*see* Indicator for medical equipment
replacement (IMER))
incubators, 213
mathematical model, 200–201
MDCA, 199–200
medical
equipment, 197
reasoning, 180–181
partial indicators
clinical, 204–205
economic, 205–206
technical, 204
personal lifetime, 177–179
PRAXIS, 181–182
RHC, 212–213

SIMIC, 179–180
technological problem, 198
US, 213–214
variables
clinical, 203
economic aspect, 203, 204
technical aspect, 201–203
ventilators, 212
VSM, 211, 212

Postoperative nausea and vomiting (PONV),
92

PRAXIS, 176, 181–182, 185, 187–189, 193,
194

Pre-intervention model (PIM), 79, 81–83,
85–87

Proximities, 117–118

Public health intervention (PHIs)

case-control studies, 75–76
HTA guidelines, 76
intervention analysis, 76
technology assessment, 73–74

Q

Quality score recalibration, 44–45

R

Radiant heat cradles (RHC), 210–213

Random forest (RF)

algorithmic framework
bootstrap samples, 111–112
CART algorithm, 110
decision, 114
predictor variables, 111
trees and sampling of variables,
112–114
gene expression, 110
genetic studies, 109
HIV drug resistance, 110

Replacement priority indicator, 198, 211–213

S

Second-order statistics (SOS), 5, 21–22

SIMIC

CF, 178
health staff, 179–180
patients, 179–180
pattern recognition, 178
web
platform, 178
user, 179

Single-channel ICA (SCICA)

- automatic classification, 9–11
- multiple independent components, 8–9
- signal, 8

Support vector machines (SVM), 55, 93, 100, 166, 167

- classifiers, 55, 103
- LSVM, 166
- nonlinearly mapping, 100
- supervised learning algorithms, 100
- technical description, 208
- two-class classification, 93

T**Temporal decorrelation source separation (TDSEp), 3, 5, 9, 17, 24–26, 28****Tissue Doppler imaging (TDI), 140–143, 146****Tissue synchronization imaging (TSI), 142–143*****Trypanosoma cruzi (T. cruzi), 64, 71*****U****Ultrasound equipment (US), 213, 214****Units of thought (UTs), 183–191****V****Variable importance measures**

- impurity, 116
- permutation, 117

Variant calling

- duplicate removal, 43
- genomic variants, 40
- genotype assignment, 45
- pattern recognition, 41–43
- quality score recalibration, 44–45
- realignment, 44

W**Whole transcriptome shotgun sequencing (WTSS), 48**