

Bibliography

- [1] Hajer Bahouri and Patrick Gérard, *High frequency approximation of solutions to ccritical nonlinear wave equations*, Amer. J. Math. **121** (1999), no. 1, 131–175. MR 1705001 (2000i:35123)
- [2] P. Bégout and A. Vargas, *Mass concentration phenomena for the L^2 -critical nonlinear Schrödinger equation*, Trans. Amer. Math. Soc. **359** (2007), no. 11, 5257–5282. MR 2327030 (2008g:35190)
- [3] J. Bourgain, *Refinements of Strichartz' inequality and applications to 2D-NLS with critical nonlinearity*, Internat. Math. Res. Notices (1998), no. 5, 253–283. MR 1616917 (99f:35184)
- [4] ———, *Global solutions of nonlinear Schrödinger equations*, American Mathematical Society Colloquium Publications, vol. 46, American Mathematical Society, Providence, RI, 1999. MR 1691575 (2000h:35147)
- [5] ———, *Global wellposedness of defocusing critical nonlinear Schrödinger equation in the radial case*, J. Amer. Math. Soc. **12** (1999), no. 1, 145–171. MR 1626257 (99e:35208)
- [6] H. Brézis and E. Lieb, *A relation between pointwise convergence of functions and convergence of functionals*, Proc. Amer. Math. Soc. **88** (1983), no. 3, 486–490. MR 699419 (84e:28003)
- [7] R. Carles and S. Keraani, *On the role of quadratic oscillations in nonlinear Schrödinger equations. II. The L^2 -critical case*, Trans. Amer. Math. Soc. **359** (2007), no. 1, 33–62 (electronic). MR 2247881 (2008a:35260)
- [8] T. Cazenave, *Semilinear Schrödinger equations*, Courant Lecture Notes in Mathematics, vol. 10, New York University Courant Institute of Mathematical Sciences, New York, 2003. MR 2002047 (2004j:35266)
- [9] T. Cazenave and F. B. Weissler, *Some remarks on the nonlinear Schrödinger equation in the critical case*, Nonlinear semigroups, partial differential equations and attractors (Washington, DC, 1987), Lecture Notes in Math., vol. 1394, Springer, Berlin, 1989, pp. 18–29. MR 1021011 (91a:35149)
- [10] ———, *The Cauchy problem for the critical nonlinear Schrödinger equation in H^s* , Nonlinear Anal. **14** (1990), no. 10, 807–836. MR 1055532 (91j:35252)

- [11] F. M. Christ and M. I. Weinstein, *Dispersion of small amplitude solutions of the generalized Korteweg-de Vries equation*, J. Funct. Anal. **100** (1991), no. 1, 87–109. MR 1124294 (92h:35203)
- [12] J. Colliander, M. Keel, G. Staffilani, H. Takaoka, and T. Tao, *Global existence and scattering for rough solutions of a nonlinear Schrödinger equation on \mathbb{R}^3* , Comm. Pure Appl. Math. **57** (2004), no. 8, 987–1014. MR 2053757 (2005b:35257)
- [13] ———, *Global well-posedness and scattering for the energy-critical nonlinear Schrödinger equation in \mathbb{R}^3* , Ann. of Math. (2) **167** (2008), no. 3, 767–865. MR 2415387 (2009f:35315)
- [14] P. Constantin and J.-C. Saut, *Local smoothing properties of dispersive equations*, J. Amer. Math. Soc. **1** (1988), no. 2, 413–439. MR 928265 (89d:35150)
- [15] B. Dodson, *Global well-posedness and scattering for the defocusing, L^2 -critical, nonlinear Schrödinger equation when $d \geq 3$* , Preprint arXiv:0912.2467.
- [16] P. Gérard, Y. Meyer, and F. Oru, *Inégalités de Sobolev précisées*, Séminaire sur les Équations aux Dérivées Partielles, 1996–1997, École Polytech., Palaiseau, 1997, pp. Exp. No. IV, 11. MR 1482810
- [17] M. Keel and T. Tao, *Endpoint Strichartz estimates*, Amer. J. Math. **120** (1998), no. 5, 955–980. MR 1646048 (2000d:35018)
- [18] S. Keraani, *On the defect of compactness for the Strichartz estimates of the Schrödinger equations*, J. Differential Equations **175** (2001), no. 2, 353–392. MR 1855973 (2002j:35281)
- [19] ———, *On the blow up phenomenon of the critical nonlinear Schrödinger equation*, J. Funct. Anal. **235** (2006), no. 1, 171–192. MR 2216444 (2007e:35260)
- [20] R. Killip, T. Tao, and M. Vişan, *The cubic nonlinear Schrödinger equation in two dimensions with radial data*, J. Eur. Math. Soc. (JEMS) **11** (2009), no. 6, 1203–1258. MR 2557134 (2010m:35487)
- [21] R. Killip and M. Vişan, *Global well-posedness and scattering for the defocusing quintic nls in three dimensions*, To appear in Analysis and PDE.
- [22] ———, *Nonlinear Schrödinger equations at critical regularity*, To appear in Proceedings of the 2008 Clay summer school, “Evolution Equations” held at the ETH, Zürich.
- [23] ———, *The focusing energy-critical nonlinear Schrödinger equation in dimensions five and higher*, Amer. J. Math. **132** (2010), no. 2, 361–424. MR 2654778 (2011e:35357)

- [24] E. H. Lieb and M. Loss, *Analysis*, second ed., Graduate Studies in Mathematics, vol. 14, American Mathematical Society, Providence, RI, 2001. MR 1817225 (2001i:00001)
- [25] J. E. Lin and W. A. Strauss, *Decay and scattering of solutions of a nonlinear Schrödinger equation*, J. Funct. Anal. **30** (1978), no. 2, 245–263. MR 515228 (80k:35056)
- [26] F. Merle and L. Vega, *Compactness at blow-up time for L^2 solutions of the critical nonlinear Schrödinger equation in 2D*, Internat. Math. Res. Notices (1998), no. 8, 399–425. MR 1628235 (99d:35156)
- [27] K. Nakanishi, *Scattering theory for the nonlinear Klein-Gordon equation with Sobolev critical power*, Internat. Math. Res. Notices (1999), no. 1, 31–60. MR 1666973 (2000a:35174)
- [28] T. Ozawa and Y. Tsutsumi, *Space-time estimates for null gauge forms and nonlinear Schrödinger equations*, Differential Integral Equations **11** (1998), no. 2, 201–222. MR 1741843 (2000m:35167)
- [29] M. Riesz, *Sur les ensembles compacts de fonctions sommable*, Acta Sci. Math. (Szeged) **6** (1933), 136–142.
- [30] E. Ryckman and M. Vişan, *Global well-posedness and scattering for the defocusing energy-critical nonlinear Schrödinger equation in \mathbb{R}^{1+4}* , Amer. J. Math. **129** (2007), no. 1, 1–60. MR 2288737 (2007k:35474)
- [31] J. Shatah and M. Struwe, *Geometric wave equations*, Courant Lecture Notes in Mathematics, vol. 2, New York University Courant Institute of Mathematical Sciences, New York, 1998. MR 1674843 (2000i:35135)
- [32] P. Sjölin, *Regularity of solutions to the Schrödinger equation*, Duke Math. J. **55** (1987), no. 3, 699–715. MR 904948 (88j:35026)
- [33] T. Tao, *Global well-posedness and scattering for the higher-dimensional energy-critical nonlinear Schrödinger equation for radial data*, New York J. Math. **11** (2005), 57–80. MR 2154347 (2006e:35308)
- [34] T. Tao and M. Vişan, *Stability of energy-critical nonlinear Schrödinger equations in high dimensions*, Electron. J. Differential Equations (2005), No. 118, 28. MR 2174550 (2006e:35307)
- [35] T. Tao, M. Vişan, and X. Zhang, *Global well-posedness and scattering for the defocusing mass-critical nonlinear Schrödinger equation for radial data in high dimensions*, Duke Math. J. **140** (2007), no. 1, 165–202. MR 2355070 (2010a:35249)
- [36] ———, *Minimal-mass blowup solutions of the mass-critical NLS*, Forum Math. **20** (2008), no. 5, 881–919. MR 2445122 (2009m:35495)

- [37] M. E. Taylor, *Tools for PDE*, Mathematical Surveys and Monographs, vol. 81, American Mathematical Society, Providence, RI, 2000, Pseudodifferential operators, paradifferential operators, and layer potentials. MR 1766415 (2001g:35004)
- [38] L. Vega, *Schrödinger equations: pointwise convergence to the initial data*, Proc. Amer. Math. Soc. **102** (1988), no. 4, 874–878. MR 934859 (89d:35046)
- [39] M. Vişan, *The defocusing energy-critical nonlinear Schrödinger equation in higher dimensions*, Duke Math. J. **138** (2007), no. 2, 281–374. MR 2318286 (2008f:35387)
- [40] ———, *Global well-posedness and scattering for the defocusing cubic nonlinear Schrödinger equation in four dimensions*, Int. Math. Res. Not. IMRN (2012), no. 5, 1037–1067. MR 2899959