

Index

A

Abelian group, 46
Absorption, 4, 171
Acceleration gauge, 84
Action angle variables, 94
Adiabatic
 approximation, *see* Born-Oppenheimer approximation
 dynamics, 45, 154–170
 theorem, 207
Anharmonicity constant, 143, 200
Annihilation operator, 49
Anti-bunching, 7
Area theorem, 91, 92, 115
ATI, *see* ionization, above threshold
Atomic units, 101, 133, 134, 150
Attosecond, 101, 116, 122
 streaking, 133
Auto-correlation function, 13, 24, 66, 169, 183, 204
Avoided crossing, 152, 158, 186

B

Baker-Campbell-Hausdorff formula, 53, 175, 227
Bessel function, 146, 186, 242
Bohr
 postulate, 4
 radius, 100
Boltzmann factor, 4
Bond hardening, *see* molecular stabilization
Bond softening, 201
Born-Oppenheimer approximation, 43, 125, 155–159, 196, 203
Boundary value problem, *see* root search problem
Bracket notation, *see* Dirac notation

Brillouin zone, 47

C

Carrier envelope phase, 12, 187
Cavity, 9
Cayley approximation, 58
Center of mass, 145, 150, 158, 202, 245
 coordinates, 244
CEP, *see* carrier envelope phase
CH stretch
 Mecke parameters, 195
 Morse parameters, 195
Chebyshev polynomial, 58
Chirp, 14, 160
Closure relation, 23
Coherent states, 61, 220, 221
Commutation relation, 49, 165
Completeness relation, 156
Condon approximation, 164, 172
Confluent hypergeometric functions, 101
Continuity, equation of, 81
Continuous wave, 10, 45, 179
Continuum threshold, 102
Coordinates
 cylindrical, 145
 prolate spheroidal, 139
 relative and center of mass, 158, 159, 202, 203
 spherical, 100, 241
Correspondence principle, 36, 80
Coulomb
 explosion, 154
 gauge, 81, 83, 233, 234
 integral, 139, 141, 241
Coulomb potential
 bare, 1d, 102, 110, 117
 bare, 3d, 100, 101

- Coulomb potential (*cont.*)
 electron bi-nuclear, 145
 restricted to half space, 102, 117
 soft-core, 103, 110, 113, 125, 128
 modified, 154
- Counter-rotating term, 90, 108, 151, 163, 172
- Crank-Nicolson method, 58, 154
- Creation operator, 49, 61
- CREI, *see* ionization, charge resonance
 enhanced
- Crossing
 allowed, 94
 avoided, 94
- Crossover, 197
- Cutoff, 122–124, 126–132
- cw, *see* continuous wave
- Cylindrical coordinates, 145
- D**
- Dark state, 189
- Detuning, 89
- Diabatic basis, 158
- Dichotomy, 133
- Dipole
 acceleration, 121, 126, 129, 240
 approximation, 82, 86, 233
 gradient, 160, 182
 matrix element, 86, 159, 186, 240, 244, 245
 moment, 163, 182
 Condon approximation, 164
 Mecke form, 160, 195
 operator, 86, 159, 237
- Dirac notation, 20, 61
- Direct product, 167
- Dissociation
 by pump-dump control, 191
 channel, 154
 probability, 151
 Morse oscillator, 159–161
 threshold, 141, 143, 144
- Double well potential, 8, 149
 unperturbed, 205
- Dressed states, 189
- Drift step, 60
- E**
- Effective force, 44
- Effective potential, 42, 43
- Ehrenfest
 method, 44
 theorem, 121
 time, 27
- Eigenfunctions, 19, 50, 208
- Coulomb potential, 1d, 102
 from time-series, 24
 harmonic oscillator, 49, 229, 247
 hydrogen atom, 100, 101
 LCAO of H_2^+ , 140
 of light particle, 44
 of radial part of kinetic energy, 146
 square well, 28
 STIRAP, 189
 symmetric double well, 205
- Eigenstates, two-level system, 87
- Eigenvalue problem, 50
 electronic, 138, 156
 generalized, 139
 of extended Hamiltonian, 52
- Eigenvalues, 19, 44, 50
 Coulomb potential, 1d, 102
 from time-series, 24
 Gauß potential, 106
 harmonic oscillator, 25, 218
 hydrogen atom, 100, 101
 LCAO of H_2^+ , 140
 Morse oscillator, 143
 of propagation matrix, 57
 square well, 28
 STIRAP, 189
 symmetric double well, 205
 two-level system, 87
- Einstein
 coefficients, 3–5, 9, 97
 derivation of radiation law, 3
 peak, 111
- Emission
 induced, 4
 spontaneous, 4
- Energy density, 4, 97
- Equation of continuity, 18
- Euler method, 57
 symplectic, 60
- Euler-Lagrange equation, 230, 233
- Exchange integral, 139, 141, 241
- Expectation value, 39
 of position operator, 133
 time-evolution, 121
- Explicit method, 56
- Extended scalar product, 51
- F**
- Factorization, 42
- Femtosecond laser, 11
- Femtosecond spectroscopy, 171–178
- Feynman-Kac formula, 24
- FFT, *see* Fourier transformation, fast
- Fidelity, 200

Field, quasi stationary, 104
 Fields, electromagnetic, 81
 Fine structure constant, 134
 Floquet
 matrix, 51–53, 94, 182
 theorem, 124
 theory, 45–48, 181
 Fluorescence, 176
 Fourier
 expansion, 51
 integral, 130
 transformation, 12, 23–25, 174
 fast, 53–56
 fastest in the West, 55
 of dipole, 122, 125
 of dipole acceleration, 122
 Fourier-Bessel series, 146, 162
 Franck-Condon
 approximation, 168
 region, transient, 175
 Free electron laser, 9
 Free particle, 27, 219
 Frequency resolved optical gating, 13
 Full width at half maximum, 11, 178, 204
 Functional integral, 32
 FWHM, *see* full width at half maximum

G

Gamov factor, 104, 239
 Gas laser, 9
 Gauge
 acceleration, *see* acceleration gauge
 Coulomb, *see* Coulomb gauge
 Kramers-Henneberger, *see*
 Kramers-Henneberger gauge
 length, *see* length gauge
 transformation, 81, 82, 232
 velocity, *see* velocity gauge
 Gauss potential, 106
 Gaussian envelope, 14
 Gaussian integral, 14, 15, 33, 69
 Gaussian wavepacket, 61–66, 73, 107, 126,
 167, 182
 dynamics, 25–27, 64, 84, 235
 frozen, 63, 65
 thawed, 27, 65
 Genetic algorithm, 196
 Golden rule, 204
 Green's function
 energy-dependent, 24
 time-dependent, 23
 GWD, *see* Gaussian wavepacket dynamics

H

H_2^+ , 137–145, 187
 in a laser field, 145–154
 Morse parameters, 145
 Half cycle pulse, 114–120
 Hamilton equations, 27, 59, 63, 219
 free electron in laser field, 234
 linearized, 63
 Hamilton matrix
 STIRAP, 188
 two-level system, 87
 Hamilton-Jacobi equation, 36
 Hamiltonian
 effective, 60
 extended, 45, 51
 for H_2^+ in relative coordinates, 203
 harmonic oscillator, 49
 Hermitian, 20, 47
 interaction picture, 39
 light heavy, 43
 mapping, 166
 minimally coupled, 231
 Morse oscillator, 160
 periodically time-dependent, 45
 symmetric double well, 182
 total, for molecule, 155
 Weyl transformed, 68
 Hamilton's principal function, 32
 Hamilton's principle, 35, 70
 Harmonic inversion, 24
 Harmonic oscillator, 27, 61, 219, 237, 247
 HCP, *see* half cycle pulse
 Heisenberg picture, 39
 Heitler-London method, 141
 Herman-Kluk
 prefactor, 63, 64, 120
 propagator, *see* propagator, Herman-Kluk
 Hermite polynomials, 49
 Hessian, 72
 HF Morse parameters, 160
 HHG, *see* high-order harmonic generation
 High-order harmonic generation, 120–132
 in molecules, 202
 Husimi transformation, 12, 94, 122, 191
 Hydrogen atom, 99–103
 Hydrogen molecular ion, *see* H_2^+
 Hypergeometric function, 168

I

ICN, 176–178
 Imaginary time
 path integral, 35
 propagation, 25, 147
 Implicit method, 58

Incoherent field, 96
 Initial value problem, 38, 59
 Initial value representation, 59–66
 Interaction picture, 38–40, 89, 188, 203
 Interference effect, 38, 126
 Inversion, 6
 Ionization
 above threshold, 110, 111
 charge resonance enhanced, 148, 149
 field induced, 103–120
 multi-photon, 106–110
 over the barrier, 104
 potential, 105, 124, 126, 129
 hydrogen, 133
 probability, 107, 151
 rate, 104, 148
 threshold, 106, 118, 144
 tunnel, 103–106

J
 Jacobi identity, 228
 Jacobi-Anger formula, 132
 Jaynes-Cummings model, 93

K
 Keldysh parameter, 105, 111
 Keldysh-Faisal-Reiss approximation, 113
 Kepler period, 116
 Kick step, 60
 Kramers-Henneberger
 frame, 113, 133
 gauge, 83, 84
 Krotov method, 193–195

L
 Lagrangian, 27, 32, 33, 230, 233
 driven harmonic oscillator, 247
 for Lorentz force, 79
 in length gauge, 82
 Laguerre polynomials, 100
 Lanczos method, 59
 Landau-Zener formula, 93
 LCAO, *see* linear combination of atomic orbitals
 variational, 147
 Leap frog method, 60
 Legendre transform, 231
 Length gauge, 82, 83, 86, 93, 115, 121, 125,
 150, 159, 163, 174
 Linear combination of atomic orbitals,
 138–141, 243
 Liouville's theorem, 60, 72
 Lissajous motion, 191
 Localization, 119

M
 Magnus
 expansion, 40, 41, 115
 first order approximation, 115
 Mapping Hamiltonian, 166
 Maslov index, 38
 Maslov phase, 38, 63
 Mean field, 43
 Mecke
 dipole moment, 160, 195
 parameters
 CH stretch, 195
 OH stretch, 200
 Minimal coupling, 79–81
 Mode locking, 10
 Molecular alignment, 145
 Molecular orbital method, 141
 Molecular stabilization, 151–153
 Momentum
 canonical, 81, 231, 245
 kinetic, 81
 mechanical, 231
 Monodromy matrix, *see* stability matrix
 Monte-Carlo calculation, 126
 Morse parameters
 CH stretch, 195
 H₂⁺, 145
 HF, 160
 OH stretch, 200
 Morse potential, 66, 142–145, 160, 200
 MPI, *see* ionization, multi-photon
 Mutation, 197

N
 Na₂, 171–176
 Negative imaginary absorbing potential, 56
 Newton's equation, 70, 79, 113
 NH₃, 181
 Non-crossing rule, 94, 182, 186
 Nonadiabatic
 dynamics, 45, 154–170
 transitions, 158

O
 Occupation number operator, 165
 Odd harmonics rule, 124, 125
 OH stretch, 160
 Mecke parameters, 200
 Morse parameters, 200
 Optimal control, 190–195, 200
 Orthonormality relation, 156
 Over-determination problem, 62
 Overlap integral, 139, 141, 240

P

- Parity, 102, 184, 237
 - operator, 237
 - transformation
 - generalized, 93, 94, 125, 182, 186, 240
- Perturbation theory, 172
- Photo-electric effect, 111, 131
- Photodissociation, 204, 205
- Planck radiation law, 3, 97
- Plateau formation in HHG, 125, 126
- Poincaré section, 118
- Poisson bracket, 59
- Ponderomotive potential, 85, 105, 106, 111, 124, 235
- Population inversion, 8
- Population transfer, 188–190, 195
- Position representation, 17, 204
- Potential surfaces
 - coupled, 161–178
- Probability
 - current density, 18, 81
 - density, 18
- Projection operator, 193
- Propagator, 23, 31–38
 - 0–0, 36
 - harmonic oscillator, 25
 - Herman-Kluk, 62–66, 71, 73, 108, 111, 120, 125, 167
 - short-time, 33, 68, 222
 - spectral representation, 23
 - van Vleck Ansatz, 36
 - van Vleck-Gutzwiller, 37, 59, 64, 73
 - prefactor, 73
- π -Pulse, 91, 160, 178, 200
- Pulse envelope, 91
- Pulse shaper, 12, 199
- Pump-dump control, 191, 192
- Pump-dump pulse, 13
- Pump-probe experiment, 133, 171–178

Q

- Quality factor, 9
- Quantum carpets, 27
- Quantum chemistry, 141, 158, 201
- Quantum computing, 199, 200
- Quantum-classical methods, 43–45
- Quasi-eigenfunctions, 47, 51, 94
 - driven double well, 182–184
 - superposition of, 48
- Quasi-energies, 47, 51
 - driven double well, 182–184
- Quiver amplitude, 85, 114

R

- Rabi
 - frequency, 88, 90, 188, 237, 238
 - oscillations, 88, 108, 147, 169
- Rate equations, 6
- Rayleigh-Jeans radiation law, 4
- Reaction channel, 190
- Reduced mass, 100, 143, 150, 181, 245
- Reflection principle, 173
 - dynamical, 175
- Relative
 - coordinates, 150, 158, 202
 - motion, 137, 143, 150, 160, 166
- Resummation, 40
- Riccati differential equation, 27, 66, 219
- Root search problem, 36, 38, 59
- Rosen-Zener model, 92, 168, 238, 239
- Rotating wave approximation, 89–91, 151, 163, 172, 177, 188, 236, 237
- Ruby laser, 8
- Runge-Kutta method, 50
- RWA, *see* rotating wave approximation
- Rydberg state, 116

S

- Scaling transformations, 117
- Schrödinger equation
 - Floquet type, 47, 51, 226
 - time-dependent, *see* time-dependent Schrödinger equation
 - time-independent, *see* time-independent Schrödinger equation
- Schrödinger picture, 38, 115, 203
- Second order differencing, 57
- Semiclassical approximation
 - for propagator, 35–38
 - of coherent state matrix element, 63
- Semigroup property, 23, 31
- Separation of variables, 18
- Short-time approximation, 169, 174–176, 204
- Side bands, 10
- Sign problem, 35
- Skew symmetric matrix, 72
- SPA, *see* stationary phase approximation
- Spectrogram, 13
- Spectrum, local, 24
- Spherical
 - coordinates, 100
 - harmonics, 100
- Split-operator method, 53–56, 60, 66, 108, 147, 163, 173
- Spontaneous emission, 6
- Square well, 27–30
- Stability matrix, 63, 71–73, 230

- Stabilization
 against dissociation, 151
 against ionization, 119
 strong field, 111–114
 Stark effect, 8
 Stationary phase approximation, 33–38, 63, 64, 70, 127–132, 175, 223
 Stimulated Raman adiabatic passage, 188
 STIRAP, *see* stimulated Raman adiabatic passage
 Stokes pulse, 188
 Stroboscopic dynamics, 117, 183
 Strong field approximation, 110, 113, 123
 Surface hopping, 45, 164
 Survival of the fittest, 197
 Survival probability, 119, 147, 183
 Symplectic integration, 59–61
- T**
- Taylor expansion, 33, 41, 58, 217
 of exponent, 34
 of Hamilton equations, 71
 of potential, 26
 TDSE, *see* time-dependent Schrödinger equation
 Three-step model, 120, 122, 131
 Ti:Sapphire laser, 11
 Time-dependent Hartree method, 42, 43
 Time-dependent perturbation theory, 38–40
 two levels, 203
 Time-dependent Schrödinger equation, 17–30
 as integral equation, 20
 Floquet solution, 46
 for expansion coefficients, 50
 from infinitesimal propagator, 33
 Hartree Ansatz, 42
 in Kramers-Henneberger frame, 83
 in length gauge, 82
 interaction picture, 39, 94
 minimally coupled, 80
 numerical solution, 48–66
 Rosen-Zener, 168
 solution for driven harmonic oscillator, 247
 two levels, 89, 185
 two surfaces, 162
 Time-evolution operator, 19–23, 38, 41, 45, 53, 58, 62, 87, 217
 harmonic oscillator, 25, 218
 infinitesimal, 21, 33, 55
 interaction picture, 39, 224
 Magnus expansion, 41
 mixed matrix element of, 64
 over one period, 46
 short-time, 58
 Time-independent Schrödinger equation, 19, 43, 47
 for H_2^+ , 138
 in Born-Oppenheimer approximation, 157
 Time-ordering operator, 22, 41, 115, 217, 218
 Time-slicing, 21, 32, 68
 TISE, *see* time-independent Schrödinger equation
 Trotter product, 53
 Tunneling, 88
 coherent destruction of, 182–187
 frequency, 182
 period, 183
 splitting, 206
- U**
- Umbrella mode, 8, 181
 Unitary
 operator, 20, 237
 propagation, 41
 transformation, 79–84, 89, 208
 Units
 Hartree, 133
 Rydberg, 133
- V**
- Variational LCAO method, 142, 242
 Velocity gauge, 82
 Vibrogram, 13
 Virial theorem, 105, 133
 Volkov wavepacket, 84, 85, 128, 234–236
 VVG propagator, *see* propagator, van Vleck-Gutzwiller
- W**
- Weyl transformation, 32, 68
 Wien radiation law, 5
 WKB quantization, 107
- Z**
- Zassenhaus formula, 53, 227