

Bibliography

- [ABFR94] Aspnes, J., Beigel, R., Furst, M., Rudich, S.: The expressive power of voting polynomials. *Combinatorica* **14**, 135–148 (1994)
- [BM90] Banaschewski, B., Moore, G.H.: The dual Cantor-Bernstein theorem and the partition principle. *Notre Dame J. Form. Logic* **31**(3), 375–381 (1990)
- [Bar10] Bartoszyński, T.: Invariants of measure and category. In: Foreman, M., Kanamori, A. (eds.) *Handbook of Set Theory*, vol. 1, pp. 491–555. Springer, Dordrecht (2010)
- [BJ95] Bartoszyński, T., Judah, H.: *Set theory: on the Structure of the Real Line*. A K Peters, Wellesley (1995)
- [Bla10] Blass, A.: Combinatorial cardinal characteristics of the continuum. In: Foreman, M., Kanamori, A. (eds.) *Handbook of Set Theory*, vol. 1, pp. 395–489. Springer, Dordrecht (2010)
- [BT78] Baumgartner, J.E., Taylor, A.D.: Partition theorems and ultrafilters. *Trans. Am. Math. Soc.* **241**, 283–309 (1978)
- [BTW82] Baumgartner, J.E., Taylor, A.D., Wagon, S.: Structural properties of ideals. *Dissertationes Math.* **197**, 1–99 (1982)
- [B58] Berge, C.: Sur le couplage maximum d'un graphe. *Comptes rendus hebdomadaires des séances de l'Académie des sciences* **247**, 258–259 (1958)
- [Bla94] Blass, A.: Cardinal characteristics and the product of countably many infinite cyclic groups. *J. Algebra* **169**, 512–540 (1994)
- [Bla96] Blass, A.: Reductions between cardinal characteristics of the continuum. In: Bartoszyński, T., Scheepers, M. (eds.) *Contemporary Mathematics 192: Set Theory: Annual Boise Extravaganza in Set Theory (BEST) Conference*, pp. 31–49 (1996)
- [Bre95] Brendle, J.: Evasion and prediction – the Specker phenomenon and Gross spaces. *Forum Math.* **7**, 513–541 (1995)
- [Bre03] Brendle, J.: Evasion and prediction III: constant prediction and dominating reals. *J. Math. Soc. Jpn.* **55**(1), 101–115 (2003)
- [BS96] Brendle, J., Shelah, S.: Evasion and prediction II. *J. Lond. Math. Soc.* **53**, 19–27 (1996)
- [BS03] Brendle, J., Shelah, S.: Evasion and prediction IV: strong forms of constant prediction. *Arch. Math. Logic* **42**, 349–360 (2003)
- [Buh02] Buhler, J.P.: Hat tricks. *Math. Intell.* **24**(4), 44–49 (2002)
- [BHKL08] Butler, S., Hajiaghayi, M.T., Kleinberg, R.D., Leighton, T.: Hat guessing games. *SIAM J. Discret. Math.* **22**, 592–605 (2008)
- [Can66] Cantor, G.: *Gesammelte Abhandlungen Mathematischen und Philosophischen Inhalts*. Georg Olms, Hildesheim (1966)

- [CS84] Carlson, T.J., Simpson, S.G.: A dual form of Ramsey's theorem. *Adv. Math.* **53**, 265–290 (1984)
- [DG76] Davies, R.O., Galvin, F.: Solution to query 5. *Real Anal. Exch.* **2**, 74–75 (1976)
- [Ebe98] Ebert, T.: Applications of recursive operators to randomness and complexity. PhD thesis, University of California at Santa Barbara (1998)
- [E83] Eda, K.: On a Boolean power of a torsion-free abelian group. *J. Algebra* **82**, 84–93 (1983)
- [EH66] Erdős, P., Hajnal, A.: On a problem of B. Jonsson. *Bull. Acad. Polon. Sci. Ser. Math. Astron. Phys.* **14**, 19–23 (1966)
- [EHMR84] Erdős, P., Hajnal, A., Máté, A., Rado, R.: *Combinatorial Set Theory: Partition Relations for Cardinals*. North-Holland, Amsterdam (1984)
- [FHMV95] Fagin, R., Halpern, J.Y., Moses, Y., Vardi, M.Y.: *Reasoning About Knowledge*. MIT, Cambridge (1995)
- [Fei04] Feige, U.: You can leave your hat on (if you guess the color). Technical report MCS04-03, Computer Science and Applied Mathematics, The Weizmann Institute of Science, p. 10 (2004)
- [Fre90] Freiling, C.: Symmetric derivatives, scattered, and semi-scattered sets. *Trans. Am. Math. Soc.* **318**, 705–720 (1990)
- [Gal65] Galvin, F.: Problem 5348. *Am. Math. Mon.* **72**, 1136 (1965)
- [GP76] Galvin, F., Prikry, K.: Infinitary Jonsson algebras and partition relations. *Algebra Univ.* **6**(3), 367–376 (1976)
- [Gar61] Gardner, M.: *The 2nd Scientific American Book of Mathematical Puzzles & Diversions*. Simon and Schuster, New York (1961)
- [Geo07] George, A.: A proof of induction? *Philos. Impr.* **7**(2), 1–5 (2007)
- [Gil02] Gillman, L.: Two classical surprises concerning the axiom of choice and the continuum hypothesis. *Am. Math. Mon.* **109**(6), 544–553 (2002)
- [GR71] Graham, R., Rothschild, B.: A survey of finite Ramsey theory. In: *Proceedings of the 2nd Louisiana Conference on Combinatorics, Graph Theory and Computing*, Baton Rouge, pp. 21–40 (1971)
- [G71] Grigorieff, S.: Combinatorics on ideals and forcing. *Ann. Math. Logic* **3**(4), 363–394 (1971)
- [H10] Hardin, C.S.: On transitive subrelations of binary relations. *J. Symb. Logic* **76**, 1429–1440 (2010)
- [H13] Hardin, C.S.: Universality of the μ -predictor. *Fundam. Math.* **208**, 227–241 (2013)
- [HT08a] Hardin, C.S., Taylor, A.D.: An introduction to infinite hat problems. *Math. Intell.* **30**(4), 20–25 (2008)
- [HT08b] Hardin, C.S., Taylor, A.D.: A peculiar connection between the axiom of choice and predicting the future. *Am. Math. Mon.* **115**(2), 91–96 (2008)
- [HT09] Hardin, C.S., Taylor, A.D.: Limit-like predictability for discontinuous functions. *Proc. AMS* **137**, 3123–3128 (2009)
- [HT10] Hardin, C.S., Taylor, A.D.: Minimal predictors in hat problems. *Fundam. Math.* **208**, 273–285 (2010)
- [Hen59] Henkin, L.: Some remarks on infinitely long formulas. In: *Infinitistic Methods, Proceedings of the Symposium on Foundations of Mathematics, Warsaw*, pp. 167–183 (1959)
- [HW13] Horsten, L., Welch, P.: The aftermath. *Math. Intell.* **35**(1), 16–20 (2013)
- [Hyt06] Hyttinen, T.: Cardinal invariants and eventually different functions. *Bull. Lond. Math. Soc.* **38**, 34–42 (2006)
- [Jec03] Jech, T.J.: *Set Theory: The Third Millennium Edition, Revised and Expanded*. Springer Monographs in Mathematics. Springer, Berlin (2003)
- [JS93] Judah, H., Shelah, S.: Baire property and axiom of choice. *Isr. J. Math.* **84**, 435–450 (1993)
- [Kad98] Kada, M.: The Baire category theorem and the evasion number. *Proc. Am. Math. Soc.* **126**(11), 3381–3383 (1998)

- [Kam00] Kamo, S.: Cardinal invariants associated with predictors. In: Buss, S. et al. (eds.) *Logic Colloquium '98*, Prague. *Lecture Notes in Logic*, vol. 13, pp. 280–295 (2000)
- [Kam01] Kamo, S.: Cardinal invariants associated with predictors II. *J. Math. Soc. Jpn.* **53**, 35–57 (2001)
- [Kun71] Kunen, K.: Elementary embeddings and infinitary combinatorics. *J. Symb. Logic* **36**, 407–413 (1971)
- [Kun80] Kunen, K.: *Set Theory*. Elsevier, Amsterdam (1980)
- [LS02] Lenstra, H., Seroussi, G.: On hats and other covers. In: *IEEE International Symposium on Informations Theory*, Lausanne (2002)
- [Mal66] Malitz, J.: Problems in the model theory of infinite languages. PhD thesis, University of California, Berkeley (1966)
- [Mat77] Mathias, A.R.D.: Happy families. *Ann. Math. Logic* **12**, 59–111 (1977)
- [Mil81] Miller, A.W.: Some properties of measure and category. *Trans. Am. Math. Soc.* **266**(1), 93–114 (1981)
- [Mild97] Mildenberger, H.: Non-constructive Galois-Tukey connections. *J. Symb. Logic* **62**(4), 1179–1186 (1997)
- [Pas08] Paseau, A.: Justifying induction mathematically: strategies and functions. *Log. Anal.* **203**, 263–269 (2008)
- [Mor90] Morgan II, J.: *Point Set Theory*. Marcel Dekker, Inc., New York (1990)
- [Ram30] Ramsey, F.: On a problem of formal logic. *Proc. Lond. Math. Soc.* **30**, 264–286 (1930)
- [She84] Shelah, S.: Can you take Solovay’s inaccessible away? *Isr. J. Math.* **48**, 1–47 (1984)
- [SS00] Shelah, S., Stanley, L.: Filters, Cohen sets and consistent extensions of the Erdős-Dushnik-Miller theorem. *J. Symb. Logic* **65**, 259–271 (2000)
- [Sie47] Sierpiński, W.: L’hypothèse généralisée du continu et l’axiome du choix. *Fundam. Math.* **34**, 1–5 (1947)
- [Sil66] Silverman, D.L.: Solution of problem 5348. *Am. Math. Mon.* **73**, 1131–1132 (1966)
- [Sol70] Solovay, R.: A model of set theory in which every set of reals is Lebesgue measurable. *Ann. Math.* **92**, 1–56 (1970)
- [S50] Specker, E.: Additive Gruppen von Folgen ganzer Zahler. *Port. Math.* **9**, 131–140 (1950)
- [T12] Taylor, A.D.: Prediction problems and ultrafilters on ω . *Fundam. Math.* **219**, 111–117 (2012)
- [Tho67] Thorp, B.L.D.: Solution of problem 5348. *Am. Math. Mon.* **74**, 730–731 (1967)
- [Tu47] Tutte, W.T.: The factorization of linear graphs. *J. Lond. Math. Soc.* **22**, 107–111 (1947)
- [Vel11] Velleman, D.J.: The even-odd hat problem (2011, preprint)
- [V93] Vojtáš, P.: Generalized Galois-Tukey connections between explicit relations on classical objects of real analysis. In: Judah, H. (ed.) *Set Theory of the Reals*, Israel Mathematical Conference Proceedings, vol. 6, pp. 619–643. American Mathematical Society, Providence (1993)
- [Wim82] Wimmers, E.: The Shelah P-point independence theorem. *Isr. J. Math.* **4**, 28–48 (1982)
- [Win01] Winkler, P.: Games people don’t play. In: Wolfe, D., Rodgers, T. (eds.) *Puzzlers’ Tribute*, pp. 301–313. A K Peters, Natick (2001)
- [Yip94] Yiparaki, O.: On some tree partitions. PhD thesis, University of Michigan (1994)

Index

A

acceptability relation, 93
acceptable guess, 51
agreeable family, 35
arrow notation, 26

B

Banach-Tarski paradox, 8
basic neutralization, 66
Berge, Claude, 15
Blass, Andreas, 30, 44
BP, 24
Butler, Steven, 11

C

canonical decomposition, 72
canonization, 65
Cantor-Bendixson derivative, 72, 84
Cichoń diagram, 99
co-color, 93
co-well-foundedness, 5
color type, 65
coloring
 tail-like, 67
common strategy, 65
 $\text{cov}(\mathcal{M})$, 35

D

Davies, Roy, 24
DC, 3
dominating set, 98
dual Ramsey theorem, 50
dual Schroeder-Bernstein theorem, 49
Dushnik-Miller-Erdős theorem, 51

E

ϵ , 45
Ebert, Todd, 1
EO, *see* parity relation
Erdős, Paul, 64
error set, 72
evading family, 45
evasion number, 45

F

Feige, Uriel, 14
filter, 4
 non-principal, 4
 product, 4
 proper, 4

G

Gabay, Yuval, 7, 19, 22
Gabay-O'Connor theorem, 20, 75
Galois-Tukey connection, 94
Galvin's theorem, 61
Galvin, Fred, 1, 8, 19, 26, 61
Gardner, Martin, 1
George, Alexander, 77
Graham, Ronald, 50
guessing strategy, 3

H

Hajiaghayi, Mohammed, 11
Hajnal, Andras, 64
hat problem
 relational, 93
 two-agent, 96
 variants, 17, 22
Henkin, Leon, 63

Horsten, Leon, 78
Hume, David, 77

I

I -measure, 4
ideal, 4, 51–55
 $I|A$ (restriction to A), 53
 local NIS, 54
 local P-point, 53
 local Q-point, 53
 locally selective, 53
 NIS, 37
 non-principal, 4
 proper, 4
 selective, 53
 SIN, 37
 TR, 55
 weak NIS, 54
 weak P-point, 53
 weak Q-point, 53
 weakly selective, 53
indominable set, 98
isolation, 71
It, 79

J

Jonsson algebra, 63

K

Kleinberg, Robert, 11
Kunen, Kenneth, 63

L

Landsburg, Steven, 8
Leighton, F. Thomson, 11
Lenstra's theorem, 21
Lenstra, Hendrik, 2, 20

M

Malitz, Jerome, 63
matching, 14
Mathias, Adrian, 26, 55
meager set, 35, 93
morphism
 of relations, 94
 μ -predictor, 7, 30, 31, 50, 52, 55, 57, 61, 72, 74,
 76, 83–92, 94, 101
 μ^* -predictor, 73, 90
 μ^\dagger -predictor, 90

N

near neighborhood predictor, 72
neighborhood frame, 78
non(\mathcal{M}), 35
norm (of a relation), 98
notion of visibility, 76, 83

O

O'Connor, Michael, 7, 19
observation, 65
Occam's razor, 7
 ω -ary algebra, 63
one-way visibility, 29

P

parity relation, 33
partition relations, 51
 square bracket, 26–27
Paseau, Alexander, 77
predictor, 3
 anonymous, 64, 81
 finite-error, 19, 31–33
 I -robust, 20
 I^* , 37
 minimal, 2
 μ , *see* μ -predictor
 neutral, 64
 optimal, 2
 robust, 20, 67, 68
 scattered-error, 73, 83, 85–88, 99
 T -anonymous, 82
 \mathcal{U} -robust, 41
 under \equiv , 83
Prikry, Karel, 26, 63
proximity scheme, 78
pseudo-scattered set, 101

R

Ramsey's theorem, 4, 49, 51
relation
 decent, 94
 serial, 94
robust, *see* predictor, robust
Rothschild, Bruce, 50
Rt, 79

S

scattered set, 71, 84
Seroussi, Gadiel, 2

Shelah, Saharon, 38
 Silverman, D. L., 61
 strategy
 common, 65
 deterministic, 2
 guessing, 3
 strongly agreeable family, 46

T

Thorp, B. L. D., 61
 toggle set, 24
 topology
 downward/upward, 71, 84
 Hausdorff, 71
 locally T_1 , 80
 T_0 , T_1 , T_2 , 71
 T_p , 80
 transitive, 29
 transitivity width, 101
 Tutte, William, 15
 Tutte-Berge formula, 14–15

U

Ulam, Stanislaw, 18
 ultrafilter, 4
 non-principal, 67
 non-regular, 56
 P-point, 38, 40

Q-point, 40
 Ramsey, 38, 40

V

Velleman, Daniel, 13, 18, 33
 visibility graph, 2
 acyclic, 5
 complete (mod $[\omega]^{<\omega}$), 40
 independent (mod $[\omega]^{<\omega}$), 40
 one-way, 29
 thick, 100
 thin, 100
 V-scattered subset, 41

W

Wagon, Stan, 22
 weak isolation, 71
 weakly scattered set, 71, 84
 game-theoretic characterization, 71
 Welch, Philip, 78
 Winkler, Peter, 14
 winning pair, 96
 winning triple, 99

Z

ZF, 3
 ZFC, 3