

Index

A

- N*-Acyliminium ions, 8
- Alkoxy-carbenium ions, 8
- Alkyl methacrylates, controlled/living anionic polymerization, 17
- n*-Alkyl-PEO, 126
- Amino acid *N*-carboxyanhydride (NCA), 29
- Aniansson and Wall theory (A-W theory), 67
- Anionic polymerization, 13
- Atom transfer radical polymerization (ATRP), 22

B

- Barcodes, 201, 227
- Benzyl methacrylate (nBMA), 21
- N*-Benzyloxycarbonyl-L-lysine, 29
- Biosensors/biosensing, 201, 233
- Block copolymer micelles, 51
 - exchange kinetics, 72
 - non-equilibrium kinetics, 133
- Brønsted acids, 10
- Brownian dynamics, 181
- Butyl acrylate, 21
- Butyl methacrylate (BuMA), 18
- 1-Butyl-3-methylimidazolium hexafluorophosphate (BMIMPF₆), 216
- N*-*tert*-Butyl-*N*-(1-diethyl phosphono-2, 2-dimethylpropyl) nitroxide (DEPN), 26
- n*-Butyl vinyl ether (NBVE), 6
- tert*-Butyl vinyl ether (TBVE), 10

C

- Carbon nanotubes (CNTs), 236
- N*-Carboxyanhydride (NCA), 161
- Cationic polymerization, vinyl monomers, 4

- Cobalt-mediated polymerization, 22
- π -Conjugation, 201
- Continuous online rapid size-exclusion chromatography monitoring of polymerizations (CORSEMP), 28
- Contrast variation, 51
- Copoly(Lys-Ala), 30
- Copoly(Lys-Leu), 30
- Core-shell structures, 90
- Crosslinked enzyme aggregate (CLEA), 37
- Cyclic voltammetry, 216
- Cycloaddition reactions, 7
- Cylinders, 130

D

- Dedoping, 216
- Dendrimers, 32
- Dendron-helical polypeptide (DHP), 168
- Diarylcarbenium ions, 8
- Dibromobiaryls, lithiation, 8
- Diffusion-limited exchange kinetics, 70
- Diisopropenylbenzenes, cationic polymerization, 12
- 2-(*N,N*-Dimethylamino)ethyl methacrylate (DMAEMA), 35
- DNA detection, 233
- Doping, 201

E

- Electrochemical polymerization, 204
- Electron beam, 201
- Electrospinning, 207
- Electrospun nanowires, 214
- Enzyme membrane, 37
- Equilibrium kinetics, 51

Ethoxy ethyl glycidyl ether (EEGE), 14
 Ethylenedioxythiophene (EDOT), 204
 2-Ethyl-2-oxazoline, 31
 Expulsion rate constant, 71

F

Flow microreactors, 1
 Flow-microreactor-system-controlled polymerization, 7
 Free-radical polymerization, flow microreactor, 21
 Friedel–Crafts reactions, 7

G

Gel permeation chromatography (GPC), 28
 Gels, 159, 192
 polypeptides, 172
 Glycidol, 31
 Glycosyl triflate, 8

H

Halperin and Alexander (H-A theory), 72
 High-pressure interdigital multilamination micromixer (HPIMM), 27
 Hybrid double-layered nanowires/nanotubes, 223
 Hybridization, 201
 Hydrogels, 177
 Hydrothermal, 201
 2-Hydroxyethyl methacrylate (HEMA), 35
 2-Hydroxypropyl methacrylate (HPMA), 23

I

Interdigital multilamination micromixer, 28
 Isobutyl vinyl ether (IBVE), 6, 11
 Isophthaloyl dichloride (IPA), 31, 32
N-Isopropylacrylamide (NIPAM), 25
 1,2-Isopropylidene glyceryl glycidyl ether (IGG), 14

K

Kinetic zero-average contrast (KZAC), 102
 Kramers' rate theory, 73

L

Light-emitting polymers, 201, 204
 as-prepared nanostructures, 209
 Linear relaxation, 67
 Liquid crystals (LCs), 159
 smectic, 166
 Living anionic polymerizations, 13
 vinyl ethers, 6

M

MEH-PPV nanoparticles, 214
 Methyl methacrylate (MMA), 18
N-Methyl-2-pyrrolidinone (NMP), 204
 Methyltrimethoxysilane (MTMS), 33
 Micelles, 51, 159
 frozen, 116
 kinetics, 58
 mean-field theories, 59
 scaling theories, 62
 Microchannel-confined surface-initiated polymerization (μ SIP), 35
 Microchannels, 34
 Micromixer, multilamination-type 3
 Microreactors, 1
 Mixing, fast, 1
 Molecular weight control, 1
 Molecular weight distribution control, 1
 MWCNT, 236

N

Nano-optoelectronics, 236
 Nanoparticles (NPs), 57, 128, 183, 192, 203, 214, 225
 Nanoscale optical property, 201
 Nanostructures, 201
 Nanotubes (NTs), 203
 electrochemically synthesized, 209
 hybrid double-layered, 223
 P3MT, 216
 Nanowires (NWs), 203
 electrochemically synthesized, 209
 electrospun, 214
 hybrid double-layered, 223
 P3BT, 211
 PEDOT, 217
 P3HT, 213
 P3MT, 210
 Nitroxide-mediated radical polymerization (NMP), 22, 26
 Nonequilibrium kinetics, 51
 Nucleation and growth theories, 81
 Nyrkova and Semenov theory, 79

O

Oligo(ethylene oxide)-monoalkyl ether [$C_n(EO)_m$] surfactants, 111
 Optoelectronics, 201
 Ordered structure, 159
 Organic solvents, block copolymer micelles, 122
 Organoiodine-mediated radical polymerization (IRP), 22
 Osmotic pressure, 75

- Ostwald ripening, 146
 4,4'-Oxydianiline (ODA), 31
- P**
- PEO-PPO-PEO, quasi-equilibrium kinetics, 110
trans-2-Phenyl-1,3-dioxane glycidyl ether (PDGE), 14
 1-Phenylethyl phenyldithioacetate, 25
 Photodiodes, 236
 Phototransistors, 236
 Plurionics micelles, 135
 PMMA, 23
 Poly(alkyl methacrylate)s, 17
 Poly(3-alkylthiophene) (P3AT), 203
 Poly(butyl acrylate), 26, 27
 Poly(butyl acrylate)-*b*-poly(acrylic acid) (PBA-PAA), 118, 139
 Poly(butylene oxide), 118
 Poly(3-butylthiophene) (P3BT), 205
 Poly(β -*p*-chlorobenzyl-L-aspartate)/trichloroethylene (PCIBLA/TCE), 165
 Poly(2-diethylamino ethyl methacrylate)-poly(dimethylaminoethyl methacrylate), 140
 Poly[(9,9-dioctylfluorenyl-2,7-diyl)-*alt-co*-(9-hexyl-3,6-carbazole)], 215
 Poly{[9,9-dioctylfluorenyl-2,7-diyl]-*co*-[1,4-benzo-(2,1,3)-thiadiazole]}, 215
 Poly{[9,9-dioctylfluorenylene-2,7-diyl]-*co*-[1,4-diphenylenevinylene-2-methoxy-5-(2-ethylhexyloxy)-benzene]}, 215
 Poly(3,4-ethylenedioxythiophene) (PEDOT), 203, 206
 Poly(ethylene glycol)-*b*-poly(L-alanine) (PEG-*b*-L-PA), 178
 Poly(ethylene oxide)-*b*-poly(ϵ -carbobenzoxy-L-lysine) (PEO-*b*-PZLys), 175
 Poly(ethylene oxide)-poly(2-diethylamino ethyl methacrylate) (PEO-PDEA), 141
 Poly(ethylene oxide)-*b*-2-hydroxypropyl methacrylate (PEO-*b*-PHPMA), 24
 Poly(ethylene-*alt*-propylene) (PEP), 111
 Poly(ethylene-*alt*-propylene)-poly(ethylene oxide) (PEP-PEO), 66, 109
 Poly(ethyleneethylene) (PEE), 111
 Poly(ferrocenylsilane)-*b*-PBLG (PFS-*b*-PBLG), 174
 Poly(Glu), 30
 Poly(3-hexylthiophene) (P3HT), 206
 Poly(2-hydroxypropyl methacrylate) (PHPMA), 24
 Poly(isocyno-L-alanine-L-alanine), 189
 Poly(isocyno-L-alanine-L-histidine), 189
 Poly(*n*-isopropylacrylamide) (PNIPAM), 26
 Poly(*N*-isopropylacrylamide)-poly(2-diethylamino ethyl methacrylate) (PNIPAM-PDEA), 137
 Poly(L-lysine)-*b*-poly(L-leucine) (PLL-*b*-PLeu), 180
 Poly(2-(methacryloyloxy)ethyl phosphorylcholine)-poly(2-(diisopropylamino)ethyl methacrylate) (PMPCPDPA), 142
 Poly{[2-methoxy-5-(2-ethylhexyloxy)-1,4-(1-cyanovinylphenylene)]-*co*-[2,5-bis(*N,N'*-diphenylamino)-1,4-phenylene]}, 214
 Poly[2-methoxy-5-(2'-ethylhexyloxy)-*p*-phenylenevinylene] (MEH-PPV), 203
 Poly(α -methylstyrene)-poly(vinyl phenethyl alcohol) (P α MS-PVPA), 135
 Poly(3-methylthiophene) (P3MT), 205, 209
 Poly(β -phenethyl-L-aspartate)/trichloroethylene/dichloroacetic acid (PPLA/TCE/DCA), 165
 Poly(*p*-phenylenevinylene) (PPV), 203
 Poly(sodium 4-styrenesulfonate), 36
 Poly(styrene), 26
 Poly(styrene-*b*-ethylene/butylene-*b*-styrene) (SEBS), 138
 Poly(styrene-*b*-ethylene/propylene) (SEP), 138
 Poly(4-vinylbenzoic acid)-poly(*N*-morpholinoethyl methacrylate) (PVBA-PMEMA), 141
 Polyallylamine-*g*-PMLG, 184
 Polyamide dendrons, 32
 Polycondensation, microreactor, 31
 Polydispersity, 23, 33, 88, 109, 120, 167, 186
 Polyglycerols, hyperbranched, 30
 1,4-Polyisoprene (PI), 111
 Polymerization, anionic, 13
 cationic, vinyl monomers, 4
 controlled, 1
 electrochemical, 204
 free-radical, flow microreactor, 21
 nitroxide-mediated radical (NMP), 22, 26
 radical, 21
 RAFT, 22, 24
 Ziegler-Natta, 33
 Polymer membranes, microchannels, 36
 Polypeptide block copolymers, hydrogels, 177
 Polypeptide liquid crystals, 159, 163
 Polystyrene₃₁₀-*b*-poly(acrylic acid)₅₂ (PS₃₁₀-*b*-PAA₅₂), 150

- Polystyrene-*b*-poly(butyl acrylate)-*b*-polystyrene, 26
Polystyrene-*b*-poly(ethylene oxide) (PS-PEO), 111
Polystyrene-poly(ethylene-*alt*-propylene) (PS-PEP), 122
Polystyrene-polybutadiene (PS-PB), 61, 122
Polystyrene-polyisoprene (PS-PI), 61, 122
Polystyrenes, multihydroxyl end-functionalized, 15
Polythiophene (PTh), 203
Protein-polymeric membrane, 37
- R**
Radical polymerization, 21
RAFT polymerization, 22, 24
Reprecipitation, 206
Residence time control, 1
Reversible addition-fragmentation chain transfer radical polymerization (RAFT), 22, 24
Ring-opening polymerization, flow microreactor, 29
- S**
Self-assembly, 54, 159, 189
Small-angle neutron scattering (SANS), 51, 83
 time-resolved (TR-SANS), 51, 99
 zero-average contrast, 95
Small-angle X-ray scattering (SAXS), 51, 83
 time-resolved (TR-SAXS), 51, 99
Spheres, 130
Stopped-flow apparatus (SFA), 99
Styrenes, controlled/living anionic polymerization, 13
- Surface-initiated polymerization, microfluidic devices, 34
Surfactant micelles, exchange kinetics, 71
Su-Schrieffer-Heeger (SSH) Hamiltonian model, 203
- T**
Tacticity, 33
Temperature control, 1, 3, 21
Trialkoxysilanes, 33
Trifluoromethanesulfonic acid (TfOH), 10
Trimethylol propane (TMP), 31
Trimethyl-4-phenyl-3-azahexane-3-nitroxide (TIPNO), 26
- U**
Unimer exchange, 67
- V**
Vesicles, self-assembled, 186
Vinyl benzoate (VBz), 21
Vinyl ethers, Brønsted-acid-initiated polymerization, 10
 controlled/living cationic polymerization, 6
Vinyl monomers, controlled/living anionic polymerization, 13
- Z**
Zero-average contrast (ZAC), 95
Ziegler-Natta polymerization, microreactor, 33