

# Index

## A

- Accidental alcohol poisoning, 136
- Age-specific mortality, 341, 350
  - patterns of, 80
  - rate of, 7, 336, 337
- Alcohol
  - adverse effects of, 48
  - effects on health, 66, 84, 103, 136, 138
  - mental and behavioural disorders due to, 141
  - mortality due to, 136
  - mortality in elders, 143
  - role as disease determinants, 41, 309
  - role in cancer, 83
  - role in traffic accidents, 158
- Alcoholic cardiomyopathy, 143
- Avoidable deaths, 287, 317, 318, 323, 328, 329

## B

- Behaviour, 4, 37, 200, 268, 283
  - differences in, 286
  - health-damaging, 55
  - life expectancy, 39
  - patterns of, 87
  - reproductive, 193
  - risk, 264
- Belgium
  - gender differences in, 63
  - mortality risks in, 245
  - total mortality in, 59
- Biomarkers, 118, 120, 122, 127
  - elevated-risk, 118
  - individual, 119
- Borrowing strength, 16
  - methods used in, 19, 29
  - models for, 23
  - specifications of, 20

## C

- Cause of death, 9, 10, 36–38, 41, 45, 49, 55, 56, 78, 86, 90, 93, 103, 143, 158, 187, 188, 191, 192, 207, 208, 211, 218, 265, 266, 283, 309
    - in women, 67
    - models of, 46
    - patterns of, 194
  - Cause-specific mortality, 36, 80, 82, 348
    - analysis of, 106
    - data for, 39
    - elements of, 107
    - forecasts of, 39
    - frameworks of, 78
    - models of, 58, 65, 68
    - patterns of, 37, 81
    - rate of, 45, 89, 266
    - trends in, 36
  - Childhood, 4, 87, 119, 287
    - mortality in, 281
  - Chronic alcoholism, 145
  - Clustering, 29
    - coefficients of, 23
    - spatial, 16, 23, 26
  - Countries in Central and Eastern Europe (CEE), 78
  - Cuba, 10, 264, 271, 279
    - health and education programmes in, 269
    - life expectancy in, 265, 286
    - mortality changes in, 10
    - population trend in, 269
- ## D
- Death probabilities, 17, 18
  - Death register, 89, 188
  - Decomposition method, 266

**E**

- East Asia, 9
  - age-specific mortality in, 341
  - life expectancy in, 337, 340
  - long-term mortality changes in, 10, 336
  - mortality decline in, 336
  - mortality transition in, 337, 338, 340, 342, 349
- Eastern Europe, 2, 54, 56, 61, 63, 66, 88, 106, 305
  - alcohol consumption in, 7, 44, 49, 54, 59
  - cancer mortality in, 57
  - causes of death in, 46
  - education in, 49
  - life expectancy in, 45
  - total mortality in, 67
- Epidemiologic transition, 286

**F**

- Fetal alcohol syndrome, 137
- Forecasts, 7, 37, 38, 46, 48, 58, 61, 63, 89
  - mortality, 36, 68

**G**

- Gender differences, 63, 144, 145, 308, 311, 313

**H**

- Historical development, 78
- Human rights, 169, 181
  - frameworks of, 170
  - fundamental principle of, 176
- Hungary, 8, 78, 88, 106
  - cause of death patterns in, 88
  - circulatory system diseases in, 63
  - food supply in, 104
  - mortality distribution in, 78

**I**

- Ill-health, 246, 252, 253, 258
- Inequality, 168
  - assessment of, 24
  - income, 54, 67, 87
  - indices of, 26
  - mortality, 7
  - slope index of, 26
  - social, 3, 329
  - spatial, 16, 24
- Infant mortality, 2, 8, 9, 168–170, 172–175, 177, 181, 264, 279, 283, 286, 287, 341
- Institutionalisation, 9, 244, 252, 256, 258

**L**

- Latent classes, 8, 120, 121, 124, 126, 128
- Life expectancy, 1, 4, 5, 15–17, 24, 26, 30, 36, 80, 82, 154, 206, 207, 232, 264, 265, 268, 283, 286, 318, 322, 337, 339, 341, 343, 344, 351
  - differences in, 272, 321
  - regional distribution of, 315
  - sex differential in, 279, 281
  - time differential in, 283
  - trends in, 267, 268
- Life tables, 6, 7

**M**

- Maternal mortality, 9, 80, 89, 186, 199
- Mortality change, 6, 37, 61, 67, 82, 139, 337, 339, 342
- Mortality trends, 39, 66, 68, 88, 90, 208–210, 328
  - evolution of, 279

**O**

- Old age, 68, 208–210, 232, 235, 256, 259, 287

**P**

- Period and cohort
  - effects, 4
  - mortality patterns of, 4

**R**

- Random
  - effects, 7, 16, 17, 19, 20, 30
  - event, 150
- Random walk model, 18
- Regional differences, 152, 316, 321, 329
- Risk factors, 8, 17, 38, 82–84, 87, 88, 100, 213, 223, 271, 309
  - behavioural, 37
- Russia, 2, 3, 61, 63, 78, 154, 156, 309, 313, 315, 329
  - alcohol abuse in, 136
  - alcohol consumption in, 3, 137, 313
  - alcohol related mortality in, 8
  - alcohol-related losses in, 158
  - alcohol-related mortality in, 136, 137, 145, 151, 153, 157
  - avoidable mortality in, 322
  - behavioural risk factors in, 316, 325, 328
  - cause of death in, 329
  - elderly population in, 144
  - life expectancy in, 136, 305, 306, 320
  - mortality dynamics of, 328
  - mortality trends in, 84, 308
  - risk factors in, 313

**S**

- Socioeconomic factors, 36, 40
- Spain, 205, 206, 209, 216, 264, 267
  - cardiovascular revolution in, 213
  - causes of death in, 210
  - differential mortality in, 220
  - elderly population in, 211
  - health transition in, 232
- Standard mortality ratio (SMR), 21
- Survey, 9, 105, 186, 192
  - Demographic and Health Survey, 192, 200
  - Eurobarometer, 105
  - European Statistics on Income and Living Condition, 106, 120
  - health, 223
  - Turkey Demographic and Health Survey (TDHS), 193

**T**

- Time series, 38, 46, 92, 93, 106, 210
  - analysis of, 45

- models of, 57, 65, 68
- of mortality data, 87
- Turkey, 9, 186, 193, 194
  - death registration system in, 188
  - literature on, 189
  - maternal deaths in, 199
  - maternal mortality in, 194
  - maternal mortality studies in, 186, 187
  - studies in, 200
  - surveys on, 188

**U**

- United States, 2, 6, 271

**W**

- Western Europe, 7, 49, 54, 56, 61, 67, 78
  - alcohol consumption in, 7, 56, 57
  - cause of death pattern in, 88
  - clustering in, 66
  - life expectancy in, 36, 152, 306
  - mortality decline in, 10