

References

1. Abowd, G.D., Dey, A.K., Brown, P.J., Davies, N., Smith, M., Steggle, P.: Towards a better understanding of context and context-awareness. In: Proceedings of the 1st International Symposium on Handheld and Ubiquitous Computing, HUC '99, pp. 304–307. Springer, London (1999). <http://dl.acm.org/citation.cfm?id=647985.743843>
2. Agrawal, R., Srikant, R.: Privacy-preserving data mining. SIGMOD Rec. **29**(2), 439–450 (2000). doi:10.1145/335191.335438. <http://doi.acm.org/10.1145/335191.335438>
3. Al-Muhtadi, J., Campbell, R., Kapadia, A., Mickunas, M., Yi, S.: Routing through the mist: privacy preserving communication in ubiquitous computing environments. In: Proceedings of 22nd International Conference on Distributed Computing Systems 2002, pp. 74–83 (2002). doi:10.1109/ICDCS.2002.1022244
4. Allavena, A., Demers, A., Hopcroft, J.E.: Correctness of a gossip based membership protocol. In: Proceedings of the 24th Annual ACM Symposium on Principles of Distributed Computing, PODC '05, pp. 292–301. ACM, New York (2005). doi:10.1145/1073814.1073871. <http://doi.acm.org/10.1145/1073814.1073871>
5. Altman, I., Vinsel, A., Brown, B.: Dialectic conceptions in social psychology: an application to social penetration and privacy regulation. Adv. Exp. Soc. Psychol. **14**, 107–160 (1981)
6. Alves, P., Ferreira, P.: Reconmuc: adaptable consistency requirements for efficient large-scale multi-user chat. In: Proceedings of the ACM 2011 Conference on Computer Supported Cooperative Work, CSCW '11, pp. 553–562. ACM, New York (2011). doi:10.1145/1958824.1958909. <http://doi.acm.org/10.1145/1958824.1958909>
7. Baldauf, M., Dustdar, S., Rosenberg, F.: A survey on context-aware systems. Int. J. Ad Hoc Ubiquitous Comput. **2**(4), 263–277 (2007). doi:10.1504/IJAHUC.2007.014070. <http://dx.doi.org/10.1504/IJAHUC.2007.014070>
8. Bardram, J.E., Hansen, T.R.: The aware architecture: supporting context-mediated social awareness in mobile cooperation. In: Proceedings of the 2004 ACM Conference on Computer Supported Cooperative Work, CSCW '04, pp. 192–201. ACM, New York (2004). doi:10.1145/1031607.1031639. <http://doi.acm.org/10.1145/1031607.1031639>
9. Bardram, J.E., Hansen, T.R., Soegaard, M.: Awaremedia: a shared interactive display supporting social, temporal, and spatial awareness in surgery. In: Proceedings of the 2006 20th Anniversary Conference on Computer Supported Cooperative Work, CSCW '06, pp. 109–118. ACM, New York (2006). doi:10.1145/1180875.1180892. <http://doi.acm.org/10.1145/1180875.1180892>
10. Beresford, A., Stajano, F.: Location privacy in pervasive computing. IEEE Pervasive Comput. **2**(1), 46–55 (2003). doi:10.1109/MPRV.2003.1186725

11. Bjerrum, E., Bødker, S.: Learning and living in the 'new office'. In: Kuutti, K., Karsten, E., Fitzpatrick, G., Dourish, P., Schmidt, K. (eds.) ECSCW 2003, pp. 199–218. Springer, Netherlands (2003). doi:10.1007/978-94-010-0068-0_11. http://dx.doi.org/10.1007/978-94-010-0068-0_11
12. Bolchini, C., Curino, C.A., Quintarelli, E., Schreiber, F.A., Tanca, L.: A data-oriented survey of context models. *SIGMOD Rec.* **36**(4), 19–26 (2007). doi:10.1145/1361348.1361353. <http://doi.acm.org/10.1145/1361348.1361353>
13. Bratskas, P., Paspallis, N., Papadopoulos, G.: An evaluation of the state of the art in context-aware architectures. In: The 16th International Conference on Information Systems Development (ISD 2007). Springer, Heidelberg (2007)
14. Brown, P., Bovey, J., Chen, X.: Context-aware applications: from the laboratory to the marketplace. *IEEE Pers. Comm.* **4**(5), 58–64 (1997). doi:10.1109/98.626984
15. Cano, J.C., Manzoni, P., Toh, C.K.: Ubiquimuseum: a bluetooth and java based context-aware system for ubiquitous computing. *Wireless Pers. Comm.* **38**(2), 187–202 (2006). doi:10.1007/s11277-005-9001-x. <http://dx.doi.org/10.1007/s11277-005-9001-x>
16. Carzaniga, A., Rosenblum, D.S., Wolf, A.L.: Design and evaluation of a wide-area event notification service. *ACM Trans. Comput. Syst.* **19**(3), 332–383 (2001). doi:10.1145/380749.380767. <http://doi.acm.org/10.1145/380749.380767>
17. Castro, M., Druschel, P., Kermarrec, A.M., Rowstron, A.I.T.: Scribe: a large-scale and decentralized application-level multicast infrastructure. *IEEE J. Sel. Area Comm.* **20**(8), 1489–1499 (2002). doi:10.1109/JSAC.2002.803069
18. Castro, M., Jones, M., Kermarrec, A.M., Rowstron, A., Theimer, M., Wang, H., Wolman, A.: An evaluation of scalable application-level multicast built using peer-to-peer overlays. In: The 22nd Annual Joint Conference of the IEEE Computer and Communications, INFOCOM 2003, vol. 2, pp. 1510–1520. IEEE Societies, San Francisco (2003). doi:10.1109/INFCOM.2003.1208986
19. Chakraborty, D., Dasgupta, K., Misra, A.: Efficient querying and resource management using distributed presence information in converged networks. In: Proceedings of the 7th International Conference on Mobile Data Management, MDM '06, p. 28. IEEE Computer Society, Washington (2006). doi:10.1109/MDM.2006.81. <http://dx.doi.org/10.1109/MDM.2006.81>
20. Chakraborty, D., Dasgupta, K., Mittal, S., Misra, A., Gupta, A., Newmark, E., Oberle, C.: Businessfinder: harnessing presence to enable live yellow pages for small, medium and micro mobile businesses. *IEEE Comm. Mag.* **45**(1), 144–151 (2007). doi:10.1109/MCOM.2007.284550
21. Chaum, D.L.: Untraceable electronic mail, return addresses, and digital pseudonyms. *Comm. ACM* **24**(2), 84–90 (1981). doi:10.1145/358549.358563. <http://doi.acm.org/10.1145/358549.358563>
22. Chen, G., Kotz, D.: A survey of context-aware mobile computing research. Dartmouth Computer Science Technical Report TR2000-381, pp. 1–16 (2000)
23. Chen, G., Kotz, D.: Context aggregation and dissemination in ubiquitous computing systems. In: Proceedings of the 4th IEEE Workshop on Mobile Computing Systems and Applications, WMCSA '02, pp. 105–14. IEEE Computer Society, Washington (2002). <http://dl.acm.org/citation.cfm?id=832315.837559>
24. Chen, G., Li, M., Kotz, D.: Design and implementation of a large-scale context fusion network. In: Mobile and Ubiquitous Systems: Networking and Services, 2004. The 1st Annual International Conference on MOBIQUITOUS 2004, pp. 246–255 (2004). doi:10.1109/MOBIQ.2004.1331731
25. Cheverst, K., Mitchell, K., Davies, N.: Design of an object model for a context sensitive tourist {GUIDE}. *Comput. Graph.* **23**(6), 883–891 (1999). doi:[http://dx.doi.org/10.1016/S0097-8493\(99\)00119-3](http://dx.doi.org/10.1016/S0097-8493(99)00119-3). <http://www.sciencedirect.com/science/article/pii/S0097849399001193>

26. Cheverst, K., Smith, G., Mitchell, K., Friday, A., Davies, N.: The role of shared context in supporting cooperation between city visitors. *Comput. Graph.* **25**(4), 555–562 (2001). doi:[http://dx.doi.org/10.1016/S0097-8493\(01\)00083-8](http://dx.doi.org/10.1016/S0097-8493(01)00083-8). <http://www.sciencedirect.com/science/article/pii/S0097849301000838>.
27. Cheverst, K., Mitchell, K., Davies, N.: Exploring context-aware information push. *Pers. Ubiquit. Comput.* **6**(4), 276–281 (2002). doi:10.1007/s007790200028. <http://dx.doi.org/10.1007/s007790200028>
28. Consolvo, S., Smith, I.E., Matthews, T., LaMarca, A., Tabert, J., Powledge, P.: Location disclosure to social relations: why, when, and what people want to share. In: Proceedings of the SIGCHI Conference on Human Factors in Computing Systems, CHI '05, pp. 81–90. ACM, New York (2005). doi:10.1145/1054972.1054985. <http://doi.acm.org/10.1145/1054972.1054985>
29. Cornelius, C., Kapadia, A., Kotz, D., Peebles, D., Shin, M., Triandopoulos, N.: Anonymsense: privacy-aware people-centric sensing. In: Proceedings of the 6th International Conference on Mobile systems, Applications, and Services, MobiSys '08, pp. 211–224. ACM, New York (2008). doi:10.1145/1378600.1378624. <http://doi.acm.org/10.1145/1378600.1378624>
30. Cornwell, J., Fette, I., Hsieh, G., Prabaker, M., Rao, J., Tang, K., Vaniea, K., Bauer, L., Cranor, L., Hong, J., McLaren, B., Reiter, M., Sadeh, N.: User-controllable security and privacy for pervasive computing. In: Mobile Computing Systems and Applications, 2007. The 8th IEEE Workshop on HotMobile 2007, pp. 14–19 (2007). doi:10.1109/HotMobile.2007.9
31. Cowzer, N., Quigley, A.: Geoigm: a location-aware igm platform. In: Enabling Technologies: Infrastructures for Collaborative Enterprises, 2009. The 18th IEEE International Workshops on WETICE '09, pp. 105–110 (2009). doi:10.1109/WETICE.2009.29
32. Demers, A., Greene, D., Houser, C., Irish, W., Larson, J., Shenker, S., Sturgis, H., Swinehart, D., Terry, D.: Epidemic algorithms for replicated database maintenance. *SIGOPS Oper. Syst. Rev.* **22**(1), 8–32 (1988). doi:10.1145/43921.43922. <http://doi.acm.org/10.1145/43921.43922>
33. Dey, A., Mankoff, J., Abowd, G., Carter, S.: Distributed mediation of ambiguous context in aware environments. In: Proceedings of the 15th Annual ACM Symposium on User Interface Software and Technology, UIST '02, pp. 121–130. ACM, New York (2002). doi:10.1145/571985.572003. <http://doi.acm.org/10.1145/571985.572003>
34. Dourish, P., Bellotti, V.: Awareness and coordination in shared workspaces. In: Proceedings of the 1992 ACM Conference on Computer-Supported Cooperative Work, CSCW '92, pp. 107–114. ACM, New York (1992). doi:10.1145/143457.143468. <http://doi.acm.org/10.1145/143457.143468>
35. Duckham, M., Kulik, L.: Location privacy and location-aware computing. In: Dynamic and Mobile GIS: Investigating Change in Space and Time, pp. 34–51. CRC Press, Boca Raton (2006)
36. Eisenman, S.B., Miluzzo, E., Lane, N.D., Peterson, R.A., Ahn, G.S., Campbell, A.T.: The bikenet mobile sensing system for cyclist experience mapping. In: Proceedings of the 5th International Conference on Embedded Networked Sensor Systems, SenSys '07, pp. 87–101. ACM, New York (2007). doi:10.1145/1322263.1322273. <http://doi.acm.org/10.1145/1322263.1322273>
37. Eugster, P.T., Felber, P.A., Guerraoui, R., Kermarrec, A.M.: The many faces of publish/subscribe. *ACM Comput. Surv.* **35**(2), 114–131 (2003). doi:10.1145/857076.857078. <http://doi.acm.org/10.1145/857076.857078>
38. Fitzpatrick, G., Mansfield, T., Kaplan, S., Arnold, D., Phelps, T., Segall, B.: Augmenting the workaday world with elvin. In: Bødker, S., Kyng, M., Schmidt, K. (eds.) ECSCW '99, pp. 431–450. Springer, Netherlands (2002). doi:10.1007/0-306-47316-X_23. http://dx.doi.org/10.1007/0-306-47316-X_23
39. Fogarty, J., Hudson, S.E.: Toolkit support for developing and deploying sensor-based statistical models of human situations. In: Proceedings of the SIGCHI Conference on Human Factors in Computing Systems, CHI '07, pp. 135–144. ACM, New York (2007). doi:10.1145/1240624.1240645. <http://doi.acm.org/10.1145/1240624.1240645>

40. Fogarty, J., Lai, J., Christensen, J.: Presence versus availability: the design and evaluation of a context-aware communication client. *Int. J. Hum. Comput. Stud.* **61**(3), 299–317 (2004). doi:<http://dx.doi.org/10.1016/j.ijhcs.2003.12.016>. <http://www.sciencedirect.com/science/article/pii/S1071581903002222>
41. Ganti, R.K., Pham, N., Tsai, Y.E., Abdelzaher, T.F.: Poolview: stream privacy for grassroots participatory sensing. In: *Proceedings of the 6th ACM Conference on Embedded Network Sensor Systems, SenSys '08*, pp. 281–294. ACM, New York (2008). doi:10.1145/1460412.1460440. <http://doi.acm.org/10.1145/1460412.1460440>
42. Gross, R., Acquisti, A.: Information revelation and privacy in online social networks. In: *Proceedings of the 2005 ACM Workshop on Privacy in the Electronic Society, WPES '05*, pp. 71–80. ACM, New York (2005). doi:10.1145/1102199.1102214. <http://doi.acm.org/10.1145/1102199.1102214>
43. Gruteser, M., Grunwald, D.: Anonymous usage of location-based services through spatial and temporal cloaking. In: *Proceedings of the 1st International Conference on Mobile Systems, Applications and Services, MobiSys '03*, pp. 31–42. ACM, New York (2003). doi:10.1145/1066116.1189037. <http://doi.acm.org/10.1145/1066116.1189037>
44. Gutwin, C., Schneider, K., Paquette, D., Penner, R.: Supporting group awareness in distributed software development. In: Bastide, R., Palanque, P., Roth, J. (eds.) *Engineering Human Computer Interaction and Interactive Systems. Lecture Notes in Computer Science*, vol. 3425, pp. 383–397. Springer, Berlin (2005). doi:10.1007/11431879_25. http://dx.doi.org/10.1007/11431879_25
45. Henriksen, K., Indulska, J., McFadden, T., Balasubramaniam, S.: Middleware for distributed context-aware systems. In: Meersman, R., Tari, Z. (eds.) *On the Move to Meaningful Internet Systems 2005: CoopIS, DOA, and ODBASE. Lecture Notes in Computer Science*, vol. 3760, pp. 846–863. Springer, Berlin (2005). doi:10.1007/11575771_53. http://dx.doi.org/10.1007/11575771_53
46. Hightower, J., Borriello, G.: Location systems for ubiquitous computing. *Computer* **34**(8), 57–66 (2001). doi:10.1109/2.940014. <http://dx.doi.org/10.1109/2.940014>
47. Hofer, T., Schwinger, W., Pichler, M., Leonhartsberger, G., Altmann, J., Retschitzegger, W.: Context-awareness on mobile devices: the hydrogen approach. In: *Proceedings of the 36th Annual Hawaii International Conference on System Sciences 2003*, p. 10 (2003) doi:10.1109/HICSS.2003.1174831
48. Iachello, G., Smith, I., Consolvo, S., Chen, M., Abowd, G.D.: Developing privacy guidelines for social location disclosure applications and services. In: *Proceedings of the 2005 Symposium on Usable Privacy and Security, SOUPS '05*, pp. 65–76. ACM, New York (2005). doi:10.1145/1073001.1073008. <http://doi.acm.org/10.1145/1073001.1073008>
49. Indulska, J., Sutton, P.: Location management in pervasive systems. In: *Proceedings of the Australasian Information Security Workshop Conference on ACSW Frontiers 2003*, vol. 21, pp. 143–151. Australian Computer Society, Inc., Darlinghurst (2003). <http://dl.acm.org/citation.cfm?id=827987.828003>
50. Jovanovic, M.: Modeling large-scale peer-to-peer networks and a case study of Gnutella. Ph.D. thesis, University of Cincinnati (2001). <http://etd.ohiolink.edu/view.cgi?ucin989967592>
51. Kapadia, A., Henderson, T., Fielding, J., Kotz, D.: Virtual walls: Protecting digital privacy in pervasive environments. In: LaMarca, A., Langheinrich, M., Truong, K. (eds.) *Pervasive Computing. Lecture Notes in Computer Science*, vol. 4480, pp. 162–179. Springer, Berlin (2007). doi:10.1007/978-3-540-72037-9_10. http://dx.doi.org/10.1007/978-3-540-72037-9_10
52. Kapadia, A., Kotz, D., Triandopoulos, N.: Opportunistic sensing: Security challenges for the new paradigm. In: *The 1st International Conference on Communication Systems and Networks and Workshops COMSNETS 2009*, pp. 1–10 (2009). doi:10.1109/COMSNETS.2009.4808850

53. Kargupta, H., Datta, S., Wang, Q., Sivakumar, K.: On the privacy preserving properties of random data perturbation techniques. In: Third IEEE International Conference on Data Mining 2003 (ICDM 2003), pp. 99–106 (2003). doi:10.1109/ICDM.2003.1250908
54. Laerhoven, K.: Combining the self-organizing map and k-means clustering for on-line classification of sensor data. In: Dorffner, G., Bischof, H., Hornik, K. (eds.) Artificial Neural Networks - ICANN 2001. Lecture Notes in Computer Science, vol. 2130, pp. 464–469. Springer, Berlin (2001). doi:10.1007/3-540-44668-0_65. http://dx.doi.org/10.1007/3-540-44668-0_65
55. Lane, N., Miluzzo, E., Lu, H., Peebles, D., Choudhury, T., Campbell, A.: A survey of mobile phone sensing. *IEEE Comm. Mag.* **48**(9), 140–150 (2010). doi:10.1109/MCOM.2010.5560598
56. Lederer, S., Dey, A.K., Mankoff, J.: A conceptual model and a metaphor of everyday privacy in ubiquitous. Technical Report. University of California at Berkeley, Berkeley (2002)
57. Lu, H., Pan, W., Lane, N.D., Choudhury, T., Campbell, A.T.: Soundsense: scalable sound sensing for people-centric applications on mobile phones. In: Proceedings of the 7th International Conference on Mobile Systems, Applications, and Services, MobiSys '09, pp. 165–178. ACM, New York (2009). doi:10.1145/1555816.1555834. <http://doi.acm.org/10.1145/1555816.1555834>
58. Mathur, A.G., Hall, R.W., Jahanian, F., Prakash, A., Rasmussen, C.: The Publish/Subscribe Paradigm for Scalable Group Collaboration Systems. Technical Report CSE-TR-270-95. Department of Electrical Engineering and Computer Science, University of Michigan, Ann Arbor (1995)
59. Miluzzo, E., Lane, N.D., Fodor, K., Peterson, R., Lu, H., Musolesi, M., Eisenman, S.B., Zheng, X., Campbell, A.T.: Sensing meets mobile social networks: the design, implementation and evaluation of the cenceme application. In: Proceedings of the 6th ACM Conference on Embedded Network Sensor Systems, SenSys '08, pp. 337–350. ACM, New York (2008). doi:10.1145/1460412.1460445. <http://doi.acm.org/10.1145/1460412.1460445>
60. Mun, M., Reddy, S., Shilton, K., Yau, N., Burke, J., Estrin, D., Hansen, M., Howard, E., West, R., Boda, P.: Peir, the personal environmental impact report, as a platform for participatory sensing systems research. In: Proceedings of the 7th International Conference on Mobile Systems, Applications, and Services, MobiSys '09, pp. 55–68. ACM, New York (2009). doi:10.1145/1555816.1555823. <http://doi.acm.org/10.1145/1555816.1555823>
61. Oliveira, S., Zaiãne, O.: Achieving privacy preservation when sharing data for clustering. In: Jonker, W., Petkovic, M. (eds.) Secure Data Management. Lecture Notes in Computer Science, vol. 3178, pp. 67–82. Springer, Berlin (2004). doi:10.1007/978-3-540-30073-1_6. http://dx.doi.org/10.1007/978-3-540-30073-1_6
62. Oulasvirta, A., Raento, M., Tiitta, S.: Contextcontacts: re-designing smartphone's contact book to support mobile awareness and collaboration. In: Proceedings of the 7th International Conference on Human Computer Interaction with Mobile Devices and Services, MobileHCI '05, pp. 167–174. ACM, New York (2005). doi:10.1145/1085777.1085805. <http://doi.acm.org/10.1145/1085777.1085805>
63. Oyomno, W., Jäppinen, P., Kerttula, E.: Privacy implications of context-aware services. In: Proceedings of the 4th International ICST Conference on Communication System Software and Middleware, COMSWARE '09, pp. 17:1–17:9. ACM, New York (2009). doi:10.1145/1621890.1621913. <http://doi.acm.org/10.1145/1621890.1621913>
64. Pascoe, J., Ryan, N., Morse, D.: Human-computer-giraffe interaction: HCI in the field. *Technology* (1998). <http://kar.kent.ac.uk/21665/>
65. Plale, B., Liu, Y.: Survey of publish subscribe event systems. Technical Report TR574, Indiana University (2003)
66. Prekop, P., Burnett, M.: Activities, context and ubiquitous computing. *Comput. Comm.* **26**(11), 1168–1176 (2003). doi:http://dx.doi.org/10.1016/S0140-3664(02)00251-7. <http://www.sciencedirect.com/science/article/pii/S0140366402002517>
67. Prinz, W.: Nessie: an awareness environment for cooperative settings. In: Bødker, S., Kyng, M., Schmidt, K. (eds.) ECSCW '99, pp. 391–410. Springer, Netherlands (2002). doi:10.1007/0-306-47316-X_21. http://dx.doi.org/10.1007/0-306-47316-X_21

68. Priyantha, N.B., Chakraborty, A., Balakrishnan, H.: The cricket location-support system. In: Proceedings of the 6th Annual International Conference on Mobile Computing and Networking, MobiCom '00, pp. 32–43. ACM, New York (2000). doi:10.1145/345910.345917. <http://doi.acm.org/10.1145/345910.345917>
69. Priyantha, B., Lymberopoulos, D., Liu, J.: Littlerock: enabling energy-efficient continuous sensing on mobile phones. *IEEE Pervasive Comput.* **10**(2), 12–15 (2011). doi:10.1109/MPRV.2011.28
70. Puttaswamy, K.P.N., Zhao, B.Y.: Preserving privacy in location-based mobile social applications. In: Proceedings of the 11th Workshop on Mobile Computing Systems & Applications, HotMobile '10, pp. 1–6. ACM, New York (2010). doi:10.1145/1734583.1734585. <http://doi.acm.org/10.1145/1734583.1734585>
71. Quinlan, J.: Induction of decision trees. *Mach. Learn.* **1**(1), 81–106 (1986). doi:10.1007/BF00116251. <http://dx.doi.org/10.1007/BF00116251>
72. Raento, M., Oulasvirta, A., Petit, R., Toivonen, H.: Contextphone: a prototyping platform for context-aware mobile applications. *IEEE Pervasive Comput.* **4**(2), 51–59 (2005). doi:10.1109/MPRV.2005.29
73. Rana, R.K., Chou, C.T., Kanhere, S.S., Bulusu, N., Hu, W.: Ear-phone: an end-to-end participatory urban noise mapping system. In: Proceedings of the 9th ACM/IEEE International Conference on Information Processing in Sensor Networks, IPSN '10, pp. 105–116. ACM, New York (2010). doi:10.1145/1791212.1791226. <http://doi.acm.org/10.1145/1791212.1791226>
74. Randell, C., Muller, H.: Context awareness by analysing accelerometer data. In: The 4th International Symposium on Wearable Computers, pp. 175–176 (2000). doi:10.1109/ISWC.2000.888488
75. Ratnasamy, S., Karp, B., Yin, L., Yu, F., Estrin, D., Govindan, R., Shenker, S.: Ght: a geographic hash table for data-centric storage. In: Proceedings of the 1st ACM International Workshop on Wireless Sensor Networks and Applications, WSNA '02, pp. 78–87. ACM, New York (2002). doi:10.1145/570738.570750. <http://doi.acm.org/10.1145/570738.570750>
76. Reddy, S., Parker, A., Hyman, J., Burke, J., Estrin, D., Hansen, M.: Image browsing, processing, and clustering for participatory sensing: lessons from a dietsense prototype. In: Proceedings of the 4th Workshop on Embedded Networked Sensors, pp. 13–17. ACM, New York (2007). <http://portal.acm.org/citation.cfm?id=1278975>
77. Riché, S., Brebner, G.: Storing and accessing user context. In: Chen, M.S., Chrysanthis, P., Sloman, M., Zaslavsky, A. (eds.) *Mobile Data Management. Lecture Notes in Computer Science*, vol. 2574, pp. 1–12. Springer, Berlin (2003). doi:10.1007/3-540-36389-0_1. http://dx.doi.org/10.1007/3-540-36389-0_1
78. Rubin, Z.: Disclosing oneself to a stranger: Reciprocity and its limits. *J. Exp. Soc. Psychol.* **11**(3), 233–260 (1975). doi:[http://dx.doi.org/10.1016/S0022-1031\(75\)80025-4](http://dx.doi.org/10.1016/S0022-1031(75)80025-4). <http://www.sciencedirect.com/science/article/pii/S0022103175800254>
79. Saint-Andre, P.: Streaming xml with jabber/xmpp. *IEEE Internet Comput.* **9**(5), 82–89 (2005). doi:10.1109/MIC.2005.110
80. Saito, Y., Shapiro, M.: Optimistic replication. *ACM Comput. Surv.* **37**(1), 42–81 (2005). doi:10.1145/1057977.1057980. <http://doi.acm.org/10.1145/1057977.1057980>
81. Salber, D., Dey, A.K., Abowd, G.D.: The context toolkit: aiding the development of context-enabled applications. In: Proceedings of the SIGCHI Conference on Human Factors in Computing Systems, CHI '99, pp. 434–441. ACM, New York (1999). doi:10.1145/302979.303126. <http://doi.acm.org/10.1145/302979.303126>
82. Santos, A., Tarrataca, L., Cardoso, J., Ferreira, D., Diniz, P., Chainho, P.: Context inference for mobile applications in the upcase project. In: Bonnin, J.M., Giannelli, C., Magedanz, T. (eds.) *Mobile Wireless Middleware, Operating Systems, and Applications. Lecture Notes of the Institute for Computer Sciences, Social Informatics and Telecommunications Engineering*, vol. 7, pp. 352–365. Springer, Berlin (2009). doi:10.1007/978-3-642-01802-2_26. http://dx.doi.org/10.1007/978-3-642-01802-2_26

83. Satyanarayanan, M.: Pervasive computing: vision and challenges. *IEEE Pers. Comm.* **8**(4), 10–17 (2001). doi:10.1109/98.943998
84. Sawyer, S., Guinan, P.: Software development: processes and performance. *IBM Syst. J.* **37**(4), 552–569 (1998). doi:10.1147/sj.374.0552
85. Schilit, B., Adams, N., Want, R.: Context-aware computing applications. In: *Proceedings of the 1st Workshop on Mobile Computing Systems and Applications 1994, WMCSA '94*, pp. 85–90. IEEE Computer Society, Washington (1994). doi:10.1109/WMCSA.1994.16. <http://dx.doi.org/10.1109/WMCSA.1994.16>
86. Schmidt, A., Beigl, M., Gellersen, H.W.: There is more to context than location. *Comput. Graph.* **23**(6), 893–901 (1999). doi:[http://dx.doi.org/10.1016/S0097-8493\(99\)00120-X](http://dx.doi.org/10.1016/S0097-8493(99)00120-X). <http://www.sciencedirect.com/science/article/pii/S009784939900120X>
87. Segall, B., Arnold, D.: Elvin has left the building: a publish/subscribe notification service with quenching. In: *Proceedings AVVG 1997, Brisbane* (1997)
88. Segall, B., Arnold, D., Boot, J., Henderson, M., Phelps, T.: Content based routing with elvin4. In: *Proceedings of AUUG'00* (2000)
89. Shirky, C.: A group is its worst enemy. http://www.shirky.com/writings/group_enemy.html (2003).
90. Simão, J., Ribeiro, C., Ferreira, P., Veiga, L.: Jano: location-privacy enforcement in mobile and pervasive environments through declarative policies. *J. Internet Serv. Appl.* **3**, 291–310 (2012). doi:10.1007/s13174-012-0065-z. <http://dx.doi.org/10.1007/s13174-012-0065-z>
91. Stiefmeier, T., Lombriser, C., Roggen, D., Junker, H., Ogris, G., Troester, G.: Event-based activity tracking in work environments. In: *The 3rd International Forum on Applied Wearable Computing (IFAWC) 2006*, pp. 1–10 (2006)
92. Sweeney, L.: k-anonymity: a model for protecting privacy. *Int. J. Uncertain. Fuzziness Knowl. Based Syst.* **10**(5), 557–570 (2002). doi:10.1142/S0218488502001648. <http://dx.doi.org/10.1142/S0218488502001648>
93. Tang, K.P., Keyani, P., Fogarty, J., Hong, J.I.: Putting people in their place: an anonymous and privacy-sensitive approach to collecting sensed data in location-based applications. In: *Proceedings of the SIGCHI Conference on Human Factors in Computing Systems, CHI '06*, pp. 93–102. ACM, New York (2006). doi:10.1145/1124772.1124788. <http://doi.acm.org/10.1145/1124772.1124788>
94. Van Laerhoven, K., Cakmakci, O.: What shall we teach our pants? In: *The 4th International Symposium on Wearable Computers*, pp. 77–83 (2000). doi:10.1109/ISWC.2000.888468
95. Wang, F.Y., Carley, K., Zeng, D., Mao, W.: Social computing: from social informatics to social intelligence. *IEEE Intell. Syst.* **22**(2), 79–83 (2007). doi:10.1109/MIS.2007.41
96. Weiser, M.: *The Computer for the 21st Century*. Scientific American, New York (1995). http://wiki.daimi.au.dk/pca/_files/weiser-orig.pdf
97. Welbourne, E., Lester, J., LaMarca, A., Borriello, G.: Mobile context inference using low-cost sensors. In: Strang, T., Linnhoff-Popien, C. (eds.) *Location- and Context-Awareness. Lecture Notes in Computer Science*, vol. 3479, pp. 254–263. Springer, Berlin (2005). doi:10.1007/11426646_24. http://dx.doi.org/10.1007/11426646_24
98. Westin, A.: *Privacy and Freedom*, vol. 97. Atheneum, New York (1967). <http://www.disi.unige.it/person/CaninoD/bibtex/wes67privacy.txt>
99. Widrow, B., Rumelhart, D.E., Lehr, M.A.: Neural networks: applications in industry, business and science. *Comm. ACM* **37**(3), 93–105 (1994). doi:10.1145/175247.175257. <http://doi.acm.org/10.1145/175247.175257>
100. Zander, S., Schandl, B.: A framework for context-driven rdf data replication on mobile devices. In: *Proceedings of the 6th International Conference on Semantic Systems, I-SEMANTICS '10*, pp. 22:1–22:5. ACM, New York (2010). doi:10.1145/1839707.1839735. <http://doi.acm.org/10.1145/1839707.1839735>