

Index

A

Aggregates, 1, 66, 238, 258, 268
Albumin, 48, 211, 225
 gene delivery, 218
Allyl glycidyl ether (AGE), 185
 α -Hemolysin, 21
AMBER GAFF, 31
Amino acids, 35, 40, 168, 214, 218
 cyclic, 34
Aptamers, 53–56
Arylene-ethynylene-butydiynylene, 173
Atomic force spectroscopy (AFS), 2, 18, 53

B

Bending modulus, 244
Benzene-1,3,5-tricarboxamides (BTAs), 172
Benzoylterrylene-3,4-dicarboximide, 83
Binding pockets, 1, 52
Biomembranes, 237
Biopolymers, 115
Biotin–streptavidin, 48
Biphenyl-4,4'-dicarboxylic acid (BPDCA), 197
Block copolymers, confinement, 176
Bond breakage, reversible, 31
Bottlebrush polymers, 7, 132, 140
 cylindrical, 146
Brain, 221
Brazovskii mechanism, 254
Brushes, 7, 211, 227
 complex formation, 152
 spherical, 154

C

Calixarene, 28, 39, 52, 173
 dimers, 42

Carotenoids, 82
Catenanes, 28, 40, 52
Chain collapse, 1
Charged extracellular matrix (ECM), 216
Chlorophylls, 81, 267–269
Cholesteric phases, 61
 liquid crystalline, 88
Cholesterol, 242
Clathrin-dependent endocytosis, 213
Coarse graining, 237
Coil-to-helix transition, 140
Collapse, tethered single chains, 8
Complex structure, 115
Conformation, 115
Cooke model, 242
Copolymers, 115
Copolypeptides, 169
Coupled monolayer models, 240
Critical adsorption point (CAP), 15
Crossovers, 6
Curvature elasticity, 237
Cylindrical brush polymers, 115, 120, 132,
 211, 226

D

Dendrimers, 71, 99, 115, 120, 156, 211
Dendritic core–shell star polymers, 215
Diblock copolymers, miniemulsion droplets,
 177
Dinaphtho quaterrylene diimide (DNQDI), 84
Diode lasers, 87
Dipalmitoyl-phosphatidylcholine bilayers, 242
DNA, 5, 18, 156, 213, 226
 biosensors, 131
Dodecyltrimethylammonium bromide
 (DOTAB), 161

- Donor–acceptor dyads, electronic
 coupling, 105
 flexibility, 93
 linear/kinked, 63
 Doxorubicin (DOX), 211, 221
 Drug delivery, 21, 131, 168, 188, 211, 220, 226
 albumin copolymer polyelectrolytes, 222
 Dual pulse excitation, 94
 Dynamic force spectroscopy (DFS), 27
- E**
 Ectoin (tetrahydro-2-methyl-4-carboxylic acid)
 33
 Electronic coupling, 101
 Electronic excitation energy transfer (EET),
 61, 93
 Endocytosis, 213
 Endothelial cells, 211
 Energy transfer, 61, 98
- F**
 Fibronectin, stretching, 33
 Flory–Huggins parameters, 146
 Flow cytometry, 211
 Fluid mosaic model, 252
 Fluorophores, 61
 Force-clamp mode, 31
 Force fields, 30
 Force-induced desorption transition, 18
 Force-induced response, 1
 Force probe molecular dynamics simulations, 1
 Force-ramp protocol, 31
 Force spectroscopy, 1, 33
 Force spectrum, 29
- G**
 Gaussian chains, 8, 133
 Gaussian coils, 3, 171
 Gaussian curvature modulus, 238, 244, 248
 Gene delivery, 218
 Gene transfection, cationic cylindrical
 brushes, 225
 Gene transfer, 211
 Grand canonical ensemble (GCE), 18
 GROMOS G53A5 force field, 30
 Guest molecules, 130
- H**
 Helfrich Hamiltonian, 239, 249
 Hexa-*peri*-hexabenzocoronene (HBC),
 72, 97, 174
- Horseshoe brush, 144
 Hydrogen bonds, 2, 27, 40, 49, 92, 115,
 119, 130, 166, 241
 Hydrophobic mismatch, membrane–protein
 interactions, 256
 Hydrophobic–polar (amphiphilic) copolymers
 (HP-copolymers), 10
- I**
 Inorganic–organic hybrid materials, 74
 Insulating surface, 194
 Intramolecular phase separation, 141
 4-Iodo benzoic acid (IBA), 196
 Ion transport, 124
- J**
 Janus cylinders, 147
 Junction-point reactive block
 copolymers, 183
- K**
 Kratky–Porod model, 5–7, 133–135
- L**
 Landau–Brazovskii model, 254
 Lasers, 86
 liquid crystal, 88
 Lasing, 61, 63, 86, 88, 92
 Lauryl maltoside (LM), 85
 Lenz model, 242
 Light-emitting diodes (LEDs),
 128, 171
 Light-harvesting complexes, 61, 63, 81,
 128, 267
 Lipid bilayers, 237
 Lipid membranes, tension, 249
 models, coarse-grained, 241
 Lipid rafts, 252
 Lipofectamine, 229
 Liposomes, 188
 Liquid crystals, 115
 lasers, 88
 Liquid–liquid interfaces, selective, 10
- M**
 MARTINI model, lipids, 243
 Meandering brush, 144
 Mediated interactions, 237
 Membrane–protein systems/interactions,
 237, 255

- Membranes, Helfrich model, 240
heterogeneity, 252
pores, polymer translocation, 21
tension, 249
- Mesitylene, 46
- Methylaluminumoxanes (MAO), 128
- Micelles, 85, 189, 214, 222–225
wormlike, 239
- Molecular dynamics (MD), 1
- Monogalactosyldiacylglycerol (MGDG), 267
- Monolayers, 254
- Monomer–monomer interactions, 4
- Multichromophores, 63
photoswitchable, 128
star-shaped, 71
- Multiscaling, 237
- N**
- Nanocapsules, 33, 40, 52, 177, 182
- Nanoparticles, 61, 128, 152, 177
polymersome shell layer, 188
- NMR spectroscopy, 115
- Nucleic acids, binding pockets, small
molecules, 52
- O**
- Oligo(*p*-benzamides) (OPBA), 171
- Oligo calix[4]arene catenanes, 33
- Oligo(phenylene) bridges, 62
- Onion-like structure, 177–183, 223
block copolymers, 177, 193
- Opals, 87
- OPLS-AA, 31
- Organic dye molecules, 61
functionalized, 75
- Organic electronics, 115
- Osmolytes, 33
- P**
- Pearl-necklace structure, 148
- PERM algorithm (pruned-enriched Rosenbluth
method), 5, 149
- Persistence length, 5, 7, 38, 133, 151, 163, 169,
226, 251
- Perylene diimide (PDI), 63
TDI dyads, 63
- Perylenemonoimide (PMI), 72
- Photonic crystals, 86
- Pincus regime, 6
- Polybutadiene-*b*-poly(ethylene oxide)
(PB-*b*-PEO), 188
- Polycation, 211
- Polycyclic aromatic hydrocarbons (PAH), 174
- Polyelectrolytes, 115, 211
complexes, 156
- Polyelectrolytes, dendritic, 211
- Poly(ethylene glycol) (PEG), 171
- Polyions, wormlike, 156, 230
- Poly-L-lysine, 139, 170, 211, 225
- Polymer adsorption, 1
- Polymersomes, 188
- Polymer translocation, 1, 21
- Polymethacrylate-polystyrene brushes, 136
- Polypeptides, α -helix/ β -sheet, 139
self-assembly, 168
- Polyphenylene dendrimers (PPDs), 120, 122
core-shell, 214
- Poly(styrene-*b*-isoprene), 177
- Poly(styrene-*b*-methyl methacrylate)
(PS-*b*-PMMA), 121, 177
- Poly(*tert*-butyl acrylate), 184
- Poly-2-vinylpyridinium (PVP), 141
- Porcine microvascular endothelial cell
(PBMEC), 229
- Protein polyelectrolytes, 211
- Protein–membrane interactions, 255
- Proteins, curvature-mediated interactions, 258
stabilization, 34
- Pruned-enriched Rosenbluth method (PERM),
5, 149
- Pulling, reversibility, 43
velocity, 31
- Q**
- Quantum chemistry, 61
- Quantum dots (QDs), 62
dye complexes, 76
oligomers, 78
- Quaterrylene dye, 84
- R**
- Raft hypothesis, lipids, 243, 252, 255
- Rhodamine maleimide, 82
- Rod-coil copolymers, 171
- Rylene dyes, 82
- Rylene tetracarboxydiimide, 62
- S**
- Scanning force microscopy (SFM), 37
- SELEX, 53
- Self assembly, 115
PPDs, 131
- Self-avoiding walk (SAW) model, 5
- Self-consistent field (SCF), 15

Semiconductor quantum dots, 61, 75
Serum albumin, gene delivery, 218
Simulation, 237
Single chains, 1
 collapse, 8
Single-molecule spectroscopy (SMS), 61
Single-molecule stretching, 40
Spectrin, 34
Stiffness, 4, 10
Stretching forces, 6
Surfaces, adsorption, 162
 insulating, 194
Swollen coils, 3

T

Tenascin, 34
Terylene diimide (TDI), 63
Terylene monoimide monoanhydride
 maleimide (TMIMA), 84
Tethered chain, 8
Tetrakis(4-ethynylphenyl)methane, 72
Tetraphenylcyclopentadienone, 72

Thermotolerance, 34
Titin, 34
Toroidal structures, 4
Transfection, 211
 polymers, 226
Translocation coordinate, 22
Transmembrane domains, 255
Transmembrane proteins, 237
Triacetoneperoxide, 130

U

Unfolding, 27, 31–43, 222

V

van der Waals interactions, 115, 119,
 153, 195

W

Worm-like chain (WLC) model, 5, 32, 38, 42,
 133–137, 165