

# Index

## A

- Atactic polystyrene (a-PS), LL phase separation, 168
- Auxiliary pore-forming agents, 88, 93
- Avrami plot, 191

## B

- Bacterial cellulose (BC), PVA
  - artificial cornea replacement, 303–304
  - cardiovascular tissue replacement, 302
  - composite cryogels, 302–304
  - effect of addition, 303
- Bell-shaped temperature dependence, of cryotropic gelation efficiency
  - adverse factors, 79–81
  - favorable factors, 79
  - gel-fraction yield
    - poly(styrene) preparation, in nitrobenzene, 81–82
    - vs. temperature, in chitosan cryogels, 78, 79
  - gel-point time, acrylamide vs. *N,N'*-methylene(bis)acrylamide, 82–83
  - for PVA cryogels, 83–84
  - solvent–monomers–initiator systems, 82
- Belousov–Zhabotinsky (BZ) reaction, 144
- Berghmans point, 169, 170
- Bioreactors, mammalian cells as, 252–255
  - SEM pictures, 253, 255
  - urokinase in situ recovery, 253–254
- Biotechnological applications, cryogels
  - biomolecules chromatography
    - composite cryogels, bioseparation, 264–265
    - double polymer networks, 265–266
    - grafting, 263–264

- bioreactors, mammalian cells as, 252–255
    - SEM pictures, 253, 255
    - urokinase in situ recovery, 253–254
  - built from crosslinked cells, 252–254
  - cell entrapment, 248
    - immobilized biocatalysts, 249–250
    - SEM images, 251
  - chromatographic separation
    - cells, 255–258
    - organelles and subcellular particles, 258–260
    - viruses and phages, 260–263
  - continuous cell seeding, 252
  - functionality, 248
  - housings, 268–269
  - materials used for, 248
  - molecularly imprinted polymers, 269–271
    - endocrine disruptors, 271–274
    - heavy metal ions, 271
    - pharmaceuticals and pesticides, 274
  - proteins separation, 266
    - environmental pollutants, 267–268
    - high through-put screening, 267
  - Bovine serum albumin (BSA), PVA cryogel
    - rate of, 300
    - release profiles, 299–301
    - Serp-1, 301
    - thawing rate effect, 299
  - Burst effect, 218
  - Butyl rubber (PIB), crosslinking reactions of, 110, 111
- ## C
- Ca-alginate sponges, 36
  - Carbon-based particulate materials, 236–237
  - Carbon cryogels, 4

- Carbon cryogels (*cont.*)  
 carbon-based particulate materials,  
 236–237  
 polymer-derived cryogels  
 composite anode development, 236  
 furaldehyde application, 235  
 high specific surface area, 235  
 resorcinol-formaldehyde gels, 235  
 thermal processing, 234, 235
- Carbon nanotube (CNT) preparation, 237
- Cardiovascular devices  
 anisotropic PVA-BC nanocomposite, 311  
 heart valve stent, 310  
 prototype valve, 310–311
- Cartilage, 307–309
- CCG. *See* Critical concentration of gelation (CCG)
- Cell entrapment, 248  
 immobilized biocatalysts, 249–250  
 SEM images, 251
- Cell seeding, 252
- Ceramics production, 233–234
- Chemical gels, 163
- Chitosan cryogels preparation, 55, 56
- Chitosan-PVA composites  
 coagulation, 305–306  
 drug delivery systems, 305  
 mechanical and morphological properties,  
 304–305
- Chromatographic separation  
 cells  
 conventional elution and compression,  
 258, 260  
 gel matrix, 256  
 IDA gel, 257  
 immobilized metal affinity  
 chromatography, 257  
 lymphocytes fractionation, 257–258  
 monolithic affinity cryogel, 258, 259  
 organelles and subcellular particles,  
 258–260  
 viruses and phages, 260–263
- Chromatography, of biomolecules  
 composite cryogels, bioseparation,  
 264–265  
 double polymer networks, 265–266  
 grafting, 263–264
- Coagulation, 305–306
- Complex PVA cryogels, 35
- Complex-shaped porous preforms,  
 preservation of, 233
- Composite cryogels, 264–265
- Composite PVA cryogels, 35
- Confocal laser scanning microscopy (CLSM),  
 of PVA hydrogel, 179, 181
- Co<sub>3</sub>O<sub>4</sub> cryogel samples, 226, 227
- Co-precipitation process, 227
- Covalent cryogel preparation, 52  
 considerations, 53–54  
 from macromolecular precursors, 16–21
- Critical concentration of gelation (CCG)  
 crosslinked chitosan gels, in aqueous  
 medium, 66, 67  
 crosslinked poly(styrene) gels, in  
 nitrobenzene medium, 66, 68  
 locust bean gum, 71  
 noncovalent PVA cryogel preparation, 71,  
 73  
 polymerization-type cryogel formation, 71  
 poly(vinylalcohol-co-vinylacetate), pH  
 shift, 67–70
- Cryochemical reactions, 59, 60
- Cryo-concentrating phenomenon, 16
- Cryo-concentration effect  
 crosslinked chitosan gels, in aqueous  
 medium, 66, 67  
 poly(vinylalcohol-co-vinylacetate), pH  
 shift, 67–70
- Cryogelation technique, 107–108  
 3D highly porous fibroin network  
 production, 141  
 pore formation process, 118
- Cryogels  
 vs. gels, 117–128  
 mechanical characterization  
 stress-strain curves of, 116–117  
 uniaxial compression tests, 115–116  
 morphological characterization  
 scanning electron microscopy, 114  
 swelling ratios, 114–115  
 total porosity, 114  
 total volume of open pores, 114  
 preparation of, 108  
 cryogel geometry, 112–113  
 gelation temperature, 111  
 Laponite multifunctional crosslinker,  
 109  
 monomeric/polymeric precursor  
 concentration, 111–112  
 organic solvents, 111  
 RAFT reactions, 109  
 water-soluble monomers, 109  
 squeezability of, 117  
 synthesis parameters, effect of  
 additives and solvent, 134–136  
 charge density, 133–134

- crosslinker concentration, 134
  - freezing temperature/rate, 129–132
  - monomer/polymer concentration, 133
- Cryogenically structured macroporous gel-like matrix fabrication, 36
- Cryogenic polymer-gel synthesis method, 226
- Cryostructurates, 4, 7, 36
- Cryotexturates, 4
- Cryotropic gelation, 4, 5, 7, 16
  - definition of, 51
  - feed system preparation, 53–54
  - freezing process, of feed
    - chitosan cryogels preparation, 55, 56
    - description of, 54
    - low-temperature quenching, 57
    - parameters of, 55
    - rapid freezing procedure, 57
    - silver iodide crystals, 57
    - supercooling effect, 55
    - ultrasound treatment, 57–58
  - gel formation, in moderately frozen systems
    - acceleration over negative temperature, 73–77
    - bell-shaped temperature dependence, 78–84
    - CCG decrease, 66–73
    - macroporosity generation, 84–95
  - incubation of gelation system, in frozen state, 58–60
  - poly(vinyl alcohol) (*see* Poly(vinyl alcohol) (PVA))
    - schematic representation of, 60, 61
    - thawing stage, of frozen system, 60–65
- Cryotropic gel formation, in moderately frozen systems
  - acceleration over negative temperature
    - cysteine–cystine conversion, 75
    - inert polymeric additives, 75–76
    - poly(acrylamide) gel formation, 76, 77
    - thiol-containing poly(acrylamide), oxidative gelation of, 73, 74
  - bell-shaped temperature dependence, 78–84
  - CCG decrease, 66–73
  - macroporosity generation
    - auxiliary agents, 87
    - auxiliary pore-forming agents, 88, 93
    - foamed PVA cryogels (*see* Foamed PVA cryogels)
    - pore size variation, 84–85
    - temporarily insoluble porogen, 87–88
- Crystallization
  - PVA cryogel, 286
  - PVA hydrogel, 183–184
- D**
- Deoxyribonucleic acid (DNA) cryogels
  - for carcinogenic agents removal, 136–140
  - ds-DNA conformation, 137
  - EGDE and BDDE crosslinkers, 109–110
  - swelling ratios, 137
- Deoxyribonucleic acid (DNA) hydrogels, 136–137
- 3D highly porous fibroin network production, 141
- Differential scanning calorimetry (DSC), PVA cryogels, 176
- Double-network (DN) cryogels, 109
- E**
- Ethidium bromide (EtBr) and DNA cryogel
  - EtBr concentration
    - vs.* contact time, 139
    - in external solution, 138
  - interaction of, 137
  - successive sorption cycles, 139
  - swelling behavior of, 139–140
- F**
- Fibroin cryogels
  - EGDE and BDDE crosslinkers, 109–110
  - as mechanically strong scaffolds
    - compressive modulus and stress, 142, 143
    - elasticity, 141
    - stress–strain curves of, 116, 142, 143
- Flash-freezing technique, 53
- Flory–Rehner theory, 120
- Foamed PVA cryogels
  - cetyltrimethylammonium bromide, 94, 95
  - gross round pores, 93–94
  - mechanical whipping, 93, 94
  - microbubble-type pores, 94
  - smaller prolate pores, 94
  - surfactant additive impact, 94
- Free-radical crosslinking copolymerization, polymeric gels, 105
- Freeze-dried polymeric matrices, 4
- Freeze-drying technique
  - of carbon-containing suspensions, 236

- Freeze-drying technique (*cont.*)  
 for pore formation process, 118  
 TiO<sub>2</sub> hollow spheres, 229, 230  
 of wet gels, 224
- Freeze-thaw aging, of colloid sols, 4, 6–7
- Freeze-thaw cycling, PVA cryogel, 288  
 effect, 292  
 freeze holding time, 290  
 number of, 289–290  
 rate of, 289
- Freeze-thaw gels, textural morphology of, 85
- Freeze-thaw-induced formation, of  
 noncovalent cryogels, 22
- Freeze-thaw process, PVA cryogels, 175
- Freezing  
 of carbon-containing suspensions, 236  
 of feed  
 chitosan cryogels preparation, 55, 56  
 description of, 54  
 low-temperature quenching, 57  
 parameters of, 55  
 rapid freezing procedure, 57  
 silver iodide crystals, 57  
 supercooling effect, 55  
 ultrasound treatment, 57–58  
 of wet gels, 224
- Freezing–frozen storage–defrosting cycles,  
 multiple/iterative, 63
- Friedel-Crafts reaction, 66
- G**
- Gas foaming technique, 141
- Gelation-cryogelation transition  
 fibroin hydrogel and cryogel, 126  
 PAAm hydrogels, 122–124  
 PIB gels, 124–125  
 poly(sodium acrylate) cryogels, 124  
 poly(AMPS) hydrogels, 124, 127–128  
 thermodynamic model, 119–122
- Gel formation condition, 2
- Gel-fraction, 52
- Gel-fraction yield, 52  
 2-hydroxyethylcellulose, 204–206  
 water-soluble high molar mass polymer,  
 cryogel synthesis, 204–206
- Gels  
 covalent, 51  
 definition of, 51  
 desired property of, 106  
 frozen-in morphologies of, 171  
 ionically/ion-chelately crosslinked gels, 51  
 liquid component of, 162  
 noncovalent (*see* Noncovalent (physical)  
 cryogels)  
 toughening techniques of, 106
- Grafting, 263–264
- Graphene-based cryogels, 236
- H**
- HEC. *See* 2-Hydroxyethylcellulose (HEC)
- Heterogeneous open porous structure, 201
- High molecular weight precursors, covalent  
 crosslinking of, 5, 8, 16, 22
- High through-put screening, 267
- Hildebrand theory, 147–148
- Hydrogels, 106
- 2-Hydroxyethylcellulose (HEC)  
 enzymatic degradation of, 205  
 gel fraction yield of, 204–206  
 SEM micrograph, 203, 204, 207
- I**
- Ideal sorbent material properties, 147
- Inorganic cryogels, 224  
 carbon cryogels  
 carbon-based particulate materials,  
 236–237  
 polymer-derived cryogels, 234–236  
 metal oxide cryogels  
 cryogel-derived bulk materials,  
 232–234  
 cryogenic polymer-gel synthesis,  
 225–227  
 particle isolation, 230–232  
 precipitated and co-precipitated  
 cryogels, 227–230
- Internal gelation approach, 54
- Intervertebral discs (IVD), 306–307
- Ionic (ionotropic) cryogels, 36–37
- Ionic hydrogels, 106
- Ivalon™, 285
- IVD. *See* Intervertebral discs (IVD)
- J**
- Jelly-like medical liniments, 3
- L**
- Liquid-liquid phase separation, PVA, 165, 184
- Low-temperature quenching technique, 57

**M**

- Macromolecular precursors, for covalent cryogel preparation, 16–21
- Magnetic nanoparticles, separation of, 231–232
- Metal oxide cryogels
  - cryogel-derived bulk materials, 232–234
  - cryogenic polymer-gel synthesis, 225–227
  - particle isolation, 230–232
  - precipitated and co-precipitated cryogels, 227–230
- Microfluidic foaming technique, 94
- MIPs. *See* Molecularly imprinted polymers (MIPs)
- Molecularly imprinted polymers (MIPs)
  - composite components, 270
  - endocrine disruptors
    - adsorption and oxidation, 272
    - $\beta$ -galactosidase activity, 273, 274
    - fluidization, 273
  - heavy metal ions, 271
  - HSA binding, 271
  - nanoparticles, 270
  - pharmaceuticals and pesticides, 274
  - print molecule, 269
- Monomeric precursor solutions, for cryogel preparation, 4–5, 7–8

**N**

- Nanocomposites cryogel fabrication, UV irradiation technique, 215–217
- Noncovalent (physical) cryogels, 22–36
- Nonfrozen liquid microphase. *See* Unfrozen liquid microphase (UFLMP)

**O**

- Oil spill cleanup procedures, 147
- Orthopedic devices, 306
- Ostwald stage rule, 166–185
- Oven-drying, TiO<sub>2</sub> hollow spheres, 229, 230

**P**

- Pechini method, 225, 226
- Phase separations
  - in poly(vinyl alcohol), 168–171, 286
  - poly(N-isopropylacrylamide) gel formation, 107
- Photoinitiator
  - HEC cryogels preparation, 205–206
  - PEO photochemical crosslinking, 202
- Physical crosslinking, 285

## Poly(vinyl alcohol) (PVA)

- chemical gels, 163
- circumstantial metastability, 167
- classical metastability, 166–167
- freeze–thaw PVA hydrogels, 161
- hydrogel (*see* Poly(vinyl alcohol) (PVA) hydrogels)
- Ostwald stage rule, 166
- phase separation role, 168–171
- physical gels
  - LL phase separation, 165
  - percolation, in two-dimensional network, 165, 166
  - sol–gel transitions, 164
- polymer gels, 162–163
- sol-gel transitions
  - metastable state, 166–167
  - Ostwald stage rule, 166
  - percolation framework, 165–166
  - thermoreversible, 163
- Polycondensation-type cryogel, 8
- Poly(acrylic acid) (PAAc) cryogels
  - deswelling–reswelling kinetics of, 143, 144
  - dissociation degree  $\alpha$ , 144–145
  - gel diameter and pH variations, 145, 147
  - pH of reaction solution, 144–146
- Poly(vinyl alcohol) (PVA) cryogels
  - biomedical applications
    - cardiovascular devices, 309–311
    - cartilage, 307–309
    - intervertebral discs, 306–307
    - orthopedic devices, 306
  - bovine serum albumin
    - rate of, 300
    - release profiles, 298–299
    - Serp-1, 301
    - thawing rate effect, 299
  - composite cryogels
    - bacterial cellulose, 302–304
    - chitosan, 304–306
  - mechanical properties
    - compressive, 293–295
    - gelation mechanism, 290–291
    - micro-/nanodimension characterization, 291, 292
    - poro-viscoelastic mechanical property, 291
    - stress relaxation and creep, 295–296
    - tensile, 296–298
  - physical crosslinking, 285
  - PVA-C preparation
    - crystallization and phase separation, 286

- freeze-thaw cycling, 288–290
  - molecular weight, 286–287
  - solution concentration, 287–288
  - solvent, 288
  - thermal cycling process, 285–286
  - tissue hybrid, 311–314
  - CCG decrease, 71, 73
  - DSC thermogram, 176
  - features of, 22
  - formation mechanism
    - cyrotropic gelation, 185–186
    - nascent gels, 188
    - scattering cross-section, 186–187
  - fractions of crystalline PVA, 177–178
  - freeze-thaw process, 175
  - history of, 23
  - liquid-phase de-mixing, 88–89
  - microstructural features of, 35
  - porous structure of, 85
  - single-temperature and two-temperature freezing procedure, 85, 86
  - structure
    - bi-continuous structure, 182–183
    - CLSM images, 179, 181
    - porous structure, 179–180
    - SANS data, 180, 182
  - thawing stage, of frozen system
    - pore space of, 64
    - shear modulus/fusion temperature of, 61, 62
    - supramolecular 3D physical network of, 62
    - total porosity of, 63, 64
  - tissue hybrid
    - definition, 312
    - endothelization, 313, 315
    - fibronectin, 312
    - PAA-g/c-PVA cryogel synthesis, 313, 314
    - radial artery cells, 312–313
  - water-PVA-gum arabic feeds, 88
  - wide-pore PVA cryogels, porous morphology of, 91, 92
  - without and with salt additives, morphometric analysis, 88–91
  - X-ray powder diffraction profiles, 176–177
  - Polyelectrolyte solutions, 5
  - Poly(*N*-isopropylacrylamide) gel formation, phase separation, 107
  - Poly(vinyl alcohol) (PVA) hydrogels
    - additional solvents influence
      - crystallization, 183–184
      - liquid-liquid phase separation, 184
      - polymer-rich regions, 184
    - crystal structure of, 172–173
    - physical hydrogels, 174–175
    - PVA cryogels (*see* Poly(vinyl alcohol) (PVA) cryogels)
    - SANS data kinetic analysis
      - Avrami plot, 191
      - PVA/D<sub>2</sub>O solutions, 189–190
  - Poly(*N,N*-diethylacrylamide) hydrogel, thermally induced collapse of, 86–87
  - Polymeric cryogels
    - carbon cryogels, 4
    - cryogelation reaction components, 8–15
    - description of, 2
    - jelly-like medical liniments, 3
    - preparation
      - freeze-thaw aging, of colloid sols, 4, 6–7
      - high molecular weight precursors, covalent crosslinking of, 5, 8, 16, 22
      - ionic (ionotropic) cryogels, 36–37
      - macromolecular precursors, 16–21
      - monomeric precursor solutions, 4–5, 7–8
      - noncovalent (physical) cryogels, 22–36
      - polyelectrolyte solutions, 5
      - self-gelling polymer solutions, 5
      - proteinaceous water-swollen coagulates, 3
      - published items and citations, 2, 3
  - Polymeric gels
    - free-radical crosslinking copolymerization, 105
    - with macroporous structure, 106, 107
  - Polymeric precursor solutions, freeze-thaw treatment on, 71, 72
  - Polymer solution, phase diagrams of, 168, 169
  - Porogen leaching technique, 141
  - Positive and negative temperature, definition of, 51–52
  - Proteinaceous water-swollen coagulates, 3
  - Proteins separation, 266–267
    - environmental pollutants, 267–268
    - high through-put screening, 267
- R**
- Rapid freezing procedure, 57
  - Reaction-induced phase separation, 107

- Resorcinol-formaldehyde gels, 235
- Reversible addition fragmentation chain transfer (RAFT) reactions, 109
- Rhamnolipid biosurfactant production, 218
- Rubber cryogels
- as reusable oil sorbents, 147–152
    - continuous extraction capacities, for various pollutants, 151, 152
    - Hildebrand theory, 147–148
    - normalized weight swelling ratio, 148–150
    - SEM images of, 148, 149
    - sorption capacities, for various pollutants, 150, 151
    - sorption–squeezing cycles, 150–151
  - sulfur monochloride crosslinker, 110, 148
- S**
- Saccharomyces cerevisiae* cells, 216
- Scanning electron microscope (SEM) bioreactors, mammalian cells, 253, 255
- cells entrapment, 251
  - HEC cryogel, 204, 207
  - PNIPAAm cryogel, 213
- Self-gelling polymer solutions, 5, 23. *See also* Noncovalent (physical) cryogels
- Self-oscillating hydrogel systems, 143. *See also* Poly(acrylic acid) (PAAc) cryogels
- Silk fibroin
- Bombyx mori*, 140
  - cryogels (*see also* Fibroin cryogels)
    - amide I band region, of ATR-FTIR spectra, 141, 142
    - EGDE crosslinkers, 110
- Silver iodide crystals, 57
- Small angle neutron scattering (SANS), PVA gel
- Avrami plot, 191
  - PVA/D<sub>2</sub>O solutions, 189–190
  - reduced scattering invariant, 189–191
- Sol-gel transitions
- physical gels, 164
  - poly(vinyl alcohol)
    - metastable state, 166–167
    - Ostwald stage rule, 166
    - percolation framework, 165–166
- Sorption–squeezing cycles, of cryogel samples, 117
- Squeezability, of cryogels, 117
- Stimuli-responsive cryogels, 86
- Storage modulus
- of HPMC cryogel, 206
  - of polyacrylamide cryogels, 209, 211
- Structure–kinetic model, 59
- Sulfur monochloride crosslinker, 110
- Supercooling effect, 55
- Supermacroporous polymer cryogels applications
- burst effect, 218
  - hydrophilic PHEMA, 219
  - PHEMA core and PEO outer layer, 218–219
  - photocrosslinked HEC cryogel, 216
  - photocrosslinked PEO cryogel, 216–217
  - PNIPAAm cryogel and hydrogel, 218–219
  - rhamnolipid biosurfactant production, 218
  - temperature-responsive PETEGA, 219–220
- nanocomposite fabrication, 215–217
- temperature-responsive polymer deswelling–reswelling kinetics, 213–214
- hydration/dehydration behavior, 211–212
- PNIPAAm cryogel morphology, 213
- swelling vs. temperature curves, polyglycidol, 214, 215
- from water-soluble high molar mass polymer
- degree of swelling, 207, 208
  - gel fraction yield, 204–206
  - HEC cryogel, 203–204
  - HEC-to-chitosan weight ratio, 207
  - nonionic and cationic cellulose, 203, 204
  - photochemical crosslinking, 201–202
  - SEM micrograph, 205, 207
  - storage ( $G'$ ) and loss ( $G''$ ) moduli, 202–203
  - temperature-responsive material, 207–208
- from water-soluble vinyl monomers cryogels formation, 209–210, 212
- liquid diffusion, 211, 212
  - polymer network formation, 209, 210
  - storage modulus, 209, 211
  - synthesis, 209, 210
- T**
- Tanaka's gels, 163
- Temperature-responsive polymer, UV irradiation
- deswelling–reswelling kinetics, 213–214
  - intelligent hydrogels, 211

- Temperature-responsive polymer (*cont.*)  
 PNIPAAm cryogel, SEM micrographs, 213  
 swelling *vs.* temperature curves, 214, 215
- Thawing stage, of frozen system, 65  
 conditions of, 61  
 fast defrosting techniques, 60, 61  
 PVA cryogels  
 pore space of, 64  
 shear modulus/fusion temperature of,  
 61, 62  
 supramolecular 3D physical network of,  
 62  
 total porosity of, 63, 64
- Thermal cycling process, PVA-C, 285–286
- Thermal decomposition, of freeze-dried  
 cryogels, 226
- Time-resolving analysis with small angle  
 neutron scattering (TR-SANS),  
 161–162
- Tissue hybrid, PVA cryogel  
 confocal micrographs  
 endothelial cells, 313, 315  
 radial artery cells, 312–313  
 fibronectin, 312  
 PAA-g/c-PVA cryogel synthesis, 313–314
- U**
- Ultrahigh molecular weight polyethylene  
 (UHMWPE), 307–308
- Unfrozen liquid microphase (UFLMP), 58–59
- UV irradiation technique, for  
 supermacroporous polymer  
 cryogels. *See* Supermacroporous  
 polymer cryogels
- V**
- Verapamil hydrochloride, release kinetics of,  
 219, 220
- Vinyl monomers, water-soluble. *See* Water-  
 soluble vinyl monomers, cryogel  
 formation
- W**
- Water-insoluble chitosan (WIC), 304, 305
- Water-soluble chitosan (WSC), 304, 305
- Water-soluble high molar mass polymer,  
 cryogel synthesis  
 degree of swelling, HEC–chitosan cryogels,  
 207, 208  
 elastic modulus on HEC-to-chitosan weight  
 ratio, 207  
 gel fraction yield, 204–206  
 HEC cryogel, 203–207  
 nonionic and cationic cellulose, 203, 204  
 photochemical crosslinking, 201–202  
 SEM micrograph, 205, 207  
 storage ( $G'$ ) and loss ( $G''$ ) moduli, 202–203  
 temperature-responsive material, 207–208
- Water-soluble vinyl monomers, cryogel  
 formation, 209–212
- Wide-pore cryostructured matrix fabrication,  
 36–37
- X**
- X-ray powder diffraction  
 poly(vinyl alcohol) cryogels, 176–177  
 poly(vinyl alcohol) hydrogel, 173