

# Index

## A

additive noise, 390–392, 394, 398

## B

bistability, 375, 382, 389, 393

## C

colored noise, 377, 394–397  
correlation function, 391, 394, 395  
cross-correlation, 393

## D

dynamic potential, 389, 390, 393, 397

## F

Fokker-Planck equation, 391, 395, 398  
Fokker-Planck potential, 393

## H

high-spin state, 375, 391, 394  
hysteresis, 376, 377, 382, 383, 385, 386

## I

intermolecular interaction, 376, 377, 381–386  
Ising-like model, 382, 383, 398

## K

kinetic equation, 380–382, 389, 391–393, 395,  
398

## L

Langevin equation, 390, 393–395  
light induced excited spin state trapping, 387

light induced transition, 379

light-induced excited spin-state trapping, 376,  
378

light-induced transition, 378

low-spin state, 375–378

## M

mean first passage time, 393, 396–398  
mechanoelastic model, 383, 384, 386  
multiplicative noise, 392, 393, 398

## N

noise, 377, 390, 391, 393–395

## O

Ornstein-Uhlenbeck noise, 394

## P

phenomenological model, 380, 382, 398  
photoexcitation, 381, 382, 388, 392

## R

relaxation, 379, 381, 382, 385, 388–390

## S

spin-crossover compounds, 375–377, 381, 398  
spin-crossover phenomenon, 375–377, 380,  
383

## T

temperature induced transition, 381