

Materials Index

A

Antimony, 5, 76

B

Bismuth, 75

Bi_2Te_3 , 5, 76, 90, 214, 427

C

Cadmium Arsenide (Cd_3As_2)

Cadmium diphosphide, 76

CdGeAs_2 , 108, 109, 174–176, 221–223

CdS , 108, 113, 114, 175, 179, 180, 221, 225, 226, 280–289, 384–386

CdSb_2

CuCl , 129, 398, 438

G

GaAs , 139, 194, 221, 223, 224, 241, 378–380, 385–388, 390

$\text{GaAs/Ga}_{1-x}\text{Al}_x\text{As}$, 280–282, 284–286

GaSb , 5, 103, 105, 107, 126, 173, 226, 230, 392, 430

GaP , 5, 80, 82–84, 107, 113–116, 125, 139, 162, 175, 181, 182, 189, 194, 225, 226, 392, 404, 425

Germanium, 5, 74–76, 94, 428, 433

Graphite, 384, 392

Gray tin, 129

H

$\text{Hg}_{1-x}\text{Cd}_x\text{Te}$, 4, 284, 286–289, 311–313, 317, 320–322, 333–335, 337–339, 341

HgTe , 126, 242

$\text{HgTe/Hg}_{1-x}\text{Cd}_x\text{Te}$, 283, 356, 364

I

InAs , 385, 386

$\text{In}_{1-x}\text{Ga}_x\text{As}_y\text{P}_{1-y}$, 311, 333, 341, 317, 374

$\text{In}_x\text{Ga}_{1-x}\text{As/InP}$, 356, 364

InSb , xi, 108, 111–113, 119, 175, 178, 186, 221, 224, 230

P

$\text{Pb}_{1-x}\text{Sn}_x\text{Se}$

$\text{Pb}_{1-x}\text{Ge}_x\text{Te}$, 226, 433

$\text{Pb}_{1-x}\text{Ga}_x\text{Te}$, 128, 433

PbSe , 5, 280

PbTe , 5, 183, 231, 280

PtSb_2 , 5, 89, 113, 139, 183, 189, 194, 392, 404

S

Stressed n- InSb , 5, 113, 119, 183, 226

T

Tellurium, 5, 226, 392

Z

Zinc Diphosphide, 76, 130

ZnSe , 280, 284

Subject Index

0–9

0D dispersion, 213
1D dispersion relation, 145, 148, 159, 173
1D DOS function, 140
2D, 31
2D area, 55
2D dispersion, 89
2D dispersion relation, 82
2D electron concentration, 477
2D electron dispersion law, 92
2D electron energy spectra, 328
2D electrons, 24
2D EP, 123
300 open research problems, 401
II-VI, 45
II-VI QB HD, 283
II-VI QEP, 265
II-VI semiconductors, 414
II-VI superlattices, 251
III-V Kane type HD semiconductors, 473
III-V materials, 146
III-V semiconductors, 127, 407
III-V SL's, 241
IV-VI, EMSLs, 267
IV-VI materials, 57
IV-VI semiconductors, 47, 420
IV-VI super-lattices, 278

A

Absence of band tails, 98
Accumulation layers, 436, 486
Along Z direction, 213
Alternating electric field, 237, 437
Alternating quantizing magnetic field, 326, 400
Analytic, 11, 27

Anisotropic, 4
Arbitrarily oriented quantizing, 464
Area quantization, 403

B

Band gap, 16, 69
Band gap measurement, 376
Band model of Kane, 198
Band non-parabolicity, 57
Band structure, 433
 Gallium antimonide, 5
 Germanium, 385
 II-V compounds, 404
 II-VI compoundHopfield model, 5, 43, 107
 IV-VI compounds, 107
 Newson and Kurobe model, 4
 nonlinear optical, 3, 6, 7, 14–16, 376,
 434–436, 449, 450
 Palik model, 39, 149, 150, 221
 parabolic band, 123
 platinum antimonide, 5
 Stillman model, 107, 147, 148, 201, 221
 stressed materials, 68, 107, 392
 three band Kane, 123
 two band Kane, 28, 123
Band, 21, 27, 65, 125, 127–129, 433
Band structures, 31, 449
Band tails, 15, 21, 23, 28, 33, 44, 49, 57, 69,
 71, 80, 123, 141, 152, 201, 206, 220
Bandwidth, 341
Bangert, 156, 233
Bi, 125
Bohr Magneton, 410
Boltzmann transport equation, 123
Brillouin zone, 433

Broadening, 438
 Broadening of Landau levels, 346
 Bulk, 6, 21
 Bulk III-V, 27
 Bulk specimens, 97
 Burstein Moss, 124

C

Carbon nano-tubes, 485
 Carrier concentration, 63
 Carrier confinement, 139
 Carrier contribution to the elastic constants, 371
 Carrier degeneracy, 341
 Carrier density, 332
 Carrier energy spectra, 43
 Carrier masses, 416
 Carrier statistics, 25, 146, 147, 150, 151, 157, 163, 164, 171, 174, 416
 Carrier transport in HD quantized materials, 123
 CdS/ZnSe, 285
 Circular potential well, 435
 Cohen, 233, 449
 Colloidal, 5
 Compatibility, 35
 Complex analysis, 11
 Complex contour, 27
 Complex density of states function, 406, 409
 Complex number, 10
 Condition, 455
 Condition of heavy doping, 104
 Conduction, 255
 Conduction band, 7, 21, 298, 328, 452
 Conduction electron, 45, 52, 68, 98, 127, 215, 260, 423, 424, 460, 462
 Constants, 305
 Crossed, 449, 464
 Crossed electric field, 435
 Crossed quantizing magnetic and electric fields, 347
 Cross fields configuration, 451, 459, 460
 Cyclotron resonance, 403
 Crystallographic, 388
 Crystal potential, 296
 Current density, 216
 Cyclotron, 403
 Cylindrical HD, 349

D

Debye screening length (ER), 315
 De Haas-Van Alphen oscillations, 404

Density, 212
 Density-of-states (DOS), 16, 27, 30, 31, 34, 36, 38, 42, 56, 57, 62, 64, 70, 72, 79, 106
 quantum wire, 392
 Diamagnetic resonance, 403
 Diamond structure, 129
 Differentiation, 247, 258
 Differentiation under the sign of integration, 471
 Diffusion coefficient, 376
 Dimensional, 18
 Dimensionless, 28
 Dimensional quantization, 41, 105
 Dimmock, 233
 Dimmock model, 153, 418
 Dirac electron, 131, 315
 Discrete energy, 236
 Dispersion, 125–128, 268, 433, 484
 Dispersion relation, 18, 24, 29, 33, 37, 41, 45, 48, 52, 68, 86, 88, 90, 100, 105, 140, 142, 144, 146, 147, 149, 170, 172, 201, 202, 219, 245, 247, 249, 260, 309, 371, 408, 423, 462
 Dispersion relation in quantum well, 254
 Dispersion relation of the conduction electrons in HD, 405
 DMR, 27, 31, 242, 441, 449, 452, 453
 Doping, 14, 216
 Doping superlattices, 437
 DOS function, 51, 63, 317, 318
 DOS function per sub-band, 102
 DOS technique, 124

E

Edge, 21
 EEM, 30, 91, 93, 154, 160, 421, 452, 454–457, 460, 482
 Effective, 410
 Effective electron masses, 7, 107, 248
 Effective mass, 15
 Effective mass Superlattices, 242, 481
 Einstein relation, 449, 464
 E-k dispersion relation, 252
 Elastic constants, 124, 371, 372
 Electric, 449, 450, 452, 459, 462, 464
 Electric field, 14, 392, 397, 448, 457, 467, 468, 472–477, 479
 Electroluminescent devices, 390
 Electromagnetic theory, 450
 Electromagnetic wave, 297
 Electron concentration, 21, 36, 44, 52, 77, 80, 81, 85, 87, 93, 94, 107, 142, 198, 200, 202, 203, 208, 212, 221, 258, 276, 414,

- 421, 429, 443, 448, 452, 454, 476, 480, 482
- Electron concentration per band, 206
- Electron concentration per unit area, 101
- Electron concentration per unit length, 478
- Electron degeneracy, 226, 228, 282, 311
- Electron density, 274, 275, 277
- Electron dispersion, 267
- Electron dispersion law, 273, 481, 483
- Electron energy spectrum, 128, 272, 415
- Electrons, 269
- Electron spin, 452
- Electron statistics, 37, 84, 144
- Electron transport, 14
- Elliptic integral of second kind, 59
- Emitted, 17
- EMSLs under magnetic quantization, 268
- Energy, 47, 454, 455
- Energy band constants, 108
- Energy gaps, 241
- Energy spectra, 305, 349
- Energy spectrum, 48, 99, 129
- Energy-wave vector, 269, 273
- Energy-wave vector dispersion relation, 261
- EP, 24, 36, 82, 154, 156, 160, 167, 170, 330, 459, 461
- EP from HD germanium under magnetic quantization, 428
- EP from HD lead germanium telluride under magnetic quantization, 433
- EP from HD nonlinear optical semiconductors under magnetic quantization, 404
- EP from HD NW Effective Mass Super Lattices, 353
- EP from HD QB Effective Mass Super Lattices, 354
- EP from Nano Wires of HD Bi_2Te_3 , 166
- EP from Nano Wires of HD GaP, 162
- EP from Nano Wires of HD GaSb, 172
- EP from Nano Wires of HD Ge, 168
- EP from Nano Wires of HD PtSb_2 , 164
- EP from Nano Wires of HD Te, 160
- EP from QB of HD Gallium Antimonide, 219
- EP from QB of HD Germanium, 216
- EP from QB of HD III-V Semiconductors, 196
- EP from QB of HD II-VI Semiconductors, 203
- EP from QB of HD IV-VI Semiconductors, 205
- EP from QB of HD nonlinear optical semiconductors, 194
- EP from QB of HD Stressed Kane Type Semiconductors, 208
- EP from QB of HD Te, 209
- EP from QWs, 158
- EP from QWs of HD III-V, ternary and quaternary materials under strong electric field, 476
- EP from the Presence of quantizing magnetic field, 475
- Epitaxy, 3
- Error function, 9
- Exhibiting, 175
- Expression, 168
- External, 307
- External light waves, 315
- F**
- Factor, 410
- Femto-second velocity map, 384
- Fermi, 269
- Fermi-Dirac integral, 27
- Fermi-Dirac probability factor, 17, 19, 21, 46, 73, 91, 97, 318–320
- Fermi energy, 14, 15, 19, 21, 26, 33, 38, 45, 56, 57, 70, 140–142, 194, 247, 251, 254, 258, 261, 264, 266, 269, 310, 318–320, 325, 328, 330, 332, 353, 354, 406, 409, 411, 414, 416, 419, 421, 422, 425, 426, 452, 453, 473, 476–479
- Fermi level, 14, 413, 419, 429
- Fields, 449
- Film thickness, 227, 333
- Finite, 32
- Finite interactions, 299
- Forbidden, 23
- Forbidden zone, 15, 16, 24, 123, 124
- Function, 27, 40, 56
- G**
- $\text{Ga}_{1-x}\text{Al}_x\text{As}$, 241
- Gallium Phosphide, 425
- Gaussian, 40, 237
- Gaussian band, 13
- Gaussian band tails, 61
- Gaussian, exponential, Kane, Halperin, Lax and Bonch-Burevich types of band tails, 130
- Generalized expressions, 315

- Generalized expression of photo current, 478
- Graded interfaces, 242, 243, 248, 252, 255, 259–261, 269, 273, 274, 441, 442
- H**
- Hamiltonian, 295, 296
- HD IV-VI, II-VI and stressed Kane type compounds, 434
- HD gallium antimonide under magnetic quantization, 430
- HD Kane type III-V semiconductors, 453
- HD low-dimensional systems, 485
- HD materials, 113, 123, 124, 364, 377, 397, 401, 406
- HD nipi structures, 348
- HD nonlinear optical semiconductors, 436
- HD NWs, 330
- HD optoelectronic materials, 479
- HD QWs, 328
- HD semiconductors, 130
- HD stressed Kane type semiconductors, 158
- HD II-VI semiconductors, 457
- HD III-V, ternary and quaternary materials, 475
- HD IV-VI semiconductors, 459
- HD stressed Kane type semiconductors, 460
- HD stressed semiconductors, 461
- HD super-lattices, 448
- HD Te, 424
- HD zero dimensional systems, 237
- Heavily doped II-VI EMSLs, 264
- Heavily doped IV-VI materials, 417
- Heavily doped Kane type semiconductors, 423
- Heavy doping, 243, 256, 309, 435
- Heavy hole, 39, 298, 412
- HgTe, 229
- HgTe/CdTe, 241, 242, 258, 271, 276, 392
- Hole energy spectrum, 432
- I**
- Imaginary, 23
- Impurity potential, 33
- Incident light, 341
- Incident photon energy, 222
- Increased band gap, 307
- Incremental band gap, 372
- Independent, 38
- Indirect band-gap material, 385
- Indirect test, 107
- Inequality, 30, 32
- Inferred, 367
- Influence of light, 311
- Influence of quantum confinement, 113
- Integral, 27
- Integration, 35, 54
- Intense photo excitation, 397
- Intensity, 325
- Intensity of light, 376
- Inter-band optical transition, 299
- Inter band recombination, 383
- Interband transition matrix element, 298
- Interband transitions, 298
- Interfaces, 256
- Internal photoemission spectroscopy, 389
- Intrinsic Shockley surface state, 383
- Inverse quantizing magnetic field, 355
- Inversion, 3
- Investigate, 22
- Isotropic, 34
- K**
- Kane, 71, 72, 404, 449, 464
- k.p formalism of solid-state science, 397
- k. p matrix, 6
- L**
- Landau, 403, 454–456, 458, 460, 463
- Landau subbands/levels, 318–320, 325, 346, 355, 367, 377, 403, 407, 410, 411, 415, 418, 424–432, 434, 441–448, 453, 460, 463, 475
- Landau quantum number, 377
- Landau sub-band energy, 453
- Lax, 449
- Light intensity, 307, 333
- Light waves, 241, 295, 307–310, 315, 317–320, 328, 330–332, 356, 372, 392, 477
- Longitudinal, 7, 43, 248
- Longitudinal effective masses, 47
- Lowest positive root, 78, 89, 96
- Low positive electron affinity, 380
- M**
- Magnetic, 449, 450, 452, 459, 462, 464
- Magnetic field, 242, 403, 404, 416, 437
- Magnetic field/quantization, 14, 280–285, 317, 319, 320, 325, 352, 355, 364, 367, 403, 412, 416, 420, 423, 467, 475, 482, 483

- Magnetic quantization, 245, 249, 271, 364, 407, 446
 Magnetic quantum limit, 452
 Magnetic susceptibility, 404
 Magneto dispersion, 429
 Magneto dispersion law, 317–319, 410, 411, 432
 Magneto dispersion relation, 418, 422
 Magneto electron dispersion, 263
 Magneto EP, 267, 404, 415
 Magneto EP from HD effective mass super lattices, 355
 Magneto-oscillatory phenomena, 403
 Magneto-phonon oscillations, 404
 Mathematical approximations, 438, 486
 Mathematical compatibility, 107
 Mid-infrared range, 388
 Minimum photon energy, 375
 Minority carriers, 376
 Model of Bangert and Kastner, 60
 Model of Kane, 331, 364
 Model of Palik et al., 202
 Model of Stillman et al., 147
 Model of Wang, 227
 Model of Wang and Ressler, 217
 Monograph, 377
 Multi-photon, 346
 Multi-photon EP, 326
- N**
- Nano-crystals, 5, 382
 Nano-photonics, 295
 Nano structured materials, 392
 Nanostructures, 295
 Nano-thickness, 14
 Nano wires (NWs), 139, 151, 153, 236, 331
 Negative refractive index, 190, 238, 438
 Newly formulated electron dispersion law, 107
 New variable, 55
 N-Ge, 226
 N-In_{1-x}Ga_xAs_yP_{1-y}, 320
 Nipi structures, 486
 Nonlinear optical, 13
 Nonlinear optical response, 376
 Nonlinear optical semiconductors, 140, 435
 Nonlinear response, 376
 Non-quantizing electric field, 437
 Non-uniform light waves, 484
 Normalized carrier degeneracy, 234, 236
- Normalized electron degeneracy, 224, 231, 233, 311
 Normalized EP, 222, 228, 282
 Normalized incident photon energy, 225, 230, 235
 Normalized magneto EP, 320
 NW of IV–VI semiconductors, 155
 NWs of II–VI materials, 152
- O**
- One dimensional electron dispersion, 143
 Operator, 451
 Optical, 18
 Optical matrix element (OME), 298, 299
 Optoelectronic, 310, 330
 Optoelectronic devices, 241
 Optoelectronic materials, 341, 351
 Orthogonal triads, 450
 Oscillatory, 24, 341
 Oscillatory manner, 346
 Overall, 175
- P**
- Palik, 39
 Parabolic, 449, 452
 Parabolic energy bands, 146, 199
 Parabolic potential well, 435
 Pb_{1-x}GexTe, 229
 PbSe/PbTe, 283
 Periodic, 297
 Periodic square arrays, 387
 Permittivity of free space, 307
 Perpendicular, 6
 Perturbed two band model of Kane, 474
 Photo current, 331
 Photoelectric, 17
 Photoelectric current density, 201
 Photoemission-based microscopy techniques, 387
 Photo-emitted current density, 204, 207, 209, 210, 214, 219
 Photo-excitation, 398, 307, 317–319, 326, 333, 346, 372
 Photon, 296, 298, 299, 307
 Photonic band structure, 386
 Plane polarized light-wave, 305
 Polarization vector, 304
 Polarized light-wave, 304
 Pole, 25

Pole-less, 48
 Poles, 14
 Porous silicon layer, 390
 Potential well, 139, 485
 Presence of quantizing, 463
 Presented, 314
 Primes, 247
 Probability, 17
 p-type atomic orbitals, 299

Q

QB of HD gallium phosphide, 211
 QB of HD platinum antimonide, 212
 QB effective mass HgTe/Hg_{1-x}Cd_xTe and In_xGa_{1-x}As/InP HD SLs, 367
 Quantization, 266, 403, 404
 Quantized energy, 63, 145, 148, 150, 202, 207, 211, 215, 216, 218, 221, 271, 277
 Quantized energy along x direction, 264
 Quantizing, 449
 Quantizing magnetic field, 325, 352, 457, 482, 483
 Quantum box (QB), 193, 229, 332, 349
 Quantum confined super-lattices, 486
 Quantum confinement, 124
 Quantum dot, 278
 Quantum dot super-lattices, 273
 Quantum number, 26, 56, 57, 410
 Quantum resistors, 139
 Quantum size effect, 3, 390
 Quantum well (QW), 3–6, 18–20, 22, 25, 29, 43, 45, 47, 52, 65, 73, 80, 86, 90, 94, 103, 107–116, 123, 124, 139, 158, 193, 236, 241, 252, 258, 260, 327, 328, 333, 341, 351, 389, 467, 476
 Quantum well heavily doped, 266
 Quantum wire, 139
 Quantum wire effective mass superlattices, 392
 Quantum-confined lasers, 376
 Quaternary, 4, 404, 449, 464
 QW HD, 281
 QW of HD, 100

R

Raman gain, 377
 Real, 40
 Reduced effective mass, 298
 Resonant PL, 386
 Respectively, 175, 183, 330

S

Sample length, 452
 Second and third order elastic constants for HDS, 371
 Semiconductor nanotubes, 348
 Semimetals, 400
 Shubnikov-de Haas oscillations, 404
 Silicon atomic environments, 382
 Simplified dispersion relation, 253
 Single deep open research problem, 371
 Single unit cell, 297
 Size quantization, 21, 95, 96
 Size-quantized, 83, 236
 Size quantum number, 70, 140
 Sommerfeld's lemma, 19
 Specimens, 39
 Spectrum, 4
 Spin, 298–300, 317–319, 409, 438
 Spin down Landau levels, 377
 Split-off hole, 412
 Splitting, 14
 Spontaneous emission intensity, 380
 Stained Layer Superlattices, 444
 Static photoelectric effect, 398
 Stillman, 39, 223
 Strain, 399
 Strained Layer, 279
 Strained multiple quantum wells (MQWs), 378
 Stress, 75, 404
 Stressed Kane type semiconductors, 65, 72, 423
 Stressed materials, 71
 Strong electric field, 468
 Sub-band, 18, 26, 31, 202, 211, 213, 274, 276, 277
 Sub-band energy, 18, 21, 25, 26, 29, 31, 34, 37, 38, 41, 42, 70, 72, 79, 83, 105, 106, 141, 144, 149, 156–159, 163, 171, 318–320, 329
 Superlattices HD, 392
 Superlattice (SL), 241, 242, 256, 388
 Surface electron, 20
 Surface electron concentration, 63, 78, 88

T

Ternary, 404, 449, 464
 Tetragonal, 18, 449, 451, 464
 Thermoelectric power, 315, 372, 404
 Thin GaAs and AlAs layers, 388
 Third order nonlinear optical susceptibility, 377
 Thomas-Fermi screening, 45

Three band model of Kane, [142](#), [196](#), [223](#), [472](#)
Total DOS function, [78](#)
Total density-of-states function, [195](#)
Totally quantized energy, [197](#)
Total photo-emitted current density, [208](#)
Totally quantized energy, [202](#), [206](#)
Transition point, [433](#)
Transport properties of nano-devices, [467](#)
Transverse, [7](#), [43](#), [248](#)
Two band model of Kane, [144](#), [199](#)
Two-photon ionization, [391](#)

U

Ultrafast, [5](#)
Ultrathin films, [18](#)
Uniqueness conditions, [191](#), [315](#), [438](#)

V

Vector, [299](#)

Vector potential, [295](#), [296](#), [450](#)
Velocity, [19](#)
Velocity of light, [307](#)

W

Wave-vector, [3](#)
Wave vector space, [53](#)
Wedge shaped, [349](#)
Wide band gap, [308](#)

X

X-Y plane, [26](#)

Z

Z direction, [33](#), [41](#), [218](#), [254](#), [480](#)
Zero thickness, [242](#)
Zerogap materials, [226](#)