

Index

0–9

- 1,4-diaminophenazine, 286
- 1-butyl-3-methylimidazolium, 91
- 1-pyrenebutyrate, 136
- 11-mercaptopundecanoic acid-6-mercapto-1-hexanol, 294
- 2,4-dinitrotoluene, 259
- 3,3'-diaminobenzidine, 300
- 3-glycidoxypropyl trimethoxysilane, 30
- 5-Aminoindole, 118
- 7,7,8,8-tetracyanoquinodimethane, 40

A

- Absorption contribution, 354, 358, 361, 366
- Absorption loss, 319, 355, 361
- Absorptivity, 160, 352, 364, 367
- Acceleration sensors, 72
- Acoustic-optic effect, 197
- Acoustic transducers, 68
- Acrylonitrile-styrene copolymer, 56
- Activation energy, 53, 272
- Actuation, 3, 7, 8, 72, 76–78, 81, 82, 84, 86
- Actuator, 8, 67, 68, 72, 78, 84–86
- Adenosine triphosphate, 13, 298
- Adhesive, 307
- Aerogel, 112
- Affective microwave absorption, 327
- Agglomeration, 38, 254, 279, 337
- Aggregation, 57, 62, 111, 115, 119, 164, 288, 337, 354
- Aging process, 138
- Alkaline fuel cells, 103
- Alpha-fetoprotein, 300
- Ambipolar, 2, 39
- Amide functionalities, 40
- Amination, 38

- Ammonium hydroxide, 28
- Ammonium persulfate, 263
- Amperometric detection, 292
- Anisotropy, 341
- Anisotropy energy, 365
- Annealing temperature, 108, 168, 256
- Anti-poisoning ability, 118
- Anti-static materials, 26
- Antigens, 280
- Antistatic coatings, 42
- Antistatic criterion, 39
- Aptamers, 280, 298
- Artificial muscle, 8, 68, 69, 72, 85
- Aryl diazonium salts, 40
- Ascorbic acid, 13, 116, 119
- Aspect ratio, 4, 9, 26, 34, 36, 38, 42, 43, 57, 357, 366, 367
- Atomic force microscopy, 133, 354
- Attenuation mechanism, 12
- Automotive microactuators, 72

B

- Banbury mixers, 233
- Band gap, 2, 16, 132, 146, 159
- Bandwidth, 12, 197, 198, 308, 310, 317, 319
- Barium ferrite, 12
- Barium titanate, 6, 51
- Basic fibroblast growth factor, 297
- Batteries, 2, 3, 158
- Beam manipulating, 198
- Biaxially oriented polypropylene, 50
- Bi-layer, 26, 69, 197
- Bilayer papers, 81
- Biochemical receptor, 281
- Bio-mechanical energy, 74
- Bio-nanocomposite, 291

- Biochips, 13
Biocompatibility, 8, 14, 15, 111, 121, 279, 289, 299
Bioelectric sensory, 14
Bioimaging, 141, 144
Biological sensors, 2
Biomedical field, 2, 42, 68
Biomolecules, 13, 14, 148, 272, 289, 301
Bioreceptor, 279
Biosensors, 3, 13, 279–281, 289, 296, 298, 301
Blending, 36, 39, 54, 60, 62, 268, 334, 352
Bolometric effect, 198
Boltzmann constant, 53, 196
Bond distortions, 146
Boron nitride, 4
Bottom-up, 141, 256
Bragg grating, 224
Bragg-signal, 224
Brass foil electrodes, 244
Breakdown strength, 50, 61, 62
Broadband optical absorption, 214
Broadband photoresponse, 194, 198
Broadband piezoelectric energy, 68
Broad dynamical diapason, 250
Bulk heterojunction, 11, 141
- C**
 β -cyclodextrin polymer, 91, 120
 C_{61} -butyric acid methyl ester(PCBM), 132
Cantilever beams, 68
Capacitors, 1, 50, 307, 321
Capture agents, 272
Carbon cloth, 10
Carbon fiber, 12, 230, 238, 347
Carbon nanofiber, 366
Carbon nanoparticles, 226, 234, 236
Carbon nanosheets, 357
Carbon nanotubes, 26, 51, 56, 138, 223, 224, 231, 253, 254, 279, 347
Carbon nitride, 106, 121
Casting method, 101
Catalysis, 14, 116, 120
Cellular structure, 362, 363
Centrosymmetry, 73
Ceramic dielectric materials, 50
Chalcogenide, 114
Charge balancing dopant, 286
Charge transfer effect, 145
Chemical bondings, 367
Chemical durability, 197
Chemical exfoliation route, 255, 258
Chemical foaming process, 363
Chemical methods, 26, 347
Chemical oxidation, 263
Chemical sensor, 265, 267, 268, 279
Chemical vapor deposition, 27, 94, 99, 137, 172, 203, 255, 256, 287, 297, 347
Chemically modified graphene, 5, 13, 38–40, 51, 158
Chemiresistive sensor, 261
Chemisorption, 105, 288
Chemoresistance sensor, 258
Cholesterol, 14, 284, 289, 292
Chronoamperometry, 119
Coefficients of reflectivity, 352
Cohesion forces, 236
Colloidal suspension, 40, 238, 292, 348
Columbic efficiency, 113
Complex conductivity, 308
Complex magnetic permeability, 308, 309
Complex permeability, 308, 319, 341
Compression molding, 38, 338, 363
Condensed matter physics, 279
Conducting paths, 33, 227, 229, 237, 238
Conducting polymers, 9, 84, 117, 118, 181, 254, 262, 286, 297, 336
Conductivity network, 36
Conjugated carbon atoms, 40, 144
Constantan-chromium-alloy, 224
Coordination bonding, 349
Copper foil, 137, 195, 234
Copper oxide nanoparticle, 28
Core-shell structures, 362
Covalent absorption, 38
Covalent modification, 348, 349, 366
Covalently cured, 230
Critical concentration, 354
Critical index, 225
Crossover effect, 100
Crystalline, 30
Crystalline materials, 70
Curing agent, 237, 241, 327
Current density, 39, 104, 106, 120, 288
Current-gate voltage, 261
Cyanoethyl pul-lulan polymer, 6
Cyclic voltammetry, 116, 119, 291
- D**
DC conductivity, 34, 35, 327, 333, 354
Debye relaxation, 334, 341
Debye relaxation, Maxwell–Wagner relaxation, 334, 341
Decibels, 324, 352
Decorating graphene, 366
Density functional theory, 145

- D-Graphene, 355, 356, 358
Diagnosis, 278, 292
Diazonium salt coupling, 38
Dielectric breakdown strength, 62
Dielectric constant, 6
Dielectric layer, 214
Dielectric loss, 6, 12, 50, 54, 56–59, 61, 326, 337, 358, 361, 366
Dielectric property, 3
Dielectric spectroscopy, 53
Dielectric strength, 61
Diffusion coefficient, 104
Dimethyl formamide, 70, 134
Dimethyl methylphosphonate, 270
Dimethylsulfide, 265
Dinitrotoluene, 13
Dip coating, 135
Dipolar relaxation, 336, 366
Dirac point, 67, 195, 198, 257
Direct formic acid fuel cells, 117
Direct methanol fuel cells, 101, 120
Discriminating graphite, 30
Disorient, 36
Dispersibility, 84, 279, 285, 301, 354
Dispersion, 4, 25, 28, 30, 36, 38–40, 42, 52, 57, 62, 69, 70, 118, 135, 169, 240, 244, 280, 331, 349, 354
Display, 42, 133, 197
Disposable biosensor, 293
Dissipation of energy, 309
Distributed Bragg reflector, 210
Dodecyl benzene sulfonate, 40
Dopamine, 13
Drop-casting, 70
Drug delivery, 13, 14, 288
Durability, 81, 82, 107, 113, 116, 117, 176, 185, 250, 297
Dye-labeled, 13
Dye-sensitize solar cell, 279
Dymethyl formamide, 36
Dynamic responses, 263, 270
- E**
E-paper, 6
Eco-friendly, 7
Edge-to-plane ratio, 260
Efficient of absorptivity, 364
Elastic modulus, 7
Electrodeposition, 288
Electrical conductivity, 325–327, 329, 336, 347, 349, 353, 355, 366
Electrical gating, 197, 199
Electrical noise, 253, 254
Electrical relaxation, 247
Electrically active, 224
Electrically conductive, 6, 11, 33, 138, 240, 325
Electroabsorption, 197, 198
Electrocatalytic activity, 105, 106, 116, 118, 121, 281
Electrochemical active surface area, 118
Electrochemical biosensor, 281, 289
Electrochemical detection, 13, 291
Electrochemical double layer, 5
Electrochemical impedance spectroscopy, 149
Electrochemical method, 120, 142, 260, 288
Electrochemical modification, 38, 40
Electrochemical properties, 84, 93, 106, 108, 121
Electrochemical sensing, 13, 16
Electrochemical sensors, 289
Electrochemical supercapacitors, 50
Electrochemiluminescence, 10
Electrochromic method, 28
Electroconductive nanostructure, 225
Electroluminescent, 2, 138
Electromagnetic absorption property, 12
Electromagnetic field, 213
Electromagnetic induction (EMI) shielding, 345
Electromagnetic interference shielding (EMI), 1, 3, 8, 42
Electromagnetic microwaves, 364
Electromagnetic theory, 358
Electromagnetic waves, 12, 358
Electromechanical resonators, 69
Electron acceptors, 163, 166, 256
Electron charge, 227
Electron donors, 256
Electronic-accepting, 142
Electronic devices, 3, 6, 26
Electronic polarization, 334, 341, 366
Electron transfer mediators, 290
Electron transfer number, 10, 104, 110
Electron transport, 158, 159, 162, 163, 258, 268
Electron-withdrawing, 259, 261
Electropolymerization, 288
Electrospun, 292
Electrostatic, 38, 68, 116, 349
Electrostatic LbL assembly, 286
Electrostatic attraction, 115, 355
Electrostatic stabilization, 135
Emission wavelength, 145
Emulsion, 37, 56
Energy storage, 5
Energy harvesting materials, 68

Energy storage, 2, 14, 42, 50, 54, 62, 99, 288
Energy storage density, 50
Environment friendly, 135, 284
Enzyme-catalyzed redox reactions, 289
Epitaxial graphene, 40, 257, 258
Epitaxial growth, 27, 69, 94, 255, 256, 347, 366
Epitaxial method, 69
Epoxy-modified, 28
Epoxy resin, 28, 35, 237, 325, 354
Esterification, 38, 348
Ethylenediamine, 107
Ethylene-octene elastomer, 230
Ethylene-vinyl acetate, 357
Expandable graphite, 357
Extinction coefficients, 144
Extrusion, 70

F

Ferroferric oxide, 268, 293, 359, 361
Faraday cage, 346
Faraday constant, 104
Fast proton transfer, 100
Fenton reagent, 142
Fermi energy, 197
Fermi level, 6, 169, 197, 204, 322
Ferric chloride, 138
Ferrites, 309, 341
Ferroelectric, 1, 14, 15
Ferro-electric ceramic, 6
Ferroelectric polymer, 14, 15, 54, 177
Ferromagnetic, 360
Few-layer graphene, 13, 69, 138, 297
Field effect transistor (FET), 2, 199, 200, 259
Finite-temperature, 196
Flemion membranes, 102
Flexible FET, 297
Flexible devices, 14, 133, 197
Flexible electronics, 7, 15
Flexible graphene, 6, 68, 136
Fluorescence resonance energy transfer, 148
Fluorescent, 144, 148
Fluorescent resonance, 13
Fluorophore, 13
Formability, 325, 341
Fossil fuels, 93, 100
Fourier transformation infrared, 28
Four-probe resistance, 135
Fracture strength, 51, 158, 254
Frequency, 53, 72, 79, 84, 195, 196, 270, 309, 312, 314, 315, 320, 322, 324, 327, 328, 333, 338, 356, 361
Friedel-Crafts reaction, 102

Fringed micellar crystals, 230
Fuel cell, 9, 93, 99, 103–105, 107, 113, 115, 121, 347
Functionalised graphene sheets, 29

G

Gas adsorption, 256, 271
Gas chromatography mass spectrometry, 254
Gas/vapor sensors, 253, 262, 268, 272
Genosensors, 296
G fillers, 333
Glass carbon, 92
Glucoamylase, 292
Glucose sensor, 13, 290
Glucose, 145, 289–291, 295
Glycidylmethacrylate, 299
Gold nanoparticles, 213, 293, 299
GQD, 141, 142, 145, 146, 166
Grafting from, 348
Grafting to, 167, 348
Graphene band structure, 196
Graphene foam, 99, 257, 359, 363, 364
Graphene moieties, 144
Graphene nanoplatelets, 26, 138, 231
Graphene nanoribbons, 2, 160, 260, 362
Graphene nanosheets, 13, 51, 52, 56–58, 242, 263, 285, 291, 299, 354
Graphene oxide, 5, 26, 51, 69, 108, 135, 157, 158, 238, 243, 258, 280, 284, 286, 293, 296, 299, 322
Graphene-PPy nanotube, 294
Graphene transistor, 256
Graphene worms, 330
Graphite nanosheets, 12, 238, 239
Graphite oxide, 13, 26, 38, 69, 135, 238, 347
Graphitic carbon nitride, 92, 151
Graphitized nanoparticles, 232
Green-house gases, 93

H

Haemoglobin, 14
Haemoglobin levels, 14
Hall-effect, 256
Heat sinks, 194
Helicase-mediated duplex, 13
Hematite, 365
Hemoglobin, 294
Heteroatom, 119, 297
Hexa-peri-hexabenzocoronene, 145
High absorption capacity, 324
High dense polyethylene, 70
Hole transport mobility, 7

HOMO, 11, 160, 161, 167, 183
Honey-comb lattice, 51, 322
Hummus method, 28, 103, 135, 284, 337
Hydrazine, 5, 40, 54, 102, 119, 136, 240, 270, 347
Hydrogel actuator, 82
Hydrogen bonding, 58, 103, 337, 349
Hydrophobicity, 70, 111, 281
Hydrophobic nature, 169, 181, 348, 366, 367
Hydroquinone, 13
Hydrothermal method, 142
Hydrothermal process, 57
Hydrothermal reduction, 55, 56
Hyperelastic polymer, 226
Hyperelastic pressure, 236, 248
Hyperelastic pressure sensor, 244, 246, 248
Hysteretic ferroelectric gating, 14

I

Imidazolium salt, 270
Immunosensors, 277, 299
Impedance, 12, 214, 296, 309, 310, 312, 322, 329, 367
Impedance mismatch, 307, 309, 329, 364
In situ intercalative polymerization, 70
In situ polymerization, 27, 34, 37, 39, 95, 264, 284, 286, 347, 349
In vitro, 289, 291
Indium tin oxide, 6, 132, 197
Industrial automation tasks, 68
Injection molding, 70
Inorganic ceramics, 309
Insulative packing material, 50
Insulator-conductor composites, 53
Insulator-conductor transition, 224, 356
Interband, 195, 197
Interface chemistry, 15
Interface effect, 49
Interfacial energy, 57
Interfacial polarization, 6, 327, 365, 367
Interparticle charge tunneling, 225
Intraband transitions, 196
Intrinsic charge, 15
Intrinsic chemical responses, 268
Intrinsic conductivity, 9, 41, 356, 366
Intrinsic mobility, 194, 195
Intrinsic resonant frequency, 84
Intrinsic state emission, 145
Iron nitride, 112
Isocyanate modification, 38

J

Jaumann' absorber, 310

K

Kinetic-limiting current density, 104
Kinetic parameters, 104
Kinetic viscosity, 104
Kneaders, 233
Koutecky-Levich, 92

L

Langmuir-Blodgett, 136
Langmuir-Henry-clustering, 265
L-ascorbic acid, 337
Laser irradiation, 80
Lattice dimensionality, 354
Layer-by-layer assembly, 116, 293
Light absorption, 10, 11, 132, 159, 171, 193, 195, 207, 214
Light absorption properties, 214
Light emitting diode, 2
Light harvesting, 144, 162
Limit of detection, 256, 292, 300
Linear sweep voltammetry, 92
Liquid crystal displays, 6
Liquid phase exfoliation, 194, 195
Liquid phase synthesis, 121
Lithium air batteries, 105
Lithography, 269
Lorentzian formula, 31
Lorentzian noise spectra, 256
Luminescent mechanism, 148
Luminescent properties, 152
LUMO, 11, 160, 165, 183

M

Magnetic absorption, 308, 353
Magnetic constituents, 360
Magnetic nanoparticles, 268, 324, 366
Magnetic particles, 12, 358, 360, 361, 366
Magnetic permeability, 309, 321, 347, 361, 367
Magnetite-graphene, 29
Manganese oxide, 362
Maxwell stress, 72
Maxwell-Wagner interfacial polarization, 327
Maxwell-Wagner relaxation, 334, 341
Mechanical cleavage, 94
Mechanical exfoliation, 1, 132, 194, 195
Mechanical impact, 224, 231, 232, 243, 250
Mechanical strength, 7, 93, 102, 185, 254, 279
Memory chips, 68
Memory storage, 14
MEMS, 8
Mesonaphthobifluorene, 92

Metabolites, 280
Metal nanocrystals, 112, 116
Metal-semiconductor-metal, 199, 200
Metallic Fabry-Pérot cavity, 211
Metallic lustre, 135
Metamaterial, 212, 214
Methanol oxidation, 9, 116, 118, 119
Micro-electro-mechanical system, 8
Micro-electronics, 50
Microbial fuel cells, 10
Microbials, 110
Microcellular foams, 9, 331, 359
Micromechanical exfoliation, 69, 255, 347
Microscopy tips, 68
Microwave absorbance, 56
Microwave frequencies, 320, 340
Microwave irradiation, 94
Mobility of charge carriers, 51, 347
Modification, 2, 25, 26, 40, 170, 233, 286, 309, 345, 366
Modified Nafion membranes, 100
Modified Hummers method, 103, 284
Modulation, 8, 197, 212, 256
Molecular switch, 8, 68
Molecular weight, 9, 11, 70, 281
Molybdenum disulfide, 151
Monocrystal, 71
Monolayer, 13, 26, 195, 198, 211, 270, 324
Monolithic graphene, 111
Multi-phase structures, 61
Multiple-graphene-layer, 199, 201
Multiple internal reflections, 324
Multiwalled carbon nanotubes, 61, 120, 364

N

Nafion film, 293
Nafion membrane, 9, 83, 84, 101
Nanocomposites, 2, 4, 9, 14, 26, 28, 29, 34, 37, 38, 41, 42, 51–57, 59–62, 70, 81, 93, 95, 99, 102, 103, 105, 107–109, 112–118, 120, 121, 133, 149, 239, 280, 288, 293, 299, 307, 341
Nanocrystalline, 253
Nanoelectromechanical systems, 69
Nanoelectronics, 16, 158, 279
Nanofibers, 112, 263, 292, 296
Nanogap, 213
Nanographite, 223, 224, 231, 244, 250
Nanoparticles, 1, 13, 30, 34, 51, 142, 149, 209, 231, 261
Nanopatterned, 214, 257
Nanophotonic, 14, 199, 209
Nanophotonic graphene, 209

Nanoscaffold, 14
Nanostructured materials, 254
Nanotechnology, 1, 25, 194, 279
Nanowire mesocrystals, 13
Natural flake graphite powders, 27
Natural resonances, 366
Natural rubber, 9, 13, 232, 246, 248
N-cyclohexyl-2-benzothiazolesulfenamide, 244
N-doped, 7, 287, 297
Negative pressure coefficient of resistance, 226
Negative tension coefficient of resistance, 226
Network analyzer, 314, 317, 352
Nickel, 13, 27, 69, 257, 336
Nitrogen-doped graphene, 105, 108, 109, 151
N-methyl-2-pyrrolidone (NMP), 134
N,N-dimethylformamide, 348
Noble metal, 91, 93, 113–115, 198, 261
Noble metal salts, 115
Noncovalent functionalization, 38
Nylon-6, 4

O

Octadecylamine, 40, 286
Ohmic resistance, 113
Optical actuators, 68
Optical fiber sensors, 224
Optical-induced actuators, 8
Optical microscope images, 31
Optical sensors, 13
Optical sheet conductivity, 196
Optical transmittance, 7, 138, 178, 262
Optically active, 224
Optimal attenuation, 339
Optimized, 7, 8, 10, 52, 93, 107, 200, 201, 293, 300
Optoelectronic chips, 215
Optoelectronics, 6, 15, 131–133, 144, 151, 279
Organic amines, 38
Organic coupling reactions, 94
Organic dyes, 13
Organic electrolyte, 268
Organic light emitting devices, 193, 194, 197
Organophosphates, 293
Orientation, 15, 27, 30, 41, 43, 336, 354, 357, 358, 360, 366
Oxygen moieties, 260

P

Parts per billion, 256, 257, 259, 265, 270
Parts per hundred rubber, 230, 245

- Pauli blocking, 197
P-doped, 7
Peak current density, 118, 119
Percolation theory, 34, 37, 53, 61, 223, 224, 341
Percolation threshold, 4, 5, 26, 32–39, 41–43, 51–60, 168, 225, 230–232, 236–239, 241, 242, 326, 333, 350, 354–358
Percolation transition, 41, 52, 225, 245
Percolative dielectrics, 52
Percolative composite systems, 53
Percolative nanocomposites, 49, 53, 54
Perfluoropolymers, 102
Phenelinediamine, 286
Phenolic resin, 12
Phenylhydrazine, 54
Phenyl isocyanate-treated GO, 40
Phenyl triethoxysilane, 30
Phonographs, 70
Phonons, 3, 77
Phosphate buffer solution, 92, 112, 142, 278, 295
Photoactive component, 132
Photoactive energy, 8
Photocatalysis, 133, 149, 347
Photocurrent, 149, 151, 161, 162, 169, 198–200, 202, 204–206, 210–214
Photodetectors, 10, 14, 193, 194, 197–201, 203, 204, 206–210, 212, 214, 215
Photoelectric conversion, 133, 207
Photoelectrochemical, 149, 151
Photo-Fenton, 142
Photoluminescence, 7, 141, 143, 145, 146, 148, 151, 160, 205, 206
Photoluminescent emission shift, 145
Photomechanical actuators, 69
Photomechanical properties, 69
Photoresist, 268
Photoresponsivity, 199–201, 205–207, 209, 211–214
Photothermally driven, 83
Photovoltaic devices, 2, 11, 142, 157, 159, 160, 163, 166–169, 175, 178–180, 194
Photovoltaic effect, 198
Physicochemical properties, 254
Picoammeter, 244
Piezoceramics, 250
Piezoelectric, 1, 7, 67, 68, 70–76, 85, 86, 224
Piezoelectric ceramics, 71, 76, 224
Piezoelectric crystal, 71
Piezoelectric potential, 73, 74
Piezoelectric properties, 7, 72, 86
Piezoelectricity, 67, 71
Piezoresistive coefficient tensor, 225
Piezoresistive properties, 228, 238, 240, 244
Piezo-sensitive, 247
Planar heterojunction device, 11
Plank's constant, 227
Plasma polymerized, 286
Plastic region, 237
Plasticizer, 236
Platelet-derived growth factor, 297
Platinum black, 40, 92, 119, 120, 136
Polyvinylalcohol, 70
Polarity, 70, 74, 281
Polarization, 6, 14, 15, 49, 50, 71, 111, 197, 312, 367
Polarization controller, 194
Pollutants, 91, 93
Poly(3,4-ethylenedioxythiophene), 9
Poly(3-hex-ylthiophene), 11
Poly(ethylene oxide), 325
Poly(ethylene-propylene), 336
Poly(styrene sulphonate), 9
Poly dimethyl siloxane, 32, 40, 56, 57, 61, 76–78, 98, 137
Poly(1-vinyl-3-ethylimidazolium), 261, 265
Poly(3,4-ethylenedioxythiophene), 262, 291
Poly(3,4-ethylenedioxythiophene)/poly(styrenesulfonate)(PEDOT/PSS), 140
Poly(3-hexylthiophene), 9, 132, 162–169, 172–175, 177–184
Poly(N-butyl benzimidazole), 292
Poly(ethylene oxide), 10
Poly(ethyleneterephthalate), 259
Poly(ionic liquids), 261
Poly(o-phenylenediamine), 288, 298
Poly(pyrogallol), 119
Poly(sodium styrene sulfonate), 117
Poly(styrenesulfonic acid-g-pyrrole), 287, 293
Poly(tetrafluoroethylene) (PTFE), 141
Poly(vinyl alcohol), 325, 329, 348
Poly(vinylidene fluoride), 7, 9
Poly(vinylidene fluoride-trifluoroethylene), 59
Poly-N-vinylcarbazole, 206
Polyacetylene, 336
Polyaniline, 10, 12, 28, 29, 39, 56, 92, 100, 107, 108, 111, 112, 118, 284, 287, 325, 336
Polycaprolactone, 364
Polycarbonate, 38, 349
Polycrystalline, 138, 195, 340
Polycyclic, 40
Polydiacetylene, 8, 28, 270
Polydimethylsiloxane, 224
Polydispersity, 11
Polydopamine, 104, 355

- Polyelectrocatalyte, 115
 Polyester resin, 37
 Polyetherimide, 325, 352
 Polyethylene, 9, 34, 70, 164, 172, 237, 238
 Polyethylene-grated maleic anhydride, 70
 Polyethylene terephthalate, 7, 34–36, 73, 74, 139, 172, 173, 177, 201
 Polyvinylidene fluoride, 346
 Polyisoprene, 226, 228, 232, 234–236, 238, 244
 Polymer graphene composites, 2, 5, 8, 15, 277
 Polymer/graphene nanocomposites, 42, 345
 Polymerization, 27, 34, 37, 54, 56, 70, 98, 106, 107, 112, 113, 118, 119, 121, 265, 284, 297, 349
 Polymer wrapping, 38
 Polymethyl methacrylate, 352
 Polymethylmethacrylate, 9, 28, 30, 32, 41, 138
 Polypropylene, 50, 70
 Polypropylenimine, 119
 Polypyrrole, 92, 100, 108, 113, 118, 262, 286–288, 293, 336
 Polystyrene, 5, 32, 34–40, 56, 61, 70, 168, 269, 286, 325, 338, 348
 Polyurethane (PU), 6, 56, 97, 349
 Polyvinyl alcohol, 5, 10, 32, 41, 56, 58, 59, 92, 95, 97, 101, 103, 113, 119, 278, 329
 Polyvinyl butyral, 27
 Polyvinylidene fluoride, 352
 Porosity, 83, 244, 263
 Porous elastomer, 250
 Porous graphene, 57
 Porphyrin ring, 40
 Positive pressure coefficient of resistance, 226
 Positive tension coefficient of resistance, 226
 Post-alignment composites, 358
 Post-reduction treatment, 94
 Power, 5, 9, 10, 49, 68, 74–76, 81, 82, 86, 93, 99, 103, 104, 107, 111–113, 157, 159, 162, 173, 174, 201, 215, 244, 286, 309, 310, 315, 320, 323, 325, 353
 Power density, 5, 9, 10, 68, 103, 104, 107, 111, 113, 204
 Power law, 354, 358
 Paraffin wax, 325
 Pressure coefficient of resistance, 226
 Pressure sensors, 7, 68, 72, 223
 Processing methods, 26, 34, 43, 280, 347
 Protein micropatterning, 13
 Proton conductivity, 10, 100–103, 113, 121
 Proximity sensing, 7
 P-type semiconductor, 258
 Pyrenebutyric acid, 136
 Pyroelectric coefficient, 15
 Pyroelectric effect, 75, 76
 Pyrolytic graphite, 3, 27
- Q**
 Quantum charge tunneling, 226
 Quantum dots, 13, 132, 148, 160, 193, 293
 Quantum efficiency, 200
 Quantum hall, 2
 Quantum hall effect, 2, 279
 Quantum mechanical, 206
 Quantum tunneling effect, 224, 237
 Quantum yields, 145
 Quartz crystal microbalances, 270
 Quasi freestanding epitaxial graphene, 257
 Quasi-reversible redox peaks, 290
 Quasi shell-core nanostructures, 365
 Quinoraline, 286
- R**
 Radio waves, 346
 Raman spectroscopy, 3, 27, 28, 30, 164
 Recycling effect, 210
 Reduced graphene oxide, 9, 12–14, 26, 28, 30, 34, 36, 37, 39–42, 54, 55, 60, 69, 70, 78, 79, 92, 94, 95, 102, 108, 112, 113, 116, 118, 119, 136, 158, 169–173, 177, 179, 180, 182, 183, 185, 239, 258, 287, 293, 360
 Reduction, 5, 9–11, 15, 26, 38–42, 54, 55, 69, 79, 80, 82, 92, 94, 95, 99, 103–105, 107, 115–119, 136–138, 141, 144, 146–148, 151, 158, 160, 167, 168, 228, 242, 250, 258, 260, 267, 284, 285, 287, 296, 308, 310, 315, 347, 359, 366
 Reflection, 9, 12, 210, 211, 214, 301, 312–314, 321, 324–326, 333, 358, 364, 366
 Reflection contribution, 355
 Reflection dominant, 366
 Relative humidity, 10, 79, 80
 Relative permeability, 311
 Reliable detection, 272
 Reoxidation, 39
 Reprotonation, 39
 Resilience, 7, 93, 101, 308
 Resonant, 79, 84, 210, 309
 Ripples, 13, 32
 Robotics, 8, 68, 69, 72, 243
 Roll-to-roll method, 138, 195
 Rubbery elasticity, 77

S

- π - π stacking interactions, 349, 366
 - Saling factor, 354
 - Salisbury screen, 309
 - Salt-leaching, 338
 - Salt-leaching method, 363
 - Sandwich structure, 116, 120, 214, 366
 - Saturable absorption, 8
 - Scanning electron microscopy, 97, 98, 101, 103, 113, 116, 134, 143, 182, 354
 - Scanning tunneling microscopy, 27
 - Schottky barrier, 73, 200, 203, 204
 - Schottky behavior, 74
 - Schottky contact, 200, 203
 - Schottky junction detectors, 209
 - Schottky photodetector, 201
 - Screen-printed carbon electrode, 290
 - Secondary radiation, 310
 - Segregation, 27, 162
 - Semiconductor-conductor-semiconductor, 57, 58
 - Semiconductors, 14, 149, 151, 162, 193, 203, 214, 254, 301
 - Semimetal, 195, 260
 - Sensing interface, 301
 - Sensing technology, 12
 - Sensitive current, 261
 - Sensitizing agent, 261
 - Shearing force, 27
 - Sheet resistance, 7, 13, 14, 42, 134–138, 162, 171–180, 185, 197, 239, 309
 - Shielding effectiveness, 9, 12, 326, 345
 - Shielding efficiency, 9, 352
 - Silane functionalized, 4
 - Silicon, 198, 200, 256
 - Silicon rubber, 56
 - Silicon substrate, 138, 204, 209
 - Silicotungstic acid, 93, 113
 - Single lens reflex camera, 79
 - Single nucleotide polymorphism, 13
 - Sodium dodecylbenzenesulfonate, 135
 - Solar cells, 7, 11, 14, 42, 93, 105, 133, 141, 149, 157, 159, 160, 162, 165, 166, 171, 177, 180–182, 185, 186, 347
 - Solar energy, 10, 149, 159, 170
 - Sol-gel methods, 14
 - Solubility, 10, 27, 38, 120, 137, 163, 169, 182, 254, 329
 - Solution intercalation, 70
 - Solvent blended, 36
 - Solvent sensor, 13
 - Solvothermally reduced graphene, 36
 - Sonication, 28, 30, 35, 69, 94, 102, 103, 119, 135, 136, 143, 238, 329
 - Spacers, 261
 - S-parameters, 319, 352
 - Spectral imaging, 210
 - Spin-casting, 11
 - Spin coating, 70, 135, 136, 177–179, 185
 - State emission, 145
 - Stannic oxide, 5, 133
 - Statistical percolation, 225
 - Steady-state equilibrium, 78
 - Stearyl trimethyl ammonium chloride, 354
 - Stem cells, 14
 - Stress sensitivity, 233
 - Strontium titanate, 6
 - Styrene, 9, 34, 56, 117, 268
 - Sulfonated-graphene, 8, 81
 - Sulfonated polyaniline, 296
 - Sulfonated polyether ether ketone, 92, 102–104
 - Sulfonation reaction, 102
 - Supercapacitors, 2, 5, 93, 158, 194
 - Superparamagnetism, 359
 - Surface plasmon, 212
 - Surface area, 1, 2, 4–7, 10, 33, 36–38, 41–43, 49, 92, 93, 100–102, 105–107, 110–114, 118, 119, 149, 157, 158, 165, 194, 238, 260, 261, 289, 294, 323
 - Surface doping, 257
 - Surface plasmon, 206, 213, 214
 - Surface segregation, 27
 - Surfactant stabilizers, 135
 - SWCNTs, 4, 164, 178, 179
 - Swelling, 41, 100, 232
 - Synergism, 360
 - Synergistic effect, 4, 60, 207, 259, 261, 267, 299, 361
- T**
- Tactile elements, 232
 - Tactile materials, 67
 - Tactile sensors, 237, 240
 - Tansmissivity, 352
 - Temperature coefficient of resistance, 226
 - Tension coefficient of resistance, 226
 - Tensoresitivity, 225
 - Tensoresistivity effect, 225, 234
 - Terahertz, 198
 - Tetrahydrofuran, 70, 240, 270
 - Theoretical modeling, 260
 - Thermal annealing, 94, 108, 175
 - Thermal conductivity, 3, 4, 27, 51, 77, 254, 279
 - Thermal curing, 138
 - Thermal energy, 77, 81, 272

- Thermal infrared imager, 82
Thermal-optic effect, 197
Thermally exfoliated graphite, 223, 244
Thermodynamic forces, 230
Thermodynamic temperature, 196
Thermoelectric effect, 198
Thermoplastic polymer, 41, 70
Thionyl chloride, 40
Thrombin, 13, 299
Thrombomodulin, 13
Tissue regeneration, 14
Titanium dioxide, 5, 61, 149, 151, 170–173
Toluene vapor, 269
Top-down, 141, 142, 144
Topography image, 73
Toxic, 2, 14, 55, 135
Transmission electron microscope, 94, 96, 97, 114, 117, 120, 134, 142, 175
Transmission line theory, 309
Transmitted electromagnetic wave, 352
Transparent conducting electrodes, 2
Tri-layer, 26
Trimetallic alloys, 116
Trinitroluene, 259
Triphenylphosphonium bromide, 57
Tunable optical transmittance, 262
Tunneling conductivity, 226, 230
Tunneling currents, 227, 248
Tunneling effect, 33, 229, 237, 243
Tunneling percolation theory, 223, 224
Tunneling resistance, 34
Tweeters, 72
- U**
Ultracapacitors, 2, 5
Ultrafast (40 GHz) transistor, 199
Ultrasensitive detection, 265
Ultrasonication, 195, 239, 285, 348, 352, 354
Ultrasonic cell crusher, 338
- Ultrasound homogenizer, 233
Ultraviolet, 142, 145, 146, 193, 198
Uniaxial strain, 32
Uric acid sensor, 13
Using p-phenylenediamine, 270
UV-visible spectra, 133
- V**
Vacuum filtration, 70, 99, 101, 135, 209
Vapor analytes, 261
Vascular endothelial growth factor, 297
Viability, 323
Vinyl acetate copolymer, 36
Volatile organic compounds, 261, 268
Volatile precursors, 137
Vulcanization process, 235, 247W
Water-borne polyurethane, 355
Water vapor-induced phase separation, 346
Wave absorbers, 4, 9, 12
Wearable electronics, 26, 67
Weatherability, 307, 311
Wet-chemical method, 334
Wireless actuation, 68
Wrinkles, 34
- X**
X-band, 326, 329, 330, 333
X-ray diffraction spectroscopy, 28, 29, 102
- Y**
Young's modulus, 51, 104, 194, 347
- Z**
Zero band gap, 67, 160, 195, 260
Zero-dimensional metallic conducting particles, 52