

References

- Abdullaev, F. K., Darmanyan, S., & Khaibibulaev, P. (1993). *Optical soliton*. Berlin: Springer.
- Ablowitz, M. J., & Clarkson, P. A. (1991). *Soliton, nonlinear evolution equations, and inverse scattering*. New York: Cambridge University Press.
- Absil, P. P. (2000). *Microring resonators for wavelength division multiplexing and integrated photonics applications*. College Park: University of Maryland.
- Absil, P. P., Hryniewicz, J. V., Little, B. E., Wilson, R. A., Joneckis, L. G., & Ho, P. T. (2000). Compact microring notch filters. *IEEE Photonics Technology Letters*, 12(4), 398–400.
- Agrawal, G. P. (2001). *Applications of nonlinear fiber optics*. San Diego, CA: Academic Press.
- Amiri, I. S. (2013). *Optical soliton based communication using micro ring resonator*. Doctor of Philosophy. Skudai: Universiti Teknologi Malaysia.
- Ashkin, A. (1997). Optical trapping and manipulation of neutral particles using lasers. *Proceedings of the National Academy of Science*, 94(10), 4853–4860.
- Ashkin, A. (2000). History of optical trapping and manipulation of small-neutral particle, atoms, and molecules. *IEEE Journal on Selected Topics in Quantum Electronics*, 6(6), 841–856.
- Ashkin, A., & Dziedzic, J. M. (1987). Optical trapping and manipulation of viruses and bacteria. *Journal of Science*, 235(4795), 1517–1520.
- Attaway, S. (2011). *Matlab: A practical introduction to programming and problem solving* (2nd ed.). Waltham: Elsevier.
- Aziz, M. S. (2013). *Optical tweezers induced in microring resonator*. Doctor of Philosophy. Skudai: Universiti Teknologi Malaysia.
- Aziz, M. S., Suwanpayak, N., Jalil, M. A., Jomtarak, R., Saktioto, T., Ali, J., & Yupapin, P. P. (2012). Gold nanoparticle trapping and delivery for therapeutic applications. *International Journal of Nanomedicine*, 7, 11–17.
- Bahadoran, M. (2013). *Analytical vernier effect for nanophotonics circuits using ring resonator*. Doctor of Philosophy. Skudai: Universiti Teknologi Malaysia.
- Barton, J. P. (1995). Internal and near-surface electromagnetic fields for a spheroidal particle with arbitrary illumination. *Apply Optics*, 34(24), 5542–5551.
- Bonessi, D., Bonin, K., & Walker, T. (2007). Optical forces on particles of arbitrary shape and size. *Journal of Optics A: Pure and Applied Optics*, 9(8), S228–S234.
- Boyd, R. W. (2001). *Nonlinear optics*. San Diego, CA: Academic Press.
- Butcher, P. N., & Cotter, D. (1990). *The elements of nonlinear optics*. Cambridge: Cambridge University Press.
- Calander, N., & Willander, M. (2002). Optical trapping of single fluorescent molecules at the detection spots of nanoprobe. *Physical Review Letters*, 89(14), 143603/1–143603/4.
- Chen, C. L. (2006). *Foundations for guided-wave optics*. New York: Wiley.
- Chen, S. L., Huang, S. W., Ling, T., Ashkenazi, S., & Guo, L. J. (2009). Polymer microring resonators for high-sensitivity and wideband photoacoustic. *IEEE Transactions on Ultrasonics, Ferroelectrics, and Frequency Control*, 56(11), 2482–2491.

- Chen, W. H., Wilson, J. D., Wijeratne, S. S., Southmayd, S. A., Lin, K. J., & Kiang, C. H. (2012). Principles of single-molecule manipulation and its application in biological physics. *International Journal of Modern Physics B*, 26(13), 16.
- Chin, M. K., Youtsey, C., Zhao, W., Pierson, T., Ren, Z., Wu, S. L., et al. (1999). GaAs microcavity channel-dropping filter based on a race-track resonator. *IEEE Photonics Technology Letters*, 11(12), 1620–1622.
- Chu, D. Y., Chin, M. K., Sauer, N. J., & Xu, Z. (1993). InGaAs/InAlGa as quantum-well microdisk lasers. *IEEE Photonics Technology Letters*, 5, 1353–1355.
- Crisafulli, F. A. P., Cesconetto, E. C., Ramos, E. B., & Rocha, M. S. (2012). DNA-Isplatin interaction studied with single molecule stretching experiments. *Integrative Biology*, 4(5), 568–574.
- Dai, L., Zhang, B., Mair, R. A., Zeng, K., Lin, J., Jigang, H., Botchkarev, A., & Khan, M. A. (1998). Optical Properties and Resonant Modes in GaN/AlGaIn/InGaIn/GaN Multiple Quantum Well Microdisk Cavities. In *Semiconductor Lasers III*. Beijing, China.
- Dienerowitz, M., Mazilu, M., & Dholakia, K. (2008). Optical manipulation of nanoparticles: A review. *Journal of Nanophotonics*, 2(1), 021857.
- Djordjev, K., Choi, S. J., & Dapkus, P. D. (2002a). Active semiconductor microdisk devices. *Journal of Lightwave Technology*, 20(1), 105–113.
- Djordjev, K., Choi, S. J., & Dapkus, P. D. (2002b). Vertically coupled InP microdisk switching devices with electroabsorptive active regions. *IEEE Photonics Technology Letters*, 14(8), 1115–1117.
- Douglas, B., Keith, B., & Thad, W. (2007). Optical forces on particles of arbitrary shape and size. *Journal of Optics A: Pure and Applied Optics*, 9(8), S228.
- Drazin, P. G. (1993). *Solitons: An introduction*. New York: Cambridge University Press.
- Fangohr, H. (2004). A comparison of C, matlab and python as teaching languages in engineering. In *Computational Science-ICCS, 4th International Conference* (Vol. 3039). Kraków, Poland.
- Fazal, F. M., & Block, S. M. (2011). Optical tweezers study life under tension. *Nature Photonics*, 5(6), 318–321.
- Geuzebroek, D. (2005). *Flexible optical network components based on densely integrated microring resonators*. Doctor of Philosophy. University of Twente.
- Gu, C. H. (1995). *Soliton theory and its applications*. New York: Springer.
- Guck, J., Ananthakrishnan, R., Mahmood, H., Moon, T. J., Cunningham, C. C., & Käs, J. (2001). The optical stretcher: a novel laser tool to micromanipulate cells. *Biophysical Journal*, 81(2), 767–784.
- Hagness, S. C., Rafizadeh, D., Ho, S. T., & Taflove, A. (1997). FDTD microcavity simulations: Design and experimental realization of waveguide-coupled single-Mode ring and whispering-gallery-mode disk resonator. *IEEE Journal of Lightwave Technology*, 15(11), 2145–2165.
- Hahn, D. W. (2006). *Light scattering theory*. Department of Mechanical and Aerospace Engineering, University of Florida.
- Harada, Y., & Asakura, T. (1996). Radiation forces on a dielectric sphere in the rayleigh scattering regime. *Optics Communications*, 124(5–6), 529–541.
- Heebner, J. E., Lepeshkin, N. N., Wicks, G. W., Boyd, R. W., Grover, R., & Ho, P. T. (2004). Enhanced linear and nonlinear optical phase response of algaas microring resonators. *Optics Letters*, 29(7), 769–771.
- Heebner, J., Grover, R., & Ibrahim, T. (2008). *Introduction to optical microresonators* (pp. 1–7). Berlin/Heidelberg: Springer.
- Ishii, Y., Ishijima, A., & Yanagida, T. (2001). Single molecule nanomanipulation of biomolecules. *Trends in Biology*, 19(6), 211–216.
- Jalil, M. A. (2013). *Dark-bright solitons conversion in ring resonator within an add-drop filter towards nanomedicine applications*. Doctor of Philosophy. Skudai: Universiti Teknologi Malaysia.
- Jalil, M. A., Innate, K., Suwanpayak, N., Yupapin, P. P., & Ali, J. (2011). Molecular diagnosis using multi drug delivery network and stability. *Artificial Cells, Blood Substitutes, and Biotechnology*, 39(6), 357–365.

- Ke, P. C., & Gu, M. (1999). Characterization of trapping force on metallic mie particles. *Applied Optics*, 38(1), 160–167.
- Kivshar, Y. S., & Agrawal, G. (2003). *Optical solitons: From fibers to photonic crystals*. Boston: Academic Press.
- Kivshar, Y. S., & Agrawal, G. P. (2003). *Optical solitons: From fibers to photonic crystals*. USA: Elsevier Science.
- Little, B. E., Chu, S. T., Haus, H. A., Foresi, J., & Laine, J. P. (1997). Microring resonator channel dropping filters. *Journal of Lightwave Technology*, 15(6), 998–1005.
- Liu, Z., & Zhao, D. (2012). Radiation forces acting on a rayleigh dielectric sphere produced by highly focused elegant Hermite-Cosine-Gaussian beams. *Optics Express*, 20(3), 2895–2904.
- Madsen, C. K., & Zhao, J. H. (1996). A general planar waveguide autoregressive optical filter. *IEEE Journal of Lightwave Technology*, 14(3), 437–447.
- Marcatili, E. A. J. (1969). Bends in optical dielectric guides. *Bell System Technical Journal*, 48(7), 2103–2132.
- Mario, F. S. (2007). Nonlinear effect in optical fibers: Limitations and benefits. *Proceedings of SPIE*, 6793, 1–10.
- Masi, M., Orobtcouk, R., Fan, G., Fedeli, J. M., & Pavesi, L. (2010). Towards a realistic modelling of ultra-compact racetrack resonators. *Journal of Lightwave Technology*, 28(22), 3233–3242.
- Mason, S. J. (1953). Feedback theory: Some properties of signal flow graphs. *Proceedings of IRE*, 44(7), 920–926.
- McAulay, A. (2005). Nonlinear Microring resonators for all-optical switch. *Laser Focus World*, 41(11), 127–130.
- Melnichuk, M., & Wood, L. T. (2010). Direct Kerr electro optic effect in noncentrosymmetric materials. *Physical Review A*, 82(1), 013821.
- Minzioni, P., Bragheri, F., Liberale, C., Di Fabrizio, E., & Cristiani, I. (2008). A novel approach to fiber-optic tweezers: Numerical analysis of the trapping efficiency. *IEEE Journal of Selected Topics in Quantum Electronics*, 14(1), 151–157.
- Mitatha, S., Moongfangklang, N., Jalil, M. A., Suwanpayak, N., Ali, J., & Yupapin, P. P. (2011). Multi-access drug delivery network and stability. *International Journal of Nanomedicine*, 6, 1757–1764.
- Mitatha, S., Putthacharoen, R., & Yupapin, P. P. (2012). THz frequency bands generation for radio-over-fiber systems. *International Journal for Light and Electron Optics*, 123(11), 974–977.
- Moffitt, J. R., Izhaky, D., & Bustamante, C. (2006). Differential detection of dual traps improves the spatial resolution of optical tweezers. *Proceedings of the National Academy of Sciences of the United States of America*, 103(24), 9006–9011.
- Neuman, K. C., Lionnet, T., & Allemand, J. F. (2007). Single-molecule micromanipulation techniques. *Annual Review of Materials Research*, 37, 33–67.
- Neuman, K. C., & Block, S. M. (2004). Optical trapping. *Review of Scientific Instruments*, 75(9), 2787–2809.
- Newell, A. C. (1995). Solitons in mathematics and physics. In *MS-NSF Regional Conference Series in Applied Mathematics* (Vol. 48). Philadelphia: SIAM.
- Parkin, S., Knöner, G., Nieminen, T. A., Heckenberg, N. R., & Rubinsztein-Dunlop, H. (2006). measurement of the total optical angular momentum transfer in optical tweezers. *Optics Express*, 14(15), 6963–6970.
- Polar, A., Threepak, T., Mitatha, S., Bunyatoparat, P., & Yupapin, P. P. (2009). New wavelength division multiplexing bands generated by using a Gaussian pulse in a microring resonator system. In *Communications and information technology* (pp. 1063–1064).
- Poon, J., Scheuer, J., Mookherjee, S., Paloczi, G. T., Huang, Y., & Yariv, A. (2004). Matrix analysis of microring coupled-resonator optical waveguides. *Optics Express*, 12(1), 90–103.
- Pralle, A., Prummer, M., Florin, E. L., Stelzer, E. H., & Horber, J. K. (2000). Three-dimensional high-resolution particle tracking for optical tweezers by forward scattered light. *Microscopy Research and Technique*, 44(5), 378–386.

- Qiu, C., & Xu, Q. (2011). Controlling normal incident optical waves with an integrated resonator. *Optics Express*, 19(27), 26905–26910.
- Rabiei, P., & Steier, W. H. (2003). Tunable polymer double micro-ring filters. *IEEE Photonics Technology Letters*, 15(9), 1255–1257.
- Rabiei, P. (2005). Calculation of losses in microring resonators with arbitrary refractive index or shape profile and its applications. *Journal of Lightwave Technology*, 23(3), 1295–1301.
- Rabus, D. G., Hamacher, M., & Heidrich, H. (2002). Resonance frequency tuning of a double ring resonator in GaInAsP/InP: experiment and simulation. *Japanese Journal of Applied Physics, Part 1: Regular Papers and Short Notes and Review Papers*, 41(2B), 1186–1189.
- Rabus, D. G., & Hamacher, M. (2001). MMI-coupled ring resonators in GaInAsP-InP. *IEEE Photonics Technology Letters*, 13(8), 812–814.
- Rabus, D. G., Hamacher, M., Heidrich, H., & Troppenz, U. (2002a). Box-like filter response of triple ring resonators with integrated SOA sections based on GaInAsP/InP. *Einsteinufer*, 37, 479–482.
- Rabus, D. G., Hamacher, M., Heidrich, H., & Troppenz, U. (2002b). High-Q Channel-dropping filters using ring resonators with integrated SOAs. *IEEE Photonics Technology Letters*, 14(10), 1442–1444.
- Rabus, D. G., Hamacher, M., Heidrich, H., & Troppenz, U. (2002c). Optical filters based on ring resonators with integrated semiconductor optical amplifiers in GaInAsP-InP. *IEEE Journal on Selected Topics in Quantum Electronics*, 8(6), 1405–1411.
- Rabus, D. G. (2010). *Integrated ring resonators: The compendium*. Berlin: Springer.
- Rafizadeh, D. (1997). *Experimental realization of nanofabricated semiconductor waveguide-coupled microcavity ring and disk optical resources*. Doctor of Philosophy. Northwestern University.
- Rohrbach, A., & Stelzer, E. H. K. (2001). Optical trapping of dielectric particles in arbitrary fields. *Journal of the Optical Society of America A: Optics and Image Science, and Vision*, 18(4), 839–853.
- Saeung, P., & Yupapin, P. P. (2008). A design of optical ring resonator filters for WDM applications. *Journal of Nonlinear Optical Physics and Materials (JNOPM)*, 17(1), 111–118.
- Sarapat, K., Ali, J., Yupapin, P. P., Worrarutkul, A., & Khunnam, W. (2009). White light generation and amplification using a soliton pulse within a nanowaveguide. *Physics Procedia*, 2, 53–57.
- Serpengüzel, A. (1999). Semiconductor and dielectric microcavity spectroscopy. *Turkish Journal of Physics*, 23, 701–707.
- Shen, Y. R. (1984). *Principles of nonlinear optics*. New York: Wiley.
- Singh, S. P., & Singh, N. (2007). Nonlinear effects in optical fibers: origin, management and applications. *Progress in Electromagnetics Research*, 73, 249–275.
- Stilgoe, A. B., Nieminen, T. A., Knöener, G., Heckenberg, N. R., & Rubinsztein-Dunlop, H. (2008). The effect of mie resonances on trapping in optical tweezers. *Optics Express*, 16(19), 15039–15051.
- Stokes, L. F., Chodorow, M., & Shaw, H. J. (1982). All-single-mode fiber resonator. *Optics Letters*, 7(6), 288–290.
- Sumetsky, M., Digiovanni, D. J., Dulashko, Y., Fini, J. M., Liu, X., Monberg, E. M., et al. (2002). Surface nanoscale axial photonics: Robust fabrication of high-quality-factor microresonators. *Optics Letter*, 36(24), 4824–4826.
- Summers, M. D. (2009). *Optical manipulation of aerosols*. North Haugh: School of Physics and Astronomy. University of St. Andrews
- Suwanpayak, N., Teeka, C., & Yupapin, P. P. (2011). Hybrid transistor manipulation controlled by light. *Microwave and Optical Technology Letters*, 53(11), 2533–2537.
- Suwanpayak, N., Jalil, M. A., Aziz, M. S., Ismail, F. D., Ali, J., & Yupapin, P. P. (2011). Blood cleaner on-chip design for artificial human kidney manipulation. *International Journal of Nanomedicine*, 6, 957–964.

- Svoboda, K., & Block, S. (1994). Biological applications of optical forces. *Annual Review of Biophysics and Biomolecular Structure*, 23(1), 247–285.
- Tan, F. (2004). *Integrated optical filters based on microring resonators*. Doctor of Philosophy. University of Twente.
- Tasakorn, M., Suwanpayak, N., & Yupapin, P. P. (2012). Blood circulation network incorporation an artificial bone for real time operation. *Journal of Nonlinear Optical Physics and Materials* (pp. 102–105).
- Tian, B., & Gao, Y. T. (2005). Symbolic-computation study of the perturbed nonlinear Schrödinger model in inhomogeneous optical fibers. *Physics Letter A.*, 3, 228–236.
- Timotijevic, B. D., Gardes, F. Y., Headley, W. R., & Masanovic, G. Z. (2006). Multi-stage racetrack resonator filters in silicon-on-insulator. *Journal of Optics A: Pure and Applied Optics*, 8(7), S473–S476.
- Turner, A. C., Foster, M. A., Gaeta, A. L., & Lipson, M. (2008). Ultra-low power parametric frequency conversion in a silicon microring resonator. *Optics Express*, 16(7), 4881–4887.
- Ulrich, R., & Weber, H. P. (1972). Unidirectional thin-film ring laser. *Applied Physics Letters*, 20 (1), 38–40.
- Van Mameren, J., Wuite, G. J. L., & Heller, I. (2011). Introduction to optical tweezers: background, system designs, and commercial solutions. *Applied Optics*, 783, 1–20.
- Vanderhaegen B., Rabus, D. G., Hamacher, M., Troppenz, U., & Heidrich, H. (1999). *High Q GaInAsP ring resonator filters* (pp. 381–384). ECIO'99. Torino Italy.
- Weber, H. P., & Ulrich, R. (1971). A Thin Film Ring Laser. *Applied Physics Letters.*, 19(2), 38–40.
- Wen, J. L., Bo, T., Tao, X., Kun, S., & Yan, J. (2010). Bright and dark solitons in the normal dispersion regime on inhomogeneous optical fibers: soliton interaction and soliton control. *Annals of Physics*, 32, 1633–1643.
- Wilson, L., Besseling, R., Arlt, J., Poon, W. C. K., Dholakia, K., & Spalding, G. C. (2005). Optical trapping and optical micromanipulation II. *SPIE*, 5930, 71.
- Yang, Y., Lou, C., Zhou, H., Wang, J., & Gao, Y. (2006). Simple pulse compression scheme based on filtering self-phase modulation-broadened spectrum and its application in an optical time-division multiplexing system. *Apply Optics*, 45(28), 7524–7528.
- Yariv, A. (2000). Universal relations for coupling of optical power between microresonators and dielectric waveguides. *Electronics Letters*, 36(4), 320–322.
- Yariv, A. (2002). Critical coupling and its control in optical waveguide ring resonator systems. *IEEE Photonics Technology Letters*, 14(4), 483–485.
- Yupapin, P. P., & Suchat, A. (2007). Entangled photon generation using fiber optic mach-zehnder interferometer incorporating the nonlinear effect in a fiber ring resonator. *SPIE: Journal of Nanophotonics*, 1, 013504.
- Yupapin, P. P., Pornsuwancharoen, N., & Chaiyasoonthorn, S. (2008). Attosecond pulse generation using the multistage nonlinear microring resonators. *Microwave and Optical Technology Letters*, 50(12), 3108–3111.
- Yupapin, P. P., & Pornsuwancharoen, N. (2008). *Guided wave optics and photonics: microring resonator design for telephone network security*. New York: Nova Science Publisher Inc.
- Yupapin, P. P. (2010). Generalized quantum key distribution via microring resonator for mobile telephone networks. *Optics Letter*, 121(5), 422–425.
- Zabusky, N. J. (1965). Interpretation of the stabilization distance as evidence of weak shock formation in low-loss longitudinal nonlinear wave propagation experiments. *Journal of Physics and Chemistry of Solids*, 26, 955–958.

Index

A

Add-drop, 2, 3, 16, 17, 20, 22, 41, 49, 53, 56, 58, 59, 63, 64, 66, 68, 69, 71, 91, 92

B

Biology, 1
Bright soliton, 6
Build-up factor, 81, 82

C

Coefficient, 42
Convergent ray, 7
Coupling coefficient, 27, 28, 49, 55, 63, 70, 74, 78, 82, 85, 91
Cross-coupling, 42
Cross-phase modulation, 23

D

Dark-bright solitons, 16, 59
Dark soliton, 2, 3, 5, 6, 16, 54, 55, 58, 59, 61, 63, 64, 67, 71–74, 78, 79, 81, 85, 86, 89, 91
Double-PANDA, 16

E

Electromagnetic radiation, 5
Engineering, 1

F

Fibre, 3, 10–12, 14, 17, 22–25, 34, 41, 53, 55, 58, 64, 67, 71, 72, 74, 76, 78, 84, 86, 88
Fibre optical tweezers, 10
Fibre resonator, 54

G

Gaussian beam, 2, 11, 13, 54, 55, 58, 61, 63, 64, 67, 71–74, 78, 79, 81, 85, 86, 89, 91

H

Hydrodynamics, 1

I

InGaAsP/InP fibre, 67, 72, 74, 78

K

Kerr effect, 3, 12, 13, 24, 33

M

Mathematics, 1
Microring resonator, 2, 11, 14–16, 41, 49, 55, 63

N

Nanoring resonator, 2, 3, 5, 16, 49, 71, 91
Nonlinear fibre, 53
Nonlinear Kerr effect, 17, 53
Nonlinear optics, 1
Nonlinear refraction, 22
Nonlinearity, 23, 71, 74

O

Optical soliton, 2
Optical tweezers, 1–3, 7–11, 31, 59, 61, 86–89

P

PANDA, 2, 3, 16, 41, 49, 56, 59, 61, 63, 71, 72, 74, 76, 78, 81–83, 85, 86, 89, 91, 92
Photodetector, 54, 59, 61, 89
Physics, 1
Plasma physics, 1

R

Radiation pressure, 5
Refractive index, 23

Resonator, [2](#), [3](#), [5](#), [14–18](#), [20–22](#), [27](#), [28](#), [30](#),
[31](#), [41](#), [46](#), [47](#), [49](#), [53](#), [55](#), [56](#), [59](#), [61](#), [64](#),
[71](#), [74](#), [78](#), [81–83](#), [85](#), [86](#), [89](#), [91](#)

S

Self-coupling coefficient, [42](#)
Self-phase modulation, [23](#)
Single-fibre optical tweezers, [11](#)
Solitary wave, [1](#)
Solitons, [1–3](#), [5](#), [6](#), [12](#), [16](#), [17](#), [24](#)

Spatial solitons, [12](#)

T

Temporal soliton, [12](#)
Transfer matrix method, [35](#)

Z

Z-transform, [3](#), [17](#), [38](#), [39](#), [42](#)