

Index

A

Acetyl-lysine (Ac-Lys), 240
Adenomatous polyposis coli (APC), 274
Adherens junctions, 5
Alpha-ketoglutarate-dependent dioxygenase
 AlkB homolog 5 (ALKBH5), 221
Amelioration, 276
Anagen, 127, 130
Angiogenesis, 294, 296, 304–305
Angiogenic gene expression, 304
Anti-differentiation ncRNA (ANCR), 202–204
AntimiR-378a sponge, 188
Apical ectodermal ridge (AER), 161
Apolipoprotein, 246
Arginine deiminases, 240
Arginine-specific methyltransferases, 240
Argonaute (Ago) proteins, 175
Atoh1, 89
ATP-dependent chromatin remodeling
 (ATP-DCR), 165–166
 BRG1 (SNF2 α)/BRM (SNF2 β), 160
 BRG1 chromatin, 168
 Cre-ER^{T2}-mediated recombination
 technology, 168
 epidermal differentiation, 160–165
 epigenetic control, 168
 gene expression, 160
 histone-DNA interaction, 160
 JMJD3 activity, 168
 Mi-2 β exerts, 168
 nucleosome architecture, 160
 skin pathophysiology, 166–167
 SNF2 family, 160, 167
 stem cell activity

hair follicle morphogenesis and
 cycling, 165–166

wound healing, 166

Atrophic epidermis, 273

5-Aza2'-deoxycytidine (5-aza-dC), 301

5-Azacytidine-mediated RNA

 Immunoprecipitation (Aza-IP), 218

B

Barrier-to-Autointegration Factor (BAF/
 BANF1), 268

Basal cell carcinoma (BCC), 131, 137

Basal keratin genes, 234–235

Bioinformatics analysis, 244

BMP/Smad signaling pathway, 30

Bone marrow-derived progenitor cells, 304

Bone morphogenic proteins (BMPs), 129

BRAF-activated non-coding RNA

 (BANCR), 205

Brahma related gene 1 (BRG1), 165

Buschke-Ollendorff syndrome, 274

C

Cajal and histone locus bodies, 21

Cajal bodies, 16, 21

Calcium receptor (CaR), 232

Canonical Wnt signaling pathway, 29

Cardiomyocytes, 222

Caspase-14, 6

Catagen, 127, 130, 131, 136

CCCTC-binding factor (CTCF), 245–246

Cell-cell adhesion, 264, 269

- Cell identity, 61
 Cell migration, 271, 294, 296, 299, 302
 Cell proliferation, 7
 Cellular and molecular mechanisms, 9
 ChIP-seq analyses, 30
 Chromatin, 14–19, 22
 ES cells, 199
 gene regulation, 198
 HOTAIR, 201
 HOTTIP, 201
 human diseases and disorders, 198
 lncRNAs, 198
 noncoding RNAs, 198
 PcG genes, 199
 small noncoding RNAs, 198
 stem cell types, 199
 transcriptional modules, 199
 Chromatin conformation, 241, 246
 Chromatin interaction analysis with paired-end tag sequencing (ChIA-PET), 243
 Chromatin organization, 271–274
 Chromatin remodeling, 239–241, 297
 Chromatin remodeling enzymes, 109
 Chromatin remodeling factors, 29
 Chromosomal territory, 22, 245
 Chromosomes, 17, 22
 c-Myc stimulates keratinocyte proliferation, 7
 CNE 923 enhancer, 238–239, 244
 Cohesin, 245–246
 Collagen 1 (Col1), 303–304
 Collagen 3 (Col3), 304
 Comparative genomics
 CNE 923 enhancer, 238–239
 p63, 239
 PADI3, 238
 SPRR genes, 238
 Conalbumin, 233
 Connective tissue growth factor (CTGF), 304
 Conserved noncoding elements (CNEs), 238
 CREB-binding protein (CBP), 126
 Cutaneous T-cell lymphoma (CTCL), 137, 205
 C-X-C motif chemokine 5 (CXCL5), 188
 Cyclin-dependent kinase inhibitor 1A (CDKN1A) promoter, 206
 Cytoplasmic K5/K14, 5
 Cytosine-5 methylation (m⁵C), 216
 Cytoskeleton, 271
- D**
 Damaged induced noncoding (DINO), 207
 DcKO mice, 133
de novo DNA methyltransferases, 65
 Demethylation machinery, 70
 Dermopathy-like disease, 275
 Deubiquitinases, 240
 Dicer ablation, 186, 187
Dicer1 cKO cells, 180
 Diet-induced obese (DIO) mouse model, 298
 Differentially methylated regions (DMRs), 59
 DNA damage response (DDR), 275
 DNA double-strand breaks (DSBs), 274
 DNA methylation, 301, 304
 de novo DNA methyltransferases, 65
 DNMT1 deficient hair stem cells, 62, 63, 67
 dynamic changes, 60
 embryonic development, 58
 epidermal progenitor cells, 61–65
 hair follicle homeostasis, 66–67
 micro- and macro-conformations, 58
 principles, 59
 skin lineage commitments, 60–61
 vertebrate animals, 59
 wound healing, 68
 DNA methyltransferase 1 (DNMT1), 249, 298, 301
 DNA repair, 276
 Drosha/Dgcr8 microprocessor, 175, 176
Drosophila Set1, 107
Drosophila transcription factor, 110
- E**
 E-cadherin-based AJs, 277
 Ectodysplasin receptor (EDAR) signaling pathways, 11
 Edar signaling pathways, 165
 Embryonic stem cells (ESC), 222
 Encyclopedia of non-coding elements (ENCODE), 241, 243
 Enhancer-promoter interactions
 biology, 243–244
 chromatin architecture, 245
 CNE 923, 244
 CNE 923, 244
 CTCF, 245–246
 formation, 243–244
 Enhancer RNA (eRNA), 248
 Enhancers, 232, 233, 235, 242
 Epidermal aging, 92
 Epidermal cancer stem cells (EC-SCs), 91
 Epidermal differentiation
 enhancers, 233
 keratinocytes, 232
 transcriptional regulation, 232
 Epidermal differentiation complex (EDC), 3, 5, 109, 164, 232, 273
 BRG1 and SATB1, 168

- and *Loricrin* loci, 164
 - transcriptional activation, 164
 - Epidermal homeostasis, 266–267
 - Epidermal keratinocytes, 19
 - Epidermal permeability barrier (EPB), 160, 161
 - Epidermal progenitor cells (EpPCs), 301
 - Epidermal stem cells, 85
 - Epidermis, 232, 235, 236, 239
 - and appendages, 124, 128
 - Brg1*, 161
 - chromatin regulation, 109
 - DcKO embryonic, 133
 - embryonic, 128, 129
 - GRHL3 and WDR5, 112
 - GRHL3, 110
 - H3K4 methylation, 110
 - hair follicle placodes, 166
 - HDAC1 and HDAC2, 132
 - HDAC2's functions, 134
 - HDAC3, 136
 - IFE, 127
 - interfollicular, 131
 - K14-Cre/K14-Cre-ERT² transgenic mice, 161
 - keratinocyte, 109
 - and limb formation, 161
 - maturation, 129
 - Mi-2 β , 163
 - Mi-2 β /CHD4, 164
 - MLL2, 111
 - NuRD complex, 133
 - proliferative cells, 108
 - SATB1 and *Brg1*, 109
 - SWI/SNF complex, 162
 - Epidermis and skin appendages, 4
 - cell proliferation, 8
 - epidermal development, 4
 - epidermal progenitor cells, 5
 - functional epidermal barrier, 6
 - hemidesmosomes, 5
 - interfollicular epidermis, 6
 - keratinocytes, 7
 - mouse embryonic development, 5
 - p63 encodes, 7
 - transcription factor p63, 6
 - transcription factor ZNF750, 9
 - Epigenetic mechanisms, 3
 - Epigenetic modulations, 302
 - Epigenetic regulation, 114, 298
 - cell types, 294
 - chromatin regulators, 294
 - chromatin structure, 294
 - external factors, 293
 - inflammatory reaction, 296–298
 - keratinocyte proliferation (*see* Keratinocytes)
 - molecular basis, 294
 - noncoding/microRNAs, 294
 - in skin injury, 295
 - Epigenetics, 239–241, 294
 - Epithelial development, 197–198, 201
 - Epithelial membrane protein 1 (EMP1), 188
 - Epithelial stem cells, 13
 - Epithelial–mesenchymal transition (EMT), 298
 - Extracellular matrix (ECM), 189, 264
 - Extracellular mechanisms, 2
 - Ezh1/2* 2KO hair follicles, 87
 - Ezh1/2* 2KO mice, 89
 - Ezh1/2*-null epidermal progenitors, 89
- F**
- F-actin polymerization, 85
 - Factor-inhibiting hypoxia-inducible factor 1 (FIH-1), 184
 - Fat mass and obesity-associated protein (FTO), 221
 - Fertilization, 61
 - Fibroblast activity
 - DNA methylation, 304
 - epigenetic regulation, 304–305
 - histone acetylation, 303–304
 - Fibroblast growth factor (FGF), 11
 - Fibrocytic exosomes, 190
 - Fibroplasia, 303
 - Filaggrin (*FLG*), 232
 - Functional validation, 242
- G**
- Gene regulation, 198, 201, 207, 208
 - Genome integrity, 274–276
 - Genome-wide association studies (GWAS), 31
 - Genomic profiles, 247
 - Genomics, 238, 249
 - Global gene expression, 110
 - Grl3* gene body, 111
 - GRHL3-REST interaction, 114
- H**
- H3K27 demethylase enzyme, 84
 - H3K27me₃, 92, 299
 - H3K4 dimethylation, 106
 - H3K79 methylation mark, 115
 - Hair follicle aging, 67
 - Hair follicle and sweat gland placodes, 12

- Hair follicle homeostasis, 66–67
Dnmt1 and *Dnmt2*, 66
 HF-SCs, 66
 mouse embryonic development, 66
- Hair follicles, 86–89, 176, 178–180, 184–186, 190, 269, 276
 basal keratinocytes and failure, 133
 cycles, 127, 130
 demethylase inhibitors, 88
 down-regulation, 135
 embryonic epidermis, 128
 epidermis, 163
 epithelium/interfollicular epidermis, 131
Ezh1 and *Ezh2* compensate, 86
Ezh1/2 2KO mice, 87
Ezh1/2-null hair follicles, 87
 hypoxic environment, 136
Jarid2, 88
 morphogenesis and cycling, 129–131
 quiescent stem cells, 132
 skin stem cell activity, 160
 stem cell activity, 165–166
 suprabasal layers, 132
 TA cells, 86
- Hair follicle specification, 273
- Hair follicle stem cells (HF-SCs), 66, 176, 264
- Hair shaft differentiation program, 12
- HDAC inhibitors (HDACi), 137
- Heterochromatin, 199, 271
- Heterochromatin protein 1 (HP1), 305
- Heterochromatinization, 272
- Heterogenous nuclear ribonucleoprotein (hnRNPs), 221
- HF stem cells (HFSCs), 165
- Hi-C analyses, 26
- High-resolution confocal microscopy, 21
- Histone acetyltransferases (HATs), 123, 240, 296
- Histone deacetylase (HDACs), 132–135, 240
 adult hair follicle growth cycle, 130
ARNT, 132
 cancer development, 131–132
 catalytic domains, 123
 ChIP-seq, 125
 ChIP-seq data, 123
 chromatin remodeling, 122–123
 class I, 127, 137
 class IIa, 124
 deacetylase domain, 124
 direct and indirect evidence, 143
 DNA damage repair, 124
 elaborate spatio-temporal differences, 144
 embryonic epidermis, 128
 enzyme-independent functions, 123
 epidermal phenotypes, 134
 epidermal regulators, 138–142
 epigenetics and skin, 121–122
 epithelial cell types, 132
 hair follicle morphogenesis and cycling, 129–131
Hdac1 and *Hdac2* global knockout mice, 124
 HDAC1/2
 epidermal development, 132–133
 epidermal homeostasis and stem cell regulation, 133–135
Hdac2 deletion, 124
 HDAC3, 135–136
 HDAC6 and HDAC10, 124
 HDAC8, 136
 histone H4 acetylation, 132
 hypocacetylation, 123
 IFE, 128–129
 individual isozymes, 144
 keratinocytes, 143
 lysine residues, 123
 mammals, 124
 non-histone substrates, 127
 non-histone targets, 126
 pan-HDACi, 144
 repressive complexes, 125–126
 sebaceous gland, 131
 signaling pathways, 143
 skin cancer, 137–143
 skin development and disease, 127–132
 transcription factors, 123
- Histone deacetylase 3 (HDAC3), 272
- Histone deacetylases (HDACs), 295
- Histone deacetylation, 273
- Histone H3, 106
- Histone H3 lysine 9 tri-methylation (H3K9me3), 69
- Histone H3 methylation, 14
- Histone H3K27 trimethylation (H3K27me3), 240
- Histone locus body, 21
- Histone 3 lysine 27 (H3K27) trimethylation, 200
- Histone 3 lysine 4 (H3K4) demethylase, 305
- Histone 3 lysine 4 (H3K4) trimethylation, 201
- Histone modifications, 199, 294
- Histones
 acetylation and deacetylation, 300, 301
 methylation and demethylation, 299, 300
- Homeostasis, 76, 88, 90, 94, 302
- Hox antisense intergenic RNA (HOTAIR), 200–201, 204
- HOX gene expression, 105
- HOXA transcript at the distal tip (HOTTIP), 200, 201

Human keratinocyte progenitors, 247
 Hydroxymethylation, 122
 Hypermethylation, 69, 305
 Hypersensitive sites (HSs), 238

I

In vivo competition assay, 65
 Inflammation, 294, 296–298
 Interfollicular epidermis (IFE), 58, 223, 264
 Intracellular (cytoplasmic) mechanisms, 3
 Intranuclear regulatory mechanisms, 3
 Involucrin, 236–237

J

Jarid2-null epidermis, 84, 88
 Jumonji domain containing protein D3 (JMJD3), 84, 166
 DIO, 298
 H3K27 histone demethylases, 295
 in inflammation, 297
 inflammatory mediators, 297
 Kdm6b, 297
 Kdm6b expression, 297
 NF B-dependent expression, 299
 overexpression, 302
 pro-inflammatory and anti-inflammatory responses, 297
 STAT6-mediated, 297
 and Utx and induction, 299

K

K14-Cre Dnmt1^{fl/fl} mice, 66
K14-Cre-ER^{T2} transgenic mice, 161
 K5-SOS tumor model, 143
 Kdm6b, 295
 Keloid-derived fibroblasts, 304
 Keratin genes, 109, 234–235
 Keratinocytes, 7, 232, 264–265, 299
 histone methyltransferase, 298
 histones (*see* Histones)
 re-epithelization, 298
 Keratins K8 and K18, 4
 Keratohyalin granules, 5
 Krt14-positive embryonic epidermal progenitor cells, 89

L

Lamin A/C polymer network, 271
 Lamina associated domains (LADs), 271
 Laminopathies, 18, 281
 Lamins A and B, 18

Lamins B1/B2, 18
 Late cornified envelope (*LCE*), 232
 LINC complexes, 268, 269, 271
 Linker of nucleoskeleton and cytoskeleton (LINC), 268, 269, 271
 Lipopolysaccharide (LPS), 296
 Locus control region (LCR), 241, 244
 Long noncoding RNA (LncRNA), 248
 cell cycle control, 206–207
 psoriasis, 205–206
 skin aging, 207
 solar exposure, 206
 Lorixin, 237
 Lysine 4, 106
 Lysine specific demethylase (LSD1), 125

M

m⁶A and m⁵C post-transcriptional methylation
 deposition, 216
 detection, 217
 epidermal differentiation, 222–224
 epidermal stem cell, 215
 external stimuli, 224
 extrinsic/intrinsic mechanisms, 215
 gene expression, 215
 NSun2, expression and function, 220
 in RNA, 218–221
 self-renewal and differentiation, 215
 stem cell function, 222–224
 subcellular localization, 219
 transcriptome, 216–218
 m⁶A-iCLIP, 217
 Macrophage-activating lipopeptide 2 (MALP-2), 136
 Maintaining cell identity, 62
 Mammalian PRC1 complexes, 77–78
 Mammalian PRC2 complexes, 80–81
 Mammalian PRC2 recruitment and function, 81–82
 Mammalian skin, 2
 Mammalian trithorax complexes, 108
 Mechanical reciprocity, 269
 Mechanosensing
 cytoskeleton, 276
 emerin, 277
 epidermal differentiation, 280
 force-dependent exposure, 278
 force-induced phosphorylation, 277
 integrin-based connectivity, 278
 lamin A epitope, 278
 lamin A/C function, 277
 LINC complex, 279
 mechanical signals, 276
 mechanical stimulus, 280

- Mechanosensing (*cont.*)
 multimerization, 278
 nesprin spectrin, 279
 nesprin-1 molecules, 277
 nuclear lamina, 279
 nuclear periphery, 270
 osteogenic/adipogenic lineages, 278
 phosphorylation, 280
 postnatal deletion, 279
 PRC2-dependent transcriptional repression, 277
 signaling pathways, 279
 uniaxial stretch, 277
 YAP/TAZ and/or MKL/SRF signaling, 279
- Mediator and super-enhancers, 247
- Melanocyte stem cells, 15
- Merkel cell carcinoma (MCC), 92
- Merkel cells
Ezh1/2 2KO and *Eed* cKO skin, 89
Ezh1/2 2KO mice, 89
 Krt14-positive embryonic epidermal progenitor cells, 89
 PRC2, 89
 Shh signaling, 90
- Mesenchymal stem cells, 15
- Methylates mitochondrial methionine tRNA (mt-tRNA Met), 219
- Methyltransferase, 218
- Methyltransferase-like 14 (Mettl14), 221
- Methyltransferase-like 3 (Mettl3), 221
- Mi-2 β mRNA expression, 163
- Microbeads, 269
- Microphthalmia-associated transcription factor (MITF), 178, 186
- MicroRNA (miRNA)
 biogenesis and functions, 175–179
 epidermal homeostasis, 181–184
 epithelial stem cells, 179–181
 hair follicle, 184–186
 miRNA-mRNA interactions, 179, 190
 post-transcriptional gene regulation, 190
 in skin, 182–183
 wound induced skin repair, 186–190
- Microscopy-based techniques, 272
- Micro-trauma injuries, 58
- Mild hyperproliferation, 179
- Mitochondrial transcription termination factor 4 (MTERF4), 219
- Mixed-lineage leukemia-1 (MLL-1) complex, 201
- Mouse embryonic fibroblasts (MEFs), 275
- Myocyte enhancer factor 2 (MEF2) proteins, 124
- Myofibroblasts, 188
- N**
- N6-methyladenosine (m⁶A), 216
- Nesprins, 268
- Next generation sequencing (NGS), 216
- Noncoding RNA, 205–206, 248
 ANCR, 202
 epidermal differentiation proteins, 203
 epigenetic changes, 199
 epithelial layers, 197
 epithelial tissues, 197
 ES cells, 199
 genomic level, 208
 high-throughput technologies, 208
 homeostasis, 197
 HOTAIR, 200, 201
 HOTTIP, 201
 lncRNAs, 197–204, 207 (*see also* Long noncoding RNA (LncRNA))
 mammalian epidermal differentiation, 203
 physical barriers, 197
 polycomb (PcG) group, 199
 PRCs, 199
 RNA and chromatin, 198
 skin disorders, 204
 SPRY4-IT1 and BANCR, 205
 TINCR, 202–204
 X-chromosome inactivation, 208
- Notch receptors, 8
- NSun4-dependent methylation, 219
- Nucleosome remodeling deacetylation (NuRD), 125, 126, 133, 135
- Nuclear envelope, 16
 ECM/adjacent cells, 269
 force transduction, 278
 lamin network, 277
 LINC complexes, 268
 lumen, 265
 signal transduction cascades, 274
 signaling circuits, 274
 SUN1, 275
- Nuclear lamina, 265–268
 chromatin organization, 271–274
 and human disease, 280–281
 LINC, 268, 269, 271
 nuclear envelope and plasma membrane, 266–267
- Nuclear organization, 265–268
- Nuclear periphery, 270

Nuclear pore complexes (NPCs), 266–267
 Nuclear proteome, 269
 Nuclear speckles, 20
 Nuclei, 4
 Nucleolus, 19
 Nucleolus-associated domains (NADs), 20
 Nucleoporins, 16

P

PADI3, 238
 Parakeratosis, 268
 Pcgf4, 300
 PcG-mediated gene silencing, 305
 Peptidylarginine deaminases (PADs), 238
 Pericentromeric heterochromatin, 273
 Peripheral blood mononuclear cells (PBMCs), 206
 Phenocopy, 268
 Phosphokinase C (PKC), 232
 Phosphomutant emerin, 277
 Photocarcinogenesis, 168
 Plasma membrane-localized integrins, 269
 Polarization, 271
 Polycomb, 105
 complex, 9
 enzyme EZH2, 115
 epidermal differentiation and development, 83–90
 functions, 85
 mammalian epidermis, 83
 murine epidermis, 83
 proteins, 76
 proteins, skin aging, 92–93
 in skin cancers, 76
 and trithorax gene, 106
 Polycomb group (PcG) genes, 77, 106, 295
 Polycomb group ring finger 2 (PCGF2), 305
 Polycomb mutations, 105
 Polycomb proteins
 in psoriasis, 93–94
 skin aging, 92–93
 Polycomb repressive activity, 82
 Polycomb repressive complex 1 (PRC1), 76, 78–80
 Polycomb repressive complex 2 (PRC2), 82, 200, 240, 248, 295
 Polycomb-repressive complexes (PRCs), 78, 199
 Polymorphonuclear leukocytes, 296
 Post-translational modifications, 240
 Pre-initiation complex (PIC), 247
 Pre-placode/placode stage, 10

Progerin, 267
 Progerin-toxicity, 275
 Progerin transcripts, 18
 Progeroid syndromes, 18
 Promoters, 232–236, 238, 244
 Promyelocytic leukaemia (PML) bodies, 21
 Protein synthesis, 218–220, 223, 224
 Psoriasis, 93, 205–206
 Psoriasis susceptibility-related RNA gene induced by stress (PRINS), 205, 206

Q

Quiescence, 127, 130, 131, 143

R

Reduced representation bisulfite sequencing (RRBS), 67
 Regenerative wound healing, 68
 Retinoblastoma (pRb), 125
 Ribosomal RNAs (rRNAs), 216
 RNA immunoprecipitation (RIP), 216, 217
 RNA-induced silencing complex (RISC), 175
 RNA methylase (RMT), 218
 RNA methylation, 223, 224
 RNA polymerase II (RNA pol II), 247

S

S-adenosyl methionine (AdoMet)-binding site, 218
Schizosaccharomyces pombe, 271
 Sézary cell-associated transcripts (SeCATs), 205
 Shh signaling, 12
 Sirtuin 1 (SIRT1), 303
 Skin
 Ago1/2 double cKO, 179
 epithelial keratinocytes, 264–265
 grafted Dicer1 cKO, 179
 miR-31, 185
 miRNAs' roles, 175
 pAkt levels, 180
 psoriatic, 188
 RNA-seq, 176
 Xpo5 and Xpo1, 177
 Skin appendage development, 11
 Skin cancers, 91
 Skin injury, 295
 Skin lineages, 67–68
 Skin model, 58

- Skin morphogenesis, 2
 Skin re-epithelialization, 301
 Skin stem cells
 epidermis, 13
 epithelial stem cells, 14
 follicular epithelial stem cells, 13
 hair follicle, 13
 H3K27me3, 14
 homeostasis, 14
 LGR6- and MTS24-expressing stem cells, 13
 mammary and sweat glands, 14
 mesenchymal stem cells, 13
 myoepithelial and luminal cells, 14
 Smad1/5 target genes, 30
 Small proline-rich region (SPRR), 232, 238
 Solar exposure, 206
 Sonic hedgehog (SHH) signaling, 130, 250
 Spatial chromatin interactions, 31
 Spatial proximity, 25
 Special AT-rich sequence binding protein 1 (SATB1), 298
 Spinous layer cells, 5
 SPRY4-IT1 expression, 205
 Squamous cell carcinomas (SCC), 91, 131, 133, 137
 Staufen1 (STAU1) protein, 204
 Stem cells, 85, 165–166
 activity
 hair follicle morphogenesis and cycling, 165–166
 wound healing, 166
 cutaneous markers, 168
 human keratinocyte, 162
 Mi-2 β , 168
 Stromal cell-derived factor 1 (SDF-1), 187
 Superenhancers, 247
 Suprabasal cells, 167
 Suprabasal epidermal cells, 180
 Suprabasal genes
 EDC regulation, 236
 involucrin, 236–237
 K1 and K10 expression, 235
 loricrin, 237
 Suprabasal keratinocytes, 232
 SV40 sequence, 233
 Sweat gland epithelial cells, 12
 SWI2/SNF2 complexes
 animal, 160
 ATPases, 161
- T**
 Telogen, 127, 130, 131
 Telogen-anagen transition, 69
 Ten-eleven translocation (TET) enzymes, 302
- Terminal deoxynucleotidyl transferase (TdT), 302
 Terminal differentiation-induced ncRNA (TINCR), 202–204
 TGF- β /BMP signaling, 274
 Thymine DNA glycosylase (TDG), 302
 Tissue development, 94
 Toll-like receptor (TLR), 296
 Toll-like receptor 3 (TLR3), 206
 Topologically associated domains (TADs), 26, 245, 249
 Transcription factors, 27–29
 Transcription factors inhibit proliferation, 8
 Transcriptional microenvironment, 272
 Transcriptional regulation
 basal keratin genes, 234–235
 gene expression, 234
 spatio-temporal pattern, 234
 suprabasal genes, 235, 237
 Transfer RNAs (tRNAs), 216
 Transforming growth factor beta-1 (TGF β 1), 303
 Transgenic mouse assays, 238
 Transit amplifying cells (TACs), 66
 Trichostatin A (TSA), 124, 300
 Trithorax and polycomb, 105, 106
 Trithorax complex members, 106–107
 Trithorax complexes, 108, 110, 113
 Trithorax component protein WDR5, 106
 Trithorax group proteins
 H3K27me3 modification, 113
 keratinocytes, 113
 mammalian systems, 112
 Trithorax homolog, 201
 Trithorax proteins
 GRHL3, 110, 112
 keratinocytes, 109
 MLL1 and SETD1A, 112
 MLL2 and WDR5, 110
 TGM1, 110
 Trithorax SET enzymes, 108
 Tumor necrosis factor alpha (TNF- α), 206
 Type II diabetes (T2D), 298
- U**
 Ubiquitinases, 240
 Ultraviolet B (UVB), 206
 Untranslated regions (UTRs), 233
- V**
 Vascular endothelial growth factor (VEGF), 304
 Vascular growth factors, 304
 Vasculogenesis, 305

Vismodegib, 131, 137

Vorinostat, 137

W

WD-40 repeat protein 5 (WDR5), 107

Whole-genome bisulfite sequencing (WGBS), 60

Wilm's tumour 1 associating protein
(WTAP), 221

Wnt signaling, 184, 185

Wnt signaling pathway, 17

Wound healing, 166, 294–296, 298, 299

regenerative wound healing, 68

reparative wound healing, 68