

# Index

## Symbols

$\pi$ -bonding orbitals, 470  
 $\pi$ - $\pi$  stacking interaction, 401  
III-V semiconductors, 2, 8, 153–154  
6,13-bis(triisopropylsilylethynyl) pentacene (TIPSPEN), 475–476

## A

AB stacking of vertical alignments, 42, 55–56, 58, 60  
Adhesion energy, 284, 391–392, 401, 405–406, 423  
Air-water interface, 38, 45, 267–268, 294, 297–298, 300–301, 304–305, 308, 310, 330–332  
Alignment, 6–7, 20, 27, 33, 35, 37, 39, 42–43, 44–47, 49–65, 72, 92–94, 138–143, 166, 212, 215, 218, 222, 230–234, 247–249, 263–272, 277–278, 319, 322, 340, 354, 369, 469–492  
Alignment transcription (AT) method, 473–474  
Alignment transition behavior, 485  
Alternating current (AC), 33–34  
Amorphous organic semiconductor, 242  
Anisotropic AuNP, 69–82, 85, 87–89, 94–100, 105  
Anodized aluminum oxidized (AAO), 6  
Aspect ratio, 6, 38, 43–44, 54, 70, 74–79, 85–88, 95, 98, 102, 138, 163–164, 167, 170, 178, 196, 210–214, 216, 218, 225, 228, 230, 284, 320  
Atomic force microscopy (AFM), 45, 80, 173, 294, 305, 308, 312, 388–389, 394, 396–409  
Atomic layer deposition (ALD), 7  
Atomistic-level molecule dynamics (MD), 166, 387, 393–394, 407, 413

AuNPs including one-dimensional (1D) (nanowires, nanotubes, and nanobelts), 71  
Azimuthal anchoring strength, 474  
Azo-dye, 344

## B

Bandedge laser, 357  
Bandgap, 345, 351–358, 382–383, 397  
Bending stiffness, 388–389, 391, 393–394  
Bent-core mesogen, 343  
Bimesogens, 343  
Biomass product, 436  
Biomedical imaging, 86, 94  
Bloch plasmon polaritons (BPPs), 447–450, 455, 457  
Block copolymer, 35, 166–167, 218, 269, 432, 436  
Blue phase (BPs), 337–372  
Body-centered cubic crystal, 345  
Boron nitride, 380–381, 385, 396, 399, 416  
Boron nitride nanotubes (BNNTs), 381, 385, 399  
Bottom-up approach, 2–3, 6, 211  
Bottom-up growth, 16  
Bottom-up wet chemistry approach, 70  
BP platelet, 346  
Bragg's law, 345  
Bragg reflection, 338, 345  
Branched gold nanostructure, 80  
Brownian motion, 39  
Building block, 12, 27–29, 35, 37, 39, 42, 45, 47, 49, 51, 53, 56–60, 72, 105, 209–211, 234, 339, 379  
Bulk plasmon polaritons (BPPs), 448

**C**

Cancer diagnosis, 95, 105  
 Carbon nanotube (CNT), 35, 78, 89, 99, 164, 219, 271, 277, 380–390, 394–395, 399–404, 408, 410–411  
 Catalyst, 3–7, 18, 94, 104, 120–121, 126, 128, 137, 158, 167, 192–196  
 Catalyst based-CVD method, 381  
 Catalytic activity, 94, 192–194, 233  
 CdSe/CdS nanowire (NW), 132–133, 137, 151  
 CdSe nanorod, 34–35, 37, 39, 42, 44, 45–47, 49, 51, 53–54, 216  
 CdSe nanowire (NW), 121–129, 130, 132–151  
 CdSe quantum dots (QDs), 132, 146  
 Cetyl trimethylammonium bromide (CTAB), 58, 74–78, 80, 89–93, 105  
 Charge-carrier mobility, 242, 246, 248–254, 259, 274, 277  
 Chemical bonding, 27, 39, 383, 401, 407  
 Chemical vapor deposition, 381  
 Chemically active template, 35  
 Chirality, 338, 351, 354, 364–365, 371, 381–382  
 Chirality mismatch, 365  
 Circularly polarized light, 346  
 Close-packed monolayers, 27, 45, 49, 311  
 Close-packed multilayers, 27, 46, 51  
 Carbon nanotube (CNT) ring, 402–403  
 Coexistence of horizontally and vertically aligned structures, 49–50  
 Columnar phase, 215, 224, 225, 234, 241, 243–246, 249, 251–257, 260, 263–267, 270, 278, 327  
 Combination of both side-by-side and end-to-end alignments, 44  
 Continuum mechanics (CM), 385, 389, 406  
 Contrast ratio, 469  
 Controlled evaporation, 30–32  
 Core/shell, 79, 82, 101, 119, 120–122, 129–133, 135–138, 148–151, 167  
 Core/shell nanostructure, 82  
 Core/shell semiconductor nanowire (NW), 129  
 Core/shell structure, 79, 130, 132  
 Crystal orientation, 346, 352, 355  
 Crystalline InP, 120  
 CTAB-AuNR, 91  
 Curing temperature, 361  
 Cyclic voltammogram (CV), 437

**D**

1D anisotropic nanocrystal, 30  
 1D conductor, 220  
 1D nanomaterial, 165, 194, 211  
 2D nanomaterial, 170, 194, 382, 391

2D nanostructure, 170, 190, 193, 379–416  
 3D anisotropic AuNP, 80  
 DC electric-field-assisted assembly, 33  
 Deep reactive ion etch (DRIE), 5–6  
 Defect, 33, 44, 47, 60, 90, 104, 123, 135, 149, 151, 192–197, 220, 230, 232, 241–243, 248, 255, 264, 278, 293–300, 312, 329, 339–345, 383, 385, 480, 482  
 Defect theory, 341  
 Delamination, 389–399  
 Depletion attraction, 40  
 Dielectric anisotropy, 347–348, 352, 361, 479  
 Dielectrophoresis, 7  
 Direct current (DC), 33–34  
 Disclination structure, 47  
 Discotic liquid crystals (DLCs), 243, 245–278, 328  
 Disordering, 354  
 Double-twist, 338, 339, 355, 371  
 Double-twisted cylinder (DTC), 338–341, 345, 352  
 Double-walled BNNTs (DWBNTs), 394, 397  
 Drop-casting method, 30  
 Drug delivery, 94, 100, 102, 105, 210  
 Dye coater, 478

**E**

Early stage, 60  
 Eclipsed end-to-end, 47  
 Effective elastic coefficient, 365  
 Effective medium theory (EMT), 450  
 Elastic coefficients, 343  
 Elastic free energy, 338  
 Elastic restoring force, 364  
 Elastica, 389, 403  
 Electric double layer capacitor (EDLC), 426  
 Electric field, 7, 11, 27, 29, 32–35, 51–53, 59, 76, 87, 92, 138–140, 212–215, 218, 232, 266, 271, 343, 347, 351–355, 358, 364, 463, 476  
 Electric-field-assisted assembly, 29, 32  
 Electrochemical capacitor, 443  
 Electron-beam lithography (EBL), 72  
 Electrostatic doping approach, 12  
 Electrostriction, 352  
 End-to-end, 44  
 Energy release rate, 391  
 Energy storage, 28, 220, 231, 425, 443  
 Energy transfer upconversion (ETU) emissions, 177  
 Enhanced green fluorescence protein (EGFP), 100  
 Enhancing Raman scattering, 82  
 Epoxy, 401, 407–409

- Evaporation-mediated assembly, 30  
Evaporation-mediated method, 29  
Expanded graphite (EG), 411  
Eye/sensor protection, 369
- F**  
Fiber array, 369  
Field-effect transistor (FET), 7, 119, 247  
Field-induced birefringence, 360  
Finite element methods (FEM), 395  
Flow-coating method, 473, 475  
Fluorescence enhancement, 69, 71, 88  
Fluorescence quenching, 88  
Focused ion beam (FIB) lithography, 72  
Freestanding nanowire, 14  
Freeze-fracture SEM (FF-SEM), 229  
Functionalized graphene sheets (FGS), 411
- G**  
GaAs nanowhisker, 120  
Gas storage system, 425  
Geometrically constrained template, 35  
Germanium, 2, 8, 13  
Germanium nanowire, 13  
Gold nanocage, 78, 83  
Gold nanodumbbell, 79  
Gold nanorod (GNR or AuNR), 58, 70–105, 211–213  
Gold nanosphere, 83  
Gold nanotadpole, 80  
Graphene, 147, 209, 220, 228–233, 271, 379–388, 398, 401, 405, 411–415  
Graphene oxide (GO), 147, 148, 229–233  
Graphite, 16  
Grating coupled anisotropic hyperbolic metamaterials (GCAHMs), 447  
Gravure coating method, 477
- H**  
Hard-rod model, 53  
Head-to-head, 88  
Helical pitch, 356, 362  
Helical structure, 338  
Heterostructure, 12, 17, 119, 129–133, 137, 140, 145  
Hexabenzocoronene (HBC), 264  
Hexagonal boron nitride (h-BN), 380  
Hexagonal columnar phase (Colh), 227, 243, 267, 327  
High-resolution transmission electron microscopy (HRTEM), 48–50, 56, 70, 77, 164, 169–172, 381–383, 387–389, 433, 437  
High-temperature/pressure (HTP), 381  
Highly order pyrolytic graphite (HOPG), 401  
Hollow spherical assemblies, 58  
Homeotropic alignment, 248, 263–267  
HOMO, 249, 257, 274  
Honeycomb network, 382  
Honeycomb structure, 49  
Horizontal alignment, 45  
Horizontal arrangement, 6  
Hybridized sp<sup>3</sup>C-C bond, 401  
Hydrogen bond, 39, 44, 231, 249, 252, 257, 265, 344, 430, 437  
Hydrogen-bond based complexes, 344  
Hyperbolic metamaterial (HMM), 447, 448
- I**  
Immersion method, 32  
In-plane-switching, 363, 489  
In-situ bandgap tuning, 351  
Inter-nanocrystal spacing, 47  
Interfacial strength, 380  
Intermolecular interaction, 90, 92  
Ion sensitive field effect transistor (ISFET), 14  
IR irradiation, 271  
Isomerization, 185, 343, 344, 354–356, 367  
Isotropic AuNP, 70
- K**  
Kössel diagram, 345, 348, 353, 355, 356  
Kössel diffraction, 345  
Kerr constant, 360–362, 366  
Kerr effect, 354  
Kerr-like response, 360
- L**  
Landau-de Gennes theory, 341  
Langmuir-Blodgett (LB) and Langmuir-Schaefer (LS), 37  
Langmuir-Blodgett (LB) film, 27, 290, 471  
Langmuir-Blodgett technique, 7, 173  
Lanthanide, 156, 158, 163, 167, 174, 186, 189, 190–192  
Large dielectric anisotropy, 362  
Large thermal hysteresis, 344  
Lateral displacement, 56  
Lattice, 4, 5, 12, 16, 48–51, 75, 86, 92, 99, 131, 135, 158, 161, 170, 193, 228, 337–340, 342, 345–352, 355–357, 361, 371, 381, 383, 387, 462, 465  
Lattice distortion, 352, 367  
Layer-by-layer (LbL) assembly, 83  
Layer-by-layer (LbL) deposition, 290, 313  
LD anisotropic nanocrystals, 29

- Lennard-Jones potential, 385  
 Li-ion batteries, 2, 16  
 Light-emitting diode, 228, 242, 246, 272, 273  
 Linearly polarized photoluminescence, 216  
 Lip coater, 478  
 Liquid crystal displays (LCDs), 243, 319, 364, 469, 470, 474, 488, 492  
 Liquid crystals, 51, 53, 209, 211, 224, 242, 245–248, 264, 266, 278, 320, 322, 328, 337  
 Lithography, 2, 3, 6, 9, 18, 28, 33, 60, 72, 93, 271, 452, 457, 492  
 Local director reorientation, 359  
 Local reorientation, 352  
 Localized flexoelectric polarization, 343  
 Localized surface plasmon resonance (LSPR), 69, 80, 85, 86, 88, 92–96, 100, 105  
 Longitudinal plasmon absorption, 95  
 Lower critical solution temperature (LCST), 100  
 LUMO, 249, 257, 274
- M**
- Magnetic dipole-dipole interaction, 309  
 Mechanical rubbing method, 470  
 Memory effect, 472, 475  
 Mesoporous carbon, 425–443  
 Metal insulator semiconductor (MIS), 2  
 Metal nanoparticle, 69, 70, 120, 134, 148, 289, 313, 319, 328  
 Metal nanoparticle-decorated counterpart, 120  
 Metamaterial, 70, 92, 105, 447–483, 459, 465  
 Microfluidic alignment, 7  
 Miller indices, 345  
 Misorientation angle, 56  
 Mn-doped ZnO nanowire, 219  
 Moiré fringe, 56  
 Molecular alignment, 265, 469, 475, 479  
 Molybdenum disulfide (MoS<sub>2</sub>), 382, 416  
 Monodisperse silica nanorod, 213  
 Monodispersed colloidal nanocrystal, 29  
 Monodispersity, 74, 75, 81  
 Monolayer graphene oxide (MLGO), 397  
 Morphology, 28, 35, 53, 72, 80, 85, 163, 167, 169, 170, 174, 179, 189, 191, 193–196, 212, 221, 242, 269, 275, 317, 271, 411, 431  
 MoS<sub>2</sub> crystal, 391  
 Multi-walled CNT (MWNT), 220  
 Multilayer, 26, 29, 42, 46, 51–55, 60, 89, 148, 268, 273, 289, 292, 301, 308, 313–318, 328, 406, 448, 461, 465
- N**
- N-channel, 12, 13, 271  
 Nanobelt, 71, 77, 78  
 Nanocrystal self-assembly, 27, 28  
 Nanofabrication, 28, 60, 70, 450, 465  
 Nanofibers, 279, 380, 406, 407  
 Nanomechanical peeling, 389, 391, 399–401  
 Nanomembrane-covering, 397  
 Nanoparticles, 17, 28, 30, 56, 60, 69, 70, 72, 78, 81, 89, 99, 120, 135, 148, 149, 165, 186–191, 193, 194, 196, 197, 210–212, 214, 217, 224, 229, 234, 289–291, 293, 312, 319, 320, 328, 342, 406  
 Nanoplate, 80, 96, 166, 170–174, 190, 193–195, 227  
 Nanorods, 29, 30–33, 35, 37–40, 43–47, 49, 51, 53, 55, 58, 59, 70, 80, 99, 162–167, 169, 170, 174, 178–182, 189, 191, 193–196, 211–213, 215–218, 271, 429, 448  
 Nanoscale adhesion, 380, 383, 385, 416  
 Nanoscience and nanotechnology, 28, 105, 210, 211  
 Nanoshell, 77, 82, 89, 97, 98, 101, 102  
 Nanotube, 15, 35, 71, 78, 79, 89, 95, 96, 99, 162, 164, 165, 170, 193, 194, 196, 211, 219–224, 254, 271, 277, 380, 381, 383–387, 389, 391, 394, 397, 399–403, 407, 409, 410  
 Nanowire, 1–9, 11–18, 29, 30, 33, 35, 37, 39, 40, 42, 44, 47, 48, 50, 51, 54, 59, 72, 78, 95, 119, 125, 135, 139, 146, 162, 163, 165, 167, 169, 170, 181, 189, 193–196, 212, 218, 219, 271, 380  
 Nanowire based photovoltaics, 16  
 Nanowire device, 3, 7, 8, 12, 18  
 Narrow temperature range, 340, 341  
 Narrow the size distribution, 30  
 Navier-Stokes equation, 482  
 Near infrared (NIR), 70, 148, 177, 358, 366, 448, 457  
 Nematic alignment, 46, 51, 53  
 Non-Close-Packed Structures, 42–44  
 Nonlinear optics, 80, 366  
 Nonvolatile grating diffraction, 368  
 Nuclear magnetic resonance (NMR), 232, 320
- O**
- Oil/water interface, 37  
 One-dimensional (1D), 1, 27, 29, 71, 119, 162, 163, 180, 211, 245, 247, 251, 263, 278, 296, 319, 345, 379

- One-dimensional nanostructure, 162, 163  
Operating temperature, 361  
Optical coherence tomography (OCT), 97  
Optical controlled drug and gene delivery, 105  
Optical tuning, 70, 72, 356  
Optically isotropic, 358, 372  
Ordered hexagonal monolayer, 174  
Ordered mesoporous carbon (OMC), 425, 426, 430  
Organic field-effect transistors (OFET), 246  
Organic light-emitting diodes (OLED), 246  
Organic semiconductor, 241, 242, 248, 272, 276, 278, 292, 470, 475  
Organic thin film transistors (OTFTs), 470  
Orientational order, 29, 40, 42, 47–49, 51, 53, 93, 212, 215, 222, 224, 231, 243, 273, 319, 326, 357, 470, 472  
Oscillator, 14
- P**  
P-channel, 12, 13, 278  
Parallel nanowire, 5, 7, 15  
Patterned vertical alignment (PVA), 474  
pH sensor, 15  
Phase-change material (PCM), 102  
Phase identification, 348  
Phase manipulation, 366  
Phase sequence, 348, 350, 351  
Photo acoustic tomography (PAT) technique, 97  
Photo lithography, 2, 35  
Photoacoustic imaging, 97  
Photoalignment, 357  
Photoinitiator, 474, 486  
Photonic crystal, 232, 338, 345, 351, 371  
Photoresponsive BPLCs, 354  
Phototherapy, 97  
Photothermal effect, 70, 71, 86, 98  
Photothermal therapy, 69, 70, 86, 87, 96, 98, 99, 102, 183  
Photovoltaic, 16, 176, 182, 227, 228, 246, 254, 255, 263, 267, 273, 274, 295  
Phthalocyanine, 249, 250, 254, 257, 262, 263–268, 270, 274, 276, 277  
Physical properties, 69, 210, 314, 350, 360, 371, 382  
Piezoresistance, 14  
Planar alignment, 263, 265–267, 269, 271, 477, 480, 492  
Planar configuration, 2  
Plasma treatment, 4  
Plasmon resonance, 69, 82, 87, 134, 211  
Plasmonic coupling effect, 88  
Polarization independency, 361, 366, 369  
Polarized optical microscopy (POM), 321, 480  
Poly(methyl methacrylate) (PMMA), 44, 223, 409  
Polymer-stabilized blue phases (PSBP), 342  
Polymer nanocomposites, 380, 384, 406, 409, 411  
Polymeric alignment film, 470  
Polypeptides, 401  
Porphyrin, 88, 90, 249, 250, 254, 255, 264, 266, 275  
Positional and orientational orders, 29, 42, 47, 49  
Post-reaction treatment, 30  
Pressure, 32, 37, 47, 192, 197, 292–296, 298, 299, 301, 305, 307, 308, 310, 313, 351, 405, 480  
Pretilt angle, 474, 487, 488  
Primitive cubic crystal, 345  
Pulse laser irradiation, 99  
Pulse radiolysis-time-resolved microwave conductivity (PR-TRMC), 247
- Q**  
Quantum mechanics (QM), 385  
Quasi 1D structure, 2, 17  
Quasi one-dimensional, 1, 263, 278
- R**  
Radical polymerization, 478  
Raman spectroscopy, 194, 222, 413, 465  
Random laser, 358  
Rare earth element, 158, 161, 185, 192  
Rare earth orthophosphate, 161, 169  
Rare earth oxyhalide, 161  
Rare earth sesquioxide, 158  
Reactive mesogen (RM), 342, 473, 474  
Reconfigurable field effect transistors (RFET), 12  
Reduced GO (rGO), 5, 233, 234  
Reflective display, 344, 358  
Refractive index, 345, 350, 351, 449, 451, 464, 466  
Relaxation time, 33, 186, 191, 360, 366, 451  
Reorientation, 218, 347, 351–353, 358–360, 469
- S**  
Scanning electron microscopy (SEM), 218, 389  
Scattering-free, 366  
Schottky barrier field effect transistor (SBFET), 11  
Schottky junction, 13  
Seed-mediated growth method, 71, 74  
Selected area electron diffraction (SAED), 47

- Self-assembled monolayer (SAM), 268, 291, 294, 303, 470
- Self-assembly, 28, 29, 37, 39, 42, 44, 47, 55, 59, 60, 71, 92, 105, 165, 173, 227, 265, 290, 291, 320, 426, 430, 433, 437, 440, 470
- Self-assembly at interface, 37, 59
- Self-assembly in solutions, 39, 59
- Self-assembly on substrates, 30
- Self-defocusing, 368, 369
- Self-detecting AFM cantilever, 401
- Self-diffraction, 367
- Self-folding, 388, 403
- Smectic alignment, 46, 53, 54
- Semiconductor, 2, 3, 8, 11, 18, 120, 134, 138, 148, 149, 216, 219, 227, 242, 246, 248, 257, 272, 276, 292, 397, 470
- Semiconductor nanowire, 119, 219
- Shear-flow force, 473, 478
- Shear lag effect, 410, 413
- Short range surface plasmon polaritons (SRSPPs), 449
- Side-by-side, 43, 88
- Side-by-side arrangement, 43, 303
- Silica substrate, 306
- Silicon nanowire, 1, 2, 4, 7, 8, 12, 14, 15
- Single-crystalline CeO<sub>2</sub>nanorod, 163
- Single-tube pull-out, 407, 409
- Single-walled carbon nanotube, 220, 277, 387
- Slit coater, 478, 479, 482, 485, 488, 489, 492
- Solar cell, 2, 16, 18, 131, 146–148, 254, 257, 272, 274, 278, 382
- Solid-electrolyte interface (SEI), 17
- Solid nanostructures, 342
- Solid self-assembled structures, 58
- Solution-Liquid-Solid (SLS) growth, 120
- Sp<sup>2</sup>C-C bonding, 383
- Sp<sup>3</sup>bonds, 383
- Space charge-limited current (SCLC), 247
- Spherical nanoparticles, 28, 60, 320
- Staggered end-to-end, 47
- Stone-Wales transformations, 385
- Stretching, 351
- Stripes, 42
- Supercritical-Fluid-Liquid-Solid (SFLS), 120
- Supercrystalline domains, 58
- Surface adhesion energy, 384
- Surface enhanced Raman scattering (SERS), 88
- Surface-enhanced Raman spectroscopy effect, 71
- Surface functionalization, 406
- Surface functionalized AuNR, 99
- Surface modification, 90
- Surface-modified substrates, 35
- Surface plasmon oscillation, 86
- Surface plasmon polaritons (SPPs), 448, 459
- Surface to volume ratio, 1, 18
- SWNT, 220–223, 277
- ## T
- Temperature dependency, 59, 350, 351
- Template-assisted assembly, 29, 35
- Templating technique, 260, 265, 266, 275, 278, 364
- Thermal annealing, 4
- Thermal energy at room temperature, 33
- Thermoelectric device, 18, 119
- Thermotropic LC, 93, 210, 217
- Thiol exchange reaction, 91
- Thiol monolayer protected anisotropic AuNR, 90
- Three-dimensional (3D), 71, 448
- Three-dimensional (3D) assembly, 27, 56
- Three-dimensional (3D) cubic structure, 338
- Time of flight (TOF), 247
- Top-down arrangement, 6
- Top-down fabrication, 2, 3, 5
- Top-down physical nanofabrication approach, 70
- Torque, 347
- Total interfacial energy, 37
- Triphenylene, 250–252, 260, 262, 264–268, 269, 271, 273, 275
- Tungsten disulfide (WS<sub>2</sub>), 382, 416
- Two-dimensional (2D), 119, 184, 211, 245, 379
- ## U
- Ultrafast response, 366
- Upconversion emission, 178, 180–184
- Upconversion nanocrystal, 180, 182, 183
- UV-curable LC, 479
- ## V
- van der Waals interactions, 44, 221, 383, 406
- Vapor–liquid–solid (VLS), 3, 120
- Vapor–liquid–solid method, 74, 120
- Vertical alignment, 27, 42, 49, 51, 55, 56, 59, 474, 475
- Vertical-field-switching, 363
- Voltage-dependent transmittance (V-T), 486
- Volume plasmon polaritons (VPPs), 447, 448
- ## Z
- ZnO nanorod, 218
- Zone-cast film, 269, 276