

Index

A

- Abdomen
 - examination
 - premature rupture of membranes, 67
 - newborn, 197
 - pain with maternal infection, 103
 - postpartum, 200
- Abortion. *See also* Recurrent spontaneous abortion; Spontaneous abortion
 - complete, 78
 - management, 80
 - threatened, 78
 - management, 80
- Abruptio placenta, 87–89
 - history, 88
 - laboratory studies, 88
 - management, 88–89
 - ultrasound, 88
- ACE. *See* Angiotensin-converting enzymes
- Acetaminophen
 - pregnancy, 30, 34
- Adventitial sounds
 - newborn, 197
- AFI. *See* Amniotic fluid index
- AFP. *See* α -fetoprotein
- Alcohol
 - IUGR, 48
 - preconception counseling, 14
 - pregnancy, 32
- Aldosterone
 - pregnancy, 8–9
- Allergy
 - over-the-counter medications
 - pregnancy, 34
 - α -fetoprotein (AFP), 51
 - follow-up prenatal visits, 26
 - IUGR, 49
 - Aluminum hydroxide
 - pregnancy, 30
 - Aminoglycosides
 - pregnancy, 30, 106
 - Amniocentesis, 41–43
 - Amniotic fluid
 - postdates pregnancy, 138t
 - Amniotic fluid index (AFI)
 - IUGR, 51
 - Ampicillin
 - endometritis, 207
 - PROM, 70
 - Analgesics
 - narcotic
 - labor pain, 152–153
 - pregnancy, 30
 - Anesthesia
 - epidural/spinal
 - labor pain, 153–154
 - local
 - labor pain, 153
 - spinal
 - labor pain, 153–154
 - Angiotensin
 - pregnancy, 8–9
 - Angiotensin-converting enzymes (ACE)
 - pregnancy, 30
 - Angiotensin receptor blockade agents
 - pregnancy, 30
 - Antibiotics
 - pregnancy, 30, 103t, 105–106
 - PROM, 70

Antibody screen
 follow-up prenatal visits, 26
 Antihistamines
 pregnancy, 34–35
 Anus
 newborn, 197
 Aspirin
 pregnancy, 30, 34

B

Bacterial vaginosis, 108
 Barlow test
 newborn, 198
 β -blockers
 pregnancy, 30
 β -human chorionic gonadotropin
 early pregnancy bleeding, 76
 spontaneous abortion, 79
 β -methasone
 preterm labor, 62
 PROM, 70
 Biophysical profile
 postdates pregnancy, 137–138, 138t
 Bishop scoring scale
 cervix, 142t
 Bismuth subsalicylate
 pregnancy, 30
 Blood clots
 postpartum, 200
 Blood cultures
 postpartum, 201
 Blood flow
 pregnancy, 8
 Blood pressure
 mothers
 early pregnancy bleeding,
 75–76
 postpartum, 200
 Blood sugar monitoring
 pregestational diabetes, 125
 Bloody show, 142
 Body temperature
 menstrual changes, 4
 Bony pelvic configuration
 assessment, 23
 Bradycardia
 fetus, 177
 Breast
 menstrual changes, 4
 newborn, 197
 Breastfeeding, 202
 Breathing movement
 postdates pregnancy, 138t

Breath sounds
 newborn, 197
 Breech presentation
 Cesarean section, 173
 complete, 173
 Brow presentation, 172–173
 Bupivacaine
 labor pain, 153

C

Calcium carbonate
 pregnancy, 30
 Calcium channel blockers
 preterm labor, 62
 Cardiac output
 pregnancy, 7–8
 Cardiac volume
 pregnancy, 8
 Cardiovascular system
 newborn, 197
 Cefotetan
 pregnancy, 30
 Cephalixin
 urinary tract infection, 111
 Cephalosporins
 pregnancy, 30
 Cervix
 Bishop scoring scale, 142t
 dilatation, 143
 early pregnancy bleeding, 76
 manual examination, 143
 maternal infection, 102
 menstrual changes, 4
 mucus plug, 142
 preparatory changes for labor, 142
 ripening, 148
 Cesarean section, 158
 breech presentation, 173
 Chlamydia, 109, 207
 Chlorpheniramine
 pregnancy, 34–35
 Chlorpromazine
 pregnancy, 30
 Chorioamnionitis
 PROM, 70
 Chorionic villus sampling (CVS), 41, 43
 Chorions
 multiple
 multigestational pregnancies, 128
 Ciprofloxacin
 pregnancy, 105
 Circumcision
 newborn, 197

- Clavicle
 - newborn, 197
- Clindamycin
 - bacterial vaginosis, 108
 - endometritis, 207
 - group B strep, 112
 - pregnancy, 30
- Clinical pelvimetry, 23
- Coagulopathy
 - postpartum hemorrhage, 185
- Cocaine
 - IUGR, 48
- Codeine
 - labor pain, 153
- Complete abortion, 79
 - management, 80
- Complete breech presentation, 173
- Congenital infections
 - IUGR, 47
- Constipation
 - pregnancy, 9
- Contraction stress test
 - postdates pregnancy, 137
- Corpus albicans, 5
- Corticosteroids
 - pre-eclampsia, 119
- Cough medication
 - over-the-counter
 - pregnancy, 35
- Counseling. *See* Preconception counseling
- Crying
 - newborn, 201
- CVS. *See* Chorionic villus sampling
- Cytomegalovirus infections
 - IUGR, 47

- D**
- Decongestants
 - pregnancy, 35
- Delivery. *See also* Operative delivery
 - estimated date of, 49
 - establishment, 133
 - prediction, 21
 - forceps, 156–157
 - multigestational pregnancy, 131
 - placenta, 145
 - vacuum-assist, 157–158
 - vaginal
 - breech presentation, 173
- Dextromethorphan
 - pregnancy, 35
- Diabetes, 117–122. *See also* Pregestational diabetes
 - congenital abnormalities, 122t
 - diagnosis, 122–123
 - pregnancy, 30
 - White's classification, 124t
- Diabetes mellitus. *See* Gestational diabetes mellitus (GDM)
- Diclectin
 - pregnancy, 30
- Diet
 - pregestational diabetes, 124
- Dilate/efface
 - failure to
 - prolonged labor, 163, 165
- Dinoprostone
 - labor induction, 148
- Diphenhydramine
 - pregnancy, 34–35
- Dipstick leukocyte esterase testing urinary tract infection, 110
- Dizygotic (DZ) twins, 128
- Down syndrome (Trisomy 21), 42, 47
- Doxylamine
 - pregnancy, 30
- Dropped, 142
- Drugs
 - illicit
 - IUGR, 48
 - pregnancy, 33
- Ductus arteriosus
 - premature closure, 61
- Dysmorphic growth/genetic abnormalities, 39–43
 - diagnosis, 41
 - history, 40–41
 - physical examination, 41
 - screening, 40t
- DZ. *See* Dizygotic twins

- E**
- Ear canals
 - newborn, 196
- Early pregnancy bleeding, 71–80
 - ectopic pregnancy, 75–77
 - evaluation and management, 73f
 - spontaneous abortion, 78–80
 - vagina, 72–75
- Early satiety
 - pregnancy, 9

- Ectopic pregnancy, 75–77
 - diagnosis, 76
 - history, 76
 - laboratory studies, 77
 - management, 77–78
 - physical examination, 76
 - ultrasound, 76–77
- EDD. *See* Estimated date of delivery
- Efface, 144
 - failure to
 - prolonged labor, 163–165
- EIA. *See* Enzyme immunoassay test
- Elevated liver enzymes. *See* HELLP
 - (hemolysis, elevated liver enzymes, low platelets)
- ELISA. *See* Enzyme-linked immunosorbent assay
- Endometritis
 - postpartum, 206–207
- Endometrium
 - menstrual cycle, 4
- Epidural/spinal anesthesia
 - labor pain, 153–154
- Episiotomy, 189–190
 - procedure, 190
- Escherichia coli*, 109
 - postpartum, 206, 207
- Estimated date of delivery (EDD), 49
 - establishment, 134
 - prediction, 21
- Estrogen
 - follicular production, 5
- Exercise
 - preconception counseling, 16
 - pregnancy, 8
- Extremities
 - newborn, 198
- Eyes
 - newborn, 197

- F**
- Face presentation, 173
- Failure to descend
 - prolonged labor, 165
- Failure to dilate/efface
 - prolonged labor, 163–165
- Family
 - preconception counseling, 13
- FAS. *See* Fetal alcohol syndrome (FAS)
- FDA. *See* Food and Drug Administration
- Femoral pulse
 - newborn, 197

- Ferning
 - PROM, 68
- Fertility
 - physiology, 5–6
- Fetal alcohol syndrome (FAS), 32
 - IUGR, 48
- Fetus
 - bradycardia, 177
 - developmental assessment, 25
 - growth
 - multigestational pregnancies, 130
 - heart rate
 - acceleration, 176, 177
 - baseline evaluation, 176–177
 - deceleration, 177
 - early deceleration, 178
 - late deceleration, 178
 - monitoring, 176–178
 - nonreassuring patterns, 176t
 - postdates pregnancy, 138t
 - premature rupture of membranes, 68
 - variability evaluation, 177–178
 - variable deceleration, 178
 - heart tracings, 176
 - infection, 104
 - kick count
 - postdates pregnancy, 135–136
 - lung maturity testing
 - preterm labor, 62
 - Rh isoimmunization, 96
 - risks
 - multigestational pregnancy, 128
 - size estimate during labor, 143
 - tachycardia, 177
 - tone
 - postdates pregnancy, 138t
 - tracking growth, 50f
 - well-being assessment
 - postdates pregnancy, 135–137
- Fever
 - in labor
 - mothers, 180–181
 - postpartum, 206
- Fibronectin testing
 - preterm labor, 59
- First prenatal visits, 20–25, 20t
 - estimating gestational age, 24
 - family history, 22
 - history, 21
 - history since last menstrual period, 22
 - laboratory and diagnostic testing, 23
 - medical history, 21–22
 - menstrual history, 21

obstetrical history, 21
 physical examination, 22–23
 treatment and follow-up, 24–25
Fitness
 preconception counseling, 16
Fluoroquinolones
 pregnancy, 105
Foley bulb, 148
Folic acid
 IUGR, 48
Folic acid supplements
 preconception counseling, 16
Follicles
 menstrual cycle, 4
Follicle stimulating hormone (FSH), 5, 6
 ovulation, 6
Follow-up prenatal visits, 25–26
 interval history and physical exam, 25–26
 interval laboratory and diagnostic studies,
 26
Fontanelles
 newborn, 197
Food and Drug Administration (FDA)
 OTC pregnancy safety ratings, 33
Forceps
 delivery, 156–157
 low, 156
 outlet, 156
Fosfomycin
 urinary tract infection, 111
Frank breech presentation, 173
FSH. *See* Follicle stimulating hormone
Fundus
 height
 IUGR, 51

G

Gardnerella
 postpartum, 206
Gastric emptying
 pregnancy, 9
Gastritis
 pregnancy, 30
Gastroesophageal reflux
 pregnancy, 9
GBS. *See* Group B strep
GDM. *See* Gestational diabetes mellitus
Genetics
 abnormalities, 39–43
 preconception counseling, 12, 14
 screening, 40
Genitalia
 newborn, 197

Gentamicin
 pregnancy, 106
 PROM, 70
Gestational age
 confirmation, 62
 estimating, 24, 51
 developmental milestones, 24
 last menstrual period, 24
 physical examination, 24
 ultrasound, 24
Gestational diabetes mellitus (GDM), 122, 126
 diagnosis, 123t
 follow-up prenatal visits, 26
 IUGR, 51
 management in labor, 126
 postpartum management, 126
 preconception management, 126
 during pregnancy, 126
 risk factors, 123t
Gingiva
 pregnancy, 9
Glans
 newborn, 197
Glomerular filtration
 pregnancy, 8
Glucose challenge test
 follow-up prenatal visits, 26
Glucose tolerance testing
 diabetes, 122, 123t
Glucosuria
 pregnancy, 9
Gonadotropin-releasing hormone (GnRH), 6
Gonadotropins, 6
Gonorrhea, 109
 postpartum, 206
Gram-negative coliforms, 207
Gravida/Para figures, 21
Group B strep (GBS), 111–112
 diagnosis, 112
 PROM, 70
 treatment, 112
 universal screening, 112
Growth. *See also* Intrauterine growth
 restriction (IUGR)
 movement
 postdates pregnancy, 138t
Guaifenesin
 pregnancy, 35

H

HAART. *See* Highly active antiretroviral
 therapy
hCG. *See* Human chorionic gonadotropin

Head

- delivery, 145
- examination
 - recurrent spontaneous abortion, 94
- newborn, 196–197
 - circumference, 196
 - lag, 197

Heart. *See also* Fetus

- examination
 - recurrent spontaneous abortion, 94
- pregnancy, 7–8
- rate
 - pregnancy, 8
- sounds
 - newborn, 197
- tracings
 - fetus, 176

HELLP (hemolysis, elevated liver enzymes, low platelets), 114**Hemoglobin**

- follow-up prenatal visits, 26
- pregnancy, 9

Hemolysis. *See* HELLP (hemolysis, elevated liver enzymes, low platelets)**Hemorrhage. *See* Postpartum hemorrhage****Heroin**

- IUGR, 48

Hips

- newborn, 198

HIV. *See* Human immunodeficiency virus**Hospital postpartum management, 199–203**

- day 1, 200–201
 - history, 200
 - laboratory studies, 201
 - management, 201–202
 - physical examination, 200–201
- day 2, 202–203

Hospital postpartum period

- complications, 205–207

24-hour urine collection

- proteinuria, 116

Human chorionic gonadotropin (hCG), 41

- early pregnancy bleeding, 77
- first prenatal visit, 24
 - urine, 23
- spontaneous abortion, 80

Hypertension, 113–119

- diagnosis, 114–115
- history, 115–116
- laboratory studies, 116
- management, 116–117
- physical examination, 116
- pregnancy, 30

Hypoglycemics**oral**

- pregestational diabetes, 124
- pregnancy, 30

I**Illicit drugs**

- IUGR, 48
- pregnancy, 34

Incomplete abortion, 78

- management, 80

Incomplete breech presentation, 173**Indomethacin**

- preterm labor, 61

Induction, 149

- contraindications, 149t
- indications, 148t
- labor, 147–149
- mechanical options, 148–149
- pharmacological options, 148
- preparation, 148–149

Insulin

- pregestational diabetes, 123–125
- pregnancy, 30

Intrauterine devices (IUD)

- early pregnancy bleeding, 75

Intrauterine growth restriction (IUGR), 45–53

- antenatal tracking and diagnosis, 49
- complications, 48, 52
- constitutional factors, 48–49
- diagnosis, 51–52
- fetal-genetic factors, 47
- management, 52–53
- maternal factors, 47–48
- physical examination, 49–50
- risk factors, 46t, 47–48
- risk reduction, 52–53
- screening, 51
- toxic exposures, 48
- uterine-environmental factors, 47

Intrauterine pressure catheter (IUPC), 164**Iron**

- pregnancy, 9

IUD. *See* Intrauterine devices**IUGR. *See* Intrauterine growth restriction****IUPC. *See* Intrauterine pressure catheter****K****Kick count**

- fetus
 - postdates pregnancy, 135–136

- Kidneys
 - pregnancy, 8
- Klebsiella*, 109
- L**
- Labetalol
 - pregnancy, 30
- Labor, 141–145. *See also* Preterm labor
 - assessment, 143–148
 - augmentation, 147–149
 - complications, 162
 - history, 143
 - laboratory studies, 144
 - management, 145
 - maternal fever, 179–181
 - multigestational pregnancy, 130
 - pain management, 151–154
 - nonpharmacological, 152
 - pharmacological, 152–153
 - physical examination, 143–144
 - prelabor, 141–142
 - prolonged, 161–165
 - failure to descend, 165
 - latent-phase, 162–163
 - stages, 143t
- Lacerations
 - postpartum hemorrhage, 184, 185
- Laminaria, 148–149
- Last menstrual period (LMP), 19, 21
 - postdates pregnancy, 134
- Late pregnancy bleeding, 81–89
 - abruptio placenta, 87–89
 - management, 83f
 - placenta previa, 85–87
 - vagina, 82–85
- Lecithin-sphingomyelin ratio
 - prenatal labor, 62–63
- Length
 - newborn, 196
- Leopold's maneuvers, 67, 68t, 143
- Leukocytes
 - pregnancy, 9
- Levofloxacin
 - pregnancy, 105
- LH. *See* Luteinizing hormone
- Lidocaine
 - labor pain, 153
- Liver enzymes. *See* HELLP (hemolysis, elevated liver enzymes, low platelets)
- LMP. *See* Last menstrual period
- Local anesthesia labor pain, 153
- Lochia
 - postpartum, 201
- Lomefloxacin
 - pregnancy, 105
- Low forceps, 156
- Low platelets. *See* HELLP (hemolysis, elevated liver enzymes, low platelets)
- Lung maturity testing
 - fetus
 - preterm labor, 62
- Luteinizing hormone (LH), 5, 6
 - ovulation, 6
 - surge, 6
- M**
- MAC. *See* *Mycobacterium avium* complex
- Macrolides
 - pregnancy, 30
- Magnesium hydroxide
 - pregnancy, 30
- Magnesium sulfate
 - eclampsia, 119
 - preterm labor, 61
 - seizure, 119
- Malpresentation, 171–174
 - breach presentation, 173
 - compound presentation, 174
 - nonoccipital presentations, 172–173
 - occiput positions, 172
- Maternal. *See* Mothers
- Maternal triple screen. *See* Obstetrical triple screen
- Medications
 - IUGR, 48
 - over-the-counter, 33
 - pregnancy, 27–35
- Menarche
 - average age, 4
- Menstrual cycle, 4
 - follicular phase, 5
 - luteal phase, 5
 - secretory phase, 5
- Menstrual period
 - last, 19, 20
 - postdates pregnancy, 134
- Menstruation
 - physiology, 4–5
- Meperidine
 - labor pain, 153
- Methotrexate
 - early pregnancy bleeding, 78

- Methylergonovine
 postpartum hemorrhage, 186
- 15-methylprostaglandin
 postpartum hemorrhage, 186
- Metronidazole
 bacterial vaginosis, 108
 trichomoniasis, 108
- Misoprostil
 labor induction, 148
- Monozygotic (MZ) twins, 128
- Mothers
 age
 fetal genetic abnormalities, 41
 early pregnancy bleeding
 blood pressure, 74
 pulse, 74
 fetal transfusion, 98f
 fever in labor, 179–187
 diagnosis, 185
 history, 180
 management, 185–186
 physical examination, 180
 infection, 102–103
 Rh-sensitized
 pregnancy management, 99
- Mouth
 newborn, 196
- Multigestational pregnancy, 127–131
 complications, 128t
 diagnosis, 129–130
 fetal risks, 128–129
 findings, 129t
 history, 129–130
 labor and delivery, 131
 laboratory and diagnostic studies, 130
 management, 130–131
 physical examination, 130
 prenatal care, 130–131
- Multiple chorions
 multigestational pregnancies, 128
- Multiple gestation
 IUGR, 47
- Multiple placentae
 multigestational pregnancies, 128
- Mycoplasma postpartum, 207
- MZ. *See* Monozygotic twins
- N**
- Narcotic analgesia
 labor pain, 152–15
 pregnancy, 30
- Nausea
 pregnancy, 9, 30
- Neck
 examination
 newborn, 196–197
 recurrent spontaneous abortion, 94
- Newborn, 195–198
 crying, 201
 examination, 195–198
 history, 196
 laboratory and diagnostic studies, 198
 oral thrush, 197
 physical examination, 196
 Rh isoimmunization, 96–97
 sleep, 201
 urine, 201
 vaccination, 198
- Nifedipine
 preterm labor, 62
- Nitrazine testing
 PROM, 68
- Nitrofurantoin
 urinary tract infection, 111
- Nonsteroidal anti-inflammatory drugs
 (NSAID)
 pregnancy, 30, 34
- Non-stress test (NST)
 postdates pregnancy, 136
- Norfloxacin pregnancy, 105
- NRTI. *See* Nucleoside reverse transcriptase
 inhibitors
- NSAID. *See* Nonsteroidal anti-inflamma-tory
 drugs
- NST. *See* Non-stress test
- Nutrition
 preconception counseling, 16
- O**
- Obstetrical triple screen, 41–42
 confirmation/follow-up, 42
 follow-up prenatal visits, 25
 IUGR, 49
 neural tube defects, 42
- Ofloxacin
 pregnancy, 105
- Oligohydramnios, 61
 IUGR, 47
- Operative delivery, 155–158
 Cesarean section, 158
 forceps delivery, 156–157
 vacuum-assist delivery, 157–158
- Oral hypoglycemics
 pregestational diabetes,
 123–125
 pregnancy, 30

- Oral thrush
 - newborn, 197
- Ortolani test
 - newborn, 198
- Outlet forceps, 156
- Over-the-counter medications
 - pregnancy, 33–35
- Ovulation, 6
- Oxytocin
 - failure to dilate/efface, 165
 - incomplete abortion, 79
 - induction, 149
 - postdates pregnancy, 137
 - postpartum hemorrhage, 186
 - prolonged latent-phase labor, 163

- P**
- Pain
 - abdominal
 - maternal infection, 103
 - management in labor, 151–154
 - nonpharmacological, 152
 - pharmacological, 152–154
 - over-the-counterpregnancy, 33–34
- Palate
 - softnewborn, 196
- PCP. *See Pneumocystis carinii pneumonia*
- Pelvimetry
 - clinical, 23
- Pelvis
 - assessment, 23
 - examination
 - early pregnancy bleeding, 75
 - recurrent spontaneous abortion, 94
 - urinary tract infection, 110
 - inflammatory disease
 - early pregnancy bleeding, 76
- Penicillin
 - group B strep, 112
 - pregnancy, 30
 - PROM, 70
- Peptic ulcer
 - pregnancy, 30
- Perineum
 - lacerations
 - diagnosis, 191–192
 - grading, 190t
 - history, 190
 - management, 191
 - physical examination, 191
 - postpartum, 200
- Periodontal disease
 - pregnancy, 9
- Peripheral vascular resistance
 - pregnancy, 8
- PGE1
 - labor induction, 148
- PGE2
 - labor induction, 148
- Phosphatidylglycerol
 - prenatal labor, 63
- Physiology, 3–9
 - fertility, 5–6
 - menstruation, 4–5
 - pregnancy, 7–8, 7t
- PI. *See Protease inhibitors*
- Pituitary
 - function, 6
- Placenta
 - abnormalities
 - IUGR, 47
 - delivery, 147
 - retained
 - postpartum hemorrhage, 185
- Placenta previa, 85–87
 - history, 85–86
 - laboratory studies, 86
 - management, 86
 - physical examination, 86
 - ultrasound, 86
- Postdates pregnancy, 133–138
 - diagnosis, 135
 - fetal well-being assessment, 135
 - history, 134
 - management, 135–138, 138t
 - physical examination, 135
- Postpartum hemorrhage, 183–187
 - complications causing, 184–185
 - diagnosis, 185
 - management, 185–187
 - persistent, 186–187
- Postpartum infection, 206–207
 - urinary tract, 207
- Postpartum management, 195–207. *See also*
 - Hospital postpartum management
- PPROM. *See Preterm premature rupture of membranes*
- Preconception counseling, 11–16
 - anatomic factors, 12
 - behavioral issues, 13
 - contents, 15t
 - education, 14
 - environment, 13
 - intervention, 16

- Preconception counseling (*cont.*)
 patient, 12-13
 physiological factors, 12
 screening, 14, 15
 underlying disease, 12
- Preconception management
 pregestational diabetes, 123-124
- Pre-eclampsia, 117-119
 complications, 116t
 management, 117-119, 118f
 prevention, 117
 risk factors, 115t
 seizure prevention, 119
- Pregestational diabetes, 123-125
 blood sugar monitoring, 125
 diet, 124-125
 insulin, 125
 management, 124-125
 preconception management, 123-124
- Pregnancy. *See also* Early pregnancy bleeding;
 Ectopic pregnancy; Late pregnancy
 bleeding; Multigestational
 pregnancy; Postdates pregnancy
 cardiovascular changes, 7-8, 7t
 confirmation, 18-19
 gastrointestinal changes, 7t, 9
 hematological changes, 7t, 9
 human teratogens, 30-31, 31t
 infection, 101-112
 group B strep, 111-112
 symptoms, 102-103
 urinary tract, 109-111
 vaginitis/vaginosis, 106-109
 medications, 27-35
 acute medical conditions, 29
 acute obstetrical conditions, 29
 chronic medical conditions, 28-29
 over-the-counter, 33-35
 safety ratings, 31t
 therapeutic categories and
 considerations, 30
 outline, 12f
 physiology, 7-9, 7t
 renal/urinary changes, 7t, 8-9
 vascular changes, 7
- Prelabor, 141-142
- Premature rupture of membranes
 (PROM), 65-70
 abdominal examination, 67
 ascending infection, 67
 diagnosis, 66-68
 external genitalia, 67
 fetal heart rate, 68
 history, 66-67
 laboratory, 68
 management, 69-70, 69f
 preterm, 70
 at term, 70
 physical examination, 67-68
 preterm, 57
 risk factors, 66t
 vital signs, 67
- Prenatal visits, 17-26. *See also* First prenatal
 visits
 follow-up, 25-26
 interval history and physical exam, 25-26
 interval laboratory and diagnostic
 studies, 26
 frequency, 19-26
- Presentation. *See also* Malpresentation
 breech, 172
 brow, 172
 face, 173
 labor, 144
 vertex, 173
- Preterm labor, 55-63
 diagnosis, 58
 environmental factors, 57
 fetal lung maturity assessment, 62-63
 history, 58
 intake assessment, 58-59
 laboratory studies, 59
 management, 59-62
 prior to 34 weeks gestation, 60-62
 at 34 to 37 weeks, 55
 patient-related factors, 57
 periodontal disease, 9
 physical examination, 58
 postconception factors, 57
 preconception factors, 57
 risk factors, 56t
- Preterm premature rupture of membranes
 (PPROM), 57
- Progesterone
 early pregnancy bleeding, 77
 luteal production, 4
- Prolonged labor, 161-165
 failure to descend, 165
- Prolonged latent-phase labor, 162-163
 history, 162
 laboratory/diagnostic studies, 163
 management, 163
 physical examination, 162-163
- PROM. *See* Premature rupture of membranes
- Proteinuria
 test, 116
- Proteus*, 109
Proteus mirabilis

postpartum, 207
 Pseudoephedrine
 pregnancy, 35
 Pudendal nerve, 152
 Pulmonary system
 newborn, 197
 Pulse
 femoral
 newborn, 197
 mothers
 early pregnancy bleeding, 74
 newborn, 197
 Pupils
 newborn, 197
 Pyridoxine
 pregnancy, 30

Q

Quinolones
 pregnancy, 30

R

Recurrent spontaneous abortion, 91–94
 diagnosis, 93, 94
 family history, 93
 genetic abnormalities, 93
 history, 93–94
 management, 93
 physical examination, 94
 risk factors, 92t

Red cell volume
 pregnancy, 9

Red reflex
 newborn, 197

Renal pelvis
 pregnancy, 8

Renin
 pregnancy, 8

Respiratory rate
 newborn, 196

Retained placenta
 postpartum hemorrhage, 185

Rh isoimmunization, 95–100
 diagnosis, 97
 fetal consequences, 96
 management prior to, 97–99, 98f
 newborn consequences, 96–97
 physical examination, 97

Rhogam
 incomplete abortion, 80

Rh-sensitized mothers
 pregnancy management, 99–100

Ritodrine
 preterm labor, 61

Rubella
 IUGR, 47, 52

S

Satiety
 pregnancy, 9

Screening
 dysmorphic growth/genetic abnormalities, 40t
 first prenatal visit, 23
 genetics, 40
 group B strep, 122
 IUGR, 49
 preconception counseling, 14–15

Serum test
 first prenatal visit, 23

Sexually transmitted disease (STD)
 recurrent spontaneous abortion, 93

Sexual partners
 early pregnancy bleeding, 76

Shoulder dystocia, 167–170
 diagnosis, 168–169
 management, 169–170, 169t
 risk factors, 168t

Skin
 newborn, 198

Sleep
 newborn, 201

Smoking
 early pregnancy bleeding, 76
 IUGR, 48
 preconception counseling, 16

Socioeconomic status
 preconception counseling, 13

Soft palate
 newborn, 196

Spinal anesthesia
 labor pain, 153–154

Spine
 newborn, 198

Spontaneous abortion, 78–80. *See also*
 Recurrent spontaneous abortion
 diagnosis, 79
 laboratory studies, 79
 management, 80
 physical examination, 79
 risk factors, 78–79
 ultrasound, 79

Staphylococcus
 postpartum, 206
Staphylococcus saprophyticus, 109
 postpartum, 206

Station, 144
 STD. *See* Sexually transmitted disease
 Sternum
 newborn, 197
 Stools
 newborn, 201–202
Streptococcus agalactiae, 111–112
 Sulfa drugs
 pregnancy, 30
 urinary tract infection, 111
 Sulfisoxazole
 urinary tract infection, 111
 Sulfonamides
 pregnancy, 105
 Systolic ejection murmur
 pregnancy, 8

T

Tachycardia
 fetus, 177
 postpartum, 200
 Temperature
 menstrual changes, 4
 newborn, 196
 Teratogens
 pregnancy, 30–31, 31t
 Terbutaline
 preterm labor, 61
 Testicles
 newborn, 197
 Tetracaine
 labor pain, 153
 Tetracyclines
 pregnancy, 30
 Thoracic system
 newborn, 197
 Threatened abortion, 78
 management, 80
 Thrush
 oral
 newborn, 197
 TMP-SMZ. *See*
 Trimethoprim-sulfamethoxazole

Tobacco
 IUGR, 48
 pregnancy, 32
 Tocolysis
 contraindications, 62
 Toxoplasmosis
 IUGR, 47, 52
 Trichomoniasis, 108

Trimethoprim-sulfamethoxazole
 (TMP/SMZ)
 pregnancy, 105
 Triple screen. *See* Obstetrical triple screen
 Trisomy, 42, 47
 Turner's syndrome, 47
 24-hour urine collection
 proteinuria, 116

U

Umbilical stump
 newborn, 197
 Ureters
 pregnancy, 8
 Urinary stasis
 pregnancy, 8
 Urinary tract infection, 109–111
 diagnosis, 1110
 history, 110
 laboratory examination, 110
 physical examination, 110
 treatment, 111
 Urine
 culture
 postpartum, 201
 urinary tract infection, 110
 24-hour collection
 proteinuria, 116
 human chorionic gonadotropin
 first prenatal visit, 23
 newborn, 202
 Uterus
 blood flow
 pregnancy, 8
 measurement, 23
 postpartum hemorrhage
 atony, 184
 inversion, 185
 massage, 186
 size during first prenatal visit, 22–23

V

Vaccination
 newborn, 198
 preconception counseling, 16
 Vacuum-assist delivery, 157–158
 Vagina
 delivery
 breech presentation, 173
 discharge, 66
 early pregnancy bleeding, 72–75

- history, 74
 - laboratory studies, 75
 - physical examination, 74–75
 - ultrasound, 75
 - lacerations
 - grading, 190t
 - late pregnancy bleeding, 82–85
 - history, 83–84
 - laboratory studies, 85
 - physical examination, 84
 - ultrasound, 84
 - menstrual changes, 4
 - newborn, 197
 - postpartum, 200
 - Vaginitis/vaginosis, 106–109
 - history, 106
 - KOH whiff, 108
 - laboratory studies, 107
 - microscopic examination, 107
 - pH testing, 108
 - physical examination, 107
 - treatment, 108
 - Varicella
 - IUGR, 52
 - Vertex presentation, 173
 - Vital signs
 - newborn, 196
 - premature rupture of membranes, 67
 - Vitamins
 - preconception counseling, 16
 - Vomiting
 - pregnancy, 9
- W**
- Warfarin
 - IUGR, 48
 - Weight
 - newborn, 196
 - pregnancy, 25
 - White blood cells
 - postpartum, 201
 - pregnancy, 9
 - Wound cultures
 - postpartum, 201
- Y**
- Yeast vaginosis, 108
- Z**
- Zavanelli maneuver, 170