

# Index

## A

- Aegilops, 272, 273, 277, 279, 281, 291, 296, 299, 307, 308
- Agroinfiltration, 347, 361
- Agrolistics, 355
- Alien addition, 1, 3–5, 9–11, 13–16
- Alien introgression, 279, 281, 283, 300, 302, 308
- Alien substitution, 5, 10, 11, 14, 15
- Androgenesis, 345
- Arabica, 245
- Association analysis programs, 48
- Association genetics, 118
- Association mapping, 177, 178, 181, 182
- Association mapping panels, 43

## B

- Bacterial artificial chromosome, 398, 399
- Bacterial artificial chromosome (BAC)-FISH, 132
- Basmati rice
  - aroma, 220, 224, 225
  - grain and cooking quality, 215, 220–222, 224
- Biofuels, 326
- Biotic stresses, 297, 298
- Biotic stress in rice
  - bacterial blight, 214, 216
  - blast, 214, 216, 220–222, 226
  - brown plant hopper, 214, 223, 226
  - sheath blight, 214, 223
- IBL/IRS, 13
- Breeding, 207, 210
- Breeding strategies, 248, 262

Brown gold, 233

Bulked segregant analysis (BSA), 17, 112

## C

- Cambod, 103, 105
- Candidate genes, 44, 46
- Catechins, 102
- CEL I enzyme, 181
- Central cell, 80, 81
- Central Coffee Research Institute, 239
- Chromatin dynamics, 139, 142
- Chromosome painting, 135, 138
- CIMMYT, 2, 5, 7, 422–425, 428, 432, 433, 436, 437, 439, 440, 442–451, 454–456, 460–462
- Coffea arabica, 237
- Coffea arabica L., 233
- Coffea canephora, 236
- Coffea canephora Pierre ex A. Froehner, 233
- Coffea liberica Bull ex Hiern, 233
- Coffea species, 238, 241
- Coffee collections in India, 234
- Coffee growing regions, 234
- Commercial cultivars, 258
- Comparative mapping, 407, 409
- Cosegregation, 333
- Crop gene pool, 150
- Cytogenetics, 128–130, 135, 137, 141
- Cytotypes, 91

## D

- Diversity Array Technology (DArT), 151, 398
- Diversity in Coffea arabica, 238
- Diversity in Coffea canephora, 238

DNA-fiber FISH, 130  
Drought, 448, 451, 453, 455

## E

Earliness, 446, 450  
Egg cell, 80, 81, 86, 92  
Embryo, 80, 83, 84, 90–92  
Endosperm, 80–83, 86–88, 90, 92  
Ethiopian collections, 241  
Eu-/hetero-chromatin, 139, 141  
*Exobasidium vexans*, 104  
Expressed sequence tags, 398, 400

## F

Fertilization, 80, 81, 83, 86, 87  
Fine mapping population, 410, 414  
FISH, 5, 11, 14, 16, 17  
FITC, 331  
Floral dip, 345, 372–374, 376–379, 381, 386  
Floral inoculating method, 375  
Flour color, 443  
Flow sorting, 309  
Fluorescent In Situ Hybridization (FISH),  
129–132, 134, 135, 137–139, 141  
Fusarium head blight, 431, 436, 437

## G

Gene  
  delivery, 344, 347, 359, 361, 382  
  expression, 347, 358, 359, 373, 382, 384,  
  386  
  integration, 344, 347, 358, 382  
  of interest, 346, 347, 358, 382  
  transfer into pollen, 346  
Gene cloning, 307  
Gene flow, 89  
Gene pool, 207, 208, 210  
Genetic improvement of commercial species,  
245  
Genetic linkage maps, 401  
Genetic resources in India, 239  
Gene transfer, 273, 276–278, 280, 283, 294,  
296, 297, 304  
Genome sequencing, 172, 176–178, 180  
Genome wide association studies, 49  
Genomic In Situ Hybridization (GISH), 129,  
135, 136, 138  
Genomic prediction, 455, 457, 458, 461  
Genomic selection, 119  
Genomics era, 398  
Germplasm, 207–210

Germplasm enhancement, 291, 292  
GISH, 16, 17  
Glaciation, 205, 206  
Gluten composition, 440  
Grain hardness, 440, 442  
Grain size, 178, 188, 192  
Gramene QTLs database, 172

## H

Heading date, 183, 192  
Heat, 451–453, 455  
Hemizygous, 81, 84  
Heterochromatic, 83, 84  
Heterosis, 80, 92  
High throughput markers  
  genetic markers, 150, 159  
  genomic markers, 150, 151  
Homoeologous pairing, 277, 281, 304  
Hybrids, 80, 83, 84, 90, 91

## I

Immuno-FISH, 139, 141  
Imprinting, 79  
Indian coffee industry, 234  
Indigenous species, 242  
In planta vacuum infiltration, 372  
In-situ PCR, 132  
Introgression, 81  
IWYT, 2

## K

Karnal bunt, 270, 271, 292, 298, 304  
Karyotypic studies, 103  
Kinship, 42, 48

## L

Leaf rust, 270, 271, 278, 284, 289, 291, 292,  
298, 300, 301, 303, 304, 308  
Linkage disequilibrium, 42, 44  
Linkage disequilibrium mapping, 118  
Linkage drag, 14, 19  
Linkage map construction, 32  
Linkage mapping, 113, 115, 118

## M

MAGELITR, 345, 347, 360  
Maize  
  abiotic stresses, 65, 67, 71, 73  
  Asia, 62, 63, 65, 67, 69, 73, 74  
  biotic stresses, 75  
  breeding efficiency, 69

- CIMMYT, 66, 68, 70–72, 74  
 climate change, 64, 67, 68, 73, 75  
 doubled haploids, 69  
 drought, 64–67, 71, 72, 75  
 genetic gains, 68  
 heat, 65, 67, 75  
 Latin America, 62, 63, 66, 67, 70, 73, 74  
 molecular markers, 71  
 phenotyping, 65, 66, 68, 70, 71, 73, 74  
 public-private partnerships, 66  
 seed systems, 70, 71, 74  
 Sub-Saharan Africa, 62, 63, 65–67, 70, 72, 74  
 waterlogging, 64, 67  
 Mapping populations, 34, 37, 43, 176, 184, 398, 402, 407, 414  
 Marker assisted backcross breeding  
   background selection, 216, 217, 221, 224  
   foreground selection, 216, 217, 220, 222, 224  
   recombinant selection, 216, 217, 224  
 Marker-assisted selection, 405  
 McFISH, 16  
 Megagametogenesis, 83  
 Megasporogenesis, 83, 90  
 Meiosis, 80, 81, 83  
 Meselson effect, 83  
 Metal toxicity, 451, 454  
 Microprojectile bombardment, 344, 347, 355, 359, 384  
 Molasses, 326  
 Molecular breeding, 207  
 Molecular characterization, 241  
 Molecular cytogenetics, 129, 130, 132, 135, 139, 330, 332  
 Molecular markers, 283, 284, 294, 307, 308  
 Mysore coffee experimental station, 239  
**N**  
 Near isogenic line, 398  
   monogenic lines, 222  
   pyramided lines, 221, 222  
 Next-generation FISH, 141  
 Next generation sequencing (NGS), 111, 118, 398, 403  
 NIAB, 3, 7  
 Non-progenitor species, 280, 300, 304  
**O**  
*O. rufipogon*, 176, 184, 188  
**P**  
 Panicle architecture, 187  
 Panicle length, 172, 177, 184, 189  
 Pearl millet, 397–409, 411–414  
*Ph1*, 1, 3, 4, 9, 13–16, 19  
 Phenology, 446, 453  
*Phleum alpinum*, 203  
*Phleum echinatum*, 205  
*Phleum pratense*, 203  
 Photoperiod, 446, 448, 450, 453  
 Phylogeny, 203  
 Physical mapping, 132, 135  
 Plantation crop, 233  
 Planted area, 234  
 Plant height, 444  
 Poly-aneuploid, 327, 338  
 Polyploids, 81, 82, 87, 88, 91  
 Polyploid series, 204  
 Population structure, 42, 43, 47, 53  
 Powdery mildew, 270, 271, 291, 292, 295, 298, 300, 301, 307  
 Press mud, 326  
 Production, 234  
 Progenitor species, 280, 300, 304  
 Pseudogamous, 80, 81  
 Pseudo-testcross, 113, 117  
**Q**  
 QTL-seq, 178  
 QTL mapping softwares, 32, 35, 37  
 QTLs for downy mildew, 404, 412  
 QTLs for drought tolerance, 403, 406, 409  
 QTLs for rust and *Pyricularia* leaf spot resistance, 405  
 QTLs for stover yield and quality, 407  
 QTLs mapping approaches, 180–182  
 Quantitative nuclease protection assay (qNPA), 151  
 Quantitative trait loci mapping, 32, 33, 37, 38, 42, 43, 46, 53  
 Quantitative trait locus (QTL), 32, 101  
**R**  
 Radiation hybrids, 18  
 Recombination, 84, 87  
 R gene clusters, 305  
 Robertsonian, 1, 5, 11  
 Robusta, 260  
 Rubiaceae, 233  
 Rust, 431–433, 437, 438, 460  
 Rust differential clones, 242

**S**

*Saccharum*, 326–328, 330, 332–334, 337, 338

Salinity tolerance, 223, 224

SBLs, 6, 7

Segregation distortion, 114, 115

Septoria tritici blotch, 438

Serial analysis of gene expression (SAGE),  
151, 159

Simple sequence repeats, 398

Single nucleotide polymorphisms (SNPs), 151,  
162, 398

Biplex invader technology, 156

capillary based, 153

high-resolution melting curve analysis, 158

Mass code system, 156

micro-array based techniques, 157

next generation sequencing, 161, 163

pyrosequencing, 154

TaqMan assay, 153, 156

WAVE DNA fragment technology, 156

Single-strand conformational polymorphism,  
401

*S. officinarum*, 326, 328, 330, 332–334, 337

Spikelet number per panicle, 187

Starch properties, 440, 442

Stem rust, 270, 271, 279, 291, 297, 299–301

Stripe rust, 270, 271, 277, 283, 284, 290, 292,  
294, 297, 298, 300, 302, 304, 308

Sugarcane, 326–330, 332–338

Super wheat, 7

Synteny, 335, 337

Synthetic hexaploid wheats (SHW), 5, 6–8

**T**

Targeting induced local lesions in genomes,  
411, 414

Target region amplification polymorphism  
(TRAP), 151, 162

Taxonomy, 237

Three-dimensional (3D) FISH, 131

Timothy, 203, 204, 207, 209, 210

Transcript derived markers (TDMs)  
copy number variations (CNVs), 160

expression level polymorphisms (ELPs),  
160

presence absence variations (PAVs), 162  
single feature polymorphisms (SFPs), 161

Transcription activator-like effectors nucleases  
(TALENs), 182

Transformation

efficiency, 344, 347, 355, 358, 360, 362,  
363, 373–379, 384

female germline, 345, 362, 363, 379,  
381–384

male germline, 345, 347, 355, 360, 384

pistil drip, 375

target, 345, 347, 355, 363, 373, 374, 378,  
380, 384, 386

Triploids, 103

Types of association mapping, 44

**U**

Unique features, 234

**V**

Validation of association, 49

Vector, 346, 347, 374, 375, 382, 384, 385

Vernalization, 446–448, 450, 453

VOROBAY, 7

**W**

Wheat, 270–273, 275–278, 280, 281, 283, 284,  
290–292, 296–298, 300, 301, 304,  
307–309

Wheat gene pools, 273, 290, 296, 300

Wheat nutritional quality, 444

Whole genome sequencing, 399, 413

Why association mapping, 38

Wide hybridization, 281, 306

WISP, 3, 23

**Y**

Yield component QTL(s), 184, 189

**Z**

Zinc-finger nuclease (ZFN), 182