

# Index

## A

Abiotic stress, 124, 136, 137, 369, 373, 382  
Accessing secondary gene pool, 51  
Accessing tertiary gene pool, 53  
Adaptive evolution, 278, 280, 283  
Agriculture, 230, 231, 272, 276  
Alien gene introgression, 175  
Alien plants, 272  
*Allium cepa*  
  origin, 328  
  phylogeny, 330  
  shallots  
    grey shallots, 331, 335, 343  
    var. *viviparum*, 331, 332  
  tree/top/Egyptian onion  
    var. *ascalonicum*, 332  
  triploid onions  
    *A. x cornutum*, 330, 331  
    *A.x wakegi*, 330, 332, 342, 349  
    *A.x proliferum*, 330, 332, 333, 338, 342  
  varietal groups  
    aggregatum group (var. *aggregatum*),  
      330  
    common onion group (var. *cepa*), 330  
    proliferum group (var. *proliferum*), 330  
*Allium sativum*  
  botanical varieties, 333  
  groups  
    *ophioscorodon*, 333, 340, 341  
    subtropical, 340, 341  
    sativum, 334  
  origin, 333, 339, 340  
Alliums  
  compounds  
    flavonoids, 334  
    organo-sulphur, 334  
    allyl, 335  
  cytology, 336

  cytoplasmic male sterility (CMS)  
    N-cytoplasm, 338  
    S cytoplasm, 338, 351  
    T cytoplasm, 338, 351  
  importance  
    food, 329  
    medicine, in common ailments, 329  
    medicine, in diseases, 335  
  Indian varieties, 339, 345  
  molecular markers  
    AFLP, 338, 341, 350  
    Isozymes, 339, 341, 343  
    ISSR, 339, 341  
    NBS, 342  
    RAPD, 332, 333, 338–341, 351  
  national productivity, 345  
  origin, 328, 329, 332, 338, 344  
  species  
    *Allium cepa*, see *Allium cepa*  
    *Allium sativum*, see *Allium sativum*  
  taxonomy, 327, 328  
Allo-tetraploids, 164  
Alloplasmic male sterile system, 177  
Aluminum stress tolerance, 6, 8  
Amaranth, 230  
Ancestral area, 422, 430  
Anthropogenic habitat, 277  
Antioxidants, 463

## B

Bacterial Artificial Chromosome Library, 256  
Bacterial wilt, 203, 211  
Biological nitrification inhibition, 7  
Biotic and abiotic constraints, 31, 32  
Biotic stress, 123, 124, 369, 372  
Breeding for adaptation traits, 47  
Breeding system, 257  
Buckwheat, 228, 230, 232, 235, 236

**C**

- Ceratotropis, 370, 379–381  
 Chennaveeraiah and Hiremath, 394, 398, 401, 402, 407  
*Chenopodium*, 230  
*Chenopodium quinoa*, 241, 251  
 Chromosome aberrations, 164  
 Chromosome addition, 4, 9, 10  
 Chromosome elimination  
   Bulbosum method, 297  
   *Solanum Tuberosum* × *S. Phureja*, 301  
   Wheat × *Hordeum Bulbosum*, 297  
   Wheat × *Imperata Cylindrica*, 299, 309  
   Wheat × Maize, 298  
 Chromosome pairing  
   bivalent, 402, 404, 408  
   multivalent, 405  
   univalent, 404, 406  
 Chromosome substitution, 4  
 Chromosome translocation, 7  
*Cicer arietinum*, 78, 79, 84  
 Classification, 108–110  
 Climatic changes, 423, 429  
 Colonizer, 272, 273, 278, 282, 283  
 Conventional breeding, 34, 40, 41, 45, 47, 49, 53, 58, 61, 63  
 Core collection/mini-core, 31, 458  
 Cotton, 106, 107, 109, 110, 112, 114–118, 121, 123, 124, 127, 131, 132, 134, 136–141, 143, 145, 148  
 Crop, 272, 276–279, 282, 283  
 Crop Brassicas, 164, 175, 177  
 Crop descendants, 272, 280  
 Crossability, 4  
 Cultivated cropland, 272, 276, 278, 282  
 Cytogenetics, 247  
 Cytoplasmic donors, 166  
 Cytoplasmic male sterility/fertility, 176, 177

**D**

- Disease/Insect resistance, 177, 178  
 Dispersal, 271–273, 279, 282  
 Diversity, 245, 251, 253, 259, 263  
 Domestication, 79, 82, 90, 95, 165, 168, 173, 174, 244, 263  
 Drought resistance, 217

**E**

- Ecological adaptations, 426, 433  
*Eleusine*  
   *E. coracana*, 394, 395, 398, 400–404, 406–409, 411

- Eleusine* as millet, 394, 396, 402, 404, 406, 409, 410  
   in cereals, 394, 398, 410  
*Elymus*, 3  
 Embryo rescue, 4  
 Escape, 272, 276–278, 283  
 Eurasia, 422, 423, 430  
 Evolution, 109, 110, 118, 120, 121, 127, 164, 166, 168, 175, 229, 230, 235

**F**

- Fagopyrum*, 230, 232, 234–236  
 Frost tolerance, 217, 218  
*Fusarium* head blight, 6

**G**

- Gene banks, 194, 195, 199, 203, 434  
 Gene pool, 91, 94, 95, 98, 117, 120, 124, 451  
 Gene pool of *Arachis*, 20, 21  
 Genetic diversity, 377, 381, 382  
 Genetic engineering, 221  
 Genetic improvement, 258, 395  
 Genetic map, 11, 54  
 Genetic modification, 109, 117, 128, 137  
 Genetic resources, 377  
 Genetic stability, 199  
 Genetic transformation, 20, 57, 58  
 Genetic variability, 259  
 Genome size, 234, 235  
 Genomic resource, 383, 458, 459  
 Germplasm resources  
   ICRISAT, 410  
   IPK genebank, 411  
 Green gram, 381, 383

**H**

- Haploid inducer gene  
   *hap* gene, 294  
   in Barley, 293, 297  
   in Maize, 295, 314  
 Heat stress tolerance, 6, 8, 10  
 Heterophylly, 227  
 Heterosis breeding, 171  
 Heterozygosity, 169  
 Hiremath and Salimath, 394, 398, 401, 403, 404, 406–408  
 Human interference, 271, 273, 282

**I**

- In vivo* propagation, 196  
 Indeterminate growth, 455  
 Insect pest resistance, 44

- Intergeneric crosses, 460  
 Interspecific hybridization, 2, 91  
 Interspecific relationships, 87  
 Introgression, 123, 140, 145, 148  
 Invasion risk, 272, 276, 278, 282, 283  
 Invasive species, 271–273
- L**  
 Last Glacial Maximum (LGM), 427  
 Late blight, 189, 201–203, 206, 207, 214, 215  
*Leymus racemosus*, 3, 4, 12  
 Lignans, 448, 449, 458, 459, 464  
 Linkage maps, 255
- M**  
 Major repositories of groundnut germplasm, 29  
 Male sterility, 128, 145, 147, 148, 204, 258  
 Management, 278, 283  
 Marker-assisted selection, 134, 137, 144, 222  
 Markers, 124, 127, 137–140, 143, 144  
 Miocene, 422  
 Molecular breeding, 54, 55, 63  
 Molecular diversity, 466, 472  
 Molecular maps, 95  
 Molecular marker, 11, 12, 87, 165, 169, 172, 173, 417, 419, 421, 423, 430, 434–438, 441  
 Monitoring, 283  
 Morphological characters, 417, 419–421, 430, 432, 433  
 Morphotype, 165  
 Mung bean, 368, 370–378, 380, 382, 384, 385  
 Mung bean Yellow Mosaic Virus, 372, 382
- N**  
 Neo-polyploids, 164, 174  
 Next-Generation Sequencing (NGS), 437, 440, 441  
 Non-conventional manipulations, 53  
 Nuclear 2C value, 407  
 Nuclear and chloroplast DNA markers, 395  
 Nutrient use efficiency, 218, 219
- O**  
 Oilseed, 448, 459, 463  
 Origin, 79, 87, 88, 90, 91, 97, 113, 116, 139, 243, 245, 253, 258
- P**  
 Pedaliaceae, 448, 450, 460  
 Phenotypic and genetic diversity, 276  
 Phyllody, 456, 460, 465  
 Phylogenetic analysis  
   *matK* sequences, 402  
 Phylogenetic relationship, 378, 381  
 Phylogenetics, 421, 430, 433  
 Phylogeny of *A. hypogaea*, 50  
 Plant invasion, 271, 272, 282  
 Plasmotypes, 166, 167  
 Plasticity, 229, 230, 233, 236  
 Polyploid  
   allopolyploid, 402  
   hybridization, 404, 408  
   tetraploid, 395, 396, 398, 400, 401, 403, 404, 408  
 Potato cyst nematodes, 214  
 Potato genetic enhancement, 203, 223  
 Propagule pressure, 276  
 Psathyrostachys, 3  
 Pulses, 368–370
- Q**  
 Qinghai–Tibetan Plateau (QTP), 422, 425–427, 429, 433  
 QTL, 118, 128, 134, 140, 141, 143–145  
 Quality traits, 49
- R**  
 Range expansion, 272, 279  
 Resistance to abiotic stress, 45  
 Resistance to bacterial wilt disease, 43, 62  
 Resistance to foliar diseases, 38, 47, 51, 62  
 Resistance to soil-borne diseases, 61, 62  
 Resistance to virus diseases, 41  
 Resynthesis, 173, 174  
 Reverse breeding  
   crossover suppression, 311  
   doubled haploid production, 297, 312  
   Marker-Assisted Reverse Breeding (MARB), 315  
   mirin, 312  
   *MutL* homolog, 311  
   virus-induced gene silencing (VIGS), 312  
 Rosales, 421, 422  
*Ricinus communis*, 274, 275, 277
- S**  
 Salinity tolerance, 2  
 Scab, 4, 6, 9  
 Seed retention, 455

## Semi-arid regions

Africa, 394, 396

India, 394, 396

*Sesamum* sp., 460, 463, 466

Shattering, 455, 456

Shoot/root ratio, 230

Simple Sequence Repeats (SSRs), 437

SSR Markers, 169, 172, 173

Systematics, 416, 417, 422

**T**Taxonomy of cultivated groundnut, 18, 23, 24,  
27, 28, 37, 43, 50, 51

Translocation breeding

5B-deficient stocks, 307, 308

irradiation, 305, 306

*Lophopyrum elongatum*, 308*Ph1* deficient stocks, 307

Triticeae, 3

*Triticum aestivum*, 2

Tuberization, 203, 216

**V***Vigna mungo*, 370*Vigna mungo* var. *silvestris*, 378–380*Vigna radiata*, 375*Vigna radiata* var. *sublobata*, 377–381, 383,  
384**W**

Wart disease, 213

Waterlogging, 457

Wide cross, 3, 12

**Y**

Yield and yield-related traits, 45