

Index

- α -sexithiophene (6T), 80
(tris-(8-hydroxyquinoline)aluminum (Alq3),
94
- charge-transfer state, 62
- Absorber layer thickness, 328, 340, 341, 343
Absorption cross section, 335, 336
activation energy, 66–68
Adsorption geometry, 382
- bandgap-voltage offset, 103
basic processes, 79
bottom-to-top asymmetry, 93
Buckminster fullerene
C60, 80, 89
C70, 80
Bulk heterojunction morphology, 330
- C₆₀, 378, 381, 389–391
charge carrier mobility, 55, 59–61, 67–69, 72
charge separation, 79, 81
charge transport, 52, 53, 67, 68, 72
Charge-transfer dynamics, 379, 389
charge-transfer energy, 80, 103
charge-transfer state, 53, 63–68, 72, 78, 79
Coherent optics, 328, 339, 341
conical intersection, 95
copper phthalocyanine
(CuPc), 80
perfluorinated (F16CuPc), 80
- Coupling particles, 343, 344
crystallinity, 57, 58, 61, 62, 70
CT state. *see* charge-transfer state
- Deposition rate, 331
Device stack, 332, 333, 340
DFT calculation, 95
Dicyanovinyl (DCV)-substituted
oligothiophenes, 384
Dielectric environment, 336, 337, 339
Dielectric function, 335
diindenoperylene (DIP), 80, 93, 96, 97
diindenoperylene derivative
tetraphenyldibenzoperiflanthene (DBP), 80,
96
tetraphenyldiindenoperylene (Ph4-DIP), 96
tetrapropyltetraphenyl-diindenoperylene
(P4-Ph4-DIP), 96
Donor/acceptor interface, 379
- Electron affinity, 380
Electronic decoupling, 385
Electronic structure, 378, 380, 382, 385, 394
electronic structure, 84, 87
energetic disorder, 60, 61, 67, 68
energy levels, 52, 53, 57–59, 64
energy loss, 101–103
Excited states dynamics, 386
exciton blocking layer, 87
exciton diffusion, 93
exciton diffusion length, 79
Exciton dynamics, 386, 388
excitonic ping-pong effect, 63

- excitonic solar cells, 78
 Excitonic state, 377, 381, 383, 386
 external quantum efficiency, 80
 Extinction cross section, 335
- film growth, 89
 film roughness, 89
 free energy of a mixture, 90
 free-charge carrier, 52, 62, 63, 65, 66
- grazing incidence X-ray diffraction (GIXD), 89
- heterojunction, 78
 bulk (BHJ), 83
 interdigitated, 81
 planar (PHJ), 81, 84
 planar-mixed (PM-HJ), 83
 hole injection barrier (HIB), 84
 hole injection layer (HIL), 84
 Hot excitons, 392
- interface, 89
 internal quantum efficiency, 80
 ionisation potential, 65
 Ionization potential, 383, 384
 ionization potential, 57, 62
- Localized surface plasmon, 334, 336
- materials design, 52, 72
 melting temperature, 55–58, 72
 Metal contacts, 329
 molecular acceptors, 80
 molecular donors, 80
 molecular orientation, 89
 molecular packing, 52, 53, 55, 58–62
 morphology, 55, 58, 62, 68–70
 multijunction devices, 52, 71, 72
- Near-field optics, 329, 338, 339
 nonradiative exciton–hole process, 97
- Octithiophene (8T), 378, 382
 oligothiophene, 52–72
 Oligothiophenes, 378
- open-circuit voltage, 85, 86, 103
 optical absorption, 78, 80
 ordered complex, 92
- p-i-n concept, 68
 P3HT, 389–392
 Particle diameter, 333–337
 Particle position, 329, 337–339, 341
 Particle surface density, 332, 342, 343
 pentacene
 (PEN), 80
 perfluorinated (PFP), 80
 perylenetetracarboxylic dianhydride (α -PTCDA), 96
 Phase of polarizability, 335, 338, 339
 phase separation, 62, 69, 70, 91, 92
 photoelectron spectroscopy
 inverse (IPES), 84
 ultraviolet (UPS), 84
 photoinduced absorption spectroscopy, 64–68, 70
 photoluminescence quenching, 93, 94
 photovoltaic gap, 80, 85–87, 103
 planar heterojunction, 68–70
 Polarizability, 334
 potential energy landscape (PEL), 95
- recombination
 nonradiative, 101
 radiative, 101
 rate, 97
 redshift, 58, 62, 63, 67, 68
 relative quenching, 94, 97
- Scattering (optical), 337
 Scattering (optics), 329, 330, 339, 341
 Scattering cross section, 335, 336, 344
 Second harmonic generation, 377, 390
 Sexithiophene, 380, 384, 388, 394
 Shockley–Queisser model, 78, 100
 side chains, 52, 53, 55–65, 68, 70, 72
 small molecule, 52, 58, 69, 72
 smoothing, 89
 solar cell architecture, 81
 solid solution, 91
 Stille cross-coupling, 54
 structural order, 89
 structure–property relationships, 52–54, 72
 sublimation, 54–56
 Substrate (layer growth), 331
 substrate heating, 62, 69, 70

- Substrate temperature, 331–333
- Surface energy, 331, 332
- Suzuki cross-coupling, 53

- tandem devices. *see* multijunction devices
- Thermal evaporation, 331
- thin-film transistor (TFT), 97
- Time-resolved spectroscopy, 377, 386
- Transport gap, 383
- transport gap, 85

- Transport level, 377, 380
- triplet exciton, 53, 63–67, 72
- Two-photon-photoemission (2PPE), 378

- vacuum processing, 56, 68
- vacuum-processing, 52

- X-ray reflectivity (XRR), 88
- X-ray scattering, 88