
Bibliography

- Abbot P, Abe J, Alcock J, Alizon S, Alpedrinha JA, Andersson M, Andre JB, van Baalen M, Balloux F, Balshine S, Barton N, Beukeboom LW, Biernaskie JM, Bilde T, Borgia G, Breed M, Brown S, Bshary R, Buckling A, Burley NT, Burton-Chellew MN, Cant MA, Chapuisat M, Charnov EL, Clutton-Brock T, Cockburn A, Cole BJ, Colegrave N, Cosmides L, Couzin ID, Coyne JA, Creel S, Crespi B, Curry RL, Dall SR, Day T, Dickinson JL, Dugatkin LA, El Mouden C, Emlen ST, Evans J, Ferriere R, Field J, Foitzik S, Foster K, Foster WA, Fox CW, Gadau J, Gandon S, Gardner A, Gardner MG, Getty T, Goodisman MA, Grafen A, Grosberg R, Grozinger CM, Gouyon PH, Gwynne D, Harvey PH, Hatchwell BJ, Heinze J, Helantera H, Helms KR, Hill K, Jiricny N, Johnstone RA, Kacelnik A, Kiers ET, Kokko H, Komdeur J, Korb J, Kronauer D, Kümmerli R, Lehmann L, Linksvayer TA, Lion S, Lyon B, Marshall JA, McElreath R, Michalakis Y, Michod RE, Mock D, Monnin T, Montgomerie R, Moore AJ, Mueller UG, Noë R, Okasha S, Pamilo P, Parker GA, Pedersen JS, Pen I, Pfennig D, Queller DC, Rankin DJ, Reece SE, Reeve HK, Reuter M, Roberts G, Robson SK, Roze D, Rousset F, Rueppell O, Sachs JL, Santorelli L, Schmid-Hempel P, Schwarz MP, Scott-Phillips T, Shellmann-Sherman J, Sherman PW, Shuker DM, Smith J, Spagna JC, Strassmann B, Suarez AV, Sundström L, Taborsky M, Taylor P, Thompson G, Tooby J, Tsutsui ND, Tsuji K, Turillazzi S, Ubeda F, Vargo EL, Voelkl B, Wenseleers T, West SA, West-Eberhard MJ, Westneat DF, Wiernasz DC, Wild G, Wrangham R, Young AJ, Zeh DW, Zeh JA, Zink A (2011) Inclusive fitness theory and eusociality. *Nature* 471(7339):E1–E4
- Abbott KR, Dukas R (2009) Honeybees consider flower danger in their waggle dance. *Anim Behav* 78(3):633–635
- Abrahams MV, Colgan PW (1985) Risk of predation, hydrodynamic efficiency and their influence on school structure. *Environ Biol Fishes* 13(3):195–202. doi:[10.1007/bf00000931](https://doi.org/10.1007/bf00000931)
- Adamo SA, Hanlon RT (1996) Do cuttlefish (Cephalopoda) signal their intentions to conspecifics during agonistic encounters? *Anim Behav* 52:73–81. doi:[10.1006/anbe.1996.0153](https://doi.org/10.1006/anbe.1996.0153)
- Adar E, Nottebohm F, Barnea A (2008) The relationship between nature of social change, age, and position of new neurons and their survival in adult zebra finch brain. *J Neurosci* 28:5394–5400
- Agrell J, Wolff JO, Ylönen H (1998) Counter-strategies to infanticide in mammals: costs and consequences. *Oikos* 83:507–517
- Akçay E, Roughgarden J (2007) Extra-pair paternity in birds: review of the genetic benefits. *Evol Ecol Res* 9(5):855
- Alberts JR (1978) Huddling by rat pups – group behavioral mechanisms of temperature regulation and energy-conservation. *J Comp Physiol Psychol* 92(2):231–245. doi:[10.1037/h0077459](https://doi.org/10.1037/h0077459)
- Allen J, Weinrich M, Hoppitt W, Rendell L (2013) Network-based diffusion analysis reveals cultural transmission of lobe-tail feeding in humpback whales. *Science* 340(6131):485–488
- Altmann J, Alberts SC, Haines SA, Dubach J, Muruthi P, Coote T, Geffen E, Cheesman DJ, Mututua RS, Saiyalel SN, Wayne RK, Lacy RC, Bruford MW (1996) Behavior predicts genetic structure in a wild primate group. *Proc Natl Acad Sci U S A* 93:5797–5801

- Ame JM, Rivault C, Deneubourg JL (2004) Cockroach aggregation based on strain odour recognition. *Anim Behav* 68:793–801. doi:[10.1016/j.anbehav.2004.01.009](https://doi.org/10.1016/j.anbehav.2004.01.009)
- Anacker AMJ, Beery AK (2013) Life in groups: the roles of oxytocin in mammalian sociality. *Front Behav Neurosci* 7:185
- Anderson C (2002) Self-organization in relation to several similar concepts: are the boundaries to self-organization indistinct? *Bio B* 202(3):247–255. doi:[10.2307/1543475](https://doi.org/10.2307/1543475)
- Anderson DJ, Hodum PJ (1993) Predator behavior favors clumped nesting in an oceanic seabird. *Ecology* 78:2462–2464
- Anderson JR, Nilssen AC (1996a) Trapping oestrid parasites of reindeer: the relative age, fat body content and gonotrophic conditions of *Cephenemyia trompe* and *Hypoderma tarandi* females caught in baited traps. *Med Vet Entomol* 10:347–353
- Anderson JR, Nilssen AC (1996b) Trapping oestrid parasites of reindeer: the response of *Cephenemyia trompe* and *Hypoderma tarandi* to baited traps. *Med Vet Entomol* 10:337–346
- Andr n H (1991) Predation: an overrated factor for over-dispersion of birds' nests? *Anim Behav* 41(6):1063–1069
- Angelier F, Barbraud C, Lorm e H, Prud'Homme F, Chastel O (2006) Kidnapping of chicks in emperor penguins: a hormonal by-product? *J Exp Biol* 209(8):1413–1420
- Aoki I (1982) A simulation study on the schooling mechanism in fish. *B Jpn Soc Sci Fish* 48(8):1081–1088
- Aoki I, Inagaki T (1988) Photographic observations on the behavior of Japanese anchovy *engraulis-japonica* at night in the sea. *Mar Ecol Prog Ser* 43(3):213–221. doi:[10.3354/meps043213](https://doi.org/10.3354/meps043213)
- Aparicio JM, Bonal R, Mu oz A (2007) Experimental test on public information use in the colonial lesser kestrel. *Evol Ecol* 21(6):783–800
- Aplin LM, Farine DR, Morand-Ferron J, Cole EF, Cockburn A, Sheldon BC (2013) Individual personalities predict social behaviour in wild networks of great tits (*Parus major*). *Ecol Lett* 16(11):1365–1372
- Aplin LM, Farine DR, Mann RP, Sheldon BC (2014) Individual-level personality influences social foraging and collective behaviour in wild birds. *Proc Roy Soc B Biol Sci* 281(1789):20141016
- Aplin LM, Farine DR, Morand-Ferron J, Cockburn A, Thornton A, Sheldon BC (2015) Experimentally induced innovations lead to persistent culture via conformity in wild birds. *Nature* 518(7540):538–541
- Archwaranon M, Dove L, Wiley RH (1991) Social inertia and hormonal-control of aggression and dominance in white-throated sparrows. *Behaviour* 118:42–65. doi:[10.1163/156853991x00193](https://doi.org/10.1163/156853991x00193)
- Arganda S, Perez-Escudero A, de Polavieja GG (2012) A common rule for decision making in animal collectives across species. *Proc Natl Acad Sci U S A* 109:20508–20513
- Armstrong EA, Whitehouse HLK (1977) Behavioral adaptations of wren (troglodytes-troglodytes). *Biol Rev Camb Philos Soc* 52(2):235–294. doi:[10.1111/j.1469-185X.1977.tb01352.x](https://doi.org/10.1111/j.1469-185X.1977.tb01352.x)
- Arnold KE (2000) Kin recognition in rainbowfish (*Melanotaenia eachamensis*): sex, sibs and shoaling. *Behav Ecol Sociobiol* 48(5):385–391
- Arnold C, Taborsky B (2010) Social experience in early ontogeny has lasting effects on social skills in cooperatively breeding cichlids. *Anim Behav* 79:621–630
- Arnold SJ, Wassersug RJ (1978) Differential predation on metamorphic anurans by garter snakes (*thamnophis*) – social-behavior as a possible defense. *Ecology* 59:1014–1022
- Arroyo BE, De Cornulier T, Bretagnolle V (2002) Parental investment and parent–offspring conflicts during the postfledging period in Montagu's harriers. *Anim Behav* 63(2):235–244
- Atema J (1996) Eddy chemotaxis and odor landscapes: exploration of nature with animal sensors. *Biol B* 191(1):129–138
- Atkinson A, Siegel V, Pakhomov E, Rothery P (2004) Long-term decline in krill stock and increase in salps within the Southern Ocean. *Nature* 432(7013):100–103
- Attanasi A, Cavagna A, Del Castello L, Giardina I, Melillo S, Parisi L, Pohl O, Rossaro B, Shen E, Silvestri E, Viale M (2014) Collective behaviour without collective order in wild swarms of midges. *Plos Comp Biol* 10(7). doi:[10.1371/journal.pcbi.1003697](https://doi.org/10.1371/journal.pcbi.1003697)
- Audubon JJ (1870) *The birds of America, from drawings made in the United States and their territories*, vol 5. GR Lockwood, Newyork
- Aureli F, Schaffner CM, Boesch C, Bearder SK, Call J, Chapman CA, Connor R, Di Fiore A, Dunbar RIM, Henzi SP, Holekamp K, Korstjens AH, Layton R, Lee P, Lehmann J, Manson JH,

- Ramos-Fernandez G, Strier KB, Van Schaik CP (2008) Fission-fusion dynamics new research frameworks. *Curr Anthropol* 49:627–654
- Axelrod R, Hamilton WD (1981) The evolution of cooperation. *Science* 211(4489):1390–1396
- Aycrigg JL, Porter WF (1997) Sociospatial dynamics of white-tailed deer in the central Adirondack Mountains, New York. *J Mammal* 78:468–482
- Baarendse PJJ, Counotte DS, O'Donnell P, Vanderschuren L (2013) Early social experience is critical for the development of cognitive control and dopamine modulation of prefrontal cortex function. *Neuropsychopharmacology* 38:1485–1494
- Baird RW, Dill LM (1996) Ecological and social determinants of group size in transient killer whales. *Behav Ecol* 7(4):408–416
- Bajec IL, Heppner FH (2009) Organized flight in birds. *Anim Behav* 78(4):777–789. doi:[10.1016/j.anbehav.2009.07.007](https://doi.org/10.1016/j.anbehav.2009.07.007)
- Ballerini M, Cabibbo N, Candelieri R, Cavagna A, Cisbani E, Giardina I, Orlandi A, Parisi G, Procaccini A, Viale M, Zdravkovic V (2008) Empirical investigation of starling flocks: a benchmark study in collective animal behaviour. *Anim Behav* 76:201–215. doi:[10.1016/j.anbehav.2008.02.004](https://doi.org/10.1016/j.anbehav.2008.02.004)
- Balshine-Earn S, Lotem A (1998) Individual recognition in a cooperatively breeding cichlid: evidence from video playback experiments. *Behaviour* 135:369–386
- Barnard CJ, Sibly RM (1981) Producers and scroungers: a general model and its application to captive flocks of house sparrows. *Anim Behav* 29(2):543–550
- Bateman AJ (1948) Intra-sexual selection in *Drosophila*. *Heredity* 2(Pt. 3):349–368
- Bateson PPG (1978a) Sexual imprinting and optimal outbreeding. *Nature* 273(5664):659–660. doi:[10.1038/273659a0](https://doi.org/10.1038/273659a0)
- Bateson PPG (1978b) Early experience and sexual preferences. In: Hutchison JB (ed) *Biological determinants of sexual behaviour*. Wiley, New York, pp 29–53
- Bautista A, Garcia-Torres E, Martinez-Gomez M, Hudson R (2008) Do newborn domestic rabbits *Oryctolagus cuniculus* compete for thermally advantageous positions in the litter huddle? *Behav Ecol Sociobiol* 62(3):331–339. doi:[10.1007/s00265-007-0420-4](https://doi.org/10.1007/s00265-007-0420-4)
- Bazazi S, Buhl J, Hale JJ, Anstey ML, Sword GA, Simpson SJ, Couzin ID (2008) Collective motion and cannibalism in locust migratory bands. *Curr Biol* 18(10):735–739. doi:[10.1016/j.cub.2008.04.035](https://doi.org/10.1016/j.cub.2008.04.035)
- Bazazi S, Ioannou CC, Simpson SJ, Sword GA, Torney CJ, Lorch PD, Couzin ID (2010) The social context of cannibalism in migratory bands of the Mormon Cricket. *Plos One* 5(12). doi:[10.1371/journal.pone.0015118](https://doi.org/10.1371/journal.pone.0015118)
- Beani L, Dallai R, Mercati D, Cappa F, Giusti F, Manfredini F (2011) When a parasite breaks all the rules of a colony: morphology and fate of wasps infected by a strepsipteran endoparasite. *Anim Behav* 82:1305–1312
- Beauchamp G (2002) Higher-level evolution of intraspecific flock-feeding in birds. *Behav Ecol Sociobiol* 51(5):480–487
- Beauchamp G (2008) What is the magnitude of the group-size effect on vigilance? *Behav Ecol* 19(6):1361–1368
- Beauchamp G (2013) Social foragers adopt a riskier foraging mode in the centre of their groups. *Biol Lett* 9(6):20130528. doi:[10.1098/rsbl.2013.0528](https://doi.org/10.1098/rsbl.2013.0528)
- Beauchamp G (2014) *Social predation: how group living benefits predators and prey*. Academic Press, Amsterdam
- Beauchamp G, Fernández-Juricic E (2005) The group-size paradox: effects of learning and patch departure rules. *Behav Ecol* 16(2):352–357
- Beauchamp G, Livoreil B (1997) The effect of group size on vigilance and feeding rate in spice finches (*Lonchura punctulata*). *Can J Zool* 75(9):1526–1531
- Becco C, Vandewalle N, Delcourt J, Poncin P (2006) Experimental evidences of a structural and dynamical transition in fish school. *Phy A Stat Mech Appl* 367:487–493. doi:[10.1016/j.physa.2005.11.041](https://doi.org/10.1016/j.physa.2005.11.041)
- Beckers R, Deneubourg JL, Goss S (1992a) Trail laying behavior during food recruitment in the ant *Lasius niger* (L). *Insect Soc* 39(1):59–72. doi:[10.1007/bf01240531](https://doi.org/10.1007/bf01240531)
- Beckers R, Deneubourg JL, Goss S (1992b) Trails and u-turns in the selection of a path by the ant *Lasius niger*. *J Theor Biol* 159(4):397–415. doi:[10.1016/s0022-5193\(05\)80686-1](https://doi.org/10.1016/s0022-5193(05)80686-1)

- Beckers R, Deneubourg JL, Goss S (1993) Modulation of trail laying in the ant *Iasius-niger* (Hymenoptera, Formicidae) and its role in the collective selection of a food source. *J Insect Behav* 6:751–759
- Beckers R, Holland OE, Deneubourg J-L (1994) From local actions to global tasks: Stigmergy and collective robotics. In Brooks R, Maes P (Eds.), *Artificial life IV* (pp. 181–189). Cambridge, MA: MIT Press
- Beecher MD (1989) Signaling systems for individual recognition – an information-theory approach. *Anim Behav* 38:248–261. doi:[10.1016/s0003-3472\(89\)80087-9](https://doi.org/10.1016/s0003-3472(89)80087-9)
- Beecher MD, Beecher IM, Hahn S (1981a) Parent-offspring recognition in bank swallows (*Riparia riparia*). 2. Development and acoustic basis. *Anim Behav* 29(FEB):95–101. doi:[10.1016/s0003-3472\(81\)80156-x](https://doi.org/10.1016/s0003-3472(81)80156-x)
- Beecher MD, Beecher IM, Lumpkin S (1981b) Parent-offspring recognition in bank swallows (*Riparia riparia*). 1. Natural history. *Anim Behav* 29(FEB):86–94. doi:[10.1016/s0003-3472\(81\)80155-8](https://doi.org/10.1016/s0003-3472(81)80155-8)
- Beecher MD, Loesche P, Stoddard PK, Medvin MB (1989) Individual recognition by voice in swallows: signal or perceptual adaptation. In: Dooling RJ, Hulse SH (eds) *The comparative psychology of audition: perceiving complex sounds*. Erlbaum, Hillsdale, pp 227–294
- Beehler BM, Foster MS (1988) Hotshots, hotspots, and female preference in the organization of lek mating systems. *Am Nat* 131:203–219
- Beekman M, Fathke RL, Seeley TD (2006) How does an informed minority of scouts guide a honeybee swarm as it flies to its new home? *Anim Behav* 71:161–171
- Beer CG (1970) Individual recognition of voice in the social behaviour of birds. *Adv Study Behav* 3:27–74
- Behringer DC, Butler MJ (2010) Disease avoidance influences shelter use and predation in Caribbean spiny lobster. *Behav Ecol Sociobiol* 64:747–755
- Beja-Pereira A, Luikart G, England PR, Bradley DG, Jann OC, Bertorelle G, Chamberlain AT, Nunes TP, Metodiev S, Ferrand N, Erhardt G (2003) Gene-culture coevolution between cattle milk protein genes and human lactase genes. *Nature Gene* 35(4):311–313
- Bell AM, Hankison SJ, Laskowski KL (2009) The repeatability of behaviour: a meta-analysis. *Anim Behav* 77(4):771–783
- Bennett PM, Owens IP (2002) *Evolutionary ecology of birds: life histories, mating systems, and extinction*. Oxford University Press, Oxford, pp 1–296
- Benoit JB, Del Grosso NA, Yoder JA, Denlinger DL (2007) Resistance to dehydration between bouts of blood feeding in the bed bug, *Cimex lectularius*, is enhanced by water conservation, aggregation, and quiescence. *Am J Trop Med Hyg* 76(5):987–993
- Berdahl A, Torney CJ, Ioannou CC, Faria JJ, Couzin ID (2013) Emergent Sensing of Complex Environments by Mobile Animal Groups. *Science* 339(6119):574–576. doi:[10.1126/science.1225883](https://doi.org/10.1126/science.1225883)
- Bergman G, Donner KO (1964) An analysis of the spring migration of the common scoter and the long-tailed duck in southern Finland. *Acta Zool Fennica* 105:1–59
- Bergman TJ, Beehner JC, Cheney DL, Seyfarth RM (2003) Hierarchical classification by rank and kinship in baboons. *Science* 302(5648):1234–1236. doi:[10.1126/science.1087513](https://doi.org/10.1126/science.1087513)
- Bertram BCR (1992) *The ostrich communal nesting system*. Princeton University Press, Princeton
- Biesmeijer JC, Slaa EJ (2004) Information flow and organization of stingless bee foraging. *Apidologie* 35(2):143–157
- Bird CD, Emery NJ (2008) Using video playback to investigate the social preferences of rooks, *Corvus frugilegus*. *Anim Behav* 76:679–687. doi:[10.1016/j.anbehav.2008.04.014](https://doi.org/10.1016/j.anbehav.2008.04.014)
- Biro D, Sumpter DJT, Meade J, Guilford T (2006) From compromise to leadership in pigeon homing. *Curr Biol* 16:2123–2128
- Bisazza A, Butterworth B, Piffer L, Bahrami B, Petrazzini MEM, Agrillo C (2014) Collective enhancement of numerical acuity by meritocratic leadership in fish. *Sci Rep* 4:4560
- Bill RG, Herrnkind WF. (1976) Drag reduction by formation movement in spiny lobsters. *Science*. 193 (4258): 1146–1148.
- Black JM (1988) Preflight signaling in swans – a mechanism for group cohesion and flock formation. *Ethol* 79:143–157

- Black JM, Carbone C, Wells RL, Owen M (1992) Foraging dynamics in goose flocks – the cost-of-living on the edge. *Anim Behav* 44(1):41–50. doi:[10.1016/s0003-3472\(05\)80752-3](https://doi.org/10.1016/s0003-3472(05)80752-3)
- Blaustein AR, Waldman B (1992) Kin recognition in anuran amphibians. *Anim Behav* 44(2):207–221. doi:[10.1016/0003-3472\(92\)90027-7](https://doi.org/10.1016/0003-3472(92)90027-7)
- Bode NWF, Faria JJ, Franks DW, Krause J, Wood AJ (2010) How perceived threat increases synchronization in collectively moving animal groups. *Proc Royal Soc B Bio Sci* 277(1697):3065–3070. doi:[10.1098/rspb.2010.0855](https://doi.org/10.1098/rspb.2010.0855)
- Bode NWF, Wood AJ, Franks DW (2011a) The impact of social networks on animal collective motion. *Anim Behav* 82(1):29–38. doi:[10.1016/j.anbehav.2011.04.011](https://doi.org/10.1016/j.anbehav.2011.04.011)
- Bode NWF, Wood AJ, Franks DW (2011b) Social networks and models for collective motion in animals. *Behav Ecol Sociobiol* 65:117–130. doi:[10.1007/s00265-010-1111-0](https://doi.org/10.1007/s00265-010-1111-0)
- Boesch C (1994) Cooperative hunting in wild chimpanzees. *Anim Behav* 48(3):653–667
- Boi S, Couzin ID, Del Buono N, Franks NR, Britton NF (1999) Coupled oscillators and activity waves in ant colonies. *Proc Royal Soc B Bio Sci* 266(1417):371–378
- Boinski S, Campbell AF (1995) Use of trill vocalizations to coordinate troop movement among white-faced capuchins – a 2nd field-test. *Behaviour* 132:875–901
- Boissy A, Dumont B (2002) Interactions between social and feeding motivations on the grazing behaviour of herbivores: sheep more easily split into subgroups with familiar peers. *App Anim Behav Sci* 79(3):233–245. doi:[10.1016/s0168-1591\(02\)00152-1](https://doi.org/10.1016/s0168-1591(02)00152-1)
- Bokony V, Lendvai AZ, Liker A (2006) Multiple cues in status signalling: The role of wing-bars in aggressive interactions of male house sparrows. *Ethology* 112(10):947–954. doi:[10.1111/j.1439-0310.2006.01246.x](https://doi.org/10.1111/j.1439-0310.2006.01246.x)
- Boland CR (2003) An experimental test of predator detection rates using groups of free-living emus. *Ethology* 109(3):209–222
- Bonabeau E, Dagorn L (1995) Possible universality in the size distribution of fish schools. *Phy Rev E* 51(6):R5220
- Bonabeau E, Theraulaz G, Deneubourg JL, Aron S, Camazine S (1997) Self-organization in social insects. *Trends Ecol Evol* 12(5):188–193. doi:[10.1016/s0169-5347\(97\)01048-3](https://doi.org/10.1016/s0169-5347(97)01048-3)
- Bonabeau E, Dagorn L, Freon P (1999) Scaling in animal group-size distributions. *Proc Natl Acad Sci U S A* 96:4472–4477
- Boogert NJ, Farine DR, Spencer KA (2014) Developmental stress predicts social network position. *Biol Lett* 10:20140561
- Boomsma JJ (2007) Kin selection versus sexual selection: why the ends do not meet. *Curr Biol* 17(16):R673–R683
- Boomsma JJ, Beekman M, Cornwallis CK, Griffin AS, Holman L, Hughes WO, Keller L, Oldroyd BP, Ratnieks FL (2011) Only full-sibling families evolved eusociality. *Nature* 471(7339):E4–E5
- Boratyński JS, Willis CKR, Jefimov M, Wojciechowski MS (2015) Huddling reduces evaporative water loss in torpid Natterer's bats, *Myotis nattereri*. *Comp Biochem Physiol A Mol Integr Phys* 179:125–132. doi:<http://dx.doi.org/10.1016/j.cbpa.2014.09.035>
- Borkowski J, Furubayashi K (1998) Seasonal and diel variation in group size among Japanese sika deer in different habitats. *J Zool* 245(1):29–34
- Bosiger YJ, McCormick MI (2014) Temporal links in daily activity patterns between coral reef predators and their prey. *Plos One* 9(10). doi:[10.1371/journal.pone.0111723](https://doi.org/10.1371/journal.pone.0111723)
- Botham MS, Hayward RK, Morrell LJ, Croft DP, Ward JR, Ramnarine I, Krause J (2008) Risk-sensitive antipredator behavior in the Trinidadian guppy, *Poecilia reticulata*. *Ecology* 89(11):3174–3185
- Boughman JW, Wilkinson GS (1998) Greater spear-nosed bats discriminate group mates by vocalizations. *Anim Behav* 55:1717–1732. doi:[10.1006/anbe.1997.0721](https://doi.org/10.1006/anbe.1997.0721)
- Bourke AFG, Franks NR (1995) Social evolution in ants. Princeton University Press, Princeton
- Boyd LE (1988) Ontogeny of behavior in Przewalski horses. *Appl Anim Behav Sci* 21:41–69
- Bradbury JW, Vehrencamp SL (1998) Principles of animal communication. Sinauer Associates, Sunderland
- Brandl SJ, Bellwood DR (2015) Coordinated vigilance provides evidence for direct reciprocity in coral reef fishes. *Sci Rep* 5:14556. doi:[10.1038/srep14556](https://doi.org/10.1038/srep14556)
- Brashares JS, Garland T, Arcese P (2000) Phylogenetic analysis of coadaptation in behavior, diet, and body size in the African antelope. *Behav Ecol* 11(4):452–463

- Breder CM (1951) Studies on the structure of the fish school. *B Am Mus Nat Hist* 98(1):1–27
- Breder CM (1954) Equations descriptive of fish schools and other animal aggregations. *Ecology* 35(3):361–370. doi:[10.2307/1930099](https://doi.org/10.2307/1930099)
- Brennan PL, Prum RO, McCracken KG, Sorenson MD, Wilson RE, Birkhead TR (2007) Coevolution of male and female genital morphology in waterfowl. *PLoS One* 2(5):e418
- Brick O (1998) Fighting behaviour, vigilance and predation risk in the cichlid fish *Nannacara anomala*. *Anim Behav* 56(2):309–317
- Brierley AS, Cox MJ (2010) Shapes of krill swarms and fish schools emerge as aggregation members avoid predators and access oxygen. *Curr Biol* 20(19):1758–1762. doi:[10.1016/j.cub.2010.08.041](https://doi.org/10.1016/j.cub.2010.08.041)
- Broly P, Devigne L, Deneubourg JL, Devigne C (2014) Effects of group size on aggregation against desiccation in woodlice (Isopoda: Oniscidea). *Physiol Entomol* 39(2):165–171. doi:[10.1111/phen.12060](https://doi.org/10.1111/phen.12060)
- Brooke MDL (1985) The effect of allopreening on tick burdens of molting eudyptid penguins. *Auk* 102:893–895
- Brooks R (1999) Mate choice copying in guppies: females avoid the place where they saw courtship. *Behaviour* 136(4):411–421
- Broom M, Ruxton GD (2003) Evolutionarily stable kleptoparasitism: consequences of different prey types. *Behav Ecol* 14(1):23–33
- Brown JL (1975) The evolution of behaviour. Norton, New York
- Brown CR (1986) Cliff swallow colonies as information centers. *Science* 234(4772):83–85
- Brown CR, Brown MB (2000) Heritable basis for choice of group size in a colonial bird. *Proc Natl Acad Sci* 97(26):14825–14830
- Brown CR, Brown MB (2004) Empirical measurement of parasite transmission between groups in a colonial bird. *Ecology* 85(6):1619–1626
- Brown SD, Dooling RJ (1992) Perception of conspecific faces by budgerigars (*Melopsittacus undulatus*). 1. Natural faces. *J Comp Psychol* 106(3):203–216. doi:[10.1037/0735-7036.106.3.203](https://doi.org/10.1037/0735-7036.106.3.203)
- Brown GE, Godin JGJ, Pedersen J (1999) Fin-flicking behaviour: a visual antipredator alarm signal in a characin fish, *Hemigrammus erythrozonus*. *Anim Behav* 58:469–475. doi:[10.1006/anbe.1999.1173](https://doi.org/10.1006/anbe.1999.1173)
- Brown C, Garwood MP, Williamson JE (2012) It pays to cheat: tactical deception in a cephalopod social signalling system. *Biol Lett* 8(5):729–32
- Bruce HM (1959) An exteroceptive block to pregnancy in the mouse. *Nature* 184:105–105
- Bruck JN (2013) Decades-long social memory in bottlenose dolphins. *Proc R Soc B* 280(1768):20131726. doi:[10.1098/rspb.2013.1726](https://doi.org/10.1098/rspb.2013.1726)
- Brunton DH (1997) Impacts of predators: Center nests are less successful than edge nests in a large nesting colony of Least Terns. *Condor* 99(2):372–380. doi:[10.2307/1369943](https://doi.org/10.2307/1369943)
- Bryant DM, Newton AV (1994) Metabolic costs of dominance in dippers, *Cinclus cinclus*. *Anim Behav* 48(2):447–455. doi:[10.1006/anbe.1994.1258](https://doi.org/10.1006/anbe.1994.1258)
- Bshary R, Wickler W, Fricke H (2002) Fish cognition: a primate's eye view. *Anim Cogn* 5(1):1–13. doi:[10.1007/s10071-001-0116-5](https://doi.org/10.1007/s10071-001-0116-5)
- Bshary R, Hohner A, Ait-el-Djoudi K, Fricke H (2006) Interspecific communicative and coordinated hunting between groupers and giant moray eels in the Red Sea. *PLoS Biol* 4(12):e431. doi:[10.1371/journal.pbio.0040431](https://doi.org/10.1371/journal.pbio.0040431)
- Buck J, Buck E (1976) Synchronous fireflies. *Sci Am* 234(5):74–85
- Buhl J, Sumpter DJT, Couzin ID, Hale JJ, Despland E, Miller ER, Simpson SJ (2006) From disorder to order in marching locusts. *Science* 312(5778):1402–1406. doi:[10.1126/science.1125142](https://doi.org/10.1126/science.1125142)
- Buhl J, Sword GA, Clissold FJ, Simpson SJ (2011) Group structure in locust migratory bands. *Behav Ecol Sociobiol* 65(2):265–273. doi:[10.1007/s00265-010-1041-x](https://doi.org/10.1007/s00265-010-1041-x)
- Buhl J, Sword GA, Simpson SJ (2012) Using field data to test locust migratory band collective movement models. *Interface Focus* 2(6):757–763. doi:[10.1098/rsfs.2012.0024](https://doi.org/10.1098/rsfs.2012.0024)
- Buhrman-Deever SC, Hobson EA, Hobson AD (2008) Individual recognition and selective response to contact calls in foraging brown-throated conures, *Aratinga pertinax*. *Anim Behav* 76:1715–1725. doi:[10.1016/j.anbehav.2008.08.007](https://doi.org/10.1016/j.anbehav.2008.08.007)
- Bull CM, Griffin CL, Lanham EJ, Johnston GR (2000) Recognition of pheromones from group members in a gregarious lizard, *Egernia stokesii*. *J Herpetol* 34(1):92–99
- Bumann D, Krause J, Rubenstein D (1997) Mortality risk of spatial positions in animal groups: The danger of being in the front. *Behaviour* 134:1063–1076

- Burgerhout E, Tudorache C, Brittijn SA, Palstra AP, Dirks RP, van den Thillart GE (2013) Schooling reduces energy consumption in swimming male European eels, *Anguilla anguilla* L. *J Exp Mar Biol Ecol* 448:66–71
- Burns ALJ, Herbert-Read JE, Morrell LJ, Ward AJW (2012) Consistency of leadership in Shoals of Mosquitofish (*Gambusia holbrooki*) in novel and in familiar environments. *PLoS One* 7(5):e36567. doi:[10.1371/journal.pone.0036567](https://doi.org/10.1371/journal.pone.0036567)
- Buske C, Gerlai R (2011) Shoaling develops with age in Zebrafish (*Danio rerio*). *Prog Neuropsychopharmacol Biol Psychiatry* 35:1409–1415
- Buston P (2003) Forcible eviction and prevention of recruitment in the clown anemonefish. *Behav Ecol* 14(4):576–582
- Buston PM, Fauvelot C, Wong MYL, Planes S (2009) Genetic relatedness in groups of the humbug damselfish *Dascyllus aruanus*: small, similar-sized individuals may be close kin. *Mol Ecol* 18:4707–4715
- Butler MJ, MacDiarmid AB, Booth JD (1999) The cause and consequence of ontogenetic changes in social aggregation in New Zealand spiny lobsters. *Mar Ecol Prog Ser* 188:179–191
- Buxton RT, Jones IL (2012) An experimental study of social attraction in two species of storm petrel by acoustic and olfactory cues. *Condor* 114(4):733–743. doi:[10.1525/cond.2012.110091](https://doi.org/10.1525/cond.2012.110091)
- Byrne RW, Whiten A (1988) *Machiavellian Intelligence: social expertise and the evolution of intellect in monkeys apes and humans*. Oxford University Press, Oxford
- Calabuig G, Ortego J, Aparicio JM, Cordero PJ (2008) Public information in selection of nesting colony by lesser kestrels: which cues are used and when are they obtained? *Anim Behav* 75(5):1611–1617
- Calf K, Adams N, Slotow R (2002) Dominance and huddling behaviour in Bronze Mannikin *Lonchura cucullata* flocks. *Ibis* 144(3):488–493. doi:[10.1046/j.1474-919X.2002.00039.x](https://doi.org/10.1046/j.1474-919X.2002.00039.x)
- Call J, Aureli F, de Waal FB (1999) Reconciliation patterns among stumptailed macaques: a multivariate approach. *Anim Behav* 58(1):165–172
- Camazine S, Deneubourg J-L, Franks NR, Sneyd J, Theraulaz G, Bonabeau E (2001) *Self-organization in biological systems*. Princeton University Press, Princeton
- Campbell DLM, Hauber ME (2009) Cross-fostering diminishes song discrimination in zebra finches (*Taeniopygia guttata*). *Anim Cogn* 12(3):481–490. doi:[10.1007/s10071-008-0209-5](https://doi.org/10.1007/s10071-008-0209-5)
- Cant MA, Hodge SJ, Bell MB, Gilchrist JS, Nichols HJ (2010) Reproductive control via eviction (but not the threat of eviction) in banded mongooses. *Proc Roy Soc B Bio Sci* 277(1691):2219–26
- Caraco T, Wolf LL (1975) Ecological determinants of group sizes of foraging lions. *Am Nat* 109:343–352
- Carbone C, Du Toit JT, Gordon IJ (1997) Feeding success in African wild dogs: does kleptoparasitism by spotted hyenas influence hunting group size? *J Anim Ecol* 66:318–326
- Carbone C, Maddox T, Funston PJ, Mills MG, Grether GF, Van Valkenburgh B (2009) Parallels between playbacks and Pleistocene tar seeps suggest sociality in an extinct sabretooth cat, *Smilodon*. *Biol Lett* 5(1):81–85
- Careau V, Garland T (2015) Energetics and behavior: many paths to understanding. *Trends Ecol Evol* 30:365–366
- Carere C, Drent PJ, Privitera L, Koolhaas JM, Groothuis TG (2005) Personalities in great tits, *Parus major*: stability and consistency. *Anim Behav* 70(4):795–805
- Carere C, Montanino S, Moreschini F, Zoratto F, Chiarotti F, Santucci D, Alleva E (2009) Aerial flocking patterns of wintering starlings, *Sturnus vulgaris*, under different predation risk. *Anim Behav* 77(1):101–107
- Caro T (2005) *Antipredator defenses in birds and mammals*. University of Chicago Press, Chicago
- Carson K, Woodgush DGM (1983) Equine behavior. 1. A review of the literature on social and dam foal behavior. *App Anim Ethol* 10:165–178
- Carter GG, Wilkinson GS (2013) Food sharing in vampire bats: reciprocal help predicts donations more than relatedness or harassment. *Pro Royal Soc Lon B Biol Sci* 280(1753):20122573
- Carter CS, Grippo AJ, Pournajafi-Nazarloo H, Ruscio MG, Porges SW (2008) Oxytocin, vasopressin and sociality. *Prog Brain Res* 170:331–336
- Carvalho GR, Shaw PW, Hauser L, Seghers BH, Magurran AE (1996) Artificial introductions, evolutionary change and population differentiation in Trinidadian guppies (*Poecilia reticulata*: Poeciliidae). *Biol J Linn Soc* 57(3):219–234

- Catterall CP, Kikkawa J, Gray C (1989) Interrelated age-dependent patterns of ecology and behavior in a population of silvereyes (Aves, Zosteropidae). *J Anim Ecol* 58:557–570
- Chapman CA (1990) Association patterns of spider monkeys – the influence of ecology and sex on social-organization. *Behav Ecol Sociobiol* 26:409–414
- Chapman CA, Lefebvre L (1990) Manipulating foraging group size: spider monkey food calls at fruiting trees. *Anim Behav* 39(5):891–896
- Chapman CA, White FJ, Wrangham RW (1993) Defining subgroup size in fission-fusion societies. *Folia Primatol* 61:31–34
- Chaverri G, Gillam EH, Vonhof MJ (2010) Social calls used by a leaf-roosting bat to signal location. *Biol Lett* 6(4):441–444. doi:[10.1098/rsbl.2009.0964](https://doi.org/10.1098/rsbl.2009.0964)
- Cheney DL, Seyfarth RM (1999) Recognition of other individuals' social relationships by female baboons. *Anim Behav* 58:67–75. doi:[10.1006/anbe.1999.1131](https://doi.org/10.1006/anbe.1999.1131)
- Childress MC, Herrnkind WF (1996) The ontogeny of social behavior among juvenile Caribbean spiny lobsters. *Anim Behav* 51:675–687
- Childress MJ, Herrnkind WF (2001) The guide effect influence on the gregariousness of juvenile Caribbean spiny lobsters. *Anim Behav* 62:465–472
- Chittka L (2004) Dances as windows into insect perception. *Plos Biol* 2:898–900
- Chungu H, Speybroeck N, Pegram RG, Berkvens DL (2001) *Rhipicephalus appendiculatus* burdens on cattle in relation to age and sex of the host. *Tropicultura* 19(1):34–36
- Clark BR, Faeth SH (1998) The evolution of egg clustering in butterflies: a test of the egg desiccation hypothesis. *Evolut Ecol* 12(5):543–552
- Clark DL, Roberts JA, Uetz GW (2012) Eavesdropping and signal matching in visual courtship displays of spiders. *Biol Lett* 8:375e378
- Clayton NS (1990) The effects of cross-fostering on assortative mating between zebra finch subspecies. *Anim Behav* 40:1102–1110. doi:[10.1016/s0003-3472\(05\)80176-9](https://doi.org/10.1016/s0003-3472(05)80176-9)
- Clutton-Brock T (2002) Breeding together: kin selection and mutualism in cooperative vertebrates. *Science* 296(5565):69–72
- Clutton-Brock T, Janson C (2012) Primate socioecology at the crossroads: past, present, and future. *Evol Anthropol* 21(4):136–150
- Clutton-Brock TH, Parker GA (1995) Sexual coercion in animal societies. *Anim Behav* 49(5):1345–1365
- Clutton-Brock TH, Price OF, MacColl AC (1992) Mate retention, harassment, and the evolution of ungulate leks. *Behav Ecol* 3(3):234–242
- Codling EA, Pitchford JW, Simpson SD (2007) Group navigation and the “many-wrongs principle” in models of animal movement. *Ecology* 88(7):1864–1870
- Cole BJ (1991) Short-term activity cycles in ants – generation of periodicity by worker interaction. *Am Nat* 137(2):244–259. doi:[10.1086/285156](https://doi.org/10.1086/285156)
- Coleman RA (2010) Limpet aggregation does not alter desiccation in the limpet *Cellana tramoserica*. *J Exp Mar Biol Ecol* 386(1–2):113–118. doi:[10.1016/j.jembe.2010.02.011](https://doi.org/10.1016/j.jembe.2010.02.011)
- Collins LM, Sumpter DJT (2007) The feeding dynamics of broiler chickens. *J R Soc Interface* 4:65–72
- Connor RC (1996) Partner preferences in by-product mutualisms and the case of predator inspection in fish. *Anim Behav* 51(2):451–454
- Conradt L (2013) Collective animal decisions: preference conflict and decision accuracy. *Inter Focus* 3:20130029
- Conradt L, List C (2009) Group decisions in humans and animals: a survey. *Philos Trans R Soc Lond B Biol Sci* 364:719–742
- Conradt L, Roper TJ (2000) Activity synchrony and social cohesion: a fission-fusion model. *Proc Royal Soc Lon Series B Bio Sci* 267:2213–2218
- Conradt L, Roper TJ (2003) Group decision-making in animals. *Nature* 421(6919):155–158
- Conradt L, Roper TJ (2005) Consensus decision making in animals. *Trends Ecol Evol* 20:449–456
- Conradt L, Roper TJ (2009) Conflicts of interest and the evolution of decision sharing. *Philos Tr Royal Soc B Biol Sci* 364(1518):807–819. doi:[10.1098/rstb.2008.0257](https://doi.org/10.1098/rstb.2008.0257)

- Conradt L, Krause J, Couzin ID, Roper TJ (2009) "Leading according to need" in self-organizing groups. *Am Nat* 173:304–312
- Conradt L, List C, Roper TJ (2013) Swarm intelligence: when uncertainty meets conflict. *Am Nat* 182:592–610
- Cook M, Mineka S (1989) Observational conditioning of fear to fear-relevant versus fear-irrelevant stimuli in rhesus-monkeys. *J Abnorm Psychol* 98(4):448–459. doi:[10.1037/0021-843x.98.4.448](https://doi.org/10.1037/0021-843x.98.4.448)
- Coolen I, Giraldeau LA, Lavoie M (2001) Head position as an indicator of producer and scrounger tactics in a ground-feeding bird. *Anim Behav* 61(5):895–903
- Coolen I, Bergen YV, Day RL, Laland KN (2003) Species difference in adaptive use of public information in sticklebacks. *Pro Royal Soc Lon B Biol Sci* 270(1531):2413–2419
- Cooper SM (1991) Optimal hunting group size: the need for lions to defend their kills against loss to spotted hyaenas. *Afr J Ecol* 29(2):130–136
- Cords M (1995) Predator vigilance costs of allogrooming in wild blue monkeys. *Behaviour* 132(7):559–569
- Cornwallis CK, West SA, Davis KE, Griffin AS (2010) Promiscuity and the evolutionary transition to complex societies. *Nature* 466(7309):969–972
- Costa JT, Gotzek DA, Janzen DH (2003) Late-instar shift in foraging strategy and trail-pheromone use by caterpillars of the neotropical moth *Arsenura armida* (Cramer) (Saturniidae: Arsenurinae). *J Lepidopera Soc* 57:220–229
- Cote IM, Poulin R (1995) Parasitism and group-size in social animals – a metaanalysis. *Behav Ecol* 6:159–165
- Cote J, Fogarty S, Sih A (2012) Individual sociability and choosiness between shoal types. *Anim Behav* 83(6):1469–1476
- Cotgreave P, Clayton DH (1994) Comparative analysis of time spent grooming by birds in relation to parasite load. *Behaviour* 131(3):171–187
- Cotoneschi C, Dani FR, Cervo R, Sledge MF, Turillazzi S (2007) *Polistes dominulus* (Hymenoptera: Vespidae) larvae possess their own chemical signatures. *J Insect Physiol* 53(9):954–963. doi:[10.1016/j.jinsphys.2006.12.016](https://doi.org/10.1016/j.jinsphys.2006.12.016)
- Coulon M, Deputte BL, Heyman Y, Delatouche L, Richard C (2007) Visual discrimination by heifers (*Bos taurus*) of their own species. *J Comp Psychol* 121(2):198–204. doi:[10.1037/0735-7036.121.2.198](https://doi.org/10.1037/0735-7036.121.2.198)
- Coulon M, Deputte BL, Heyman Y, Baudoin C (2009) Individual recognition in domestic cattle (*Bos taurus*): evidence from 2D-images of heads from different breeds. *Plos One* 4(2). doi:[10.1371/journal.pone.0004441](https://doi.org/10.1371/journal.pone.0004441)
- Courtenay SC, Quinn TP, Dupuis HMC, Groot C, Larkin PA (1997) Factors affecting the recognition of population-specific odours by juvenile coho salmon. *J Fish Biol* 50(5):1042–1060
- Courtney SP (1984) The evolution of egg clustering by butterflies and other insects. *Am Nat* 123:276–281
- Couzin ID (2006) Behavioral ecology: social organization in fission-fusion societies. *Curr Biol* 16:R169–R171
- Couzin ID, Franks NR (2003) Self-organized lane formation and optimized traffic flow in army ants. *Pro Royal Soc Lon B Biol Sci* 270(1511):139–146. doi:[10.1098/rspb.2002.2210](https://doi.org/10.1098/rspb.2002.2210)
- Couzin ID, Krause J (2003) Self-organization and collective behavior in vertebrates. In: *Advances in the study of behavior*, vol 32. pp 1–75
- Couzin ID, Krause J, James R, Ruxton GD, Franks NR (2002) Collective memory and spatial sorting in animal groups. *J Theor Biol* 218(1):1–11. doi:[10.1006/jtbi.3065](https://doi.org/10.1006/jtbi.3065)
- Couzin ID, Krause J, Franks NR, Levin SA (2005) Effective leadership and decision-making in animal groups on the move. *Nature* 433(7025):513–516. doi:[10.1038/nature03236](https://doi.org/10.1038/nature03236)
- Couzin ID, Ioannou CC, Demirel G, Gross T, Torney CJ, Hartnett A, Conradt L, Levin SA, Leonard NE (2011) Uninformed individuals promote democratic consensus in animal groups. *Science* 334:1578–1580
- Cox MD, Blanchard GB (2000) Gaseous templates in ant nests. *J Theor Biol* 204(2):223–238. doi:[10.1006/jtbi.2000.2010](https://doi.org/10.1006/jtbi.2000.2010)

- Cozzie LR, Irby WS (2010) Anti-insect defensive behaviors in equines post-West Nile virus infection. *J Veterinary Beha Clin Appl Res* 5:13–21
- Creel S (2001) Social dominance and stress hormones. *Trends in Ecology & Evolution*, Volume 16, Issue 9, 491–497
- Creel S, Creel NM (1995) Communal hunting and pack size in African wild dogs, *Lycaon pictus*. *Anim Behav* 50(5):1325–1339
- Creel S, Schuette P, Christianson D (2014) Effects of predation risk on group size, vigilance, and foraging behavior in an African ungulate community. *Behav Ecol* 25(4):773–784
- Cresswell W (1997) Interference competition at low competitor densities in blackbirds *Turdus merula*. *J Anim Ecol* 66:461–471
- Cresswell W (1998) Variation in the strength of interference competition with resource density in blackbirds *Turdus merula*. *Oikos* 81:152–160
- Croft DP, Arrowsmith BJ, Bielby J, Skinner K, White E, Couzin ID, Magurran IR, Krause J (2003) Mechanisms underlying shoal composition in the Trinidadian guppy, *Poecilia reticulata*. *Oikos* 100(3):429–438
- Croft DP, James R, Ward AJW, Botham MS, Mawdsley D, Krause J (2005) Assortative interactions and social networks in fish. *Oecologia* 143:211–219
- Croft DP, James R, Krause J (2008) Exploring animal social networks. Princeton University Press, Princeton
- Croft DP, Darden SK, Ruxton GD (2009a) Predation risk as a driving force for phenotypic assortment: a cross-population comparison. *Proc Roy Soc B* 276(1663):1899–904
- Croft DP, Krause J, Darden SK, Ramnarine IW, Faria JJ, James R (2009b) Behavioural trait assortment in a social network: patterns and implications. *Behav Ecol Sociobiol* 63(10):1495–1503
- Croft DP, Edenbrow M, Darden SK, Ramnarine IW, van Oosterhout C, Cable J (2011) Effect of gyrodactylid ectoparasites on host behaviour and social network structure in guppies *Poecilia reticulata*. *Behav Ecol Sociobiol* 65:2219–2227
- Crofton HD (1958) Nematode parasite populations in sheep on lowland farms. 6. sheep behaviour and nematode infections. *Parasitology* 48(3–4):251–260
- Crook JH, Gartlan JS (1966) Evolution of primate societies. *Nature* 210(5042):1200
- Cross PC, Lloyd-Smith JO, Bowers JA, Hay CT, Hofmeyr M, Getz WM (2004) Integrating association data and disease dynamics in a social ungulate: bovine tuberculosis in African buffalo in the Kruger National Park. *Ann Zoologici Fennici* 41:879–892
- Cross PC, Lloyd-Smith JO, Getz WM (2005) Disentangling association patterns in fission-fusion societies using African buffalo as an example. *Anim Behav* 69:499–506
- Croxall JP, Silk JR, Phillips RA, Afanasyev V, Briggs DR (2005) Global circumnavigations: tracking year-round ranges of nonbreeding albatrosses. *Science* 307(5707):249–250
- Cullen JM, Shaw E, Baldwin HA (1965) Methods for measuring 3-dimensional structure of fish schools. *Animal Behaviour* 13(4):534. doi:[10.1016/0003-3472\(65\)90117-x](https://doi.org/10.1016/0003-3472(65)90117-x)
- Cvikel N, Berg KE, Levin E, Hurme E, Borissov I, Boonman A, Amichai E, Yovel Y (2015) Bats aggregate to improve prey search but might be impaired when their density becomes too high. *Curr Biol* 25(2):206–211
- Czirok A, Vicsek T (2000) Collective behavior of interacting self-propelled particles. *Phys A Stat Mech Appl* 281(1–4):17–29. doi:[10.1016/s0378-4371\(00\)00013-3](https://doi.org/10.1016/s0378-4371(00)00013-3)
- Czirok A, Vicsek M, Vicsek T (1999) Collective motion of organisms in three dimensions. *Phys A Stat Mech Appl* 264(1–2):299–304. doi:[10.1016/s0378-4371\(98\)00468-3](https://doi.org/10.1016/s0378-4371(98)00468-3)
- D'Eath RB, Stone RJ (1999) Chickens use visual cues in social discrimination: an experiment with coloured lighting. *Appl Anim Behav Sci* 62(2–3):233–242. doi:[10.1016/s0168-1591\(98\)00216-0](https://doi.org/10.1016/s0168-1591(98)00216-0)
- D'Ettorre P, Heinze J (2001) Sociobiology of slave-making ants. *Acta Ethol* 3(2):67–82
- da Costa AP, Leigh AE, Man MS, Kendrick KM (2004) Face pictures reduce behavioural, autonomic, endocrine and neural indices of stress and fear in sheep. *Proc Royal Soc B Biol Sci* 271(1552):2077–2084. doi:[10.1098/rspb.2004.2831](https://doi.org/10.1098/rspb.2004.2831)
- Dale J, Lank DB, Reeve HK (2001) Signaling individual identity versus quality: a model and case studies with ruffs, queleas, and house finches. *Am Nat* 158(1):75–86. doi:[10.1086/320861](https://doi.org/10.1086/320861)

- Dall SRX, Giraldeau LA, Olsson O, McNamara JM, Stephens DW (2005) Information and its use by animals in evolutionary ecology. *Trends Ecol Evol* 20:187–193
- Danchin E, Wagner RH (1997) The evolution of coloniality: the emergence of new perspectives. *Trends Ecol Evol* 12:342–347
- Danchin É, Giraldeau LA, Valone TJ, Wagner RH (2004) Public information: from nosy neighbors to cultural evolution. *Science* 305(5683):487–491
- Darden SK, Croft DP (2008). Male harassment drives females to alter habitat use and leads to segregation of the sexes. *Biology letters*, 4(5), 449–451.
- Darden SK, James R, Ramnarine IW, Croft DP (2009). Social implications of the battle of the sexes: sexual harassment disrupts female sociality and social recognition. *Proceedings of the Royal Society of London B: Biological Sciences*, 276(1667), 2651–2656.
- Davenport D, Norris KS (1958) Observations on the symbiosis of the sea anemone *Stoichactis* and the pomacentrid fish, *Amphiprion percula*. *Biol B* 115(3):397–410. doi:[10.2307/1539105](https://doi.org/10.2307/1539105)
- Davies NB, Krebs JR, West SA (2012) An introduction to behavioural ecology. Wiley, Oxford
- Davis JM (1975) Socially induced flight reactions in pigeons. *Animal Behaviour* 23:597
- Dawkins R (1976) *The selfish gene*. Oxford University Press, Oxford
- de Waal F (1982) Chimpanzee politics. Power and sex among apes. Chimpanzee politics. Power and sex among apes. The John Hopkins University Press, Baltimore, Maryland
- DeBlois EM, Rose GA (1996) Cross-shoal variability in the feeding habits of migrating Atlantic cod (*Gadus morhua*). *Oecologia* 108(1):192–196
- Delestrade A (1994) Factors affecting flock size in the alpine chough *pyrrhocorax-graculus*. *Ibis* 136:91–96
- Dell AI, Bender JA, Branson K, Couzin ID, de Polavieja GG, Noldus L, Perez-Escudero A, Perona P, Straw AD, Wikelski M, Brose U (2014) Automated image-based tracking and its application in ecology. *Trends Ecol Evol* 29(7):417–428. doi:[10.1016/j.tree.2014.05.004](https://doi.org/10.1016/j.tree.2014.05.004)
- Dell’Ariccia G, Dell’Omo G, Wolfer DP, Lipp HP (2008) Flock flying improves pigeons’ homing: GPS track analysis of individual flyers versus small groups. *Anim Behav* 76:1165–1172
- Delville Y, David JT, Taravosh-Lahn K, Wommack JC (2003) Stress and the development of agonistic behavior in golden hamsters. *Horm Behav* 44:263–270
- Deneubourg JL, Goss S (1989) Collective patterns and decision-making. *Etholo Ecolo Evol* 1:295–311
- Deneubourg JL, Lioni A, Detrain C (2002) Dynamics of aggregation and emergence of cooperation. *Biol B* 202:262–267
- Despland E, Hamzeh S (2004) Ontogenetic changes in social behaviour in the forest tent caterpillar, *Malacosoma disstria*. *Behav Ecol Sociobiol* 56:177–184
- Desrochers A (1989) Sex, dominance, and microhabitat use in wintering black-capped chickadees – a field experiment. *Ecology* 70(3):636–645. doi:[10.2307/1940215](https://doi.org/10.2307/1940215)
- Detto T, Backwell PRY, Hemmi JM, Zeil J (2006) Visually mediated species and neighbour recognition in fiddler crabs (*Uca mjoebergi* and *Uca capricornis*). *Proc Royal Soc B Biol Sci* 273(1594):1661–1666. doi:[10.1098/rspb.2006.3503](https://doi.org/10.1098/rspb.2006.3503)
- Deutsch A, Theraulaz G, Vicsek T (2012) Collective motion in biological systems. *Interface Focus* 2(6):689–692. doi:[10.1098/rsfs.2012.0048](https://doi.org/10.1098/rsfs.2012.0048)
- Devito J, Chivers DP, Kiesecker JM, Marco A, Wildy EL, Blaustein AR (1998) The effects of snake predation on metamorphosis of western toads, *Bufo boreas* (Amphibia, Bufonidae). *Etholo* 104(3):185–193
- Di Bitetti MS, Janson CH (2001) Social foraging and the finder’s share in capuchin monkeys, *Cebus apella*. *Anim Behav* 62(1):47–56
- Di Blanco Y, Hirsch BT (2006) Determinants of vigilance behavior in the ring-tailed coati (*Nasua nasua*): the importance of within-group spatial position. *Behav Ecol Sociobiol* 61(2):173–182. doi:[10.1007/s00265-006-0248-3](https://doi.org/10.1007/s00265-006-0248-3)
- Di Fiore A, Rendall D (1994) Evolution of social organization: a reappraisal for primates by using phylogenetic methods. *Proc Natl Acad Sci* 91(21):9941–9945
- Dill LM, Dunbrack RL, Major PF (1981) A new stereophotographic technique for analyzing the three-dimensional structure of fish schools. *Environ Biol Fishes* 6:7–13

- Dingemans NJ, Both C, Drent PJ, Tinbergen JM (2004) Fitness consequences of avian personalities in a fluctuating environment. *Proc Royal Soc London Series B Biol Sci* 271(1541): 847–852
- Dittrich W (1990) Representation of faces in longtailed macaques (*Macaca fascicularis*). *Ethology* 85(4):265–278
- Dittus WP (1988) Group fission among wild toque macaques as a consequence of female resource competition and environmental stress. *Anim Behav* 36(6):1626–1645
- Dobler R, Kölliker M (2010) Kin-selected siblicide and cannibalism in the European earwig. *Behav Ecol* 21(2):257–263
- Dolby AS, Grubb TC Jr (1998) Benefits to satellite members in mixed-species foraging groups: an experimental analysis. *Anim Behav* 56(2):501–509
- Doligez B, Danchin E, Clobert J (2002) Public information and breeding habitat selection in a wild bird population. *Science* 297(5584):1168–1170
- Domenici P, Lefrancois C, Shingles A (2007) Hypoxia and the antipredator behaviours of fishes. *Philos Trans R Soc Lond B Biol Sci* 362(1487):2105–2121
- Doonan IJ, Bull B, Coombs RF (2003) Star acoustic surveys of localized fish aggregations. *ICES J Marine Sci* 60(1):132–146. doi:10.1006/jmsc.2002.1331
- Dorigo M, Stutzle T (2004) *Ant colony optimization*. MIT Press, Cambridge
- Dorigo M, Maniezzo V, Colomi A (1996) Ant system: optimization by a colony of cooperating agents. *IEEE Trans Syst Man Cybern B Cybern* 26(1):29–41. doi:10.1109/3477.484436
- Dornhaus A, Chittka L (2004) Information flow and regulation of foraging activity in bumble bees (*Bombus* spp.). *Apidologie* 35:183–192
- Dornhaus A, Powell S, Bengston S (2012) Group size and its effects on collective organization. *Annu Rev Entomol* 57(57):123–141
- Drea CM, Vignieri SN, Kim HS, Weldele ML, Glickman SE (2002) Responses to olfactory stimuli in spotted hyenas (*crocuta crocuta*): II. Discrimination of conspecific scent. *J Comp Psychol* 116(4):342–349. doi:10.1037//0735-7036.116.4.342
- Duffy DC (1983) The foraging ecology of Peruvian seabirds. *Auk* 800–810
- Dugatkin LA (1988) Do guppies play tit for tat during predator inspection visits? *Behav Ecol Sociobiol* 23(6):395–399
- Dugatkin LA, Alfieri M (1991) Guppies and the TIT FOR TAT strategy: preference based on past interaction. *Behav Ecol Sociobiol* 28(4):243–246
- Dugatkin LA, Godin JGJ (1993) Female mate copying in the guppy (*Poecilia reticulata*): age-dependent effects. *Behav Ecol* 4(4):289–292
- Dugatkin LA, Fitzgerald GJ, Lavoie J (1994) Juvenile 3-spined sticklebacks avoid parasitized conspecifics. *Environ Biol Fishes* 39:215–218
- Duijns S, Piersma T (2014) Interference competition in a sexually dimorphic shorebird: prey behaviour explains intraspecific competition. *Anim Behav* 92:195–201
- Dukas R (2002) Behavioural and ecological consequences of limited attention. *Philos Tr Royal Soc B Biol Sci* 357:1539–1547
- Dukas R, Kamil A (2000) The cost of limited attention in blue jays. *Behav Ecol* 11:502–506
- Dunbar RI (1991) Functional significance of social grooming in primates. *Folia Primatol* 57(3):121–131
- Dunbar RIM (1998) The social brain hypothesis. *Evol Anthropol* 6:178–190
- Dunbar R, Dunbar P (1975) Social dynamics of gelada baboons. *Contrib Primatol* 6:1–157
- Dunbar RIM, Shultz S (2007) Evolution in the social brain. *Science* 317:1344–1347
- Dussutour A, Simpson SJ, Despland E, Colasurdo N (2007) When the group denies individual nutritional wisdom. *Anim Behav* 74:931–939
- Duvall D (1986) A new question of pheromones: aspects of possible chemical signaling and reception in the mammal-like reptiles. In: Hotton N, MacLean PD, Roth JJ, Roth EC (eds) *The ecology and biology of mammal-like reptiles*. Smithsonian Institution Press, Washington, DC, pp 219–238
- Dyer JRG, Croft DP, Morrell LJ, Krause J (2008) Shoal composition determines foraging success in the guppy. *Behav Ecol* 20:165–171

- Dziewczynski TL, Crovo JA (2011) Shyness and boldness differences across contexts in juvenile three spined stickleback *Gasterosteus aculeatus* from an anadromous population. *J Fish Biol* 79(3):776–788
- Ebensperger LA (2001) A review of the evolutionary causes of rodent group-living. *Acta Theriol* 46(2):115–144
- Edelman AJ, Koprowski JL (2007) Communal nesting in asocial Abert's squirrels: the role of social thermoregulation and breeding strategy. *Etholo* 113(2):147–154
- Edwards DH, Kravitz EA (1997) Serotonin, social status and aggression. *Curr Opin Neurobiol* 7:812–819
- Enns M, Van Duyse E, Berghman L, Pinxten R (2000) Shield characteristics are testosterone-dependent in both male and female moorhens. *Horm Behav* 37(2):126–134. doi:[10.1006/hbeh.1999.1569](https://doi.org/10.1006/hbeh.1999.1569)
- Einon DF, Morgan MJ (1977) Critical period for social-isolation in rat. *Dev Psychobiol* 10:123–132
- Ekman J (1986) Tree use and predator vulnerability of wintering passerines. *Ornis Scan* 17(3):261–267. doi:[10.2307/3676836](https://doi.org/10.2307/3676836)
- Ekman J (1987) Exposure and time use in willow tit flocks – the cost of subordination. *Anim Behav* 35:445–452. doi:[10.1016/s0003-3472\(87\)80269-5](https://doi.org/10.1016/s0003-3472(87)80269-5)
- Ekman JB, Askenmo CEH (1984) Social rank and habitat use in willow TIT groups. *Anim Behav* 32(MAY):508–514. doi:[10.1016/s0003-3472\(84\)80288-2](https://doi.org/10.1016/s0003-3472(84)80288-2)
- Elekonich MM, Wingfield JC (2000) Seasonality and hormonal control of territorial aggression in female song sparrows (Passeriformes: Emberizidae: *Melospiza melodia*). *Etholo* 106:493–510
- Elliott JM (2002) Shadow competition in wild juvenile sea trout. *J Fish Biol* 61(5):1268–1281
- Emery AR (1973) Preliminary comparisons of day and night habits of freshwater fish in Ontario lakes. *J Fish Res Board Can* 30(6):761–775
- Emlen ST (1984) Cooperative breeding in birds and mammals. In *Behavioural ecology: an evolutionary approach* (eds. Krebs JR, Davies NB), pp. 305–339. Sunderland, MA: Sinauer
- Engelhardt SC, Weladji RB, Holand Ø, Røed KH, Nieminen M (2015) Evidence of reciprocal allonursing in reindeer, rangifer tarandus. *Ethology*, 121:245–259. doi:[10.1111/eth.12334](https://doi.org/10.1111/eth.12334)
- Engeszer RE, Ryan MJ, Parichy DM (2004) Learned social preference in zebrafish. *Curr Biol* 14:881–884
- Erhart EM, Overdorff DJ (1999) Female coordination of group travel in wild *Propithecus* and *Eulemur*. *Int J Primatol* 20:927–940
- Eriksson A, Jacobi MN, Nystrom J, Tunstrom K (2010) Determining interaction rules in animal swarms. *Behav Ecology* 21(5):1106–1111. doi:[10.1093/beheco/arq118](https://doi.org/10.1093/beheco/arq118)
- Estes R (1991) *The behavior guide to African mammals*, vol 64. University of California Press, Berkeley
- Evans RM (1982) Foraging-flock recruitment at a black-billed gull colony: implications for the information center hypothesis. *Auk* 99:24–30
- Evans SR, Finnie M, Manica A (2007) Shoaling preferences in decapod crustacea. *Anim Behav* 74:1691–1696. doi:[10.1016/j.anbehav.2007.03.017](https://doi.org/10.1016/j.anbehav.2007.03.017)
- Evershed RP, Morgan ED, Cammaerts MC (1982) 3-ethyl-2,5-dimethylpyrazine, the trail pheromone from the venom gland of 8 species of myrmica ants. *Insect Biochem* 12(4):383–391. doi:[10.1016/0020-1790\(82\)90035-x](https://doi.org/10.1016/0020-1790(82)90035-x)
- Ewer RF (1973) *The carnivores*. Cornell University Press, Ithaca
- Fairbanks LA (1993) Risk-taking by juvenile vervet monkeys. *Behaviour* 124:57–72
- Falls JB, Krebs JR, McGregor PK (1982) Song matching in the great tit (parus-major) – the effect of similarity and familiarity. *Anim Behav* 30(NOV):997–1009. doi:[10.1016/s0003-3472\(82\)80188-7](https://doi.org/10.1016/s0003-3472(82)80188-7)
- Faria JJ, Dyer JR, Clément RO, Couzin ID, Holt N, Ward AJW, Water D, Krause J (2010) A novel method for investigating the collective behaviour of fish: introducing 'Robofish'. *Behav Ecol Sociobiol* 64(8):1211–1218
- Farine DR, Garroway CJ, Sheldon BC (2012) Social network analysis of mixed-species flocks: exploring the structure and evolution of interspecific social behaviour. *Anim Behav* 84(5):1271–1277
- Fauchald P, Rodven R, Bardsen BJ, Langeland K, Tveraa T, Yoccoz NG, Ims RA (2007) Escaping parasitism in the selfish herd: age, size and density-dependent warble fly infestation in reindeer. *Oikos* 116:491–499

- Feare CJ (1976) Desertion and abnormal development in a colony of Sooty Terns *Sterna fuscata* infested by virus-infested ticks. *Ibis* 118:112–115
- Feeney WE, Medina I, Somveille M, Heinsohn R, Hall ML, Mulder RA, Stein JA, Kilner RM, Langmore NE (2013) Brood parasitism and the evolution of cooperative breeding in birds. *Science* 342(6165):1506–1508
- Ferrari MC, Chivers DP (2009) Temporal variability, threat sensitivity and conflicting information about the nature of risk: understanding the dynamics of tadpole antipredator behaviour. *Anim Behav* 78(1):11–16
- Ferrari MC, Chivers DP (2010) The ghost of predation future: threat-sensitive and temporal assessment of risk by embryonic woodfrogs. *Behav Ecol Sociobiol* 64(4):549–555
- Fischer S, Bessert-Nettelbeck M, Kotschal A, Taborsky B (2015) Rearing-group size determines social competence and brain structure in a cooperatively breeding cichlid. *Am Natu* 186:123–140
- Fischhoff IR, Sundaesan SR, Cordingley J, Larkin HM, Sellier MJ, Rubenstein DI (2007) Social relationships and reproductive state influence leadership roles in movements of plains zebra, *Equus burchellii*. *Anim Behav* 73:825–831
- Fish FE (1995) Kinematics of ducklings swimming in formation – consequences of position. *J Exper Zoo* 273(1):1–11. doi:[10.1002/jez.1402730102](https://doi.org/10.1002/jez.1402730102)
- Fish FE (2010) Swimming strategies for energy economy. In: Domenici P, Kapoor BG (eds) *Fish swimming: an etho-ecological perspective*. Science Publishers, Enfield, pp 90–122
- Fiske P, Rintamäki PT, Karvonen E (1998) Mating success in lekking males: a meta-analysis. *Behav Ecol* 9(4):328–338
- Fitzgerald TD (1993) Sociality in caterpillars. In: Stamp N, Casey T (eds) *Caterpillars: ecological and evolutionary constraints on foraging*. Chapman and Hall, New York, pp 372–403
- Fitzgibbon CD (1990) Mixed-species grouping in Thomson's and Grant's gazelles: the antipredator benefits. *Anim Behav* 39(6):1116–1126
- FitzGibbon CD (1994) The costs and benefits of predator inspection behaviour in Thomson's gazelles. *Behav Ecol Sociobiol* 34(2):139–148
- Flack A, Pettit B, Freeman R, Guilford T, Biro D (2012) What are leaders made of? The role of individual experience in determining leader-follower relations in homing pigeons. *Anim Behav* 83:703–709
- Fletcher RJ Jr (2009) Does attraction to conspecifics explain the patch-size effect? An experimental test. *Oikos* 118(8):1139–1147. doi:[10.1111/j.1600-0706.2009.17342.x](https://doi.org/10.1111/j.1600-0706.2009.17342.x)
- Fletcher DJC, Michener CD (1987) *Kin recognition in animals*. John Wiley, New York
- Flierl G, Grunbaum D, Levin S, Olson D (1999) From individuals to aggregations: the interplay between behavior and physics. *J Theor Biol* 196(4):397–454
- Fone KCF, Porkess MV (2008) Behavioural and neurochemical effects of post-weaning social isolation in rodents – relevance to developmental neuropsychiatric disorders. *Neurosci Biobehav Rev* 32:1087–1102
- Foster SA (1985) Group foraging by a coral-reef fish – a mechanism for gaining access to defended resources. *Anim Behav* 33(AUG):782–792
- Foster EA, Franks DW, Mazzi S, Darden SK, Balcomb KC, Ford JKB, Croft DP (2012) Adaptive prolonged postreproductive life span in killer whales. *Science* 337(6100):1313. doi:[10.1126/science.1224198](https://doi.org/10.1126/science.1224198)
- Fowler CD, Liu Y, Ouimet C, Wang Z (2002) The effects of social environment on adult neurogenesis in the female prairie vole. *J Neurobiol* 51:115–128
- Fox MW (1972) *Behavior of wolves, dogs, and related canids*. Harper and Row, New York
- Frank LG (1986) Social-organization of the spotted hyena *Crocuta crocuta*.2. Dominance and reproduction. *Anim Behav* 34:1510–1527. doi:[10.1016/s0003-3472\(86\)80221-4](https://doi.org/10.1016/s0003-3472(86)80221-4)
- Franks NR (1985) Reproduction, foraging efficiency and worker polymorphism in army ants. *Fortschritte Der Zoologie* 31:91–107
- Franks NR, Bryant S (1987) Rhythmical patterns of activity within the nest of ants. In: Eder J, Rembold H (eds) *Chemistry and biology of social insects*. Peperny, Munich

- Franks NR, Richardson T (2006) Teaching in tandem-running ants. *Nature* 439:153
- Franks NR, Dornhaus A, Fitzsimmons JP, Stevens M (2003a) Speed versus accuracy in collective decision making. *Proc Royal Soc London Series B Biol Sci* 270:2457–2463
- Franks NR, Mallon EB, Bray HE, Hamilton MJ, Mischler TC (2003b) Strategies for choosing between alternatives with different attributes: exemplified by house-hunting ants. *Anim Behav* 65:215–223
- Franks NR, Hooper J, Webb C, Dornhaus A (2005) Tomb evaders: house-hunting hygiene in ants. *Biol Lett* 1:190–192
- Franks NR, Dornhaus A, Metherell BG, Nelson TR, Lanfear SAJ, Symes WS (2006) Not everything that counts can be counted: ants use multiple metrics for a single nest trait. *Proc Royal Soc London Series B Biol Sci* 273:165–169
- Franks NR, Dornhaus A, Hitchcock G, Guillem R, Hooper J, Webb C (2007) Avoidance of conspecific colonies during nest choice by ants. *Anim Behav* 73:525–534
- Franks NR, Dechaume-Moncharmont FX, Hanmore E, Reynolds JK (2009) Speed versus accuracy in decision-making ants: expediting politics and policy implementation. *Philos T Royal Soc B Biol Sci* 364:845–852
- Freeberg TM, Lucas JR (2002) Receivers respond differently to chick-a-dee calls varying in note composition in Carolina chickadees *Poecile carolinensis*. *Anim Behav* 63(5):837–845
- Fretwell SD (1972) Populations in a seasonal environment (No. 5). Princeton University Press, Princeton, NJ, USA
- Fricke HW (1973) Individual partner recognition in fish – field studies on *Amphiprion bicinctus*. *Naturwissenschaften* 60(4):204–205
- Frommen JG, Mehli M, Brendler C, Bakker TCM (2007) Shoaling decisions in three-spined sticklebacks (*Gasterosteus aculeatus*) – familiarity, kinship and inbreeding. *Behav Ecol Soc* 61(4):533–539. doi:10.1007/s00265-006-0281-2
- Frommolt KH, Goltsman ME, MacDonald DW (2003) Barking foxes, *Alopex lagopus*: field experiments in individual recognition in a territorial mammal. *Anim Behav* 65:509–518. doi:10.1006/anbe.2003.2064
- Fuiman LA, Magurran AE (1994) Development of predator defenses in fishes. *Rev Fish Biol Fisher* 4:145–183
- Furmankiewicz J, Ruczynski I, Urban R, Jones G (2011) Social calls provide tree-dwelling bats with information about the location of conspecifics at roosts. *Etholo* 117(6):480–489. doi:10.1111/j.1439-0310.2011.01897.x
- Furness RW, Birkhead TR (1984) Seabird colony distributions suggest competition for food supplies during the breeding season. *Nature* 311:655–656
- Gagliardo A, Guilford T (1993) Why do warning-coloured prey live gregariously? *Proc Royal Soc London Series B Biol Sci* 251(1330):69–74
- Gaioni SJ, Ross LE (1982) Distress calling induced by reductions in group-size in ducklings reared with conspecifics or imprinting stimuli. *Anim Learn Behav* 10(4):521–529. doi:10.3758/bf03212294
- Galef BG (1988) Imitation in animals: history, definition and interpretation of the data from the psychological laboratory. In: Galef BG, Zentall TR (eds) *Social learning: psychological and biological perspectives*. Erlbaum, Hillsdale
- Galef BG (1996) Social enhancement of food preferences in Norway rats: a brief review. In: Heyes CM, Galef BG (eds) *Social learning in animals: the roots of culture*. Academic Press, San Diego, pp 49–64
- Galef BG (2009) Strategies for social learning: testing predictions from formal theory. *Adv Study Behav* 39:117–151
- Galef BG, Buckley LL (1996) Use of foraging trails by Norway rats. *Anim Behav* 51:765–771
- Galef BG, White DJ (1997) Socially acquired information reduces Norway rats' latencies to find food. *Anim Behav* 54:705–714
- Galef BG, Wigmore SW (1983) Transfer of information concerning distant foods: a laboratory investigation of the 'information-centre' hypothesis. *Anim Behav* 31(3):748–758

- Galton F (1907) Vox populi. *Nature* 75:450–451
- Gamboa GJ, Reeve HK, Ferguson ID, Wacker TL (1986) Nestmate recognition in social wasps – the origin and acquisition of recognition odors. *Anim Behav* 34:685–695. doi:[10.1016/s0003-3472\(86\)80053-7](https://doi.org/10.1016/s0003-3472(86)80053-7)
- Gandon S (1999) Kin competition, the cost of inbreeding and the evolution of dispersal. *J Theor Biol* 200(4):345–364
- Gautrais J, Ginelli F, Fournier R, Blanco S, Soria M, Chate H, Theraulaz G (2012) Deciphering interactions in moving animal groups. *Plos Compu Biol* 8(9). doi:[10.1371/journal.pcbi.1002678](https://doi.org/10.1371/journal.pcbi.1002678)
- Gerard JF, Loisel P (1995) Spontaneous emergence of a relationship between habitat openness and mean group size and its possible evolutionary consequences in large herbivores. *J Theor Biol* 176(4):511–522
- Gerard JF, Bideau E, Maublanc ML, Loisel P, Marchal C (2002) Herd size in large herbivores: encoded in the individual or emergent? *Biol Bull* 202(3):275–282
- Gerlach G, Lysiak N (2006) Kin recognition and inbreeding avoidance in zebrafish, *Danio rerio*, is based on phenotype matching. *Anim Behav* 71:1371–1377. doi:[10.1016/j.anbehav.2005.10.010](https://doi.org/10.1016/j.anbehav.2005.10.010)
- Gerlach G, Hodgins-Davis A, Avolio C, Schunter C (2008) Kin recognition in zebrafish: a 24-hour window for olfactory imprinting. *Proc Royal Soc London Series B Biol Sci* 275(1647):2165–2170. doi:[10.1098/rspb.2008.0647](https://doi.org/10.1098/rspb.2008.0647)
- Gherardi F, Tricarico E, Atema J (2005) Unraveling the nature of individual recognition by odor in hermit crabs. *J Chem Ecol* 31(12):2877–2896. doi:[10.1007/s10886-005-8400-5](https://doi.org/10.1007/s10886-005-8400-5)
- Gherardi F, Aquiloni L, Tricarico E (2012) Revisiting social recognition systems in invertebrates. *Anim Cogn* 15(5):745–762. doi:[10.1007/s10071-012-0513-y](https://doi.org/10.1007/s10071-012-0513-y)
- Gheusi G, Bluthé RM, Goodall G, Dantzer R (1994) Social and individual recognition in rodents – methodological aspects and neurobiological bases. *Behav Processes* 33(1–2):59–87. doi:[10.1016/0376-6357\(94\)90060-4](https://doi.org/10.1016/0376-6357(94)90060-4)
- Giesing ER, Suski CD, Warner RE, Bell AM (2011) Female sticklebacks transfer information via eggs: effects of maternal experience with predators on offspring. *Proc Royal Soc B Biol Sci* 278:1753–1759
- Gilbert C, Robertson G, Le Maho Y, Naito Y, Ancel A (2006) Huddling behavior in emperor penguins: dynamics of huddling. *Physiol Behav* 88(4–5):479–488. doi:[10.1016/j.physbeh.2006.04.024](https://doi.org/10.1016/j.physbeh.2006.04.024)
- Gilbert C, McCafferty D, Le Maho Y, Martrette JM, Giroud S, Blanc S, Ancel A (2010) One for all and all for one: the energetic benefits of huddling in endotherms. *Biol Rev* 85(3):545–569. doi:[10.1111/j.1469-185X.2009.00115.x](https://doi.org/10.1111/j.1469-185X.2009.00115.x)
- Giraldeau LA, Caraco T (1993) Genetic relatedness and group size in an aggregation economy. *Evol Ecol* 7(4):429–438
- Giraldeau L-A, Caraco T (2000) *Social foraging theory*. Princeton University Press, Princeton
- Giraldeau LA, Gillis D (1985) Optimal group size can be stable: a reply to Sibly. *Anim Behav* 33(2):666–667
- Giraldeau LA, Lefebvre L (1986) Exchangeable producer and scrounger roles in a captive flock of feral pigeons: a case for the skill pool effect. *Anim Behav* 34(3):797–803
- Giraldeau LA, Valone TJ, Templeton JJ (2002) Potential disadvantages of using socially acquired information. *Philosophical transactions of the Royal Society of London. Series B Biol Sci* 357(1427):1559–1566
- Godin J-GJ, Morgan MJ (1985) Predator avoidance and school size in a cyprinodontid fish, the banded killifish (*Fundulus diaphanus* Lesueur). *Behav Ecol Sociobiol* 16:105–110
- Godin J-GJ, Herdman EJ, Dugatkin LA (2005) Social influences on female mate choice in the guppy, *Poecilia reticulata*: generalized and repeatable trait-copying behaviour. *Anim Behav* 69(4):999–1005
- Goles E, Schulz O, Markus M (2001) Prime number selection of cycles in a predator prey model. *Complexity* 6(4):33–38
- Gonda A, Herczeg G, Merila J (2009) Habitat-dependent and -independent plastic responses to social environment in the nine-spined stickleback (*Pungitius pungitius*) brain. *Proc Royal Soc London Series B Biol Sci* 276:2085–2092

- Goodale E, Ratnayake CP, Kotagama SW (2014) Vocal mimicry of alarm associated sounds by a drongo elicits flee and mobbing responses from other species that participate in mixed species bird flocks. *Ethology* 120(3):266–274
- Goodson JL (1998a) Territorial aggression and dawn song are modulated by septal vasotocin and vasoactive intestinal polypeptide in male field sparrows (*Spizella pusilla*). *Horm Behav* 34:67–77
- Goodson JL (1998b) Vasotocin and vasoactive intestinal polypeptide modulate aggression in a territorial songbird, the violet-eared waxbill (Estrildidae: *Uraeginthus granatina*). *Gen Comp Endocrinol* 111:233–244
- Goodson JL, Adkins-Regan E (1999) Effect of intraseptal vasotocin and vasoactive intestinal polypeptide infusions on courtship song and aggression in the male zebra finch (*Taeniopygia guttata*). *J Neuroendocrinol* 11:19–25
- Goodson JL, Schrock SE, Klatt JD, Kabelik D, Kingsbury MA (2009) Mesotocin and nonapeptide receptors promote estrildid flocking behavior. *Science* 325:862–866
- Grafe TU (2005) Anuran choruses as complex communication networks. In: McGregor PK (ed) *Animal communication networks*. Cambridge University Press, Cambridge, p 277e299
- Grafen A (1998) Evolutionary biology – green beard as death warrant. *Nature* 394(6693):521–+. doi:10.1038/28948
- Grand TC, Dill LM (1999) The effect of group size on the foraging behaviour of juvenile coho salmon: reduction of predation risk or increased competition? *Anim Behav* 58(2):443–451
- Grassé PP (1959) La reconstruction du nid et les coordinations inter-individuelles chez *Bellicositermes natalensis* et *Cubitermes* sp La theorie de la stigmergie: Essai d'interpretation des termites constructeurs. *Insect Soc* 6:41–83
- Greenwood AK, Wark AR, Yoshida K, Peichel CL (2013) Genetic and neural modularity underlie the evolution of schooling behavior in threespine sticklebacks. *Curr Biol* 23(19):1884–1888
- Gregoire G, Chate H, Tu YH (2003) Moving and staying together without a leader. *Phys D Nonlinear Phenom* 181(3–4):157–170. doi:10.1016/s0167-2789(03)00102-7
- Griffin AS (2004) Social learning about predators: a review and prospectus. *Anim Learn Behav* 32(1):131–140
- Griffin AS (2008) Social learning in Indian mynahs, *Acridotheres tristis*: the role of distress calls. *Anim Behav* 75(1):79–89
- Griffin RH, Nunn CL (2012) Community structure and the spread of infectious disease in primate social networks. *Evolu Ecology* 26:779–800
- Griffin AS, West SA (2003) Kin discrimination and the benefit of helping in cooperatively breeding vertebrates. *Science* 302(5645):634–636
- Griffith SC, Owens IP, Thuman KA (2002) Extra pair paternity in birds: a review of interspecific variation and adaptive function. *Mol Ecol* 11(11):2195–2212
- Griffiths SW (2003) Learned recognition of conspecifics by fishes. *Fish Fish* 4(3):256–268
- Griffiths SW, Magurran AE (1997a) Familiarity in schooling fish: how long does it take to acquire? *Anim Behav* 53:945–949
- Griffiths SW, Magurran AE (1997b) Schooling preferences for familiar fish vary with group size in a wild guppy population. *Proce Royal Soc London Series B Biol Sci* 264(1381):547–551
- Griffiths SW, Brockmark S, Hojesjo J, Johnsson JI (2004) Coping with divided attention: the advantage of familiarity. *Proce Royal Soc London Series B Biol Sci* 271(1540):695–699. doi:10.1098/rspb.2003.2648
- Grinsted L, Bilde T, d'Etorre P (2011) Cuticular hydrocarbons as potential kin recognition cues in a subsocial spider. *Behav Ecology* 22(6):1187–1194. doi:10.1093/beheco/arr105
- Grosenick L, Clement TS, Fernald RD (2007) Fish can infer social rank by observation alone. *Nature* 445(7126):429–432. doi:10.1038/nature05511
- Grueter CC, van Schaik CP (2010) Evolutionary determinants of modular societies in colobines. *Behav Ecology* 21:63–71
- Grueter CC, Zinner D (2004) Nested societies: convergent adaptations in snub-nosed monkeys and baboons? *Primate Rep* 70:1–98

- Grueter CC, Matsuda I, Zhang P, Zinner D (2012) Multilevel societies in primates and other mammals: introduction to the special issue. *Int J Primatol* 33:993–1001
- Grunbaum D (1998) Schooling as a strategy for taxis in a noisy environment. *Evol Ecology* 12(5):503–522
- Gueron S, Levin SA (1993) Self-organization of front patterns in large wildebeest herds. *J Theor Biol* 165(4):541–552. doi:[10.1006/jtbi.1993.1206](https://doi.org/10.1006/jtbi.1993.1206)
- Gueron S, Levin SA, Rubenstein DI (1996) The dynamics of herds: from individuals to aggregations. *J Theor Biol* 182(1):85–98. doi:[10.1006/jtbi.1996.0144](https://doi.org/10.1006/jtbi.1996.0144)
- Guhl AM, Collias NE, Allee WC (1945) Mating behavior and the social hierarchy in small flocks of white leghorns. *Physiol Zool* 18(4):365–390
- Guillard J, Fernandes P, Laloe T, Brehmer P (2011) Three-dimensional internal spatial structure of young-of-the-year pelagic freshwater fish provides evidence for the identification of fish school species. *Limn Oceanogr Methods* 9:322–328. doi:[10.4319/lom.2011.9.322](https://doi.org/10.4319/lom.2011.9.322)
- Gumert MD (2007) Payment for sex in a macaque mating market. *Anim Behav* 74(6):1655–1667
- Guttal V, Couzin ID (2010) Social interactions, information use, and the evolution of collective migration. *Proc Natl Acad Sci U S A* 107:16172–16177
- Hager MC, Helfman GS (1991) Safety in numbers – shoal size choice by minnows under predatory threat. *Behav Ecology Sociobiology* 29:271–276
- Halley DJ (2001) Interspecific dominance and risk-taking in three species of corvid scavenger. *J Yamashina Institute Ornithol* 33:44–50
- Halloy J, Sempo G, Caprari G, Rivault C, Asadpour M, Tâche F, Saïd I, Durier V, Canonge S, Amé JM, Detrain C, Correll N, Martinoli A, Mondada F, Siegwart R, Deneubourg JL (2007) Social integration of robots into groups of cockroaches to control self-organized choices. *Science* 318(5853):1155–1158
- Halpin ZT (1980) Individual odors and individual recognition – review and commentary. *Biol Behav* 5(3):233–248
- Hamilton IM (2000) Recruiters and joiners: using optimal skew theory to predict group size and the division of resources within groups of social foragers. *Am Nat* 155(5):684–695
- Hamilton WD (1964) Genetical evolution of social behaviour I. *J Theor Biol* 7(1):1–16
- Hamilton WD (1971) Geometry for the selfish herd. *J Theor Biol* 31(2):295–311
- Hamilton WJ (1967) Social aspects of bird orientation mechanisms. In: Storm RM (ed) *Animal orientation and navigation*. Oregon State University Press, Corvallis, pp 57–71
- Hamner WM, Hamner PP (2000) Behavior of Antarctic krill (*Euphausia superba*): schooling, foraging, and antipredatory behavior. *Can J Fish Aquat Sci* 57:192–202
- Hamner WM, Hamner PP, Obst BS, Carleton JH (1989) Field observations on the ontogeny of schooling of *Euphausia superba furcilliae* and its relationship to ice in antarctic waters. *Limnol Oceanogr* 34:451–456
- Handegard NO, Boswell KM, Ioannou CC, Leblanc SP, Tjostheim DB, Couzin ID (2012) The dynamics of coordinated group hunting and collective information transfer among schooling prey. *Curr Biol* 22(13):1213–1217. doi:[10.1016/j.cub.2012.04.050](https://doi.org/10.1016/j.cub.2012.04.050)
- Hanlon RT, Messenger JB (1988) Adaptive coloration in young cuttlefish (*Sepia officinalis* L.) – the morphology and development of body patterns and their relation to behavior. *Philos T Royal Soc London Series B Biol Sci* 320(1200):437. doi:[10.1098/rstb.1988.0087](https://doi.org/10.1098/rstb.1988.0087)
- Hansen MJ, Schaerf TM, Ward AJ (2015a) The effect of hunger on the exploratory behaviour of shoals of mosquitofish *Gambusia holbrooki*. *Behav*. doi:<http://dx.doi.org/10.1163/1568539X-00003298>
- Hansen MJ, Schaerf TM, Ward AJ (2015b) The influence of nutritional state on individual and group movement behaviour in shoals of crimson-spotted rainbowfish (*Melanotaenia duboulayi*). *Behav Ecol Soc* 69(10):1713–1722. doi:<http://dx.doi.org/10.1007/s00265-015-1983-0>
- Harcourt JL, Ang TZ, Sweetman G, Johnstone RA, Manica A (2009) Social feedback and the emergence of leaders and followers. *Curr Biol* 19:248–252
- Hart BL, Hart LA (1992) Reciprocal allogrooming in impala, *Aepyceros melampus*. *Anim Behav* 44(6):1073–1083
- Hatcher MJ, Tofts C, Franks NR (1992) Mutual exclusion as a mechanism for information exchange within ant nests. *Naturwissenschaften* 79(1):32–34. doi:[10.1007/bf01132279](https://doi.org/10.1007/bf01132279)

- Hatchwell BJ, Sharp SP, Simeoni M, McGowan A (2009) Factors influencing overnight loss of body mass in the communal roosts of a social bird. *Func Ecology* 23(2):367–372. doi:[10.1111/j.1365-2435.2008.01511.x](https://doi.org/10.1111/j.1365-2435.2008.01511.x)
- Hayes JP, Speakman JR, Racey PA (1992) The contributions of local heating and reducing exposed surface area to the energetic benefits of huddling by short-tailed field voles (*Microtus agrestis*). *Physiol Zool* 65:742–762
- Hayward JL, Weldon LM, Henson SM, Megna LC, Payne BG, Moncrieff AE (2014) Egg cannibalism in a gull colony increases with sea surface temperature. *Condor* 116(1):62–73
- Heinen JT (1993) Aggregations of newly metamorphosed *Bufo americanus*: tests of two hypotheses. *Can J Zool* 71(2):334–338
- Heinrich J, Marzluff J (1995) Why Ravens Share. *Am Sci* 83(4):342–349
- Heinsohn RG (1991) Kidnapping and reciprocity in cooperatively breeding white-winged choughs. *Anim Behav* 41(6):1097–1100
- Helbing D, Molnar P (1995) Social force model for pedestrian dynamics. *Phy Review E* 51(5):4282–4286. doi:[10.1103/PhysRevE.51.4282](https://doi.org/10.1103/PhysRevE.51.4282)
- Helbing D, Vicsek T (1999) Optimal self-organization. *New J Phys* 1. doi:[10.1088/1367-2630/1/1/313](https://doi.org/10.1088/1367-2630/1/1/313)
- Helbing D, Schweitzer F, Keltsch J, Molnar P (1997) Active walker model for the formation of human and animal trail systems. *Phy Rev E* 56(3):2527–2539. doi:[10.1103/PhysRevE.56.2527](https://doi.org/10.1103/PhysRevE.56.2527)
- Helfman GS, Schultz ET (1984) Social transmission of behavioral traditions in a coral-reef fish. *Anim Behav* 32:379–384
- Helle T (1980) Abundance of warble fly (*Oedemagena tarandi*) larvae in semi-domestic reindeer (*Rangifer tarandus*) in Finland. *Reports Kevo Subarctic Res Station* 16:1–6
- Helle T, Aspi J, Lempa K, Taskinen E (1992) Strategies to avoid biting flies by reindeer – field experiments with silhouette traps. *Ann Zoo Fennici* 29(2):69–74
- Hemelrijk CK, Hildenbrandt H (2011) Some causes of the variable shape of flocks of birds. *Plos One* 6(8). doi:[10.1371/journal.pone.0022479](https://doi.org/10.1371/journal.pone.0022479)
- Hemelrijk CK, Hildenbrandt H (2012) Schools of fish and flocks of birds: their shape and internal structure by self-organization. *Inter Focus* 2(6):726–737. doi:[10.1098/rsfs.2012.0025](https://doi.org/10.1098/rsfs.2012.0025)
- Hemelrijk CK, Kunz H (2005) Density distribution and size sorting in fish schools: an individual-based model. *Behav Ecology* 16(1):178–187. doi:[10.1093/beheco/arlh149](https://doi.org/10.1093/beheco/arlh149)
- Hemelrijk CK, Hildenbrandt H, Reinders J, Stamhuis EJ (2010) Emergence of oblong school shape: models and empirical data of fish. *Etholo* 116(11):1099–1112. doi:[10.1111/j.1439-0310.2010.01818.x](https://doi.org/10.1111/j.1439-0310.2010.01818.x)
- Hendry AP, Peichel CL, Matthews B, Boughman JW, Nosil P (2013) Stickleback research: the now and the next. *Evolu Ecology Res* 15(2):111–141
- Henzi SP, Lusseau D, Weingrill T, van Schaik CP, Barrett L (2009) Cyclicity in the structure of female baboon social networks. *Behav Ecol Sociobiol* 63(7):1015–1021. doi:[10.1007/s00265-009-0720-y](https://doi.org/10.1007/s00265-009-0720-y)
- Hepper P (1991) Kin recognition. Cambridge University Press, Cambridge
- Herbert-Read JE, Perna A, Mann RP, Schaerf TM, Sumpter DJT, Ward AJW (2011) Inferring the rules of interaction of shoaling fish. *Proc Natl Acad Sci U S A* 108:18726–18731
- Herbert-Read JE, Krause S, Morrell LJ, Schaerf TM, Krause J, Ward AJW (2013) The role of individuality in collective group movement. *Proc Royal Soc London B Biol Sci* 280(1752):20122564
- Herbert-Read JE, Buhl J, Hu F, Ward AJ, Sumpter DJ (2015) Initiation and spread of escape waves within animal groups. *Royal Soc Open Sci* 2(4):140355
- Herczeg G, Gonda A, Merilä J (2009) The social cost of shoaling covaries with predation risk in nine-spined stickleback, *Pungitius pungitius*, populations. *Anim Behav* 77(3):575–580
- Herskin J, Steffensen JF (1998) Energy savings in sea bass swimming in a school: measurements of tail beat frequency and oxygen consumption at different swimming speeds. *J Fish Biol* 53(2):366–376
- Hesse S, Bakker TCM, Baldauf SA, Thuenken T (2012) Kin recognition by phenotype matching is family- rather than self-referential in juvenile cichlid fish. *Anim Behav* 84(2):451–457. doi:[10.1016/j.anbehav.2012.05.021](https://doi.org/10.1016/j.anbehav.2012.05.021)
- Heylighen F (2013) Self-organization in Communicating Groups: the emergence of coordination, shared references and collective intelligence. In: Massip-Bonet A, Bastardas-Boada A

- (eds) Complexity perspectives on language, communication, and society. Springer, New York, pp 117–149
- Higashi M, Yamamura N (1993) What determines animal group size? Insider-outsider conflict and its resolution. *Am Natu* 142:553–563
- Hill SL, Burrows MT, Hughes RN (2003) The efficiency of adaptive search tactics for different prey distribution patterns: a simulation model based on the behaviour of juvenile plaice. *J Fish Biol* 63(s1):117–130
- Hillman JC (1974) Ecology and behavior of the wild eland. *Wildlife News* 9:6–9
- Hillman JC (1979) The biology of the eland (*Taurotragus oryx* Pallas) in the wild. Nairobi University, Nairobi
- Hingee M, Magrath RD (2009) Flights of fear: a mechanical wing whistle sounds the alarm in a flocking bird. *Proc Royal Soc London Series B Biol Sci* 276:4173–4179
- Hirsch BT (2007) Costs and benefits of within-group spatial position: a feeding competition model. *Quart Rev Biol* 82(1):9–27
- Hirsch BT (2011) Within-group spatial position in ring-tailed coatis: balancing predation, feeding competition, and social competition. *Behav Ecol Soc* 65(2):391–399. doi:[10.1007/s00265-010-1056-3](https://doi.org/10.1007/s00265-010-1056-3)
- Hirsch BT, Morrell LJ (2011) Measuring marginal predation in animal groups. *Behav Ecol* 22(3):648–656. doi:[10.1093/beheco/arr026](https://doi.org/10.1093/beheco/arr026)
- Hoare DJ, Krause J (2003) Social organisation, shoal structure and information transfer. *Fish Fish* 4(3):269–279
- Hoare DJ, Krause J, Peuhkuri N, Godin JG (2000a) Body size and shoaling in fish. *J Fish Biol* 57(6):1351–1366
- Hoare DJ, Ruxton GD, Godin JGJ, Krause J (2000b) The social organization of free ranging fish shoals. *Oikos* 89(3):546–554
- Hoare DJ, Couzin ID, Godin JGJ, Krause J (2004) Context-dependent group size choice in fish. *Anim Behav* 67:155–164. doi:[10.1016/j.anbehav.2003.04.004](https://doi.org/10.1016/j.anbehav.2003.04.004)
- Hofer H, East ML (2008) Siblicide in Serengeti spotted hyenas: a long-term study of maternal input and cub survival. *Behav Ecol Sociobiol* 62(3):341–351
- Höglund J, Alatalo RV (2014) *Leks*. Princeton University Press, Princeton
- Hogstad O (1987) It is expensive to be dominant. *Auk* 104(2):333–336
- Hogstad O (1988) Social rank and antipredator behavior of willow tits *Parus montanus* in winter flocks. *Ibis* 130(1):45–56. doi:[10.1111/j.1474-919X.1988.tb00954.x](https://doi.org/10.1111/j.1474-919X.1988.tb00954.x)
- Hogstad O (1989) Subordination in mixed-age bird flocks – a removal study. *Ibis* 131(1):128–134. doi:[10.1111/j.1474-919X.1989.tb02751.x](https://doi.org/10.1111/j.1474-919X.1989.tb02751.x)
- Hojesjo J, Johnsson JI, Petersson E, Jarvi T (1998) The importance of being familiar: individual recognition and social behavior in sea trout (*Salmo trutta*). *Behav Ecol* 9(5):445–451
- Holbrook GL, Armstrong E, Bachmann JAS, Deasy BM, Schal C (2000) Role of feeding in the reproductive ‘group effect’ in females of the German cockroach *Blattella germanica* (L.). *J Insect Physiol* 46:941–949
- Holekamp KE, Boydston EE, Smale L (2000) Group travel in social carnivores. In: Boinski S, Garber P (eds) *On the move: group travel in primates and other animals*. University of Chicago Press, Chicago, pp 587–627
- Holldobler B, Wilson EO (1970) Recruitment trails in the harvester ant *Pogonomyrmex badius*. *Psyche* 77(4):385–399
- Holldobler B, Wilson EO (1990) *The ants*. Harvard University Press, Cambridge, MA, USA
- Holldobler B, Wilson EO (2008) *The superorganism: the beauty, elegance and strangeness of insect societies*. W.W.Norton, New York
- Holmes WG (1994) The development of littermate preferences in juvenile belding ground-squirrels. *Anim Behav* 48(5):1071–1084. doi:[10.1006/anbe.1994.1341](https://doi.org/10.1006/anbe.1994.1341)
- Holmes WG, Sherman PW (1982) The ontogeny of kin recognition in 2 species of ground-squirrels. *Am Zool* 22(3):491–517
- Hoogland JL (1995) *The black-tailed prairie dog: social life of a burrowing mammal*. The black-tailed prairie dog: social life of a burrowing mammal, University of Chicago Press, Chicago, USA

- Hoppitt W, Laland KN (2008) Social processes influencing learning in animals: a review of the evidence. *Adv Study Behav* 38:105–165
- Hoppitt W, Laland KN (2013) *Social learning: an introduction to mechanisms, methods, and models*. Princeton University Press, Princeton
- Houston DC (1974) Food searching in griffon vultures. *Afr J Ecol* 12(1):63–77
- Hrdy SB (1980) *The langurs of Abu: female and male strategies of reproduction*. Harvard University Press, Cambridge
- Hughes NF (1992) Ranking of feeding positions by drift-feeding Arctic grayling (*Thymallus arcticus*) in dominance hierarchies. *Can J Fish Aquat Sci* 49(10):1994–1998
- Hughes WO, Eilenberg J, Boomsma JJ (2002) Trade-offs in group living: transmission and disease resistance in leaf-cutting ants. *Proc Royal Soc London B Biol Sci* 269(1502):1811–1819
- Hughes DP, Kathirithamby J, Turillazzi S, Beani L (2004) Social wasps desert the colony and aggregate outside if parasitized: parasite manipulation? *Beha Ecolo* 15:1037–1043
- Hughes WO, Oldroyd BP, Beekman M, Ratnieks FL (2008) Ancestral monogamy shows kin selection is key to the evolution of eusociality. *Science* 320(5880):1213–1216
- Huizinga M, Ghalambor CK, Reznick DN (2009) The genetic and environmental basis of adaptive differences in shoaling behaviour among populations of Trinidadian guppies, *Poecilia reticulata*. *J Evol Biol* 22(9):1860–1866
- Hummel D (1995) Formation flight as an energy-saving mechanism. *Isr J Zool* 41(3):261–278
- Hurley AC (1977) School structure of the squid *Loligo opalescens*. *Fishery B NOAA* 76:433–442
- Hurst JL, Beynon RJ (2004) Scent wars: the chemobiology of competitive signalling in mice. *Bioessays* 26(12):1288–1298. doi:[10.1002/bles.20147](https://doi.org/10.1002/bles.20147)
- Hutchings MR, Gordon IJ, Kyriazakis I, Jackson F (2001) Sheep avoidance of faeces-contaminated patches leads to a trade-off between intake rate of forage and parasitism in subsequent foraging decisions. *Anim Behav* 62(5):955–964
- Hutchins M, Barash DP (1976) Grooming in primates: implications for its utilitarian function. *Primates* 17(2):145–150
- Huth A, Wissel C (1992) The simulation of the movement of fish schools. *J Theor Biol* 156(3):365–385. doi:[10.1016/s0022-5193\(05\)80681-2](https://doi.org/10.1016/s0022-5193(05)80681-2)
- Ims RA (1990) On the adaptive value of reproductive synchrony as a predator-swamping strategy. *Am Natu* 136:485–498
- Insley SJ (2000) Long-term vocal recognition in the northern fur seal. *Nature* 406(6794):404–405. doi:[10.1038/35019064](https://doi.org/10.1038/35019064)
- Insley SJ, Phillips AV, Charrier I (2003) A review of social recognition in pinnipeds. *Aqu Mamm* 29(2):181–201. doi:[10.1578/016754203101024149](https://doi.org/10.1578/016754203101024149)
- Ioannou CC, Tosh CR, Neville L, Krause J (2008) The confusion effect—from neural networks to reduced predation risk. *Behav Ecolo* 19(1):126–130
- Ioannou CC, Morrell LJ, Ruxton GD, Krause J (2009) The effect of prey density on predators: conspicuousness and attack success are sensitive to spatial scale. *Am Nat* 173(4):499–506
- Ioannou CC, Bartumeus F, Krause J, Ruxton GD (2011) Unified effects of aggregation reveal larger prey groups take longer to find. *Proce Royal Soc B Biol Sci* 278(1720):2985–2990
- Ioannou CC, Guttal V, Couzin ID (2012) Predatory fish select for coordinated collective motion in virtual prey. *Science* 337(6099):1212–1215
- Ioannou CC, Singh M, Couzin ID (2015) Potential leaders trade off goal-oriented and socially oriented behavior in mobile animal groups. *American Naturalist* 186(2):284–293
- Issa FA, Edwards DH (2006) Ritualized submission and the reduction of aggression in an invertebrate. *Curr Biol* 16(22):2217–2221. doi:[10.1016/j.cub.2006.08.065](https://doi.org/10.1016/j.cub.2006.08.065)
- Jackson DE, Ratnieks FL (2006) Communication in ants. *Curr Biol* 16(15):R570–R574
- Jackson AL, Ruxton GD, Houston DC (2008) The effect of social facilitation on foraging success in vultures: a modelling study. *Biol Lett* 4(3):311–313
- Jaeger RG (1981) Dear enemy recognition and the costs of aggression between salamanders. *Am Natu* 117(6):962–974
- Jakobsen PJ, Johnsen GH (1988) Size-specific protection against predation by fish in swarming waterfleas, *Bosmina longispina*. *Anim Behav* 36:986–990. doi:[10.1016/s0003-3472\(88\)80057-5](https://doi.org/10.1016/s0003-3472(88)80057-5)

- Jakobsson S, Brick O, Kullberg C (1995) Escalated fighting behaviour incurs increased predation risk. *Anim Behav* 49(1):235–239
- James R, Bennett PG, Krause J (2004) Geometry for mutualistic and selfish herds: the limited domain of danger. *J Theor Biol* 228(1):107–113. doi:[10.1016/j.jtbi.2003.12.005](https://doi.org/10.1016/j.jtbi.2003.12.005)
- Jander R, Daumer K (1974) Guide-line and gravity orientation of blind termites foraging in open (Termitidae macrotermes, Hospitalitermes). *Insectes Socia* 21(1):45–69. doi:[10.1007/bf02222979](https://doi.org/10.1007/bf02222979)
- Janik VM, Sayigh LS, Wells RS (2006) Signature whistle shape conveys identity information to bottlenose dolphins. *Proc Natl Acad Sci U S A* 103(21):8293–8297. doi:[10.1073/pnas.0509918103](https://doi.org/10.1073/pnas.0509918103)
- Jarman P (1974) The social organisation of antelope in relation to their ecology. *Behaviour* 48(1):215–267
- Jeanson R, Rivault C, Deneubourg JL, Blanco S, Fournier R, Jost C, Theraulaz G (2005) Self-organized aggregation in cockroaches. *Anim Behav* 69:169–180. doi:[10.1016/j.anbehav.2004.02.009](https://doi.org/10.1016/j.anbehav.2004.02.009)
- Jennions MD, Petrie M (1997) Variation in mate choice and mating preferences: a review of causes and consequences. *Biol Rev* 72(2):283–327
- Jiguet F, Bretagnolle V (2006) Manipulating lek size and composition using decoys: an experimental investigation of lek evolution models. *Am Nat* 168(6):758–768
- Johannessen J, Lubin Y (2001) Evidence for kin-structured group founding and limited juvenile dispersal in the sub-social spider *Stegodyphus lineatus* (Araneae, Eresidae). *J Arachnol* 29(3):413–422. doi:[10.1636/0161-8202\(2001\)029\[0413:efksgfj2.0.co;2](https://doi.org/10.1636/0161-8202(2001)029[0413:efksgfj2.0.co;2)
- Johansen JL, Vaknin R, Steffensen JF, Domenici P (2010) Kinematics and energetic benefits of schooling in the labriform fish, striped surfperch *Embiotoca lateralis*. *Mar Ecol Prog Ser* 420:221–229. doi:[10.3354/meps08885](https://doi.org/10.3354/meps08885)
- Johnsen TS, Hengeveld JD, Blank JL, Yasukawa K, Nolan V (1996) Epaulet brightness and condition in female red-winged blackbirds. *Auk* 113(2):356–362
- Johnson PT, Dobson A, Lafferty KD, Marcogliese DJ, Memmott J, Orlofske SA, Poulin R, Thielges DW (2010) When parasites become prey: ecological and epidemiological significance of eating parasites. *Trends Ecol Evol* 25(6):362–371
- Johnston RE (2003) Chemical communication in rodents: from pheromones to individual recognition. *J Mammal* 84(4):1141–1162. doi:[10.1644/BLLe-010](https://doi.org/10.1644/BLLe-010)
- Jolles JW, King AJ, Manica A, Thornton A (2013) Heterogeneous structure in mixed-species corvid flocks in flight. *Anim Behav* 85(4):743–750
- Jolles JW, Fleetwood-Wilson A, Nakayama S, Stumpe MC, Johnstone RA, Manica A (2014) The role of previous social experience on risk-taking and leadership in three-spined sticklebacks. *Behavioral Ecology*, aru146
- Jolles JW, Fleetwood-Wilson A, Nakayama S, Stumpe MC, Johnstone RA, Manica A (2015) The role of social attraction and its link with boldness in the collective movements of three-spined sticklebacks. *Anim Behav* 99:147–153
- Jolly A (1985) The evolution of primate behavior. *Am Sci* 73:230–239
- Jones TM, Quinell RJ (2002) Testing predictions for the evolution of lekking in the sandfly, *Lutzomyia longipalpis*. *Anim Behav* 63(3):605–612
- Jordan LA, Avolio C, Herbert-Read JE, Krause J, Rubenstein DI, Ward AJW (2010) Group structure in a restricted entry system is mediated by both resident and joiner preferences. *Behav Ecol Sociobiol* 64:1099–1106
- Jouventin P, Aubin T, Lengagne T (1999) Finding a parent in a king penguin colony: the acoustic system of individual recognition. *Anim Behav* 57:1175–1183. doi:[10.1006/anbe.1999.1086](https://doi.org/10.1006/anbe.1999.1086)
- Judd TM, Sherman PW (1996) Naked mole-rats recruit colony mates to food sources. *Anim Behav* 52:957–969
- Kao AB, Couzin ID (2014) Decision accuracy in complex environments is often maximized by small group sizes. *Proc Royal Soc B Biol Sci* 281:20133305
- Karavanich C, Atema J (1998) Individual recognition and memory in lobster dominance. *Anim Behav* 56:1553–1560. doi:[10.1006/anbe.1998.0914](https://doi.org/10.1006/anbe.1998.0914)
- Karvonen A, Seppala O, Valtonen ET (2004) Parasite resistance and avoidance behaviour in preventing eye fluke infections in fish. *Parasitology* 129:159–164

- Katz Y, Tunstrom K, Ioannou CC, Huepe C, Couzin ID (2011) Inferring the structure and dynamics of interactions in schooling fish. *Proc Natl Acad Sci U S A* 108(46):18720–18725. doi:[10.1073/pnas.1107583108](https://doi.org/10.1073/pnas.1107583108)
- Kavaliers M, Choleris E, Agmo A, Pfaff DW (2004) Olfactory-mediated parasite recognition and avoidance: linking genes to behavior. *Horm Behav* 46:272–283
- Kavaliers M, Choleris E, Pfaff DW (2005) Genes, odours and the recognition of parasitized individuals by rodents. *Trends Parasitol* 21:423–429
- Keenleyside MHA (1955) Some aspects of the schooling behaviour of fish. *Behaviour* 8:83–248
- Keller L, Reeve HK (1994) Partitioning of reproduction in animal societies. *Trends Ecol Evol* 9(3):98–102
- Keller L, Ross KG (1998) Selfish genes: a green beard in the red fire ant. *Nature* 394(6693):573–575. doi:[10.1038/29064](https://doi.org/10.1038/29064)
- Kelley DH, Ouellette NT (2013) Emergent dynamics of laboratory insect swarms. *Sci R* 3. doi:[10.1038/srep01073](https://doi.org/10.1038/srep01073)
- Kendrick KM, da Costa AP, Leigh AE, Hinton MR, Peirce JW (2001) Sheep don't forget a face. *Nature* 414(6860):165–166. doi:[10.1038/35102669](https://doi.org/10.1038/35102669)
- Kershenbaum A, Sayigh LS, Janik VM (2013) The encoding of individual identity in Dolphin signature whistles: how much information is needed?. *Plos One* 8 (10). doi:[10.1371/journal.pone.0077671](https://doi.org/10.1371/journal.pone.0077671)
- Kerth G, Ebert C, Schmidtke C (2006) Group decision making in fission-fusion societies: evidence from two-field experiments in Bechstein's bats. *Proc Royal Soc B Biol Sci* 273:2785–2790. doi:[10.1098/rspb.2006.3647](https://doi.org/10.1098/rspb.2006.3647)
- Keverne EB, Martensz ND, Tuite B (1989) Beta-endorphin concentrations in cerebrospinal fluid of monkeys are influenced by grooming relationships. *Psychoneuroendocrinology* 14(1):155–161
- Keys GC, Dugatkin LA (1990) Flock size and position effects on vigilance, aggression, and prey capture in the European starling. *Condor* 92(1):151–159. doi:[10.2307/1368393](https://doi.org/10.2307/1368393)
- King AJ (2010) Follow me! I'm a leader if you do; I'm a failed initiator if you don't? *Behav Processes* 84:671–674
- King AJ, Cowlshaw G (2009) All together now: behavioural synchrony in baboons. *Anim Behav* 78(6):1381–1387. doi:[10.1016/j.anbehav.2009.09.009](https://doi.org/10.1016/j.anbehav.2009.09.009)
- King KA, Keith JO, Mitchell CA, Keirans JA (1977a) Ticks as a factor in nest desertion of California Brown Pelicans. *Condor* 79:507–509
- King KA, Blankinship DR, Paul RT, Rice RCA (1977b) Ticks as a factor in the 1975 nesting failure of Texas Brown Pelicans. *Wilson B* 89:157–158
- King AJ, Isaac NJB, Cowlshaw G (2009) Ecological, social and reproductive factors shape producer-scrounger dynamics in wild baboons. *Behav Ecol* 20:1039–1049
- King AJ, Wilson AM, Wilshin SD, Lowe J, Haddadi H, Hailes S, Morton AJ (2012) Selfish-herd behaviour of sheep under threat. *Curr Biol* 22:R561–R562
- King AJ, Williams LJ, Mettke-Hofmann C (2015) The effects of social conformity on Gouldian finch personality. *Anim Behav* 99:25–31. doi:[10.1016/j.anbehav.2014.10.016](https://doi.org/10.1016/j.anbehav.2014.10.016)
- Kingdon J (1982) Bovids. *East African mammals: an atlas of evolution in Africa*. University of Chicago Press, Chicago, USA
- Kleiman DG (2011) Canid mating systems, social behavior, parental care and ontogeny: are they flexible? *Behav Genet* 41:803–809
- Klok CJ, Chown SL (1999) Assessing the benefits of aggregation: thermal biology and water relations of anomalous Emperor Moth caterpillars. *Fun Ecol* 13(3):417–427
- Koivula K, Lahti K, Rytönen S, Orell M (1994) Do subordinates expose themselves to predation – field experiments on feeding site selection by willow TITS. *J Avian Biol* 25(3):178–183. doi:[10.2307/3677073](https://doi.org/10.2307/3677073)
- Kokko H, Johnstone RA (1999) Social queuing in animal societies: a dynamic model of reproductive skew. *Proc Royal Soc B Biol Sci* 266(1419):571–578
- Kokko H, Johnstone RA, Clutton-Brock TH (2001) The evolution of cooperative breeding through group augmentation. *Proc Royal Soc B Biol Sci* 268(1463):187–196

- Kolmes SA (1989) Grooming specialists among worker honey bees, *Apis mellifera*. *Anim Behav* 37:1048–1049
- Komdeur J, Hatchwell BJ (1999) Kin recognition: function and mechanism in avian societies. *Trends Ecol Evol* 14(6):237–241. doi:[10.1016/s0169-5347\(98\)01573-0](https://doi.org/10.1016/s0169-5347(98)01573-0)
- Kozak GM, Boughman JW (2008) Experience influences shoal member preference in a species pair of sticklebacks. *Behav Ecol* 19:667–676
- Krakauer DC (1995) Groups confuse predators by exploiting perceptual bottlenecks: a connectionist model of the confusion effect. *Behav Ecol Sociobiol* 36(6):421–429
- Kramer DL, Manley D, Bourgeois R (1983) The effect of respiratory mode and oxygen concentration on the risk of aerial predation in fishes. *Can J Zool* 61(3):653–665
- Krams I (1998) Rank-dependent fattening strategies of Willow Tit *Parus montanus* and Crested Tit *P. cristatus* mixed flock members. *Ornis Fennica* 75(1):19–26
- Krams I, Krama T, Igaune K, Mänd R (2008) Experimental evidence of reciprocal altruism in the pied flycatcher. *Behav Ecol Sociobiol* 62(4):599–605. doi:[10.1007/s00265-007-0484-1](https://doi.org/10.1007/s00265-007-0484-1)
- Krause J (1993a) The effect of schreckstoff on the shoaling behavior of the minnow – a test of Hamilton’s selfish herd theory. *Anim Behav* 45(5):1019–1024. doi:[10.1006/anbe.1993.1119](https://doi.org/10.1006/anbe.1993.1119)
- Krause J (1993b) The relationship between foraging and shoal position in a mixed shoal of roach (*Rutilus rutilus*) and chub (*Leuciscus cephalus*) – a field-study. *Oecologia* 93(3):356–359
- Krause J (1994) Differential fitness returns in relation to spatial position in groups. *Biol Rev Camb Philos Soc* 69(2):187–206
- Krause J, Godin JGJ (1994) Influence of parasitism on the shoaling behavior of banded killifish, *Fundulus diaphanus*. *Can J Zool Revue Can De Zool* 72:1775–1779
- Krause J, Godin JGJ (1996a) Influence of prey foraging posture on flight behavior and predation risk: predators take advantage of unwary prey. *Behav Ecol* 7(3):264–271
- Krause J, Godin JGJ (1996b) Influence of parasitism on shoal choice in the banded killifish (*Fundulus diaphanus*, Teleostei, Cyprinodontidae). *Ethology* 102:40–49
- Krause J, Ruxton GD (2002) *Living in groups*. OUP, Oxford
- Krause J, Bumann D, Todt D (1992) Relationship between the position preference and nutritional state of individuals in schools of juvenile roach (*Rutilus rutilus*). *Behav Ecol Soc* 30(3–4):177–180
- Krause J, Reeves P, Hoare D (1998a) Positioning behaviour in roach shoals: the role of body length and nutritional state. *Behaviour* 135:1031–1039
- Krause J, Ruxton GD, Rubenstein D (1998b) Is there always an influence of shoal size on predator hunting success? *J Fish Biol* 52(3):494–501
- Krause J, Hartmann N, Pritchard VL (1999) The influence of nutritional state on shoal choice in zebrafish, *Danio rerio*. *Anim Behav* 57(4):771–775
- Krause J, Hoare DJ, Krause S, Hemelrijk CK, Rubenstein DI (2000) Leadership in fish shoals. *Fish Fish* 1:82–89
- Krause J, Ward AJW, Jackson AL, Ruxton GD, James R, Currie S (2005) The influence of differential swimming speeds on composition of multi-species fish shoals. *J Fish Biol* 67(3):866–872. doi:[10.1111/j.1095-8649.2005.00769.x](https://doi.org/10.1111/j.1095-8649.2005.00769.x)
- Krause J, Ruxton GD, Krause S (2010) Swarm intelligence in animals and humans. *Trends Ecol Evol* 25:28–34
- Krebs JR (1974) Colonial nesting and social feeding as strategies for exploiting food resources in the Great Blue Heron (*Ardea herodias*). *Behaviour* 51(1):99–134
- Kruijt JP (1964) Ontogeny of social behaviour in Burmese red junglefowl (*Gallus gallus spadiceus*). *Behav Suppl* 12:1–201
- Kruuk H (1964) Predators and antipredator behaviour of the black-headed gull (*Larus ridibundus*). *Behav Suppl* 11:1–129
- Kulachi IG, Drea CM, Rubenstein DI, Ghazanfar AA (2014) Individual recognition through olfactory – auditory matching in lemurs. *Proc Royal Soc B Biol Sci* 281(1784). doi:[10.1098/rspb.2014.0071](https://doi.org/10.1098/rspb.2014.0071)
- Kummer H (1971) *Primate societies: group techniques of ecological adaptation*. Aldine-Atherton, Chicago
- Kuramoto Y (1984) *Chemical oscillations, waves, and turbulence*. Springer, Berlin

- Kurvers R, Eijkelenkamp B, van Oers K, van Lith B, van Wieren SE, Ydenberg RC, Prins HHT (2009) Personality differences explain leadership in barnacle geese. *Anim Behav* 78:447–453
- Kurvers R, Adamczyk V, Kraus RHS, Hoffman JI, van Wieren SE, van der Jeugd HP, Amos W, Prins HHT, Jonker RM (2013) Contrasting context dependence of familiarity and kinship in animal social networks. *Anim Behav* 86(5):993–1001. doi:[10.1016/j.anbehav.2013.09.001](https://doi.org/10.1016/j.anbehav.2013.09.001)
- Lafferty KD, Shaw JC (2013) Comparing mechanisms of host manipulation across host and parasite taxa. *J Exp Biol* 216:56–66
- Lahti K (1998) Social dominance and survival in flocking passerine birds: a review with an emphasis on the Willow Tit *Parus montanus*. *Ornis Fennica* 75(1):1–17
- Lahti K, Koivula K, Orell M (1997) Dominance, daily activity and winter survival in willow tits: detrimental cost of long working hours? *Behaviour* 134:921–939. doi:[10.1163/156853997x00232](https://doi.org/10.1163/156853997x00232)
- Laidre ME (2013) Eavesdropping foragers use level of collective commotion as public information to target high quality patches. *Oikos* 122(10):1505–1511
- Lack DL (1968). Ecological adaptations for breeding in birds.
- Laland KN (2004) Social learning strategies. *Anim Learn Behav* 32(1):4–14
- Laland KN, Galef BG (2009) The question of animal culture. Harvard University Press, Cambridge/London
- Laland KN, Hoppitt W (2003) Do animals have culture? *Evol Anth Iss News Rev* 12(3):150–159
- Laland KN, Janik VM (2006) The animal cultures debate. *Trends Ecol Evol* 21(10):542–547
- Laland KN, Williams K (1997) Shoaling generates social learning of foraging information in guppies. *Anim Behav* 53(6):1161–1169
- Laland KN, Williams K (1998) Social transmission of maladaptive information in the guppy. *Behav Ecolo* 9:493–499
- Laland KN, Odling-Smee J, Myles S (2010) How culture shaped the human genome: bringing genetics and the human sciences together. *Nat Rev Genet* 11(2):137–148
- Laland KN, Atton N, Webster MM (2011) From fish to fashion: experimental and theoretical insights into the evolution of culture. *Phil Tran Royal Soc B Biol Sci* 366(1567):958–968
- Lancaster J (1971) Play-mothering – relations between juvenile females and young infants among free-ranging vervet monkeys – *Cercopithecus aethiops*. *Folia Primatol* 15(3–4):161. doi:[10.1159/000155377](https://doi.org/10.1159/000155377)
- Landeau L, Terborgh J (1986) Oddity and the ‘confusion effect’ in predation. *Anim Behav* 34(5):1372–1380
- Langen TA, Rabenold KN (1994) Dominance and diet selection in juncos. *Behav Ecolo* 5(3):334–338. doi:[10.1093/beheco/5.3.334](https://doi.org/10.1093/beheco/5.3.334)
- Launay F, Mills AD, Faure JM (1991) Social motivation in japanese-quail coturnix-coturnix-japonica chicks selected for high or low-levels of treadmill behavior. *Behav Processes* 24(2):95–110. doi:[10.1016/0376-6357\(91\)90002-h](https://doi.org/10.1016/0376-6357(91)90002-h)
- Lazarus J (1979) Flock size and behaviour in captive red-billed weaverbirds (*Quelea quelea*): implications for social facilitation and the functions of flocking. *Behaviour* 71(1):127–144
- Leadbeater E, Dapporto L, Turillazzi S, Field J (2014) Available kin recognition cues may explain why wasp behavior reflects relatedness to nest mates. *Behav Ecolo* 25(2):344–351. doi:[10.1093/beheco/art113](https://doi.org/10.1093/beheco/art113)
- Leca JB, Gunst N, Thierry B, Petit O (2003) Distributed leadership in semifree-ranging white-faced capuchin monkeys. *Anim Behav* 66:1045–1052
- Lecchini D, Nakamura Y (2013) Use of chemical cues by coral reef animal larvae for habitat selection. *Aquat Biol* 19(3):231–238. doi:[10.3354/ab00532](https://doi.org/10.3354/ab00532)
- Lee-Jenkins SS, Smith ML, Wisenden BD, Wong A, Godin JGJ (2015) Genetic evidence for mixed broods and extra-pair matings in a socially monogamous biparental cichlid fish. *Behaviour*. doi:[10.1163/1568539X-00003289](https://doi.org/10.1163/1568539X-00003289)
- Lefebvre L, Palameta B, Hatch KK (1996) Is group-living associated with social learning? A comparative test of a gregarious and a territorial columbid. *Behaviour* 133(3):241–261
- Lemasson BH, Anderson JJ, Goodwin RA (2009) Collective motion in animal groups from a neurobiological perspective: the adaptive benefits of dynamic sensory loads and selective attention. *J Theor Biol* 261(4):501–510. doi:[10.1016/j.jtbi.2009.08.013](https://doi.org/10.1016/j.jtbi.2009.08.013)

- Leonard NE, Shen T, Nabet B, Scardovi L, Couzin ID, Levin SA (2012) Decision versus compromise for animal groups in motion. *Proc Natl Acad Sci U S A* 109:227–232
- Leopold DA, Rhodes G (2010) A comparative view of face perception. *J Comp Psychol* 124(3):233–251. doi:[10.1037/a0019460](https://doi.org/10.1037/a0019460)
- Leopold DA, Rhodes G, Muller KM, Jeffery L (2005) The dynamics of visual adaptation to faces. *Proc Royal Soc B Biol Sci* 272(1566):897–904. doi:[10.1098/rspb.2004.3022](https://doi.org/10.1098/rspb.2004.3022)
- Levin S (1997) Conceptual and methodological issues in the modeling of biological aggregations. In: Parrish JK, Hamner WM (eds) *Animal groups in three dimensions*. Cambridge University Press, Cambridge, pp 247–256
- Lewis SE, Hodel A, Sturdy T, Todd R, Weigl C (2012) Impact of acanthocephalan parasites on aggregation behavior of amphipods (*Gammarus pseudolimnaeus*). *Behav Processes* 91:159–163
- Liao X, Rong S, Queller DC (2015) Relatedness, conflict, and the evolution of eusociality. *PLoS Biol* 13(3):e1002098
- Lickliter RE (1987) Activity patterns and companion preferences of domestic goat kids. *Appl Anim Behav Sci* 19:137–145
- Liebert AE, Starks PT (2004) The action component of recognition systems: a focus on the response. *Ann Zool Fennici* 41(6):747–764
- Lihoreau M, Rivault C (2008) Tactile stimuli trigger group effects in cockroach aggregations. *Anim Behav* 75:1965–1972
- Lihoreau M, Rivault C (2009) Kin recognition via cuticular hydrocarbons shapes cockroach social life. *Behav Ecol* 20(1):46–53. doi:[10.1093/beheco/arm113](https://doi.org/10.1093/beheco/arm113)
- Liker A, Bokony V (2009) Larger groups are more successful in innovative problem solving in house sparrows. *Proc Natl Acad Sci U S A* 106:7893–7898
- Lill A (1974) Sexual Behavior of the Lek-forming White-bearded Manakin (*Manacus manacus trinitatis* Hartert). *Z Tierpsychol* 36(1–5):1–36
- Lima SL (1995) Collective detection of predatory attack by social foragers – fraught with ambiguity. *Anim Behav* 50:1097–1108
- Lindström L (1999) Experimental approaches to studying the initial evolution of conspicuous aposematic signalling. *Evolu Ecolo* 13(7–8):605–618
- Lingle S, Wyman MT, Kotrba R, Teichroeb LJ, Romanow CA (2012) What makes a cry a cry? A review of infant distress vocalizations. *Curr Zool* 58(5):698–726
- Lipkind D, Nottebohm F, Rado R, Barnea A (2002) Social change affects the survival of new neurons in the forebrain of adult songbirds. *Behav Brain Res* 133:31–43
- Lissaman PB, Shollenberger CA (1970) Formation flight of birds. *Science* 168(3934):1003. doi:[10.1126/science.168.3934.1003](https://doi.org/10.1126/science.168.3934.1003)
- List C (2004) Democracy in animal groups: a political science perspective. *Trends Ecol Evol* 19:168–169
- Lloyd PH, Rasa OAE (1989) Status, reproductive success and fitness in cape mountain zebra (*equus-zebra-zebra*). *Behav Ecol Sociobiol* 25(6):411–420. doi:[10.1007/bf00300187](https://doi.org/10.1007/bf00300187)
- Lorch JM, Meteyer CU, Behr MJ, Boyles JG, Cryan PM, Hicks AC, Ballmann AE, Coleman JT, Redell DN, Reeder DM, Blehert DS (2011) Experimental infection of bats with *Geomyces destructans* causes white-nose syndrome. *Nature* 480(7377):376–378
- Lubbock R (1980) Why are clownfishes not stung by sea-anemones. *Proc R Soc Ser B Biol Sci* 207(1166):35. doi:[10.1098/rspb.1980.0013](https://doi.org/10.1098/rspb.1980.0013)
- Lubin Y, Henschel JR, Baker MB (2001) Costs of aggregation: shadow competition in a sit-and-wait predator. *Oikos* 95(1):59–68
- Lukeman R, Li YX, Edelstein-Keshet L (2010) Inferring individual rules from collective behavior. *Proc Natl Acad Sci U S A* 107(28):12576–12580. doi:[10.1073/pnas.1001763107](https://doi.org/10.1073/pnas.1001763107)
- Lukkes JL, Mokin MV, Scholl JL, Forster GL (2009) Adult rats exposed to early-life social isolation exhibit increased anxiety and conditioned fear behavior, and altered hormonal stress responses. *Horm Behav* 55:248–256
- Lupfer-Johnson G, Ross J (2007) Dogs acquire food preferences from interacting with recently fed conspecifics. *Behav Processes* 74(1):104–106
- Lupfer-Johnson G, Hanson KL, Edwards LE, Elder RL, Evans SL (2009) Social cues influence foraging in dwarf hamsters (*Phodopus campbelli*). *J Comp Psychol* 123(2):226–229
- Lurling M, Scheffer M (2007) Info-disruption: pollution and the transfer of chemical information between organisms. *Trends Ecol Evol* 22:374–379

- Lusseau D (2003) The emergent properties of a dolphin social network. *Proc Roy Soc London Ser B Biol Sci* 270:S186–S188
- Mackenzie A, Reynolds JD, Brown VJ, Sutherland WJ (1995) Variation in male mating success on leks. *Am Nat* 145:633–652
- Maeno K, Tanaka S (2010) Epigenetic transmission of phase in the desert locust, *Schistocerca gregaria* determining the stage sensitive to crowding for the maternal determination of progeny characteristics. *J Insect Physiol* 56:1883–1888
- Maestriperi D (1993) Vigilance costs of allogrooming in macaque mothers. *Am Nat* 141:744–753
- Magurran AE (1998) Population differentiation without speciation. *Phil Tran Royal Soc B Biol Sci* 353(1366):275–286
- Magurran AE (2005) *Evolutionary ecology: the Trinidadian guppy*. Oxford University Press, Oxford
- Magurran AE, Higham A (1988) Information transfer across fish shoals under predator threat. *Etholo* 78(2):153–158
- Magurran AE, Seghers BH (1994) A cost of sexual harassment in the guppy, *Poecilia reticulata*. *Proc Royal Soc London Series B Biol Sci* 258(1351):89–92
- Magurran AE, Seghers BH, Carvalho GR, Shaw PW (1992) Behavioural consequences of an artificial introduction of guppies (*Poecilia reticulata*) in N. Trinidad: evidence for the evolution of anti-predator behaviour in the wild. *Proc Royal Soc London Series B Biol Sci* 248(1322):117–122
- Magurran AE, Seghers BH, Shaw PW, Carvalho GR (1995) The behavioral diversity and evolution of guppy, *Poecilia reticulata*, populations in Trinidad. *Adv Study Behav* 24:155–202
- Mahurin EJ, Freeberg TM (2009) Chick-a-dee call variation in Carolina chickadees and recruiting flockmates to food. *Behav Ecol* 20(1):111–116
- Major PF (1977) Predator–prey interactions in schooling fishes during periods of twilight: a study of the silverside *Pranesus insularum* in Hawaii. *Fishery B NOAA* 75:415–426
- Major PF, Dill LM (1978) 3-dimensional structure of airborne bird flocks. *Behav Ecol Sociobiol* 4(2):111–122. doi:[10.1007/bf00354974](https://doi.org/10.1007/bf00354974)
- Makris NC, Ratilal P, Jagannathan S, Gong Z, Andrews M, Bertsatos I, Godo OR, Nero RW, Jech JM (2009) Critical population density triggers rapid formation of vast oceanic fish shoals. *Science* 323(5922):1734–1737. doi:[10.1126/science.1169441](https://doi.org/10.1126/science.1169441)
- Mann RP, Perna A, Strombom D, Garnett R, Herbert-Read JE, Sumpter DJT, Ward AJW (2013) Multi-scale inference of interaction rules in animal groups using Bayesian Model Selection. *Plos Compu Biol* 9(3). doi:[10.1371/journal.pcbi.1002961](https://doi.org/10.1371/journal.pcbi.1002961)
- Mappes J, Marples N, Endler JA (2005) The complex business of survival by aposematism. *Trends Ecol Evol* 20(11):598–603
- Masuda R, Tsukamoto K (1999) School formation and concurrent developmental changes in carangid fish with reference to dietary conditions. *Environ Biol Fishes* 56:243–252
- Mateo JM (2004) Recognition systems and biological organization: the perception component of social recognition. *Ann Zool Fennici* 41(6):729–745
- Mateo JM (2006) The nature and representation of individual recognition odours in Belding's ground squirrels. *Anim Behav* 71:141–154. doi:[10.1016/j.anbehav.2005.04.006](https://doi.org/10.1016/j.anbehav.2005.04.006)
- Mateo JM (2009) The causal role of odours in the development of recognition templates and social preferences. *Anim Behav* 77(1):115–121. doi:[10.1016/j.anbehav.2008.09.015](https://doi.org/10.1016/j.anbehav.2008.09.015)
- Mateo JM (2010) Self-referent phenotype matching and long-term maintenance of kin recognition. *Anim Behav* 80(5):929–935. doi:[10.1016/j.anbehav.2010.08.019](https://doi.org/10.1016/j.anbehav.2010.08.019)
- Mathis A, Chivers DP, Smith RJF (1995) Chemical alarm signals: predator deterrents or predator attractants? *Am Nat* 145:994–1005
- Mathis A, Ferrari MC, Windel N, Messier F, Chivers DP (2008) Learning by embryos and the ghost of predation future. *Proc Royal Soc London B Biol Sci* 275(1651):2603–2607
- Mathot KJ, Dingemanse NJ (2015a) Energetics and behavior: unrequited needs and new directions. *Trends Ecol Evol* 30:199–206
- Mathot KJ, Dingemanse NJ (2015b) Energetics and behaviour: a reply to Careau and Garland. *Trends Ecol Evol* 30:367–368

- Matsumura K, Matsunaga S, Fusetani N (2004) Possible involvement of phosphatidylcholine in school recognition in the catfish, *Plotosus lineatus*. *Zoolog Sci* 21(3):257–264
- Matthews IM, Magurran AE (2000) Evidence for sperm transfer during sneaky mating in wild Trinidadian guppies. *J Fish Biol* 56(6):1381–1386
- Maynard Smith J (1964) Group selection and kin selection. *Nature* 201:1145–1147
- McCaffery AR, Simpson SJ, Islam MS, Roessingh P (1998) A gregarizing factor present in the egg pod foam of the desert locust *Schistocerca gregaria*. *J Exper Biol* 201:347–363
- McCarthy ID, Carter CG, Houlihan DF (1992) The effect of feeding hierarchy on individual variability in daily feeding of rainbow trout, *Oncorhynchus mykiss* (Walbaum). *J Fish Biol* 41(2):257–263
- McComb K, Moss C, Sayialel S, Baker L (2000) Unusually extensive networks of vocal recognition in African elephants. *Anim Behav* 59:1103–1109. doi:10.1006/anbe.2000.1406
- McComb K, Moss C, Durant SM, Baker L, Sayialel S (2001) Matriarchs as repositories of social knowledge in African elephants. *Science* 292:491–494
- McComb K, Reby D, Baker L, Moss C, Sayialel S (2003) Long-distance communication of acoustic cues to social identity in African elephants. *Anim Behav* 65:317–329. doi:10.1006/anbe.2003.2047
- McFarland W, Okubo A (1997) Metabolic models of fish school behavior – the need for quantitative observations. In: Parrish JK, Hamner WM (eds) *Animal groups in three dimensions*. Cambridge University Press, Cambridge, pp 301–312
- McGregor PK (2005) *Animal communication networks*. Cambridge University Press, New York
- Mebs D (2009) Chemical biology of the mutualistic relationships of sea anemones with fish and crustaceans. *Toxicon* 54(8):1071–1074. doi:10.1016/j.toxicon.2009.02.027
- Mech LD (1970) *The wolf: the ecology and behavior of an endangered species*. Natural History Press, Garden City
- Mennill DJ, Doucet SM, Montgomerie R, Ratcliffe LM (2003) Achromatic color variation in black-capped chickadees, *Poecile atricapilla*: black and white signals of sex and rank. *Behav Ecol Sociobiol* 53(6):350–357. doi:10.1007/s00265-003-0581-8
- Metcalfe NB, Thomson BC (1995) Fish recognize and prefer to shoal with poor competitors. *Proc Roy Soc London Ser B Biol Sci* 259(1355):207–210
- Michelena P, Henric K, Angibault JM, Gautrais J, Lapeyronie P, Porter RH, Deneubourg JL, Bon R (2005) An experimental study of social attraction and spacing between the sexes in sheep. *J Exp Biol* 208(23):4419–4426. doi:10.1242/jeb.01909
- Michelena P, Gautrais J, Gerard JF, Bon R, Deneubourg JL (2008) Social cohesion in groups of sheep: effect of activity level, sex composition and group size. *Appl Anim Behav Sci* 112(1–2):81–93. doi:10.1016/j.applanim.2007.06.020
- Michelena P, Sibbald AM, Erhard HW, McLeod JE (2009) Effects of group size and personality on social foraging: the distribution of sheep across patches. *Behav Ecolo* 20:145–152
- Miklosi A, Topal J, Csanyi V (2004) Comparative social cognition: what can dogs teach us? *Anim Behav* 67:995–1004. doi:10.1016/j.anbehav.2003.10.008
- Milinski M (1987) Tit for tat in sticklebacks and the evolution of cooperation. *Nature* 325(6103):433–435
- Milinski M, David K, Kettler R (1990) Tit for tat: sticklebacks (*Gasterosteus aculeatus*) ‘trusting’ a cooperating partner. *Behav Ecolo* 1(1):7–11
- Miller N, Garnier S, Hartnett AT, Couzin ID (2013) Both information and social cohesion determine collective decisions in animal groups. *Proc Natl Acad Sci U S A* 110:5263–5268
- Mills AD, Faure JM (1990) The treadmill test for the measurement of social motivation in phasianidae chicks. *Med Sci Res* 18(5):179–180
- Milner RN, Jennions MD, Backwell PR (2010) Eavesdropping in crabs: an agency for lady detection. *Biol Lett* 6:755e757
- Mineka S, Cook M (1988) Social learning and the acquisition of snake fear in monkeys. In: Zentall TR, Galef Jr. BG (Eds) *Social learning: Psychological and biological perspectives*, p. 51–73. Hillsdale, New Jersey USA
- Mock DW, Parker GA (1998) Siblicide, family conflict and the evolutionary limits of selfishness. *Anim Behav* 56(1):1–10

- Mock DW, Lamey TC, Ploger BJ (1987) Proximate and ultimate roles of food amount in regulating egret sibling aggression. *Ecology* 68:1760–1772
- Mock DW, Drummond H, Stinson CH (1990) Avian siblicide. *Am Sci* 78:438–449
- Möglich M, Hölldobler B (1974) Social carrying behavior and division of labor during nest moving in ants. *Psyche* 81:219–236
- Møller AP, Allander K, Dufva R (1990) Fitness effects of parasites on passerine birds: a review. In: *Population biology of passerine birds*. Springer, Berlin/Heidelberg, pp 269–280
- Møller AP, Dufva R, Allander K (1993) Parasites and the evolution of host social behavior. *Adv Study Behav* 22(65):102
- Moore A, Ives MJ, Kell LT (1994) The role of urine in sibling recognition in Atlantic salmon *Salmo salar* parr. *Proc Roy Soc London Ser B Biol Sci* 255(1343):173–180
- Moore D, Angel JE, Cheeseman IM, Robinson GE, Fahrbach SE (1995) A highly specialized social grooming honey bee (Hymenoptera: Apidae). *J Ins Behavior* 8(6):855–861
- Moore H, Dvorakova K, Jenkins N, Breed W (2002) Exceptional sperm cooperation in the wood mouse. *Nature* 418(6894):174–177. doi:[10.1038/nature00832](https://doi.org/10.1038/nature00832)
- Mooring MS, Hart BL (1992) Animal grouping for protection from parasites – selfish herd and encounter-dilution effects. *Behaviour* 123:173–193
- Mooring MS, Hart BL (1995) Costs of allogrooming in impala: distraction from vigilance. *Anim Behav* 49(5):1414–1416
- Moreno J, Bustamante J, Viñuela J (1995) Nest maintenance and stone theft in the chinstrap penguin (*Pygoscelis antarctica*). *Polar Biol* 15(8):533–540
- Morrell LJ, Ruxton GD, James R (2011) Spatial positioning in the selfish herd. *Behav Ecol* 22(1):16–22. doi:[10.1093/beheco/arq157](https://doi.org/10.1093/beheco/arq157)
- Morse DH (1970) Ecological aspects of some mixed-species foraging flocks of birds. *Ecol Monogr* 40:119–168
- Morse DH (1978) Structure and foraging patterns of flocks of tits and associated species in an English woodland during the winter. *Ibis* 120(3):298–312
- Mottley K, Giraldeau LA (2000) Experimental evidence that group foragers can converge on predicted producer–scrounger equilibria. *Anim Behav* 60(3):341–350
- Mougenot F, Combe M, Jeanson R (2012) Ontogenesis and dynamics of aggregation in a solitary spider. *Anim Behav* 84:391–398
- Moussaid M, Garnier S, Theraulaz G, Helbing D (2009) Collective information processing and pattern formation in swarms, flocks, and crowds. *Topics Cognitive Sci* 1:469–497
- Mueller T, O'Hara RB, Converse SJ, Urbanek RP, Fagan WF (2013) Social learning of migratory performance. *Science* 341(6149):999–1002
- Mulder RA, Dunn PO, Cockburn A, Lazenby-Cohen KA, Howell MJ (1994) Helpers liberate female fairy-wrens from constraints on extra-pair mate choice. *Proc Royal Soc London B Biol Sci* 255(1344):223–229
- Muleta MG, Schausberger P (2013) Smells familiar: group-joining decisions of predatory mites are mediated by olfactory cues of social familiarity. *Anim Behav* 86(3):507–512. doi:[10.1016/j.anbehav.2013.05.040](https://doi.org/10.1016/j.anbehav.2013.05.040)
- Müller CA, Bell MB (2009) Kidnapping and infanticide between groups of banded mongooses. *Mammalian Biol Zeitschrift für Säugetierkunde* 74(4):315–318
- Nagy M, Akos Z, Biro D, Vicsek T (2010) Hierarchical group dynamics in pigeon flocks. *Nature* 464:890
- Nagy M, Vasarhelyi G, Pettit B, Roberts-Mariani I, Vicsek T, Biro D (2013) Context-dependent hierarchies in pigeons. *Proc Natl Acad Sci U S A* 110:13049–13054
- Nakamura T, Croft DB, Westbrook RF (2003) Domestic pigeons (*Columba livia*) discriminate between photographs of individual pigeons. *Learn Behav* 31(4):307–317
- Nakayama S, Harcourt JL, Johnstone RA, Manica A (2012) Initiative, personality and leadership in pairs of foraging fish. *PLoS One* 7(5):e36606
- Napper CJ, Sharp SP, McGowan A, Simeoni M, Hatchwell BJ (2013) Dominance, not kinship, determines individual position within the communal roosts of a cooperatively breeding bird. *Behav Ecol Sociobiol* 67(12):2029–2039. doi:[10.1007/s00265-013-1613-7](https://doi.org/10.1007/s00265-013-1613-7)

- Neda Z, Ravasz E, Brechet Y, Vicsek T, Barabasi AL (2000) The sound of many hands clapping – tumultuous applause can transform itself into waves of synchronized clapping. *Nature* 403(6772):849–850. doi:[10.1038/35002660](https://doi.org/10.1038/35002660)
- Neill S, Cullen JM (1974) Experiments on whether schooling by their prey affects the hunting behaviour of cephalopods and fish predators. *J Zool* 172(4):549–569
- Nelson RJ (2000) An introduction to behavioral endocrinology. Sinauer Associates, Sunderland
- Neuswanger J, Wipfli MS, Rosenberger AE, Hughes NF (2014) Mechanisms of drift-feeding behavior in juvenile Chinook salmon and the role of inedible debris in a clear-water Alaskan stream. *Environ Biol Fishes* 97(5):489–503
- Newson RM, Mella PNP, Franklin TE (1973) Observations on the numbers of the tick *Rhipicephalus appendiculatus* on the ears of zebu cattle in relation to hierarchical status in the herd. *Trop Anim Health Prod* 5(4):281–283. doi:[10.1007/bf02240430](https://doi.org/10.1007/bf02240430)
- Nicieza AG (1999) Context-dependent aggregation in Common Frog *Rana temporaria* tadpoles: influence of developmental stage, predation risk and social environment. *Func Ecol* 13:852–858
- Nicol CJ (1995) The social transmission of information and behaviour. *Appl Anim Behav Sci* 44(2):79–98
- Nicolis G, Prigogine I (1977) Self-organization in nonequilibrium systems: from dissipative structures to order through fluctuations. Wiley, New York
- Nieh JC (2010) A negative feedback signal that is triggered by peril curbs honey bee recruitment. *Curr Biol* 20(4):310–315. doi:[10.1016/j.cub.2009.12.060](https://doi.org/10.1016/j.cub.2009.12.060)
- Nisbet ICT (1975) Selective effects of predation in a tern colony. *Condor* 77:221–226
- Niwa HS (1998) School size statistics of fish. *J Theor Biol* 195(3):351–361
- Niwa HS (2003) Power-law versus exponential distributions of animal group sizes. *J Theor Biol* 224(4):451–457
- Niwa HS (2004) Space-irrelevant scaling law for fish school sizes. *J Theor Biol* 228(3):347–357. doi:[10.1016/j.jtbi.2004.01.011](https://doi.org/10.1016/j.jtbi.2004.01.011)
- Nocera JJ, Forbes GJ, Giraldeau LA (2006) Inadvertent social information in breeding site selection of natal dispersing birds. *Proc Royal Soc London B Biol Sci* 273(1584):349–355
- Norton GW (1986) Leadership: decision processes of group movement in yellow baboons. In: Else J, Lee P (eds) *Primate ecology and conservation*. Cambridge University Press, Cambridge, pp 145–156
- Nowak MA, Allen B (2015) Inclusive fitness theorizing invokes phenomena that are not relevant for the evolution of eusociality. *PLoS Biolo* 13:e1002134
- Nowak MA, Tarnita CE, Wilson EO (2010) The evolution of eusociality. *Nature* 466(7310):1057–1062
- O'Brien DP (1987) Direct observations of the behavior of *Euphausia superba* and *Euphausia crystallorophias* (Crustacea, Euphausiacea) under pack ice during the antarctic spring of 1985. *J Crustacean Biol* 7:437–448
- O'Brien DP (1989) Analysis of the internal arrangement of individuals within crustacean aggregations (Euphausiacea, Mysidacea). *J Exper Marine Biolo Ecolo* 128(1):1–30. doi:[10.1016/0022-0981\(89\)90090-7](https://doi.org/10.1016/0022-0981(89)90090-7)
- O'Connell CP (1972) Interrelation of biting and filtering in feeding activity of northern anchovy (*Engraulis mordax*). *J Fish Res Board Can* 29(3):285
- O'Donnell S, Bulova SJ, DeLeon S, Khodak P, Miller S, Sulger E (2015) Distributed cognition and social brains: reductions in mushroom body investment accompanied the origins of sociality in wasps (Hymenoptera: Vespidae). *Proc Roy Soc B*. doi:[10.1098/rspb.2015.0791](https://doi.org/10.1098/rspb.2015.0791)
- O'Donoghue M, Boutin S (1995) Does reproductive synchrony affect juvenile survival rates of northern mammals? *Oikos* 74:115–121
- Odling-Smee FJ, Laland KN, Feldman MW (2003) Niche construction: the neglected process in evolution, Monographs in population biology. Princeton University Press, Princeton
- Ohguchi O (1981) Prey density and selection against oddity by three-spined sticklebacks, *Advances in ethology, supplements to journal of comparative ethology*. Verlag Paul Parey, Berlin/Hamburg

- Okamura B (1986) Group living and the effects of spatial position in aggregations of *Mytilus edulis*. *Oecologia* 69(3):341–347. doi:[10.1007/bf00377054](https://doi.org/10.1007/bf00377054)
- Okubo A (1986) Dynamical aspects of animal grouping: swarms, schools, flocks, and herds. *Adv Biophys* 22:1–94
- Olsen KH, Grahm M, Lohm J, Langefors A (1998) MHC and kin discrimination in juvenile Arctic charr, *Salvelinus alpinus* (L.). *Anim Behav* 56:319–327
- Olsen KH, Grahm M, Lohm J (2002) Influence of MHC on sibling discrimination in Arctic char, *Salvelinus alpinus* (L.). *J Chem Ecol* 28(4):783–795
- Olson RS, Hintze A, Dyer FC, Knoester DB, Adami C (2013) Predator confusion is sufficient to evolve swarming behaviour. *J R Soc Interface* 10(85):20130305
- Olsson M (1994) Rival recognition affects male contest behavior in sand lizards (*Lacerta agilis*). *Behav Ecol Sociobiol* 35(4):249–252. doi:[10.1007/bf00170705](https://doi.org/10.1007/bf00170705)
- Orpwood JE, Magurran AE, Armstrong JD, Griffiths SW (2008) Minnows and the selfish herd: effects of predation risk on shoaling behaviour are dependent on habitat complexity. *Anim Behav* 76(1):143–152
- Osorno JL, Drummond H (2003) Is obligate siblicidal aggression food sensitive? *Behav Ecol Sociobiol* 54(6):547–554
- Ost M, Jaatinen K, Steele B (2007) Aggressive females seize central positions and show increased vigilance in brood-rearing coalitions of eiders. *Anim Behav* 73:239–247. doi:[10.1016/j.anbehav.2006.04.010](https://doi.org/10.1016/j.anbehav.2006.04.010)
- Ostlund-Nilsson S, Mayer I, Huntingford FA (eds) (2006) *Biology of the three-spined stickleback*. CRC Press, Boca Raton
- Ott SR, Rogers SM (2010) Gregarious desert locusts have substantially larger brains with altered proportions compared with the solitary phase. *Proc Royal Soc B Biol Sci* 277:3087–3096
- Overath P, Sturm T, Rammensee H-G (2014) Of volatiles and peptides: in search for MHC-dependent olfactory signals in social communication. *Cell Mol Life Sci* 71(13):2429–2442. doi:[10.1007/s00018-014-1559-6](https://doi.org/10.1007/s00018-014-1559-6)
- Overdorff DJ, Erhart EM, Mutschler T (2005) Does female dominance facilitate feeding priority in black-and-white ruffed lemurs (*Varecia variegata*) in southeastern Madagascar? *Am J Primatol* 66:7–22
- Packer C, Pusey AE (1983) Adaptations of female lions to infanticide by incoming males. *Am Nat* 121:716–728
- Packer C, Ruttan L (1988) The evolution of cooperative hunting. *Am Nat* 132(2):159–198
- Packer C, Scheel D, Pusey AE (1990) Why lions form groups: food is not enough. *Am Nat* 136:1–19
- Packer C, Collins DA, Sindimwo A, Goodall J (1995) Reproductive constraints on aggressive competition in female baboons. *Nature* 373(6509):60–63. doi:[10.1038/373060a0](https://doi.org/10.1038/373060a0)
- Palagi E, Dapporto L (2006) Beyond odor discrimination: demonstrating individual recognition by scent in Lemur catta. *Chem Senses* 31(5):437–443. doi:[10.1093/chemse/bjj048](https://doi.org/10.1093/chemse/bjj048)
- Palestis BG, Burger J (1998) Evidence for social facilitation of preening in the common tern. *Anim Behav* 56(5):1107–1111
- Parker GA, Sutherland WJ (1986) Ideal free distributions when individuals differ in competitive ability: phenotype-limited ideal free models. *Anim Behav* 34(4):1222–1242
- Parr AE (1927) A contribution to the theoretical analysis of the schooling behavior of fishes. Occasional papers of the Bingham oceanographic collection
- Parrish JK (1989) Re-examining the selfish herd – are central fish safer? *Anim Behav* 38:1048–1053
- Parrish JK, Turchin P (1997) Individual decisions, traffic rules and emergent pattern in schooling fish. In: Parrish JK, Hamner WM (eds) *Animal groups in three dimensions. How species aggregate*. Cambridge University Press, Cambridge, pp 126–142
- Partan S, Marler P (1999) Behavior – communication goes multimodal. *Science* 283(5406):1272–1273. doi:[10.1126/science.283.5406.1272](https://doi.org/10.1126/science.283.5406.1272)
- Partridge BL (1981) Internal dynamics and the interrelations of fish in schools. *J Comp Physiol* 144(3):313–325
- Partridge BL (1982) The structure and function of fish schools. *Sci Am* 246:114–123
- Partridge BL, Pitcher TJ (1980) The sensory basis of fish schools. *J Comp Physiol* 135:315–325

- Partridge BL, Pitcher T, Cullen JM, Wilson J (1980) The 3-dimensional structure of fish schools. *Behav Ecol Sociobiol* 6(4):277–288. doi:[10.1007/bf00292770](https://doi.org/10.1007/bf00292770)
- Pavlov DS, Kasumyan AO (2000) Patterns and mechanisms of schooling behavior of fish: a review. *J Ichthyol* 40(Supplement 2):S163–S231
- Pellis SM, Pellis VC (1988) Play-fighting in the Syrian golden hamster *Mesocricetus auratus* Waterhouse, and its relationship to serious fighting during postweaning development. *Dev Psychobiol* 21:323–337
- Pellis SM, Pellis VC (1998) Play fighting of rats in comparative perspective: a schema for neurobehavioral analyses. *Neurosci Biobehav Rev* 23:87–101
- Penn D, Potts W (1998) How do major histocompatibility complex genes influence odor and mating preferences? In: *Advances in immunology*, vol 69. Academic Press Inc, San Diego, pp 411–436
- Perez-Barberia FJ, Shultz S, Dunbar RIM (2007) Evidence for coevolution of sociality and relative brain size in three orders of mammals. *Evolution* 61:2811–2821
- Perez-Escudero A, Vicente-Page J, Hinz RC, Arganda S, de Polavieja GG (2014) idTracker: tracking individuals in a group by automatic identification of unmarked animals. *Nat Methods* 11(7):743. doi:[10.1038/nmeth.2994](https://doi.org/10.1038/nmeth.2994)
- Perry EF, Manolis JC, Andersen DE (2008) Reduced predation at interior nests in clustered all-purpose territories of least flycatchers (*Empidonax minimus*). *Auk* 125(3):643–650. doi:[10.1525/auk.2008.07001](https://doi.org/10.1525/auk.2008.07001)
- Peso M, Richards MH (2010) Knowing who's who: nestmate recognition in the facultatively social carpenter bee, *Xylocopa virginica*. *Anim Behav* 79(3):563–570. doi:[10.1016/j.anbehav.2009.11.010](https://doi.org/10.1016/j.anbehav.2009.11.010)
- Petit DR, Bildstein KL (1987) Effect of group-size and location within the group on the foraging behavior of white ibises. *Condor* 89(3):602–609. doi:[10.2307/1368649](https://doi.org/10.2307/1368649)
- Petit O, Bon R (2010) Decision-making processes: the case of collective movements. *Behav Processes* 84:635–647
- Pettit B, Perna A, Biro D, Sumpter DJT (2013) Interaction rules underlying group decisions in homing pigeons. *J R Soc Interface* 10:20130529. doi:[10.1098/rsif.2013.0529](https://doi.org/10.1098/rsif.2013.0529)
- Pfalzer G, Kusch J (2003) Structure and variability of bat social calls: implications for specificity and individual recognition. *J Zool* 261:21–33. doi:[10.1017/s0952836903003935](https://doi.org/10.1017/s0952836903003935)
- Phillips RA, Furness RW, Stewart FM (1998) The influence of territory density on the vulnerability of Arctic skuas *Stercorarius parasiticus* to predation. *Biol Conserv* 86(1):21–31. doi:[10.1016/s0006-3207\(98\)00007-x](https://doi.org/10.1016/s0006-3207(98)00007-x)
- Pike TW, Laland KN (2010) Conformist learning in nine-spined sticklebacks' foraging decisions. *Biol Lett* 6(4):466–468. doi:[rsbl20091014](https://doi.org/10.1098/rsbl20091014)
- Pike TW, Samanta M, Lindström J, Royle NJ (2008) Behavioural phenotype affects social interactions in an animal network. *Proc Royal Soc B Biol Sci* 275(1650):2515–2520
- Piper R (2007) *Extraordinary animals: an encyclopaedia of curious and unusual animals*. Greenwood Publishing Group, Westport, Connecticut, United States
- Pitcher TJ (1973a) 3-dimensional structure of schools in minnow, *Phoxinus phoxinus* (L). *Anim Behav* 21(NOV):673–686. doi:[10.1016/s0003-3472\(73\)80091-0](https://doi.org/10.1016/s0003-3472(73)80091-0)
- Pitcher TJ (1973b) Some field measurements on minnow schools. *Trans Am Fish Soc* 102(4):840–843. doi:[10.1577/1548-8659\(1973\)102](https://doi.org/10.1577/1548-8659(1973)102)
- Pitcher TJ, Parrish JK (1993) The functions of shoaling behavior. In: Pitcher TJ (ed) *The behavior of teleost fishes*. Chapman & Hall, London, pp 363–439
- Pitcher TJ, Partridge BL, Wardle CS (1976) Blind fish can school. *Science* 194:963–965
- Pitcher TJ, Magurran AE, Winfield IJ (1982) Fish in larger shoals find food faster. *Behav Ecol Soc* 10:149–151
- Piyapong C, Morrell LJ, Croft DP, Dyer JRG, Ioannou CC, Krause J (2007) A cost of leadership in human groups. *Ethology* 113:821–824
- Piyapong C, Butlin RK, Faria JJ, Scruton KJ, Wang J, Krause J (2011) Kin assortment in juvenile shoals in wild guppy populations. *Heredity* 106(5):749–756
- Plath M, Richter S, Tiedemann R, Schlupp I (2008) Male fish deceive competitors about mating preferences. *Curr Biol* 18(15):1138–1141

- Plath M, Richter S, Schlupp I, Tiedemann R (2010) Misleading mollies: surface-but not cave-dwelling *Poecilia mexicana* males deceive competitors about mating preferences. *Acta Ethol* 13(1):49–56
- Pocklington R, Dill LM (1995) Predation on females or males: who pays for bright male traits? *Anim Behav* 49(4):1122–1124
- Pomeroy H, Heppner F (1992) Structure of turning in airborne rock dove (*Columba livia*) flocks. *Auk* 109(2):256–267
- Popa-Lisseanu AG, Bontadina F, Mora O, Ibanez C (2008) Highly structured fission-fusion societies in an aerial-hawking, carnivorous bat. *Anim Behav* 75:471–482
- Portha S, Deneubourg JL, Detrain C (2002) Self-organized asymmetries in ant foraging: a functional response to food type and colony needs. *Behav Ecol* 13:776–781
- Portugal SJ, Hubel TY, Fritz J, Heese S, Trobe D, Voelkl B, Hailes S, Wilson AM, Usherwood JR (2014) Upwash exploitation and downwash avoidance by flap phasing in ibis formation flight. *Nature* 505(7483):399–402. doi:10.1038/nature12939
- Poulin R (2010) Parasite manipulation of host behavior: an update and frequently asked questions. *Adv Study Behav* 41(41):151–186
- Pouyaud L, Desmarais E, Chenuil A, Agnese TF, Bonhomme F (1999) Kin cohesiveness and possible inbreeding in the mouthbrooding tilapia *Sarotherodon melanotheron* (Pisces Cichlidae). *Mol Ecol* 8(5):803–812
- Pratt SC (2005) Quorum sensing by encounter rates in the ant *Temnothorax albipennis*. *Behav Ecol* 16:488–496
- Pratt SC, Mallon EB, Sumpter DJT, Franks NR (2002) Quorum sensing, recruitment, and collective decision-making during colony emigration by the ant *Leptothorax albipennis*. *Behav Ecol Sociobiol* 52:117–127
- Prendergast GS, Zurn CM, Bers AV, Head RM, Hansson LJ, Thomason JC (2008) Field-based video observations of wild barnacle cyprid behaviour in response to textural and chemical settlement cues. *Biofouling* 24(6):449–459. doi:10.1080/08927010802340135
- Price JJ (1999) Recognition of family-specific calls in stripe-backed wrens. *Anim Behav* 57:483–492. doi:10.1006/anbe.1998.1018
- Prins HHT (1996) Ecology and behaviour of the African buffalo, Chapman & Hall wildlife ecology and behaviour series. Springer, Dordrecht
- Proops L, McComb K, Reby D (2009) Cross-modal individual recognition in domestic horses (*Equus caballus*). *Proc Natl Acad Sci U S A* 106(3):947–951. doi:10.1073/pnas.0809127105
- Pugsek BH (1990) Parental effort in the California gull: tests of parent-offspring conflict theory. *Behav Ecol Sociobiol* 27(3):211–215
- Pusey AE (1983) Mother offspring relationships in chimpanzees after weaning. *Anim Behav* 31:363–377
- Queller DC, Strassmann JE (1998) Kin selection and social insects. *Bioscience* 48:165–175
- Quinn JL, Cresswell W (2006) Testing domains of danger in the selfish herd: sparrowhawks target widely spaced redshanks in flocks. *Proc Royal Soc B-Biol Sci* 273(1600):2521–2526. doi:10.1098/rspb.2006.3612
- Rabøl J, Noer H (1973) Spring migration in the skylark (*Alauda arvensis*) in Denmark. Influence of environmental factors on the flock size and correlation between flock size and migratory direction. *Vogelwarte* 27:50–65
- Rabosky AR, Corl A, Liwanag HEM, Surget-Groba Y, Sinervo B (2012) Direct fitness correlates and thermal consequences of facultative aggregation in a desert lizard. *PLoS One* 7(7):e40866. doi:10.1371/journal.pone.0040866
- Radakov DV (1973) Schooling in the ecology of fish. John Wiley & Sons, New York
- Radford AN (2004) Vocal coordination of group movement by green woodhoopoes (*Phoeniculus purpureus*). *Ethology* 110(1):11–20
- Radford AN, Du Plessis MA (2003) Bill dimorphism and foraging niche partitioning in the green woodhoopoe. *J Anim Ecol* 72(2):258–269
- Radford AN, Ridley AR (2006) Recruitment calling: a novel form of extended parental care in an altricial species. *Curr Biol* 16(17):1700–1704

- Rajakaruna RS, Brown JA, Kaukinen KH, Miller KM (2006) Major histocompatibility complex and kin discrimination in Atlantic salmon and brook trout. *Mol Ecol* 15(14):4569–4575. doi:[10.1111/j.1365-294X.2006.03113.x](https://doi.org/10.1111/j.1365-294X.2006.03113.x)
- Ramos-Fernandez G, Boyer D, Gomez VP (2006) A complex social structure with fission-fusion properties can emerge from a simple foraging model. *Behav Ecol Sociobiol* 60:536–549
- Ramseyer A, Boissy A, Dumont B, Thierry B (2009a) Decision making in group departures of sheep is a continuous process. *Anim Behav* 78:71–78
- Ramseyer A, Thierry B, Boissy A, Dumont B (2009b) Decision-making processes in group departures of cattle. *Ethology* 115:948–957
- Rands SA, Cowlshaw G, Pettifor RA, Rowcliffe JM, Johnstone RA (2003) Spontaneous emergence of leaders and followers in foraging pairs. *Nature* 423:432–434
- Rands SA, Pettifor RA, Rowcliffe JM, Cowlshaw G (2006) Social foraging and dominance relationships: the effects of socially mediated interference. *Behav Ecol Sociobiol* 60(4):572–581. doi:[10.1007/s00265-006-0202-4](https://doi.org/10.1007/s00265-006-0202-4)
- Rangel J, Seeley TD (2012) Colony fissioning in honey bees: size and significance of the swarm fraction. *Insect Soc* 59:453–462
- Rangel J, Reeve HK, Seeley TD (2013) Optimal colony fissioning in social insects: testing an inclusive fitness model with honey bees. *Insect Soc* 60:445–452
- Rao D (2009) Experimental evidence for the amelioration of shadow competition in an orb web spider through the ‘Ricochet’ effect. *Ethology* 115(7):691–697
- Rashevsky N (1951) A note on imitative behavior and information. *Bull Math Biophys* 13:147–151
- Ratchford SG, Eggleston DB (1998) Size- and scale-dependent chemical attraction contribute to an ontogenetic shift in sociality. *Anim Behav* 56:1027–1034
- Ratcliffe JM, ter Hofstede HM (2005) Roosts as information centres: social learning of food preferences in bats. *Biol Lett* 1(1):72–74
- Ratti O, Ojanen U, Helle P (2006) Increasing group size dilutes black fly attack rate in Black Grouse. *Ornis Fennica* 83:86–90
- Rayor LS, Uetz GW (1990) Trade-offs in foraging success and predation risk with spatial position in colonial spiders. *Behav Ecol Sociobiol* 27(2):77–85. doi:[10.1007/bf00168449](https://doi.org/10.1007/bf00168449)
- Rayor LS, Uetz GW (1993) Ontogenic shifts within the selfish herd – predation risk and foraging trade-offs change with age in colonial web-building spiders. *Oecologia* 95(1):1–8
- Reader SM, Laland KN (eds) (2003) *Animal innovation*, vol 10. Oxford University Press, Oxford
- Réale D, Reader SM, Sol D, McDougall PT, Dingemanse NJ (2007) Integrating animal temperament within ecology and evolution. *Biol Rev* 82(2):291–318
- Reebs SG (2000) Can a minority of informed leaders determine the foraging movements of a fish shoal? *Anim Behav* 59:403–409
- Reebs SG (2001) Influence of body size on leadership in shoals of golden shiners, *Notemigonus crysoleucas*. *Behaviour* 138:797–809
- Reebs SG, Saulnier N (1997) The effect of hunger on shoal choice in golden shiners (Pisces: Cyprinidae, *Notemigonus crysoleucas*). *Ethology* 103(8):642–652
- Reeve HK (1989) The evolution of conspecific acceptance thresholds. *Am Nat* 133(3):407–435. doi:[10.1086/284926](https://doi.org/10.1086/284926)
- Reid CR, Sumpter DJT, Beekman M (2011) Optimisation in a natural system: argentine ants solve the Towers of Hanoi. *J Exp Biol* 214(1):50–58. doi:[10.1242/jeb.048173](https://doi.org/10.1242/jeb.048173)
- Rendell LE, Whitehead H (2003) Vocal clans in sperm whales (*Physeter macrocephalus*). *Proc Royal Soc B-Biol Sci* 270:225–231
- Rendell L, Fogarty L, Hoppitt WJ, Morgan TJ, Webster MM, Laland KN (2011) Cognitive culture: theoretical and empirical insights into social learning strategies. *Trends Cogn Sci* 15(2):68–76
- Reuter H, Breckling B (1994) Selforganization of fish schools – an object-oriented model. *Ecol Model* 75:147–159. doi:[10.1016/0304-3800\(94\)90014-0](https://doi.org/10.1016/0304-3800(94)90014-0)
- Reynolds CW (1987) Flocks, herds, and schools: a distributed behavioral model. *Comput Graph* 21:25–34
- Reznick DA, Bryga H, Endler JA (1990) Experimentally induced life-history evolution in a natural population. *Nature* 346:357–359
- Richner H, Heeb P (1995) Is the information center hypothesis a flop? *Adv Study Behav* 24:1–45

- Riehl C (2006) Widespread cannibalism by fledglings in a nesting colony of Black-crowned Night-herons. *Wilson J Ornithol* 118(1):101–104
- Rieucou G, Giraldeau LA (2009) Persuasive companions can be wrong: the use of misleading social information in nutmeg mannikins. *Behav Ecol* 20:1217–1222
- Rifkin JL, Nunn CL, Garamszegi LZ (2012) Do animals living in larger groups experience greater parasitism? A meta-analysis. *Am Nat* 180:70–82
- Riley JR, Greggers U, Smith AD, Reynolds DR, Menzel R (2005) The flight paths of honeybees recruited by the waggle dance. *Nature* 435(7039):205–207
- Rippin AB, Boag DA (1974) Spacial organization among male sharp-tailed grouse on arenas. *Can J Zool* 52(5):591–597
- Ritz DA (2000) Is social aggregation in aquatic crustaceans a strategy to conserve energy? *Can J Fish Aquat Sci* 57:59–67
- Ritz DA, Hobday AJ, Montgomery JC, Ward AJW (2011) Social aggregation in the pelagic zone with special reference to fish and invertebrates. In: Lesser M (ed) *Advances in marine biology*, vol 60, Vol., pp 161–227
- Roberts G (1996) Why individual vigilance declines as group size increases. *Anim Behav* 51(5):1077–1086
- Robinson EJM, Jackson DE, Holcombe M, Ratnieks FLW (2005) Insect communication – ‘no entry’ signal in ant foraging. *Nature* 438(7067):442–442. doi:[10.1038/438442a](https://doi.org/10.1038/438442a)
- Robinson EJM, Franks NR, Ellis S, Okuda S, Marshall JAR (2011) A simple threshold rule is sufficient to explain sophisticated collective decision-making. *Plos One* 6(5):e19981
- Robisson P, Aubin T, Bremond JC (1993) Individuality in the voice of the emperor penguin *aptenodytes-forsteri* – adaptation to a noisy environment. *Ethology* 94(4):279–290
- Roche EA, Brown CR, Brown MB (2011) Heritable choice of colony size in cliff swallows: does experience trump genetics in older birds? *Anim Behav* 82(6):1275–1285
- Rode NO, Lievens EJP, Flaven E, Segard A, Jabbour-Zahab R, Sanchez MI, Lenormand T (2013) Why join groups? Lessons from parasite-manipulated *Artemia*. *Ecol Lett* 16:493–501
- Rohwer S, Ewald PW (1981) The cost of dominance and advantage of subordination in a badge signaling system. *Evolution* 35(3):441–454. doi:[10.2307/2408193](https://doi.org/10.2307/2408193)
- Romanczuk P, Couzin ID, Schimansky-Geier L (2009) Collective motion due to individual escape and pursuit response. *Phys Rev Lett* 102(1):010602. doi:[10.1103/PhysRevLett.102.010602](https://doi.org/10.1103/PhysRevLett.102.010602)
- Romey WL (1995) Position preferences within groups – do whirligigs select positions which balance feeding opportunities with predator avoidance. *Behav Ecol Sociobiol* 37(3):195–200. doi:[10.1007/bf00176717](https://doi.org/10.1007/bf00176717)
- Romey WL (1996) Individual differences make a difference in the trajectories of simulated fish schools. *Ecol Model* 92:65–77
- Romey WL, Galbraith E (2008) Optimal group positioning after a predator attack: the influence of speed, sex, and satiation within mobile whirligig swarms. *Behav Ecol* 19(2):338–343. doi:[10.1093/beheco/arm138](https://doi.org/10.1093/beheco/arm138)
- Romey WL, LaBuda S (2010) Predator type, not body condition, influences positioning within whirligig groups. *Behav Ecol Sociobiol* 64(4):665–673. doi:[10.1007/s00265-009-0884-5](https://doi.org/10.1007/s00265-009-0884-5)
- Romey WL, Wallace AC (2007) Sex and the selfish herd: sexual segregation within nonmating whirligig groups. *Behav Ecol* 18(5):910–915. doi:[10.1093/beheco/arm057](https://doi.org/10.1093/beheco/arm057)
- Romey WL, Walston AR, Watt PJ (2008) Do 3-D predators attack the margins of 2-D selfish herds? *Behav Ecol* 19(1):74–78. doi:[10.1093/beheco/arm105](https://doi.org/10.1093/beheco/arm105)
- Romey WL, Miller MM, Vidal JM (2014) Collision avoidance during group evasive manoeuvres: a comparison of real versus simulated swarms with manipulated vision and surface wave detectors. *Proc Royal Soc B-Biol Sci* 281(1788):20140812. doi:[10.1098/rspb.2014.0812](https://doi.org/10.1098/rspb.2014.0812)
- Romilio A, Salisbury SW (2011) A reassessment of large theropod dinosaur tracks from the mid-Cretaceous (late Albian–Cenomanian) Winton Formation of Lark Quarry, central-western Queensland, Australia: a case for mistaken identity. *Cretaceous Res* 32(2):135–142
- Rosengaus RB, Guldin MR, Traniello JF (1998a) Inhibitory effect of termite fecal pellets on fungal spore germination. *J Chem Ecol* 24(10):1697–1706

- Rosengaus RB, Maxmen AB, Coates LE, Traniello JF (1998b) Disease resistance: a benefit of sociality in the dampwood termite *Zootermopsis angusticollis* (Isoptera: Termopsidae). *Behav Ecol Sociobiol* 44(2):125–134
- Rosengaus RB, Lefebvre ML, Traniello JF (2000a) Inhibition of fungal spore germination by *Nasutitermes*: evidence for a possible antiseptic role of soldier defensive secretions. *J Chem Ecol* 26(1):21–39
- Rosengaus RB, Traniello JFA, Lefebvre ML, Carlock DM (2000b) The social transmission of disease between adult male and female reproductives of the dampwood termite *Zootermopsis angusticollis*. *Ethol Ecol Evol* 12(4):419–433
- Rosenthal SB, Twomey CR, Hartnett AT, Wu HS, Couzin ID (2015) Revealing the hidden networks of interaction in mobile animal groups allows prediction of complex behavioral contagion. *Proc Natl Acad Sci U S A* 112:4690–4695
- Roskaft E, Jarvi T, Bakken M, Bech C, Reinertsen RE (1986) The relationship between social-status and resting metabolic-rate in great tits (*Parus major*) and pied flycatchers (*Ficedula hypoleuca*). *Anim Behav* 34:838–842. doi:[10.1016/s0003-3472\(86\)80069-0](https://doi.org/10.1016/s0003-3472(86)80069-0)
- Roth LM, Willis ER (1960) The biotic associations of cockroaches. *Smithsonian Misc Coll* 141:1–470
- Rowcliffe JM, Pettifor RA, Carbone C (2004) Foraging inequalities in large groups: quantifying depletion experienced by individuals in goose flocks. *J Anim Ecol* 73(1):97–108. doi:[10.1111/j.1365-2656.2004.00783.x](https://doi.org/10.1111/j.1365-2656.2004.00783.x)
- Rubenstein DI, Hack M (2004) Natural and sexual selection and the evolution of multi-level societies: insights from zebras with comparisons to primates. In: Kappeler PP, VSC (Eds) *Sexual selection in primates: new and comparative perspectives*. Cambridge University Press, Cambridge, pp. 266–279
- Ruch J, Heinrich L, Bilde T, Schneider JM (2009) Relatedness facilitates cooperation in the sub-social spider, *Stegodyphus tentoriicola*. *Bmc Evol Biol* 9:257. doi:[10.1186/1471-2148-9-257](https://doi.org/10.1186/1471-2148-9-257)
- Ruch J, Herberstein ME, Schneider JM (2014) Families hunt more successfully: effect of group composition on hunting and communal feeding. *Anim Behav* 91:171–178. doi:[10.1016/j.anbehav.2014.03.013](https://doi.org/10.1016/j.anbehav.2014.03.013)
- Rutz C (2012) Predator fitness increases with selectivity for odd prey. *Curr Biol* 22(9):820–824
- Ryan CME, Lea SEG (1994) Images of conspecifics as categories to be discriminated by pigeons and chickens – slides, video tapes, stuffed birds and live birds. *Behav Processes* 33(1–2):155–175. doi:[10.1016/0376-6357\(94\)90064-7](https://doi.org/10.1016/0376-6357(94)90064-7)
- Rybak F, Sureau G, Aubin T (2002) Functional coupling of acoustic and chemical signals in the courtship behaviour of the male *Drosophila melanogaster*. *Proc Royal Soc B-Biol Sci* 269(1492):695–701. doi:[10.1098/rspb.2001.1919](https://doi.org/10.1098/rspb.2001.1919)
- Ryder TB, Blake JG, Loiselle BA (2006) A test of the environmental hotspot hypothesis for lek placement in three species of manakins (Pipridae) in Ecuador. *Auk* 123(1):247–258
- Ryer CH, Olla BL (1995) Influences of food distribution on fish foraging behaviour. *Anim Behav* 49(2):411–418
- Sachser N, Kaiser S (2010) The social modulation of behavioural development. In: Kappeler P (ed) *Animal behaviour: evolution and mechanisms*. Springer, Berlin/London/New York, pp 505–536
- Sahin E (2005) Swarm robotics: from sources of inspiration to domains of application. In: *Swarm robotics*. Springer, Heidelberg, pp 10–20
- Saif M, Chatterjee D, Buske C, Gerlai R (2013) Sight of conspecific images induces changes in neurochemistry in zebrafish. *Behav Brain Res* 243:294–299. doi:[10.1016/j.bbr.2013.01.020](https://doi.org/10.1016/j.bbr.2013.01.020)
- Sandem AI, Janczak AM, Salte R, Brotstad BO (2006) The use of diazepam as a pharmacological validation of eye white as an indicator of emotional state in dairy cows. *Appl Anim Behav Sci* 96(3–4):177–183. doi:[10.1016/j.applanim.2005.06.008](https://doi.org/10.1016/j.applanim.2005.06.008)
- Sasaki T, Granovskiy B, Mann RP, Sumpter DJT, Pratt SC (2013) Ant colonies outperform individuals when a sensory discrimination task is difficult but not when it is easy. *Proc Natl Acad Sci U S A* 110:13769–13773
- Satischandra SHK, Kudavidanage EP, Kotagama SW, Goodale EBEN (2007) The benefits of joining mixed-species flocks for greater racket-tailed drongos *Dicrurus paradiseus*. *Forktail* 23:145

- Sayigh LS, Tyack PL, Wells RS, Solow AR, Scott MD, Irvine AB (1999) Individual recognition in wild bottlenose dolphins: a field test using playback experiments. *Anim Behav* 57:41–50. doi:[10.1006/anbe.1998.0961](https://doi.org/10.1006/anbe.1998.0961)
- Schaller GB (1972) *The Serengeti lion*. University of Chicago Press, Chicago
- Schino G (2001) Grooming, competition and social rank among female primates: a meta-analysis. *Anim Behav* 62(2):265–271
- Schino G, Scucchi S, Maestripietri D, Turillazzi PG (1988) Allogrooming as a tension reduction mechanism: a behavioral approach. *Am J Primatol* 16(1):43–50
- Schneider KJ (1984) Dominance, predation, and optimal foraging in white-thorated sparrow flocks. *Ecology* 65(6):1820–1827. doi:[10.2307/1937778](https://doi.org/10.2307/1937778)
- Schorger AW (1955) *The passenger pigeon: its natural history and extinction*. University of Oklahoma, Oklahoma, USA
- Schultz KM, Passino KM, Seeley TD (2008) The mechanism of flight guidance in honeybee swarms: subtle guides or streaker bees? *J Exp Biol* 211:3287–3295
- Seeley TD (1995) *The wisdom of the hive*. Harvard University Press, Cambridge
- Seeley TD (2002) When is self-organization used in biological systems? *Biol Bull* 202(3):314–318. doi:[10.2307/1543484](https://doi.org/10.2307/1543484)
- Seeley TD, (2009). *The wisdom of the hive: the social physiology of honey bee colonies*. Harvard University Press.
- Seeley TD (2010) *Honeybee democracy*. Princeton University Press, Princeton, NJ, USA
- Seeley TD, Towne WF (1992) Tactics of dance choice in honey-bees – do foragers compare dances. *Behav Ecol Sociobiol* 30:59–69
- Seeley TD, Visscher PK (2003) Choosing a home: how the scouts in a honey bee swarm perceive the completion of their group decision making. *Behav Ecol Sociobiol* 54:511–520
- Seeley TD, Visscher PK (2004) Quorum sensing during nest-site selection by honeybee swarms. *Behav Ecol Sociobiol* 56:594–601
- Seeley TD, Visscher PK (2008) Sensory coding of nest-site value in honeybee swarms. *J Exp Biol* 211:3691–3697
- Seeley TD, Mikheyev AS, Pagano GJ (2000) Dancing bees tune both duration and rate of waggle-run production in relation to nectar-source profitability. *J Comp Physiol A* 186(9):813–819
- Seeley TD, Visscher PK, Schlegel T, Hogan PM, Franks NR, Marshall JAR (2012) Stop signals provide cross inhibition in collective decision-making by Honeybee Swarms. *Science* 335:108–111
- Selman J, Goss-Custard JD (1988) Interference between foraging redshank *Tringa totanus*. *Anim Behav* 36(5):1542–1544
- Seltmann A, Majolo B, Schulke O, Ostner J (2013) The organization of collective group movements in Wild Barbary Macaques (*Macaca sylvanus*): social structure drives processes of group coordination in Macaques. *Plos One* 8:e67285
- Senar JC, Camerino M, Metcalfe NB (1990) Familiarity breeds tolerance – the development of social stability in flocking siskins (*Carduelis spinus*). *Ethology* 85(1):13–24
- Sendova-Franks AB, Franks NR (1999) Self-assembly, self-organization and division of labour. *Philos Trans Royal Soc B-Biol Sci* 354(1388):1395–1405. doi:[10.1098/rstb.1999.0487](https://doi.org/10.1098/rstb.1999.0487)
- Seppa T, Laurila A, Peuhkuri N, Piironen J, Lower N (2001) Early familiarity has fitness consequences for Arctic char (*Salvelinus alpinus*) juveniles. *Can J Fish Aquat Sci* 58(7):1380–1385
- Seppala O, Karvonen A, Valtonen ET (2008) Shoaling behaviour of fish under parasitism and predation risk. *Anim Behav* 75:145–150
- Serrano D, Tella JL (2007) The role of despotism and heritability in determining settlement patterns in the colonial lesser kestrel. *Am Nat* 169(2):E53–E67
- Serrano D, Forero MG, Donazar JA, Tella JL (2004) Dispersal and social attraction affect colony selection and dynamics of lesser kestrels. *Ecology* 85(12):3438–3447. doi:[10.1890/04-0463](https://doi.org/10.1890/04-0463)
- Serrano D, Oro D, Ursua E, Tella JL (2005) Colony size selection determines adult survival and dispersal preferences: allee effects in a colonial bird. *Am Nat* 166(2):E22–E31. doi:[10.1086/431255](https://doi.org/10.1086/431255)

- Shang YL, Bouffanais R (2014) Influence of the number of topologically interacting neighbors on swarm dynamics. *Sci Rep* 4:4184. doi:[10.1038/srep04184](https://doi.org/10.1038/srep04184)
- Shapiro PN, Penrod S (1986) Metaanalysis of facial identification studies. *Psychol Bull* 100(2):139–156. doi:[10.1037/0033-2909.100.2.139](https://doi.org/10.1037/0033-2909.100.2.139)
- Sheehan MJ, Tibbetts EA (2011) Specialized face learning is associated with individual recognition in paper wasps. *Science* 334(6060):1272–1275. doi:[10.1126/science.1211334](https://doi.org/10.1126/science.1211334)
- Sheehan and Tibbetts 2008. Robust longterm social memories in a paper wasp. *Current Biology* 18 R851–R852
- Sherman PW, Holmes WG (1985) Kin recognition – issues and evidence. In: Hölldobler B, Lindauer M (eds) *Experimental behavioral ecology and sociobiology*. Sinauer Associates, Mass., pp 437–460
- Sherman PW, Reeve HK, Pfennig DW (1997) Recognition systems. In: Krebs JR, Davies NB (eds) *Behavioural ecology*, 4th edn. Blackwell, Oxford
- Shultz S, Opie C, Atkinson QD (2011) Stepwise evolution of stable sociality in primates. *Nature* 479(7372):219–222
- Sibly RM (1983) Optimal group size is unstable. *Anim Behav* 31(3):947–948
- Siegfried WR, Underhill LG (1975) Flocking as an anti-predator strategy in doves. *Anim Behav* 23:504–508
- Sih A, Bell AM, Johnson JC, Ziemba RE (2004a) Behavioral syndromes: an integrative overview. *Q Rev Biol* 79(3):241–277
- Sih A, Bell A, Johnson JC (2004b) Behavioral syndromes: an ecological and evolutionary overview. *Trends Ecol Evol* 19(7):372–378
- Sih A, Mathot KJ, Moiron M, Montiglio PO, Wolf M, Dingemanse NJ (2015) Animal personality and state-behaviour feedbacks: a review and guide for empiricists. *Trends Ecol Evol* 30:50–60
- Silk MJ, Croft DP, Tregenza T, Bearhop S (2014) The importance of fission-fusion social group dynamics in birds. *Ibis* 156:701–715
- Simons AM (2004) Many wrongs: the advantage of group navigation. *Trends Ecol Evol* 19:453–455
- Simpson SJ, McCaffery AR, Hagele BF (1999) A behavioural analysis of phase change in the desert locust. *Biol Rev Camb Philos Soc* 74:461–480
- Simpson SJ, Sword GA, Lorch PD, Couzin ID (2006) Cannibal crickets on a forced march for protein and salt. *Proc Natl Acad Sci U S A* 103(11):4152–4156. doi:[10.1073/pnas.0508915103](https://doi.org/10.1073/pnas.0508915103)
- Sinclair ARE (1977) *The African buffalo: a study of resource limitation of populations*. University of Chicago Press, Chicago
- Sinclair AR (1985) Does interspecific competition or predation shape the African ungulate community? *J Anim Ecol* 54:899–918
- Sinervo B, Miles DB, Frankino WA, Klukowski M, DeNardo DF (2000) Testosterone, endurance, and Darwinian fitness: natural and sexual selection on the physiological bases of alternative male behaviors in side-blotched lizards. *Horm Behav* 38:222–233
- Sinervo B, Chaine A, Clobert J, Calsbeek R, Hazard L, Lancaster L, McAdam AG, Alonzo S, Corrigan G, Hochberg ME (2006) Self-recognition, color signals, and cycles of green-beard mutualism and altruism. *Proc Natl Acad Sci U S A* 103(19):7372–7377. doi:[10.1073/pnas.0510260103](https://doi.org/10.1073/pnas.0510260103)
- Singer TL (1998) Roles of hydrocarbons in the recognition systems of insects. *Am Zool* 38(2):394–405
- Skogland T (1989) Natural-selection of wild reindeer life-history traits by food limitation and predation. *Oikos* 55:101–110
- Slaa EJ, Wassenberg J, Biesmeijer JC (2003) The use of field-based social information in eusocial foragers: local enhancement among nestmates and heterospecifics in stingless bees. *Ecol Entomol* 28(3):369–379
- Slotow R, Rothstein SI (1995) Influence of social status, distance from cover, and group size on feeding and vigilance in white-crowned Sparrows. *Auk* 112(4):1024–1031
- Smith GW, Glass CW, Johnstone ADF, Mojsiewicz WR (1993) Diurnal patterns in the spatial relationships between saithe, *Pullachius virens*, schooling in the wild. *J Fish Biol* 43(suppl A):315–325

- Soma KK, Wingfield JC (2001) Dehydroepiandrosterone in songbird plasma: seasonal regulation and relationship to territorial aggression. *Gen Comp Endocrinol* 123:144–155
- Soria M, Freon P, Chabanet P (2007) Schooling properties of an obligate and a facultative fish species. *J Fish Biol* 71(5):1257–1269. doi:[10.1111/j.1095-8649.2007.01554.x](https://doi.org/10.1111/j.1095-8649.2007.01554.x)
- Spehar SN, Di Fiore A (2013) Loud calls as a mechanism of social coordination in a fission-fusion taxon, the white-bellied spider monkey (*Ateles belzebuth*). *Behav Ecol Sociobiol* 67(6):947–961. doi:[10.1007/s00265-013-1520-y](https://doi.org/10.1007/s00265-013-1520-y)
- Spence R, Smith C (2007) The role of early learning in determining shoaling preferences based on visual cues in the zebrafish, *Danio rerio*. *Ethology* 113(1):62–67
- Sperry TS, Wingfield JC (2003) Serotonergic regulation of glucocorticoid release in male white-crowned sparrows. *Integr Comp Biol* 43:925
- Sridhar H, Beauchamp G, Shanker K (2009) Why do birds participate in mixed-species foraging flocks? A large-scale synthesis. *Anim Behav* 78(2):337–347
- Stamhuis EJ, Reede-Dekker T, Van Etten Y, De Wiljes JJ, Videler JJ (1996) Behaviour and time allocation of the burrowing shrimp *Callinassa subterranea* (Decapoda, Thalassinidea). *J Exp Mar Biol Ecol* 204(1):225–239
- Stander PE (1992) Cooperative hunting in lions: the role of the individual. *Behav Ecol Sociobiol* 29(6):445–454
- Steele WK, Hockey PA (1995) Factors influencing rate and success of intraspecific kleptoparasitism among kelp gulls (*Larus dominicanus*). *Auk* 112:847–859
- Steiger S, Mueller JK (2008) ‘True’ and ‘untrue’ individual recognition: suggestion of a less restrictive definition. *Trends Ecol Evol* 23(7):355. doi:[10.1016/j.tree.2008.01.014](https://doi.org/10.1016/j.tree.2008.01.014)
- Stensland EVA, Angerbjörn A, Berggren PER (2003) Mixed species groups in mammals. *Mamm Rev* 33(3–4):205–223
- Stephens DW, Anderson JP, Benson KE (1997) On the spurious occurrence of Tit for Tat in pairs of predator-approaching fish. *Anim Behav* 53(1):113–131
- Stewart KJ, Harcourt AH (1994) Gorillas vocalizations during rest periods – signals of impending departure. *Behaviour* 130:29–40
- Stillman RA, Deutsch JC, Clutton-Brock TH, Sutherland WJ (1996) Black hole models of ungulate lek size and distribution. *Anim Behav* 52(5):891–902
- Stillman RA, Goss-Custard JD, Alexander MJ (2000) Predator search pattern and the strength of interference through prey depression. *Behav Ecol* 11(6):597–605
- Stoddard PK, Kilburn MD, Patterson KH (1996) Complex electric signal structure in reproducing gymnotiform electric fish. *Soc Neurosci Abstr* 22(1–3):450
- Strandburg-Peshkin A, Twomey CR, Bode NWF, Kao AB, Katz Y, Ioannou CC, Rosenthal SB, Torney CJ, Wu HS, Levin SA, Couzin ID (2013) Visual sensory networks and effective information transfer in animal groups. *Curr Biol* 23(17):R709–R711. doi:[10.1016/j.cub.2013.07.059](https://doi.org/10.1016/j.cub.2013.07.059)
- Strandburg-Peshkin A, Farine DR, Couzin ID, Crofoot MC (2015) Shared decision-making drives collective movement in wild baboons. *Science* 348:1358–1361
- Strassmann JE, Klingler CJ, Arevalo E, Zacchi F, Husain A, Williams J, Seppa P, Queller DC (1997) Absence of within-colony kin discrimination in behavioural interactions of swarm-founding-wasps. *Proc Royal Soc B-Biol Sci* 264(1388):1565–1570
- Strassmann JE, Page RE Jr, Robinson GE, Seeley TD (2011) Kin selection and eusociality. *Nature* 471(7339):E5–E6
- Strodl MA, Schausberger P (2012) Social familiarity modulates group living and foraging behaviour of juvenile predatory mites. *Naturwissenschaften* 99(4):303–311. doi:[10.1007/s00114-012-0903-7](https://doi.org/10.1007/s00114-012-0903-7)
- Strodl MA, Schausberger P (2013) Social familiarity relaxes the constraints of limited attention and enhances reproduction of group-living predatory mites. *Oikos* 122(8):1217–1226. doi:[10.1111/j.1600-0706.2012.20833.x](https://doi.org/10.1111/j.1600-0706.2012.20833.x)
- Strömbom D (2011) Collective motion from local attraction. *J Theor Biol* 283(1):145–151. doi:[10.1016/j.jtbi.2011.05.019](https://doi.org/10.1016/j.jtbi.2011.05.019)
- Strömbom D, Mann RP, Wilson AM, Hailes S, Morton AJ, Sumpter DJ, King AJ (2014) Solving the shepherding problem: heuristics for herding autonomous, interacting agents. *J R Soc Interface* 11(100):20140719

- Stumbo AD, James CT, Goater CP, Wisenden BD (2012) Shoaling as an antiparasite defence in minnows (*Pimephales promelas*) exposed to trematode cercariae. *J Anim Ecol* 81(6):1319–1326. doi:[10.1111/j.1365-2656.2012.02012.x](https://doi.org/10.1111/j.1365-2656.2012.02012.x)
- Sturdy CB, Phillimore LS, Sartor JJ, Weisman RG (2001) Reduced social contact causes auditory perceptual deficits in zebra finches, *Taeniopygia guttata*. *Anim Behav* 62:1207–1218. doi:[10.1006/anbe.2001.1864](https://doi.org/10.1006/anbe.2001.1864)
- Sturm T, Leinders-Zufall T, Macek B, Walzer M, Jung S, Pommerl B, Stevanovic S, Zufall F, Overath P, Rammensee HG (2013) Mouse urinary peptides provide a molecular basis for genotype discrimination by nasal sensory neurons. *Nat Commun* 4:1616. doi:[10.1038/ncomms2610](https://doi.org/10.1038/ncomms2610)
- Sueur C, Petit O (2008a) Organization of group members at departure is driven by social structure in Macaca. *Int J Primatol* 29:1085–1098
- Sueur C, Petit O (2008b) Shared or unshared consensus decision in macaques? *Behav Processes* 78:84–92
- Sueur C, Petit O, Deneubourg JL (2009) Selective mimetism at departure in collective movements of Macaca tonkeana: an experimental and theoretical approach. *Anim Behav* 78:1087–1095
- Sueur C, Petit O, De Marco A, Jacobs AT, Watanabe K, Thierry B (2011a) A comparative network analysis of social style in macaques. *Anim Behav* 82(4):845–852. doi:[10.1016/j.anbehav.2011.07.020](https://doi.org/10.1016/j.anbehav.2011.07.020)
- Sueur C, King AJ, Conrath L, Kerth G, Lusseau D, Mettke-Hofmann C, Schaffner CM, Williams L, Zinner D, Aureli F (2011b) Collective decision-making and fission-fusion dynamics: a conceptual framework. *Oikos* 120:1608–1617
- Sueur C, MacIntosh AJJ, Jacobs AT, Watanabe K, Petit O (2013) Predicting leadership using nutrient requirements and dominance rank of group members. *Behav Ecol Sociobiol* 67:457–470
- Sugden LG, Beyersbergen GW (1986) Effect of density and concealment on American crow predation of simulated duck nests. *J Wildl Manag* 50:9–14
- Sullivan KA (1984) Information exploitation by downy woodpeckers in mixed-species flocks. *Behaviour* 91(4):294–311
- Sumpter DJT (2010) *Collective animal behaviour*. Princeton University Press, Princeton and Oxford
- Sumpter DJT, Pratt SC (2009) Quorum responses and consensus decision making. *Philos Trans Royal Soc B-Biol Sci* 364:743–753
- Sumpter DJT, Mann RP, Perna A (2012) The modelling cycle for collective animal behaviour. *Interface Focus* 2(6):764–773. doi:[10.1098/rsfs.2012.0031](https://doi.org/10.1098/rsfs.2012.0031)
- Svendsen JC, Skov J, Bildsoe M, Steffensen JF (2003) Intra-school positional preference and reduced tail beat frequency in trailing positions in schooling roach under experimental conditions. *J Fish Biol* 62(4):834–846. doi:[10.1046/j.1095-8649.2003.00068.x](https://doi.org/10.1046/j.1095-8649.2003.00068.x)
- Swain DT, Couzin ID, Leonard NE (2015) Coordinated speed oscillations in schooling killifish enrich social communication. *J Nonlinear Sci* 25(5):1077–1109
- Swaney W, Kendal J, Capon H, Brown C, Laland KN (2001) Familiarity facilitates social learning of foraging behaviour in the guppy. *Anim Behav* 62:591–598
- Sword GA, Simpson SJ, El Hadi OTM, Wilps H (2000) Density-dependent aposematism in the desert locust. *Proc Royal Soc B-Biol Sci* 267:63–68
- Symington MM (1990) Fission-fusion social-organization in ateles and pan. *Int J Primatol* 11:47–61
- Taborsky B, Oliveira RF (2012) Social competence: an evolutionary approach. *Trends Ecol Evol* 27:679–688
- Tanabe Y, Nakamura T, Fujioka K, Doi O (1979) Production and secretion of sex steroid-hormones by the testes, the ovary, and the adrenal-glands of embryonic and young chickens (*Gallus domesticus*). *Gen Comp Endocrinol* 39:26–33
- Tanaka S, Maeno K (2010) A review of maternal and embryonic control of phase-dependent progeny characteristics in the desert locust. *J Insect Physiol* 56:911–918
- Tarling GA, Klevjer T, Fielding S, Watkins J, Atkinson A, Murphy E, Korb R, Whitehouse M, Leaper R (2009) Variability and predictability of Antarctic krill swarm structure. *Deep Sea Res Part I: Oceanograph Res Pap* 56(11):1994–2012

- Tate AJ, Fischer H, Leigh AE, Kendrick KM (2006) Behavioural and neurophysiological evidence for face identity and face emotion processing in animals. *Philos Trans Royal Soc B-Biol Sci* 361(1476):2155–2172. doi:[10.1098/rstb.2006.1937](https://doi.org/10.1098/rstb.2006.1937)
- Taylor RJ (1984) Predation. Chapman and Hall, New York
- Ten Eyck GR (2008) Serotonin modulates vocalizations and territorial behavior in an amphibian. *Behav Brain Res* 193:144–147
- Tenaza R (1971) Behavior and nesting success relative to nest location in adelic penguins (*Pygoscelis adeliae*). *Condor* 73(1):81. doi:[10.2307/1366127](https://doi.org/10.2307/1366127)
- Theis KR, Venkataraman A, Dycus JA, Koonter KD, Schmitt-Matzen EN, Wagner AP, Holekamp KE, Schmidt TM (2013) Symbiotic bacteria appear to mediate hyena social odors. *Proc Natl Acad Sci U S A* 110(49):19832–19837. doi:[10.1073/pnas.1306477110](https://doi.org/10.1073/pnas.1306477110)
- Theodorakis CW (1989) Size segregation and the effects of oddity on predation risk in minnow schools. *Anim Behav* 38(3):496–502
- Thiebault A, Mullers RH, Pistorius PA, Tremblay Y (2014) Local enhancement in a seabird: reaction distances and foraging consequence of predator aggregations. *Behav Ecol* 25(6):1302–1310
- Thorpe WH (1956) Learning and instinct in animals. Methuen, London
- Thulborn RA, Wade M (1979) Dinosaur stampede in the Cretaceous of Queensland. *Lethaia* 12(3):275–279
- Tibbetts EA (2002) Visual signals of individual identity in the wasp *Polistes fuscatus*. *Proc Royal Soc B Biol Sci* 269(1499):1423–1428. doi:[10.1098/rspb.2002.2031](https://doi.org/10.1098/rspb.2002.2031)
- Tibbetts EA, Dale J (2007) Individual recognition: it is good to be different. *Trends Ecol Evol* 22(10):529–537. doi:[10.1016/j.tree.2007.09.001](https://doi.org/10.1016/j.tree.2007.09.001)
- Tibbetts EA, Lindsay R (2008) Visual signals of status and rival assessment in *Polistes dominulus* paper wasps. *Biol Lett* 4(3):237–239. doi:[10.1098/rsbl.2008.0048](https://doi.org/10.1098/rsbl.2008.0048)
- Tinbergen N (1951) The study of instinct. Oxford University Press, Oxford
- Tinbergen N (1963) On aims and methods of ethology. *Z Tierpsychol* 20:410–433
- Tinbergen N, Impekoven M, Franck D (1967) An experiment on spacing-out as a defence against predation. *Behaviour* 28(3):307–320
- Tosh CR, Jackson AL, Ruxton GD (2006) The confusion effect in predatory neural networks. *Am Nat* 167(2):E52–E65
- Tóth Z, Bókony V, Lendvai ÁZ, Szabó K, Péntes Z, Liker A (2009) Effects of relatedness on social-foraging tactic use in house sparrows. *Anim Behav* 77(2):337–342
- Trainor BC, Sisk CL, Nelson RJ (2009) Hormones and the development and expression of aggressive behavior. In: Pfaff DW, Arnold AP, Etgen AM, Fahrbach SE, Rubin RT (eds) *Hormones brain and behavior*. Academic Press, Amsterdam, pp 167–203
- Traniello JF, Rosengaus RB, Savoie K (2002) The development of immunity in a social insect: evidence for the group facilitation of disease resistance. *Proc Natl Acad Sci* 99(10):6838–6842
- Treherne JE, Foster WA (1981) Group transmission of predator avoidance-behavior in a marine insect – the Trafalgar Effect. *Anim Behav* 29:911–917
- Treisman M (1975a) Predation and evolution of gregariousness.1. Models for concealment and evasion. *Anim Behav* 23:779–800
- Treisman M (1975b) Predation and evolution of gregariousness.2. Economic model for predator–prey interaction. *Anim Behav* 23:801–825
- Trivers RL (1971) The evolution of reciprocal altruism. *Quar Rev Biolo* 46:35–57
- Trivers RL (1972) Parental investment and sexual selection. In: Campbell B (ed) *Sexual selection and the descent of man, 1871–1971*. Aldine, Chicago, pp 136–179
- Trivers RL (1974) Parent-offspring conflict. *Am Zool* 14(1):249–264
- Trokovic N, Gonda A, Herczeg G, Laurila A, Merila J (2011) Brain plasticity over the metamorphic boundary: carry-over effect of larval environment on froglet brain development. *J Evol Biol* 24:1380–1385
- Tsubaki Y (1981) Some beneficial effects of aggregation in young larvae of *Pryeria sinica* Moore (Lepidoptera: Zygaenidae). *Res Popul Ecol* 23(1):156–167
- Tucker JK, Paukstis GL, Janzen FJ (2008) Does predator swamping promote synchronous emergence of turtle hatchlings among nests? *Behav Ecol* 19(1):35–40

- Tunstrom K, Katz Y, Ioannou CC, Huepe C, Lutz MJ, Couzin ID (2013) Collective states, multistability and transitional behavior in schooling fish. *Plos Comp Biolo* 9(2). doi:[10.1371/journal.pcbi.1002915](https://doi.org/10.1371/journal.pcbi.1002915)
- Turner GF, Pitcher TJ (1986) Attack abatement: a model for group protection by combined avoidance and dilution. *Am Natu* 128:228–240
- Uetz GW, Roberts JA (2002) Multisensory cues and multimodal communication in spiders: insights from video/audio playback studies. *Brain Behav Evol* 59(4):222–230
- Usherwood JR, Stavrou M, Lowe JC, Roskilly K, Wilson AM (2011) Flying in a flock comes at a cost in pigeons. *Nature* 474(7352):494–497. doi:[10.1038/nature10164](https://doi.org/10.1038/nature10164)
- Utne-Palm AC, Hart PJB (2000) The effects of familiarity on competitive interactions between threespined sticklebacks. *Oikos* 91(2):225–232
- Uvarov BP (1977) Grasshoppers and locusts: a handbook of general acridology, vol 2. Centre for Overseas Pest Research, London
- Valone TJ, Templeton JJ (2002) Public information for the assessment of quality: a widespread social phenomenon. *Phil Trans Royal Soc B Biolo Sci* 357(1427):1549–1557
- Van der Velden J, Zheng Y, Patullo BW, Macmillan DL (2008) Crayfish recognize the faces of fight opponents. *Plos One* 3(2). doi:[10.1371/journal.pone.0001695](https://doi.org/10.1371/journal.pone.0001695)
- Van Dyk DA, Evans CS (2007) Familiar-unfamiliar discrimination based on visual cues in the Jacky dragon, *Amphibolurus muricatus*. *Anim Behav* 74:33–44. doi:[10.1016/j.anbehav.2006.06.018](https://doi.org/10.1016/j.anbehav.2006.06.018)
- van Leeuwen EJC, Mulenga IC, Chidester DL (2014) Early social deprivation negatively affects social skill acquisition in chimpanzees (*Pan troglodytes*). *Anim Cogn* 17:407–414
- van Oers K, Drent PJ, De Goede P, Van Noordwijk AJ (2004) Realized heritability and repeatability of risk-taking behaviour in relation to avian personalities. *Proc Royal Soc London Series B Biolo Sci* 271(1534):65–73
- Van Schaik CP (1983) Why are diurnal primates living in groups? *Behaviour* 87(1):120–144
- Van Valkenburgh B, Maddox T, Funston PJ, Mills MG, Grether GF, Carbone C (2009) Sociality in Rancho La Brea Smilodon: arguments favour ‘evidence’ over ‘coincidence’. *Biol Lett* 5(4):563–564
- van Zweden JS, D’Ettorre G (2010) Nestmate recognition in social insects and the role of hydrocarbons. In: Blomquist GJ, Bagnères AG (eds) *Insect hydrocarbons: biology, biochemistry and chemical ecology*. Cambridge University Press, New York, pp 222–243
- Vehrencamp SL (1978) The adaptive significance of communal nesting in groove-billed anis (*Crotophaga sulcirostris*). *Behav Ecol Sociobiol* 4(1):1–33
- Vehrencamp SL (1983) Optimal degree of skew in cooperative societies. *Am Zool* 23(2):327–335
- Veissier I, Leneindre P, Garel JP (1990) Decrease in cow-calf attachment after weaning. *Behav Processes* 21:95–105
- Vickery WL, Giraldeau LA, Templeton JJ, Kramer DL, Chapman CA (1991) Producers, scroungers, and group foraging. *Am Natu* 137:847–863
- Vicsek T, Czirok A, Benjacob E, Cohen I, Shochet O (1995) Novel type of phase-transition in a system of self-driven particles. *Phys Rev Lett* 75(6):1226–1229. doi:[10.1103/PhysRevLett.75.1226](https://doi.org/10.1103/PhysRevLett.75.1226)
- Viscido SV, Wetthey DS (2002) Quantitative analysis of fiddler crab flock movement: evidence for ‘selfish herd’ behaviour. *Anim Behav* 63:735–741. doi:[10.1006/anbe.2001.1935](https://doi.org/10.1006/anbe.2001.1935)
- Viscido SV, Parrish JK, Grunbaum D (2004) Individual behavior and emergent properties of fish schools: a comparison of observation and theory. *Mar Ecol Prog Ser* 273:239–249. doi:[10.3354/meps273239](https://doi.org/10.3354/meps273239)
- Viscido SV, Parrish JK, Grunbaum D (2005) The effect of population size and number of influential neighbors on the emergent properties of fish schools. *Ecol Model* 183(2–3):347–363. doi:[10.1016/j.ecolmodel.2004.08.019](https://doi.org/10.1016/j.ecolmodel.2004.08.019)
- Visser IN, Smith TG, Bullock ID, Green GD, Carlsson OG, Imberti S (2008) Antarctic peninsula killer whales (*Orcinus orca*) hunt seals and a penguin on floating ice. *Mar Mamm Sci* 24(1):225–234
- Vital C, Martins EP (2009) Using graph theory metrics to infer information flow through Animal Social Groups: a computer simulation analysis. *Etholo* 115:347–355
- Vitone ND, Altizer S, Nunn CL (2004) Body size, diet and sociality influence the species richness of parasitic worms in anthropoid primates. *Evolu Ecolo Res* 6(2):183–199

- Voelkl B, Portugal SJ, Unsöld M, Usherwood JR, Wilson AM, Fritz J (2015) Matching times of leading and following suggest cooperation through direct reciprocity during V-formation flight in ibis. *Proc Natl Acad Sci* 112(7):2115–2120. doi:[10.1073/pnas.1413589112](https://doi.org/10.1073/pnas.1413589112)
- von Frisch KR (1967) *The dance language and orientation of bees*. Harvard University Press, Cambridge, MA
- Waldman B, Adler K (1979) Toad tadpoles associate preferentially with siblings. *Nature* 282(5739):611–613. doi:[10.1038/282611a0](https://doi.org/10.1038/282611a0)
- Walker SE, Marshall SD, Rypstra AL, Taylor DH (1999) The effects of hunger on locomotory behaviour in two species of wolf spider (Araneae, Lycosidae). *Anim Behav* 58:515–520. doi:[10.1006/anbe.1999.1180](https://doi.org/10.1006/anbe.1999.1180)
- Wallraff HG (1978) Social interrelations involved in migratory orientation of birds – possible contribution of field studies. *Oikos* 30:401–404
- Walser ES, Hague P, Yeomans M (1983) Preferences for sibling or mother in dalesbred and jacob twin lambs. *Appl Anim Ethol* 9:289–297
- Wang X, Kang L (2014) Molecular mechanisms of phase change in locusts. *Annu Rev Entomol* 59:225–244
- Wang ET, Kodama G, Baldi P, Moyzis RK (2006) Global landscape of recent inferred Darwinian selection for *Homo sapiens*. *Proc Natl Acad Sci U S A* 103(1):135–140
- Wanker R, Apcin J, Jennerjahn B, Waibel B (1998) Discrimination of different social companions in spectacled parrotlets (*Forpus conspicillatus*): evidence for individual vocal recognition. *Behav Ecol Sociobiol* 43(3):197–202. doi:[10.1007/s002650050481](https://doi.org/10.1007/s002650050481)
- Warburton K, Lees N (1996) Species discrimination in guppies: learned responses to visual cues. *Anim Behav* 52:371–378
- Ward AJW (2012) Social facilitation of exploration in mosquitofish (*Gambusia holbrooki*). *Behav Ecol Sociobiol* 66:223–230
- Ward AJW, Hart PJB (2003) The effects of kin and familiarity on interactions between fish. *Fish Fish* 4(4):348–358
- Ward AJW, Hart PJB (2005) Foraging benefits of shoaling with familiars may be exploited by outsiders. *Anim Behav* 69(2):329–335. doi:[10.1016/j.anbehav.2004.06.005](https://doi.org/10.1016/j.anbehav.2004.06.005)
- Ward AJW, Mehner T (2010) Multimodal mixed messages: the use of multiple cues allows greater accuracy in social recognition and predator detection decisions in the mosquitofish, *Gambusia holbrooki*. *Behav Ecol* 21(6):1315–1320. doi:[10.1093/beheco/arq152](https://doi.org/10.1093/beheco/arq152)
- Ward AJW, Axford S, Krause J (2002a) Mixed-species shoaling in fish: the sensory mechanisms and costs of shoal choice. *Behav Ecol Sociobiol* 52(3):182–187. doi:[10.1007/s00265-002-0505-z](https://doi.org/10.1007/s00265-002-0505-z)
- Ward AJW, Hoare DJ, Couzin ID, Broom M, Krause J (2002b) The effects of parasitism and body length on positioning within wild fish shoals. *J An Ecol* 71:10–14
- Ward AJW, Hart PJB, Krause J (2004a) The effects of habitat- and diet-based cues on association preferences in three-spined sticklebacks. *Behav Ecol* 15(6):925–929. doi:[10.1093/beheco/arh097](https://doi.org/10.1093/beheco/arh097)
- Ward AJW, Thomas P, Hart PJB, Krause J (2004b) Correlates of boldness in three-spined sticklebacks (*Gasterosteus aculeatus*). *Behav Ecol Sociobiol* 55:561–568
- Ward AJW, Holbrook RI, Krause J, Hart PJB (2005) Social recognition in sticklebacks: the role of direct experience and habitat cues. *Behav Ecol Sociobiol* 57(6):575–583. doi:[10.1007/s00265-004-0901-7](https://doi.org/10.1007/s00265-004-0901-7)
- Ward AJW, Duff AJ, Horsfall JS, Currie S (2008a) Scents and scents-ability: pollution disrupts chemical social recognition and shoaling in fish. *Proc Royal Soc B Biol Sci* 275:101–105
- Ward AJW, Sumpter DJT, Couzin LD, Hart PJB, Krause J (2008b) Quorum decision-making facilitates information transfer in fish shoals. *Proc Natl Acad Sci U S A* 105:6948–6953
- Ward AJW, Webster MM, Magurran AE, Currie S, Krause J (2009) Species and population differences in social recognition between fishes: a role for ecology? *Behav Ecol* 20(3):511–516. doi:[10.1093/beheco/arp025](https://doi.org/10.1093/beheco/arp025)
- Ward AJW, Herbert-Read JE, Sumpter DJT, Krause J (2011) Fast and accurate decisions through collective vigilance in fish shoals. *Proc Natl Acad Sci U S A* 108:2312–2315

- Ward AJW, Herbert-Read JE, Jordan LA, James R, Krause J, Ma Q, Rubenstein DI, Sumpter DJT, Morrell LJ (2013) Initiators, leaders, and recruitment mechanisms in the collective movements of damselfish. *Am Nat* 181:748–760
- Wark AR, Greenwood AK, Taylor EM, Yoshida K, Peichel CL (2011) Heritable differences in schooling behavior among threespine stickleback populations revealed by a novel assay. *PLoS One* 6(3):e18316
- Wark AR, Mills MG, Dang LH, Chan YF, Jones FC, Brady SD, Absher DM, Grimwood J, Schmutz J, Myers RM, Kingsley DM, Peichel CL (2012) Genetic architecture of variation in the lateral line sensory system of three spine sticklebacks. *G3 (Bethesda)* 2(9):1047–1056
- Ward P (1965) Feeding ecology of the black-faced dioch *Quelea quelea* in Nigeria. *Ibis* 107(2):173–214
- Ward P, Zahavi A (1973) The importance of certain assemblages of birds as “information-centres” for food-finding. *Ibis* 115(4):517–534
- Warner RR (1988) Traditionality of mating-site preferences in a coral reef fish. *Nature* 335(6192):719–721
- Watanabe S, Ito Y (1991) Discrimination of individuals in pigeons. *Bird Behav* 9(1–2):20–29
- Watts DP (2000) Mountain gorilla habitat use strategies and group movement. In: Boinski S, Garber PA (eds) *On the move*. University of Chicago Press, Chicago, pp 351–374
- Way GP, Kiesel AL, Ruhl N, Sneksler JL, McRobert SP (2015) Sex differences in a shoaling-boldness behavioral syndrome, but no link with aggression. *Behav Pro* 113:7–12
- Weary DM, Kramer DL (1995) Response of eastern chipmunks to conspecific alarm calls. *Anim Behav* 49(1):81–93
- Webster MM, Hart PJB (2006a) Kleptoparasitic prey competition in shoaling fish: effects of familiarity and prey distribution. *Behav Ecol* 17(6):959–964. doi:[10.1093/beheco/arl037](https://doi.org/10.1093/beheco/arl037)
- Webster MM, Hart PJ (2006b) Subhabitat selection by foraging threespine stickleback (*Gasterosteus aculeatus*): previous experience and social conformity. *Behav Ecol Sociobiol* 60(1):77–86
- Webster MM, Laland KN (2012) Social information, conformity and the opportunity costs paid by foraging fish. *Behav Ecol Sociobiol* 66(5):797–809
- Webster MM, Laland KN (2013) Local enhancement via eavesdropping on courtship displays in male guppies, *Poecilia reticulata*. *Anim Behav* 86(1):75–83
- Webster MM, Laland KN (2015) Space-use and sociability are not related to public-information use in ninespine sticklebacks. *Behav Ecol Sociobiol* 69(6):895–907
- Webster MM, Ward AJW, Hart PJB (2008) Shoal and prey patch choice by co-occurring fishes and prawns: inter-taxa use of socially transmitted cues. *Proc Royal Soc B Biol Sci* 275(1631):203–208. doi:[10.1098/rspb.2007.1178](https://doi.org/10.1098/rspb.2007.1178)
- Webster MM, Atton N, Hoppitt WJ, Laland KN (2013) Environmental complexity influences association network structure and network-based diffusion of foraging information in fish shoals. *Am Nat* 181(2):235–244
- Webster MS, Hixon MA (2000) Mechanisms and individual consequences of intraspecific competition in a coral-reef fish. *Mar Ecol Prog Ser* 196:187–194. doi:[10.3354/meps196187](https://doi.org/10.3354/meps196187)
- Weddle CB, Hunt J, Sakaluk SK (2013) Self-referent phenotype matching and its role in female mate choice in arthropods. *Curr Zool* 59(2):239–248
- Weidinger K, Pavel V (2013) Predator–prey interactions between the South Polar skua *Catharacta maccormicki* and Antarctic tern *Sterna vittata*. *J Avian Biol* 44(1):089–095
- Weihls D (1973) Hydromechanics of fish schooling. *Nature* 241(5387):290–291. doi:[10.1038/241290a0](https://doi.org/10.1038/241290a0)
- Weimerskirch H, Martin J, Clerquin Y, Alexandre P, Jiraskova S (2001) Energy saving in flight formation – pelicans flying in a ‘V’ can glide for extended periods using the other birds’ air streams. *Nature* 413(6857):697–698. doi:[10.1038/35099670](https://doi.org/10.1038/35099670)
- Werner EE, Gilliam JF (1984) The ontogenetic niche and species interactions in size structured populations. *Ann Rev Ecol Syst* 15:393–425
- Westneat DF, Stewart IR (2003) Extra-pair paternity in birds: causes, correlates, and conflict. *Annu Rev Ecol Evol Syst* 34:365–396
- Westneat DF, Sherman PW, Morton ML (1990) The ecology and evolution of extra-pair copulations in birds. *Curr Ornithol* 7:331–369

- Whitehead H (2003) Sperm whales: social evolution in the ocean. University of Chicago Press, Chicago
- Whitehead H (2008) Analyzing animal societies: quantitative methods for vertebrate social analysis. University of Chicago Press, Chicago
- Whitehead H, Waters S, Lyrholm T (1991) Social-organization of female sperm whales and their offspring – constant companions and casual acquaintances. *Behav Ecol Sociobiol* 29:385–389
- Whitehead H, Antunes R, Gero S, Wong SNP, Engelhaupt D, Rendell L (2012) Multilevel societies of female sperm whales (*Physeter macrocephalus*) in the Atlantic and Pacific: why are they so different? *Int J Primatolo* 33:1142–1164
- Whiten A, Goodall J, McGrew WC, Nishida T, Reynolds V, Sugiyama Y, Tutin CE, Wrangham RW, Boesch C (1999) Cultures in chimpanzees. *Nature* 399(6737):682–685
- Whitfield DP (1987) Plumage variability, status signaling and individual recognition in avian flocks. *Trends Ecol Evol* 2(1):13–18
- Wiley RH (2013) Specificity and multiplicity in the recognition of individuals: implications for the evolution of social behaviour. *Biol Rev* 88(1):179–195. doi:[10.1111/j.1469-185X.2012.00246.x](https://doi.org/10.1111/j.1469-185X.2012.00246.x)
- Wiley RH, Wiley MS (1977) Recognition of neighbors duets by stripe-backed wrens *Campylorhynchus nuchalis*. *Behaviour* 62:10–34. doi:[10.1163/156853977x00027](https://doi.org/10.1163/156853977x00027)
- Wilkinson GS (1984) Reciprocal food sharing in the vampire bat. *Nature* 308(5955):181–184
- Wilkinson GS, Boughman JW (1998) Social calls coordinate foraging in greater spear-nosed bats. *Anim Behav* 55:337–350. doi:[10.1006/anbe.1997.0557](https://doi.org/10.1006/anbe.1997.0557)
- Williams KS, Simon C (1995) The ecology, behavior, and evolution of periodical cicadas. *Annu Rev Entomol* 40(1):269–295
- Williams KS, Smith KG, Stephen FM (1993) Emergence of 13-yr periodical cicadas (Cicadidae: Magicicada): phenology, mortality, and predators satiation. *Ecology* 74:1143–1152
- Wilson EO (1971) The insect societies. Harvard University Press, Cambridge
- Wilson EO (1975) Sociobiology: the new synthesis. Harvard University Press, Cambridge
- Wilson EO, Hölldobler B (2005) Eusociality: origin and consequences. *Proc Natl Acad Sci U S A* 102(38):13367–13371
- Wilson ADM, Krause S, James R, Croft DP, Ramnarine IW, Borner KK, Clement RJG, Krause J (2014) Dynamic social networks in guppies (*Poecilia reticulata*). *Behav Ecol Sociobiol* 68:915–925
- Wingfield JC, Ball GF, Dufty AM, Hegner RE, Ramenofsky M (1987) Testosterone and aggression in birds. *Am Sci* 75:602–608
- Wingfield JC, Hegner RE, Dufty AM, Ball GF (1990) The challenge hypothesis – theoretical implications for patterns of testosterone secretion, mating systems, and breeding strategies. *Am Natu* 136:829–846
- Wingfield JC, Lynn SE, Soma KK (2001) Avoiding the ‘costs’ of testosterone: ecological bases of hormone-behavior interactions. *Brain Behav Evol* 57:239–251
- Wisenden BD, Keenleyside MH (1992) Intraspecific brood adoption in convict cichlids: a mutual benefit. *Behav Ecol Sociobiol* 31(4):263–269
- Wittemyer G, Douglas-Hamilton I, Getz WM (2005) The socioecology of elephants: analysis of the processes creating multitiered social structures. *Anim Behav* 69:1357–1371. doi:[10.1016/j.anbehav.2004.08.018](https://doi.org/10.1016/j.anbehav.2004.08.018)
- Wittemyer G, Okello JBA, Rasmussen HB, Arctander P, Nyakaana S, Douglas-Hamilton I, Siegismund HR (2009) Where sociality and relatedness diverge: the genetic basis for hierarchical social organization in African elephants. *Proc Royal Soc B Biolo Sci* 276:3513–3521
- Wittenberger GF, Hunt JL (1985) The adaptive significance of coloniality in birds. In: Farner DS, King JR, Parkes KC (eds) *Avian biology*. Academic Press, New York
- Wolf NG (1985) Odd fish abandon mixed-species groups when threatened. *Behav Ecol Sociobiol* 17(1):47–52
- Wolf JBW, Mawdsley D, Trillmich F, James R (2007) Social structure in a colonial mammal: unravelling hidden structural layers and their foundations by network analysis. *Anim Behav* 74:1293–1302

- Wolf M, Kurvers R, Ward AJW, Krause S, Krause J (2013) Accurate decisions in an uncertain world: collective cognition increases true positives while decreasing false positives. *Proc Royal Soc B Biol Sci* 280:20122777
- Woolfenden GE, Fitzpatrick JW (1978) Inheritance of territory in group-breeding birds. *Bioscience* 28(2):104–108. doi:[10.2307/1307423](https://doi.org/10.2307/1307423)
- Wrangham RW (1980) An ecological model of female-bonded primate groups. *Behaviour* 75(3):262–300
- Wrege PH, Wikelski M, Mandel JT, Rassweiler T, Couzin ID (2005) Antbirds parasitize foraging army ants. *Ecology* 86(3):555–559. doi:[10.1890/04-1133](https://doi.org/10.1890/04-1133)
- Wright D, Rimmer LB, Pritchard VL, Butlin RK, Krause J (2003) Inter and intra-population variation in shoaling and boldness in the zebrafish (*Danio rerio*). *J Fish Biol* 63(s1):258–259
- Wright D, Nakamichi R, Krause J, Butlin RK (2006) QTL analysis of behavioral and morphological differentiation between wild and laboratory zebrafish (*Danio rerio*). *Behav Genet* 36(2):271–284
- Wrona FJ, Dixon RJ (1991) Group size and predation risk: a field analysis of encounter and dilution effects. *Am Nat* 137:186–201
- Yates CA, Erban R, Escudero C, Couzin ID, Buhl J, Kevrekidis IG, Maini PK, Sumpter DJT (2009) Inherent noise can facilitate coherence in collective swarm motion. *Proc Natl Acad Sci U S A* 106(14):5464–5469. doi:[10.1073/pnas.0811195106](https://doi.org/10.1073/pnas.0811195106)
- Yen J, Bundock EA (1997) Aggregative behavior in zooplankton: phototactic swarming in 4 developmental stages of *Coullana canadensis* (Copepoda, Harpacticoida). In: Parrish JK, Hamner WM (eds) *Animal groups in three dimensions. How species aggregate*. pp 143–162. Cambridge University Press, Cambridge
- Yoshimura J, Hayashi T, Tanaka Y, Tainaka KI, Simon C (2009) Selection for prime-number intervals in a numerical model of periodical cicada evolution. *Evolution* 63(1):288–294
- Young KA, Genner MJ, Joyce DA, Haesler MP (2009) Hotshots, hot spots, and female preference: exploring lek formation models with a bower-building cichlid fish. *Behav Ecol* 20:609–615
- Zahavi A (1977) Testing of a bond. *Anim Behav* 25(FEB):246–247. doi:[10.1016/0003-3472\(77\)90089-6](https://doi.org/10.1016/0003-3472(77)90089-6)
- Zhang P, Li BG, Qi XG, MacIntosh AJJ, Watanabe K (2012) A proximity-based social network of a group of sichuan snub-nosed monkeys (*Rhinopithecus roxellana*). *Inter J Primatol* 33:1081–1095
- Zitterbart DP, Wienecke B, Butler JP, Fabry B (2011) Coordinated movements prevent jamming in an emperor penguin huddle. *Plos One* 6(6). doi:[10.1371/journal.pone.0020260](https://doi.org/10.1371/journal.pone.0020260)

Index

A

Abert's squirrel, 103
Acara, 79
Adaptive radiation, 198
Agelena labyrinthica, 176
Alarm calls, 30, 76, 77, 82, 87, 139
Alignment, 34–36, 47, 48, 51
Allelomimesis, 34
Allogrooming, 90, 106–108, 212
Allonursing, 92, 93
Alloparenting, 90
American crow, 84, 114
American toad, 103, 104
Anostracospira rigaudi, 189
Antarctic tern, 81
Aposematism, 84, 184
Arctic char, 23
Argentine ant, 44
Argulus canadensis, 189
Army ant, 36, 41, 44–46
Artemia franciscana, 189
Artemia parthenogenetica, 189
Astatotilapia burtoni, 26
Atlantic molly, 142
Atlantic salmon, 23
Attack abatement, 73–74
Attack dilution, 73–75
Attraction, 33–36, 47, 51
Australian gidgee skink, 22
Australian plague locust, 46

B

Bald ibis, 117
Banded killifish, 37, 85, 143, 185, 187
Barbary macaque, 164
Barnacle, 13
Barnacle goose, 15, 115, 123
Barred flagtail, 49, 51

Bar-tailed godwit, 69
Bearing angle, 50
Bechstein's bat, 163
Bedbug, 104
Behavioural syndromes, 168, 195
Belding's ground squirrel, 14, 17, 19, 22
Bigeye scad, 49
Binary choice, 30, 31, 189, 194
Black ant, 44
Black-billed gulls, 138
Black-crowned night heron, 102, 114
Black fly, 186
Black grouse, 186
Bluegill sunfish, 209
Bluehead wrasse, 214
Blue monkey, 107
Blue tang, 62
Blue tit, 87
Bobolink, 57
Boids, 35
Bot fly, 186
Bottlenose dolphin, 17, 21
Brood parasitism, 18, 90, 100, 202
Brook stickleback, 187
Brook trout, 23
Brown booby, 68
Brown rat, 61, 62
Brown shrimp, 31
Brown-throated conure, 16
Brown trout, 77
Buffalo, 105, 160
Burrowing spider, 66
Bush dog, 181

C

California gull, 140
Canada goose, 34
Cannibalism, 36, 47, 90, 101–102, 112, 141

- Carolina chickadees, 139
 Carrion crow, 84
 Cattle, 24, 115, 159
 Cephalopods, 26
 Chacma baboon, 26, 53
 Cheetah, 14, 76, 86, 178
 Chicken, 84
 Chimpanzee, 64, 181, 183, 214
 Chinstrap penguin, 67
 Cicada, 53, 76
 Cliff swallow, 61, 105, 199
 Clownfish, 12, 17, 24, 140
 Coal tit, 87
 Coati, 120, 122
 Cockroach, 13, 22, 36, 41, 155, 183
 Cod, 50, 116
 Coercive mating, 99
 Coho salmon, 22
 Collective decision-making, 8, 38, 149,
 150, 155, 158, 160–162, 168,
 169, 173
 Common frog, 180, 182
 Common prawn, 31
 Common tern, 75, 147
 Common toad, 114
 Communal defence, 81
 Complex systems, 32, 40
 Conformity, 148
 Confusion effect, 78–81, 209
 Consensus, 38, 42, 162, 165
 building, 163
 costs, 160, 163
 decisions, 155, 156, 158, 159, 167
 Contagion, 147
 Contaminants and sociality, 184
 Convict cichlid, 101, 139
 Cooperative breeding, 90, 193, 200–202, 216
 Crab-eating fox, 181–182
 Crab-eating macaque, 106, 107
 Crab spider, 13
Crassiphiala bulboglossa, 187
 Crayfish, 26
 Crested black macaque, 15
 Culture, 8, 9, 214–216, 222
- D**
- Dark-eyed junco, 121
 Decorated cricket, 20
 Desert locust, 46, 51, 184
 Desert night lizard, 103
 Dire wolf, 191
 Domain of danger, 38, 112–114, 119, 120
 Domestic dog, 61
- Dominance hierarchy(ies), 9, 67, 106,
 111, 121–124, 132, 140, 141, 164,
 178, 212
 Dunlin, 50
 Dusky damselfish, 62
 Dwarf hamster, 61
- E**
- Eastern chipmunk, 77
 Ectoparasites, 105, 106, 186, 187, 212
 Elephant, 6, 7, 13, 17, 21
 Emperor moth, 104
 Emperor penguin, 101, 103, 118, 119
 Emu, 76
 Encounter dilution, 72–73, 186
Enterocytozpora artemiae, 189
 European blackbird, 70
 European earwig, 141
 European eel, 116
 European minnow(s), 26, 77, 144
 Eusocial insects, 3–5, 13, 43, 138,
 200–201, 211
 Eusociality, 4, 5, 200
 Eye fluke, 187
- F**
- Fairy basslet, 123
 Fallow deer, 98
 Familiarity, 9, 11, 15–17, 20, 23, 24, 27,
 67, 77, 92, 127
 Fathead minnow, 114
 Fiddler crab, 95
 Fire ant, 18
 Fission-fusion, 6, 7, 12, 17, 30, 127–128,
 135, 221
Flamingolepis liguloides, 189
 Florida scrub jay, 14
 Foraging trails, 43, 44, 155
 French grunt, 166
- G**
- Gammarus pseudolimnaeus*, 187, 188
 Garter snake, 75
 Giant moray eel, 86
 Glaucous-winged gull, 101
 Glowlight tetra, 76
 Goat, 177
 Golden shiner, 39, 52, 85, 154, 166, 167, 170
 Gorilla, 159, 163, 164, 174
 Grant's gazelle, 77, 86
 Great blue heron, 58, 68

- Great egret, 68
 Greater spear-nosed bat, 21
 Great horned owl, 75
 Great tit, 87, 195, 215
 Great white pelican, 116
 Green beard effect, 18
 Green woodhoopoe, 139, 141
 Grey-headed albatross, 143
 Groove-billed ani, 133
 Group morphology, 46–48, 157
 Group size distributions, 126–128
 Guppy, 15, 17, 19, 20, 57, 79, 80, 93–95, 99, 166, 194–198, 222
- H**
 Heat loss, 90
 Heritability of sociality, 198
 Hermit crab, 26, 68
 Herring, 4, 12, 50, 51
 Honey bee, 41, 106, 138, 150, 152, 161
 Hormones and sociality, 178, 182, 184, 218
 Horse, 24, 186
 Hotshot hypothesis, 97
 Humbug damselfish, 5
 Humpback whale, 214
 Hypoxia, 104
- I**
 Ideal free distribution, 69, 145
 Impala, 106
 Inclusive fitness, 9, 15, 82, 90, 91, 122, 134, 135, 137, 138, 141, 162, 200, 202, 213, 220, 221
 Indian myna, 82
 Individual recognition, 11, 15, 16, 20–22, 27
 Induced effects, 184
 Infanticide, 7, 14, 85, 90, 100–103, 132
 Info-disruption, 184
 Information centre, 57, 61
 Interception competition, 66
- J**
 Japanese macaque, 15
 Japanese quail, 30
- K**
 Kelp gull, 66
 Kin grouping, 4, 5, 9, 13, 15, 27, 90, 91, 127, 135, 137, 175, 221
 Kin recognition, 11, 13–20, 22, 23, 202, 221
 Kin selection, 90, 92, 93, 100, 137, 141, 200, 201
 Kleptoparasitism, 46, 56, 60, 65–67
 Krill, 4, 26, 29, 42, 47, 48, 104, 118, 125, 131, 181
- L**
 Lake Eacham rainbowfish, 91
 Largemouth bass, 80
 Laughing dove, 76
 Laughing thrush, 85, 87
 Leadership, 29, 40, 42, 108, 155, 157, 162, 164–168, 173, 174, 218
 Leaf cutter ant, 43, 106
 Leaf notcher moth, 126
 Least flycatcher, 31
 Least tern, 113
 Leks, 90, 94, 96–98, 109, 112
 Lesser kestrel, 199
 Limpet, 104
 Lion, 13, 14, 63, 64, 128
 Little brown bat, 105
 Little bustard, 97
 Lobster, 26
 Local enhancement, 57–60
 Local inhibition, 60
 Local interactions, 32, 35, 39, 40, 46, 78, 154, 156
 Locusts, 36, 46
 Long-clawed hermit crab, 17
 Long-tailed tit, 118
 Lugworm, 69, 70
- M**
 Macaroni penguin, 106
 Major histocompatibility complex (MHC), 19, 20, 23
 Mallard duck, 85, 117
 Manakin, 96
 Manipulation by parasites, 164, 187
 Many eyes effect, 76–78, 86, 100
 Many wrongs, 108, 171, 172
 Marsh tit, 87
 Mate choice, 94–96, 99, 142
 Menhaden, 64
 Merge and split, 32
Metepeira incrassata, 115, 121
 MHC. *See* Major histocompatibility complex (MHC)
 Midge, 38
 Mixed-species groups, 55, 85–87
 Mobbing, 81, 82, 100

- Mongoose, 101, 133, 140, 164
 Montagu's harrier, 140
 Mormon cricket, 36
 Mosquito, 186, 187
 Mosquitofish, 24, 146, 147, 170, 194
 Mourning cuttlefish, 142
 Mullet, 47
 Multilevel society, 7
 Multistability, 52
 Mummichog, 185
 Mussel, 115
- N**
- Naked mole rat, 137, 151
Nannacara anomala, 68
 Natterer's bat, 104
 Nearest neighbour distance (NND),
 33, 34, 181
 Negative feedback, 41, 158, 161
Neolamprologus pulcher, 182
 Niche construction, 42
 Ninespine stickleback, 60, 148, 182
 NND. *See* Nearest neighbour distance (NND)
 Noctule, 31
 Nuthatch, 87
Nyassachromis microcephalus, 97
- O**
- Ocean skater, 78
 Ocean surgeonfish, 86
 Oddity effect, 80, 132
 Olive baboon, 160, 164
 Optimal group size, 128–131, 134, 144
 Orange-billed babbler, 85, 87
 Orb-weaving spider, 121
 Orb web spider, 66
 Orca, 13, 14, 64, 128
 Orientation. *See* Alignment
- P**
- Pacific blue-eye, 78
 Paper wasp(s), 24, 25, 188
 Parasites and sociality, 186
 Parent-offspring conflict, 140, 141
 Passenger pigeon, 125
 Personality, 4, 163, 168, 194, 195
 Phase transition, 36, 51
 Phylogenetic approach, 200–203, 205, 207,
 208, 216, 222
 Phylogenetic tree, 200, 207, 216, 222
 Pied babbler, 137
 Pied flycatchers, 82
 Pigeon, 24, 80, 153, 156, 164, 165, 167,
 170, 173
 Plaice, 84
 Plains zebra, 7, 47, 85, 168
 Polarisation, 34, 51
 Pollock, 34, 52
Polycelis coronata, 75
 Positive feedback, 40, 44, 46, 151, 153,
 155, 156, 158, 162
 Predator inspection, 82, 92, 93, 150
 Predator swamping, 65, 75, 76
 Presociality, 4, 5
 Prey depression, 69
 Prisoner's dilemma, 92
 Producers and scroungers, 56, 58, 123
 Przewalski's horse, 177
 Public information, 31, 57
- Q**
- Quorum response, 158, 160–162, 171
- R**
- Rabbitfish, 78
 Racket-tailed drongo, 85, 87
 Rainbow trout, 65, 187
 Raven, 62
 Reciprocal altruism, 12, 78, 82, 91–93
 Recognition template, 10, 17, 18, 20
 Recruitment, 136–138
 Red-eared terrapin, 75
 Redfin, 32
 Red jungle fowl, 178
 Redshank, 69
 Reindeer, 92, 93, 114, 186
 Repulsion, 33–36, 47, 51
 Rhesus macaque, 15, 82, 107, 165
 Ring-tailed lemur, 22, 24
 Roach, 116, 121, 168
 Rock ants, 161, 170
 Rockhopper penguin, 106
 Rock lobster, 180
 Rocky mountain locust, 4, 125
 Rook, 85
 Roving coral grouper, 86
 Ruffed lemur, 165
- S**
- Sandfly, 96
 Sand lance, 215
 Sardine, 12

- Satellite males, 95
 Scramble competition, 64
 Sea bass, 116
 Sedge fly, 74
 Selective mimetism, 160, 164
 Selfish herd, 66, 73, 93, 112
 Self-organisation, 6, 9, 39, 40, 42–44, 46, 48, 51, 52, 149, 156, 162, 166, 172
 Self-propelled particle (SPP) model, 34, 37, 49, 51
 Self-referent phenotype matching, 18, 19
 Semipalmated sandpiper, 120
 Sharp-tailed grouse, 97
 Sheep, 4, 17, 24, 26, 31, 50, 70, 159
 Short-tailed fruit bat, 61
 Shreckstoff, 120
 Siblicide, 68, 141
 Sibly size, 129, 130, 220
 Sika deer, 126
 Silverside, 153
 Silvery minnows, 80
 Siskin, 6
 Skew theory, 131–135, 140, 220
 Slave-making ants, 139
 Smilodon, 191
 Snow goose, 117
 Snowshoe hare, 75
 Social attraction, 2, 26, 30, 31, 57, 120, 173, 175, 176, 178–180, 184
 Social brain theory, 182, 212
 Social facilitation, 8, 56, 65, 86, 146–148
 Social information, 16, 32, 34, 57, 60, 87, 94, 96, 136, 150, 153, 155, 158, 166, 170, 171, 187, 214, 215
 Social learning, 9, 14, 16, 57, 178, 214
 Social network, 6, 15, 87, 194, 215
 Social organisation, 6–27, 155, 165, 184, 185, 189, 207, 216
 Social recognition, 8–12, 17–24, 27, 180, 184, 189
 Soldier crab, 51
 South Polar skua, 81
 Sparrow, 91, 170
 Spatial position, 112, 117
 Sperm whale, 71
 Spice finch, 58–60, 136, 146, 147
 Spider monkey, 21, 141
 Spiny lobster, 117, 180, 189
 Spix's disc-winged bat, 31
 Spotted hyena, 63, 121, 141
 Spotted sea trout, 64
 Starling, 12, 29, 34, 38, 50, 143
 State-dependence, 121, 168, 193
Stegodyphus lineatus, 13, 22
 Stingless bees, 60
 Stoplight parrotfish, 86
 Storm petrel, 31
 Stripe backed wren, 22
 Striped jack, 180
 Striped parrotfish, 86
 Stumptail macaque, 106
 Sunfish, 80, 81
 Surf scoter, 34
 Swan, 159
 Swarm intelligence, 8, 42, 169, 172
 Swordtail, 19
- T**
- Tandem running, 151, 162
Temnothorax albipennis, 155, 161
Temnothorax allardycei, 53
 Tent caterpillar, 155, 176, 177
 Termite, 42, 151
 Thermoregulation, 42, 103
 Thomson's gazelle, 76, 86
 Threespine stickleback, 15, 17, 20, 37, 67, 79, 85, 93, 114, 147, 181, 189, 194, 196, 198, 216, 221
 Tilapia, 51
 Tonkean macaque, 15, 160, 165
 Toque macaque, 126
 Travelling efficiency, 116–118
- V**
- Vampire bat, 92, 93
 Vervet monkey, 181
 Vigilance, 57, 65, 70, 77, 78, 87, 99, 106, 146, 147
 Vulture, 58
- W**
- Walleye pollock, 84
 Warble fly, 186
 Waterflea, 79, 114, 120
 Western black widow spider, 30
 Western gull, 101
 Western toad, 75
 Whirligig beetle, 114
 White-bearded manakin, 97
 White-faced capuchin, 159, 164
 White sucker, 85
 White winged chough, 101, 140
 Whooping crane, 166, 167
 Wild dog, 24, 63
 Wildebeest, 48, 85
 Willow tit, 122
 Willow warbler, 68

Wisdom of the crowd, 169, 172, 173
Wolf, 4, 164, 181
Wolf spider, 95
Wood frog, 82
Woodlouse, 118

X

Xenos vesparum, 188

Y

Yellow baboon, 159

Z

Zebra finch, 19, 178, 182

Zebrafish, 18, 19, 30, 91, 144, 179, 183, 194,
196, 198