

Taxonomic Index

A

Absidia corymbifera, 307, 308
Acanthamoebae, 140
Acarosporaceae, 129
Acarospora cf. *schleicheri*, 295
Acarospora gwynii, 124, 130
Acarospora nodulosa, 126
Acarospora schleicheri, 132
Acidobacteria, 83–87, 95, 96
Acremonium, 90
Acrobeles, 141
Actinobacteria, 43, 83, 96, 204
Actinomadura, 83
Actinomycetales, 88
Actinoplanes, 83
Acutodesmus, 67–68
Agave marmorata, 388
Aloina bifrons, 393, 443, 504
Alphaproteobacteria, 84, 85, 87–89, 95, 96,
204, 208, 418
Alternaria, 90
Anabaena spp., 88, 140
Anabaenopsis, 83
Apatococcus, 68
Aphanothece muscicola, 60
Aphanothece saxicola, 60, 181
Aphelenchida, 142
Aphelenchoides sp., 144
Aporcelaimellus, 146
Aporcelaimidae, 144
Arabis fecunda, 392
Archaea, 84
Armatimonadetes, 86
Armatimonadia, 96
Armillaria mellea, 40

Artemisia, 9, 126
Arthonia, 93
Arthonia glebosa, 132
Arthrorhaphis citrinella, 91–93, 95
Ascomycota, 89
Aspicilia aspera, 132
Aspiciliaceae, 129
Aspicilia filiformis, 132
Aspicilia mansourii, 132
Aspicilia sp., 132
Asterella, 105, 110
Asterochloris, 68–69
Asterochloris irregularis, 125
Athalamia, 105
Attractylis serratuloides, 388, 443
Atriplex, 9
Aureobasidium pullulans, 307, 308
Avena, 388
Azotobacter chroococcum, 145

B

Bacillales, 88
Bacillariophyceae, 64, 70
Bacillus spp., 516
Bacterioidetes, 83–88, 96
Baeomyces, 93
Baeomyces placophyllus, 93, 95
Baeomyces rufus, 91, 93
Barbula, 105
Barbula unguiculata, 504
Belnapia, 83
Belnapia moabensis, 88
Betaproteobacteria, 83, 96, 418
Borodinellopsis, 66

- Botrydiopsis*, 71
Botrydium, 71
Brachyemenium, 102
Bracteacoccus, 67–68
Bracteacoccus minor, 70, 180
Bromus, 388
Bromus tectorum, 128, 131, 388, 394
 Bryaceae, 102, 105
Bryum, 102, 105
Bryum argenteum, 104, 105, 110, 132, 181,
 296, 350, 365, 367, 374, 393, 394, 488,
 490, 504, 512, 531
Bryum argenteum var. *lanatum*, 132
Bryum caespitium, 181
Bryum capillare, 105
Bryum dunense, 393
Bryum pallescens, 504
Bryum pseudotriquetrum, 367
Bryum recurvulum, 504
Bryum schleicheri, 352
Bryum sp., 393
Buellia dijiana, 127
Buellia epigaea group, 127
Buellia epipolium, 413
Buellia frigida, 291
Buellia georgei, 127
Buellia latemarginata, 291
Buellia lobata, 127
Buellia punctata, 132
Buellia spp., 128
Buellia zoharyii, 126
- C**
- Calliergonella cuspidata*, 393
Caloplaca cerina, 132
Caloplaca citrina, 124
Caloplaca eudoxa, 490
Caloplaca jungermanniae, 132
Caloplaca sp., 132
Caloplaca sublobulata, 291
Caloplaca tominii, 132
Caloplaca volkii, 295
Calothrix parietina, 60, 181
Calothrix sp., 443–444
Campylopus, 105
Campylopus introflexus, 104
Candelariella aggregata, 132
Candelariella rosulans, 132
Candelariella sp., 132
Candelariella vitellina, 132
Caragana korshinskii, 517
Catapyrenium, 124
Catapyrenium squamulosum, 438
Cephaloziella, 105
Ceratodon purpureus, 25, 132, 181, 367, 490,
 504
Ceratoides lanata, 9
Ceratosphaeridium, 45
Ceratosphaeridium mirabile, 44
Cercidospora soror, 93
Cercidospora trypteliza, 93
Cetrariella delisei, 291, 295
 Chitinophagaceae, 84
Chlamydomonas, 61–62, 66–67
Chlamydomonas acidophila, 307
Chlorella, 68
Chlorella vulgaris, 68, 71, 181
Chlorococcum, 61–62, 66–67
Chloroflexi, 84, 85, 87, 203
Chloroidium, 68
Chloroidium ellipsoideum, 73
Chloromonas, 67
 Chlorophyceae, 66
 Chlorophyta, 66, 68
Chlorosarcinopsis, 67
Chondropsis, 130
Chondropsis semiviridis, 127
Choricystis minor, 324
Chorisodontium aciphyllum, 294
Chroococciopsis spp., 56, 58, 60, 181, 203,
 205, 208
Chroococcus sp., 56, 60
Chroococcus turgidus, 443–444
Chrysothamnus nauseosus, 9
Cladina, 491
Cladonia, 125
Cladonia convoluta, 356, 362, 370, 371
Cladonia cristatella, 124
Cladonia foliacea, 362, 466
Cladonia pocillum, 132
Cladonia pyxidata, 132
Cladonia sp., 18, 91, 93, 96, 491
Cladonia symphylicarpa, 96, 418
 Clostridiales, 88
Coccomyxa, 68
Coelastrella, 68–69
Coleofasciculus chthonoplastes, 181
Coleogyne ramosissima, 9
Collema coccophorum, 130, 132, 181, 296
Collema cristatum, 294, 358, 359
Collema spp., 17, 18, 126, 129, 130, 161, 278,
 295, 324, 358, 360, 444, 487, 514
Collema tenax, 130–132, 181, 296, 438, 466,
 488
 Comamonadaceae, 84

Comamonas, 83
Corsinia, 353
 Crenarchaeota, 85
Crossidium chloronotus, 105
Crossidium crassinerve, 362, 370
Crossidium crassinerve var. *laevipilum*, 443
Crossidium sp., 102, 105, 132, 393
 Cyanobacteria, 45, 55, 82–88, 93, 96
Cylindrocystis, 66
Cylindrocystis brebissonii, 69
Cylindrospermum, 56
 Cytophagaceae, 84

D

Dacampia engeliana, 92, 93
Dacampia hookeri, 92
Dactylina arctica, 293
 Deinococci, 204
Deschampsia flexuosa, 389, 390
Desmococcus, 68
Desmococcus olivaceus, 72, 180, 307
Dickinsonia costata, 40, 42
Didymodon, 103
Didymodon constrictus, 504, 512
Didymodon nigrescens, 504, 512
Didymodon rigidulus var. *ditrichoides*, 504, 512
Didymodon tectorum, 504, 513
Didymodon vinealis, 132, 488, 504
Dilabifilum, 69–70
 Diploschistes, 17
Diploschistes diacapsis, 17, 19, 95, 126, 181, 290, 358, 359, 370, 372, 389, 413, 415, 457, 462
Diploschistes muscorum, 17, 19, 91, 93, 96, 125, 126, 132, 181, 390, 394, 418, 439, 453
Diploschistes scruposus, 453
Diploschistes scruposus var. *terrestris*, 17, 19
Diploschistes spp., 18, 326
Diplosphaera, 68
Diplosphaera chodatii, 72
Diskagma buttoni, 43, 44
 Dorylaimida, 142, 146, 151
 Dothideomycetes, 89
Dyadobacter crusticola, 88

E

Ellipsoidion, 73
Elliptochloris subsphaerica, 71

Endocarpon, 124
Endocarpon pusillum, 16, 18, 132
Endocarpon spp., 324
Entosthodon spp., 105
Eremosparton songoricum, 391
 Eustigmatophyceae, 64, 71
Eustigmatos, 71
Evernia divaricata, 129
Exophiala crusticola, 90
Exormotheca, 353

F

Festuca octoflora, 395
 Firmicutes, 85, 88
Fissidens megalotis, 105
Fistulifera, 70–71
Flavobacterium, 83
Flexibacter, 83
Fossombronina, 105, 110
Fulgensia, 125
Fulgensia bracteata, 125, 126
Fulgensia fulgens, 17, 181, 356, 371, 453
Fulgensia sp., 18
Fulgensia subbracteata, 413, 457
 Funariaceae, 105, 110
Funaria hygrometrica, 490

G

Gammaproteobacteria, 84, 204
 Gemmatimonadetes, 86
Geosiphon, 43
Germinosphaera sp., 44, 45
 Gigaspermaceae, 110
Gigaspermum, 110
Gloeobotrys, 71
Gloeocapsa, 56
Gloeocapsopsis, 56
Grimmia, 105
 Grimmiaceae, 102
Grimmia orbicularis, 113
Grimmia pulvinata, 352, 369
Grimmia sp., 352
 Grossglockneridae, 140

H

Hantzschia, 70
Hantzschia amphioxys, 63, 180
Haplomacrobiotus utahensis, 144
Hassallia bysoidea, 60

Hemilepistus reaumuri, 438
Hennediella heimii, 365
Heppia despreauxii, 181
Heppia lutosa, 181
Heterococcus, 71
Heterodea, 130
Hookeriaceae, 361
Hookeriales, 352
Horodyskia moniliformis, 43
Hymenobacter arizonensis, 88
Hypogymnia physodes, 353

I

Imadophila ericetorum, 93–95
Interfilum terricola, 69

K

Klebsormidium sp., 60, 66, 77, 491
Klebsormidium crenulatum, 180
Klebsormidium flaccidum, 76, 180, 181
Klebsormidium montanum, 180
Klebsormidium subtile, 324

L

Larrea tridentata, 87
Lecanora chondroderma, 127
Lecanora expectans, 124
Lecanora flowersiana, 132
Lecanora himalayae, 127
Lecanora muralis, 132, 291, 294, 362
Lecidea laboriosa, 132
Lecidea ochroleuca, 126
Lecidea uliginosa var. *chthonoblastes*, 25
Lecidella crystallina, 295, 490
Lepraria crassissima, 413
Lepraria sp., 132
Leptochidium, 129
Leptochidium albociliatum, 132
Leptogium, 129, 358
Leptolyngbya, 83
Lichen caeruleo-nigricans, 16
Lichen candidum tuberculis atris, 17
Lichen incarnatus, 16
Lichen tartareum, 17
Lichen tinctorium, 17
Lichinaceae, 129
Linckia, 21
Linckia ex pallida, 21
Linckia gelatinosa, 21, 22
Linckia membranacea, 21

Linckia terrestris, 21, 22
Linckia virescente fulva, 21
Linckia vulgatissima, 21
Lobaria pulmonaria, 358
Lobaria scrobicularia, 358
Lophozia badensis, 26
Luticola, 70
Luticola mutica, 64
Lyngbya spp., 83, 307

M

Macrochloris, 66
Maireana excavata, 389
Mannia, 353
Marchantiales, 353
Massalongia carnosa, 133
Massilia, 83
Microcoleus spp., 56, 60, 77, 82, 83, 130, 132,
161, 167, 219, 247, 278, 295, 307, 487,
503
Microcoleus paludosus, 60, 181
Microcoleus steenstrupii, 83, 182, 245, 457,
530
Microcoleus vaginatus, 17, 57, 59, 83, 86, 87,
144, 181, 182, 203, 239, 245, 295, 296,
307, 393, 394, 419, 441, 443, 457, 491,
504, 509, 510, 516, 517, 530
Modestobacter versicolor, 89
Mononchida, 142
Morella pensylvanica, 390
Muricoccus, 83
Muriella, 68
Mychonastes, 61–62, 66
Mychonastes homosphaera, 66
Myrmecia, 61, 68
Myrmecia biatorellae, 70
Myrmecia bisecta, 65
Myxobacteria, 84

N

Navicula, 70
Neobuxbaumia tetetzo, 388
Neochlorosarcina, 60, 66
Neochlorosarcina negevensis, 63
Neofuscelia pulla, 126
Nitzschia, 70–71
Noaea mucronata, 443
Nonomuraea, 83
Nostocales, 205
Nostoc commune, 10, 17, 57, 59, 104, 181, 307
Nostoc microscopicum, 57, 60, 181

Nostoc muscorum, 60, 181
Nostoc punctiforme, 60, 88, 181, 443
Nostoc sp., 21, 22, 43, 77, 83, 130, 140, 161,
 208, 219, 245, 247, 278, 295, 307, 308,
 487, 504, 509, 510, 514, 516
Nostoc thermalis, 23

O

Oscillatoriales, 87, 203
Oscillatoria spp., 245, 491, 516
 Oxalobacteraceae, 83, 84
Oxymitra, 353

P

Palmella sp., 443–444
Patulibacter americanus, 89
Peltigera rufescens, 416
Peltigera venosa, 93
Peltula patellata, 181
Phoma, 90
Phormidium sp., 56, 85, 161, 219
Phormidium tenue, 307, 504, 517
Physcomitrella patens, 112, 366
Physconia enteroxantha, 133
Physconia muscigena, 92, 133
Pinnularia, 70–71
Pinnularia borealis, 64, 180
Pinus halepensis, 418
Placidium, 295
Placidium lacinulatum, 181
Placidium pilosellum, 181
Placidium squamulosum, 133, 181
Placopsis perrugosa, 291
Placynthiella icmalea, 133
Placynthiella uliginosa, 25
Placynthium nigrum, 488
Plagiochasma, 110, 353
 Planctomycetes, 84, 86, 95
Planophila, 69–70
Plantago coronopus, 387
 Pleosporales, 89
Pleurochaete squarrosa, 466
Poa ligularis, 465
Poa sandbergii, 9
Pogonatum alpinum, 293
Pohlia nutans, 308
Polytrichum alpestre, 294
Polytrichum juniperinum, 26
Polytrichum piliferum, 26, 104
Porphirosyphon, 245
 Pottiaceae, 102, 105, 109, 110

Prasinema gracile, 40
Prasiola, 68
Prosopis laevigata, 388
 Proteobacteria, 83, 84, 86, 87, 95, 96
Protopannaria alpicornis, 127
Pseudendoconiopsis, 69–70
Pseudococcomyxa, 68
Pseudocyphellaria crocata, 358
Pseudocyphellaria dissimilis, 352, 358
Pseudonocardia, 83
Psora, 124
Psora cerebriformis, 124
Psora decipiens, 16–18, 93–95, 125, 126, 181,
 372, 413, 419
Psora montana, 126, 133
Psora spp., 326
Psora tuckermanii, 133
Pterygoneurum lamellatum, 112, 504
Pterygoneurum ovatum, 132, 504
Pterygoneurum subsessile, 393
Pyrenidium actinellum, 93

Q

Qudsianematidae, 146

R

Racomitrium, 356
Racomitrium canescens, 104
Racomitrium lanuginosum, 365
Ramalina maciformis, 360, 362
Rhagadostoma lichenicola, 92, 96
 Rhizobiales, 88
Rhizocarpon diploschistidina, 93
Rhizocarpon geographicum, 291
Rhizoplaca chrysoleuca, 124
 Rhodobacterales, 88
 Rhodospirillales, 87, 88
Rhytidiadelphus squarrosus, 393
Riccia albida, 109
Riccia crustata, 109
Riccia frostii, 132
Riccia spp., 102, 104, 105, 110,
 219–220, 353
Rivularites repertus, 42
Rubrobacter, 83
 Rubrobacterales, 88

S

Scapania undulata, 416
 Scenedesmeaceae, 67–68

Scenedesmus, 61–62, 67–68
Scenedesmus obliquus, 88
Schismus, 388
Schistidium apocarpum, 352, 365
Schistostega pennata, 352
Schizothrix calcicola, 60, 181
Schizothrix sp., 26
Scorpio mauruspalmatus, 438–439
Scytonema cf. *ocellatum*, 58
Scytonema hofmannii, 60
Scytonema javanicum, 307, 504, 509, 510
Scytonema myochrous, 60
Scytonema ocellatum, 17
Scytonema spp., 56, 77, 83, 130, 245, 247, 295, 308, 443, 487, 516
Solorina crocea, 92, 95, 96
Solorina octospora, 92
Solorina sp., 93
Solorinella asteriscus, 126
Sordariomycetes, 96
Southbya nigrella, 353
Spartobacteria, 96
Sphaerobacter, 83
Sphaerophorus globosus, 293
Sphaeropleales, 66, 67
Sphagnaceae, 361
Sphagnum sp., 352
Sphagnum squarrosum, 293
Sphagnum warnstorffii, 416
Sphincterochila zonata, 438
Sphingobacteriales, 88
Sphingobacterium, 83
Sphingomonadales, 87
Sphingomonas, 83
Sphingomonas dessicabilis, 88
Sphingomonas mucosissima, 88
Spirirestis, 83
Spirosoma, 83
Spongiochloris, 60, 66
Spongiochloris minor, 62
Squamarina cartilaginea, 389, 413
Squamarina lentigera, 16, 17, 95, 126, 413, 457, 462, 488
Squamarina spp., 326
Stereonema chthonoblastes, 25
Stichococcus, 61
Stichococcus bacillaris, 65, 180
Stigmidium arthrorhaphidis, 93
Stigmidium schaeferi, 92
Stigonema, 56, 77
Stigonema cf. *hormoides*, 59
Stigonema ocellatum, 60, 181
Stigonema spp., 93
Stigonema turfaceum, 59

Stipa capensis, 387, 388
Stramenopiles, 64, 71
Streptomyces, 83
Streptophyta, 64, 66
Synechococcus, 83
Syntrichia caninervis, 105, 112, 113, 132, 296, 393, 454, 460, 461, 463, 488, 504, 511, 513, 530
Syntrichia ruraliformis, 491
Syntrichia ruralis, 112, 132, 352, 365, 368, 504, 513
Syntrichia spp., 110

T

Tappania sp., 44, 45
Teloschistes, 356
Teloschistes capensis, 356
Tephromela siphulodes, 127
Tetracystis, 66
Tetramela pulverulentus, 92
Texosporium sancti-jacobi, 133
Thecamoebae, 141
Thelenella muscorum var. *octospora*, 133
Thucomyces lichenoides, 43, 44
Tolypothrix byssoidea, 181
Tolypothrix sp., 56, 60, 245, 247
Toninia caeruleonigricans, 17
Toninia physaroides, 126
Toninia ruginosa, 133
Toninia sedifolia, 16–18, 40, 93, 94, 125, 126, 181
Tortella inclinata, 491
Tortula, 102, 105
Tortula inermis, 113
Tortula muralis, 105
Tortula ruralis, 17, 308, 352
Tortula spp., 110
Trapeliopsis bisorediata, 133
Trapeliopsis granulosa, 94, 95
Trapeliopsis steppica, 133
Trebouxia, 69, 124, 125
Trebouxia showmanii, 125
Trebouxiophyceae, 66, 68
Tremella Nostoc, 21
Tremella terrestris, 17
Tribonema, 71
Tribonema minus, 324
Trichocoleus sociatus, 60, 181, 245
Trichoderma harzianum, 307, 308
Trichostomum crispulum, 104
Tylenchida, 142
Tylenchidae, 142, 151
Tylenchus, 141

U

Ulvophyceae, 66, 69

Umbilicaria aprina, 365, 370, 372, 393*Usnea aurantiacoatra*, 370**V***Vampyrella*, 140

Verrucariaceae, 129

Verrucomicrobia, 84–86

Viridiraptoridae, 140

Vischeria, 71

Volvocales, 66

W*Warnstorfia exannulata*, 416**X***Xanthonema*, 71*Xanthoparmelia*, 130*Xanthoparmelia chlorochroa*, 127*Xanthoparmelia reptans*, 126*Xanthoparmelia walteri*, 490

Xanthophyceae, 64, 71, 73

Z*Zwackhiomyces*, 93

Zygnematophyceae, 66

Zygonium, 60, 66, 77*Zygonium ericetorum*, 491

Subject Index

A

Abiotic, 289
Abiotic binding mechanisms, 238
Abiotic crusts, 160
Above-belowground interaction, 418
Absorption, 219
Accumulation, 276
Acetylene reduction assay (ARA), 259
Acritarchs, 45
Active periods, 367
Activity, 372
Aerobic, 88
Afghanistan, 20
Air, 95
Airflow, 349
Allocation, 391
Alpine region, 106
Ambient CO₂, 363
Ambient inclusion trails, 40
Amino acids, 264
Ammonia-oxidizing archaea, 413
Ammonia-oxidizing bacteria, 413
Ammonia volatilization, 267
Ammonium, 264
Anaerobic, 88
Anhydrobiosis, 147
Annual denitrification rates, 272
Annual N inputs, 263
Anoxic, 88
Antarctic dry valleys, 26
Antarctic Peninsula, 20
Antecedent moisture, 327
Anthropogenic activities, 431–439
Anthropogenic disturbance, 429
Application, 510

Aquatic, 37
ARA. *See* Acetylene reduction assay (ARA)
Arabia, 20
Arbuscular mycorrhizae, 396
Architecture, 361
Aridity, 109
Aridity gradient, 205
Artificial cultivation, 500
Autogenic engineering, 414–415
Azonal vegetation, 164

B

Bacteria, 94
Bacterial biomass, 82
Bacterial communities, 81
Bacterial diversity, 82
 β -diversity, 411
Biocrust
 characteristics, 306
 communities, 123
 community development, 306
 cover, 442
 cyanobacteria, 77
 distribution, 186
 history, 15
 integrity, 307
 structure, 160–164
 type, 274
Biodiversity, 9, 409
Biodiversity-ecosystem functioning theory,
 409
Biofilms, 207
Biogeochemical linkages, 305
Biogeographic factors, 176–179

- Biogeography, 59
 Biological feedbacks, 204
 Biomass, 4, 310, 324, 442, 516
 Biosignatures, 37, 40
 Biostabilization process, 56
 Biotic influence, 175
 Biotic structures, 163
 Boundary layer, 110, 349
 Brightness index, 224
 Bryophyte-rich biocrusts, 84
 Bunte Erdflechten-Gesellschaft, 18
 Burial, 166, 242, 488
- C**
- Calcium carbonate, 108
 Capillary water, 351
 Carbon, 114
 balance, 461
 fixation, 208, 455
 flux, 225
 isotopic values, 43
 Carbonate rocks, 250
 Catastrophic ecosystem shift, 209
 Catchment, 334
 CDT. *See* Constitutively DT (CDT)
 Cellulose, 216
 Central Asia, 22
 Chemical crusts, 16, 23
 Chlorophyll
 absorption, 216
 contents, 359
 fluorescence, 368
 Citizen science, 209
 Classification, 168–169
 Climate, 149, 507
 Climate change, 456
 Clouds, 356
 Coccoid cyanobacteria, 203
 CO₂ concentrations, 362–363, 452
 CO₂ exchange, 288–289
 CO₂ flux, 458
 Colorado Plateau, 296
 Communities, 18
 Community composition, 86
 Competition, 128
 Competitive interactions, 416
 Composition, 4, 128, 324
 Constitutively DT (CDT), 352
 Continuum removal, 220
 Critical zone, 6
 Crusting, 159
 Cryptobiotic crusts, 15
 Cryptogamic covers, 298
 Cryptogamic crust, 15
- Cultivation, 509
 Culture-independent approach, 76
 Cultures, 73–75, 513
 Cultures of eukaryotic biocrust algae, 74
 Cyanobacteria, 202–203, 500
 Cyanobacterial crusts, 160
- D**
- Dark septate endophytes (DSE), 396
 Dark-septate fungi, 89
 Denaturing gradient gel electrophoresis (DGGE), 76
 Denitrification, 271, 412
 Depression in NP, 361
 Depth, 266
 Desert pavement, 199, 200
 Deserts, 294–295
 Desert soil lichens, 16
 Desiccation, 415
 Desiccation tolerance (DT), 111, 351–354, 462
 Development, 324
 Developmental stage, 310–315
 Dew, 339, 490
 Dew fall, 356
 DGGE. *See* Denaturing gradient gel electrophoresis (DGGE)
 Diatoms, 70
 Diffusion coefficient, 360
 Diffusion resistances, 360
 Dispersal, 146
 Distribution, 125–127, 148, 175
 Distribution maps, 226
 Disturbance, 87–88, 223, 315, 328–329, 429
 Disturbed areas, 295
 Disturbed ground, 25
 Diversity, 102, 178, 457, 531
 DNA fingerprinting, 76
 Dolomite, 109
 Dormancy, 88
 Dormant states, 465
 Drought, 442–444
 Dryness, 369–370
 Dry weight, 357
 DSE. *See* Dark septate endophytes (DSE)
 DT. *See* Desiccation tolerance (DT)
 Dune stabilization, 25
 Dust production, 463
 Dynamics, 486–487
- E**
- Early colonizers, 503
 Earth system modeling (ESM), 465
 ECM. *See* Extracellular matrix (ECM)

Ecological functions, 123
 Ecological restoration, 420
 Ecological theories, 407
 Eco-regional scale, 174, 186
 Ecosystems, 530
 functioning, 409
 N balance, 276
 Edaphic influence, 175
 Eddy-covariance, 296
 Endemic, 127
 EPS. *See* Extracellular polymeric substances (EPS)
 Erosion, 26, 38, 517
 ESM. *See* Earth system modeling (ESM)
 Establishment, 510
 Eukaryotic algae, 60
 Europe, 18
 Evaporation, 338
 Evolutionary cycle, 528
 Exopolysaccharides, 326
 Extracellular matrix (ECM), 56
 Extracellular polymeric substances (EPS), 238

F

Facilitative interactions, 416
 Feeding behavior, 151–152
 Fertility, 7, 114
 Filamentous cyanobacteria, 203
 Fire, 440–441, 485, 490
 Fluorescence, 289
 Fluorescence *in situ* hybridization, 95
 Fog, 356, 490
 Food web, 145
 Fossil records, 56
 Fragments, 515
 Freezing, 367
 Function, 5
 Functional groups, 130
 Functional roles, 130
 Functional traits, 411
 Fungal-algal association, 124
 Fungal communities, 81
 Fungal diversity, 89
 Fungal hyphae, 123
 Fungal linkages, 396–397
 Fungal loop hypothesis, 89
 Fungal parasites, 96
 Fungi, 40, 43, 45, 89, 275

G

Gaseous N loss, 267
 Genomics, 152–153
 GeoChip functional microarray, 208
 Geomorphology, 185, 189
 Global change, 530
 Global C uptake, 298
 Global environmental changes, 412, 451
 Global scale, 174, 298
 Grazing, 329, 434–437
 Growing season, 201
 Gurbantunggut, 297
 Gypsum, 109

H

Health, 11, 127
 Herbicides, 432–434
 HONO. *See* Nitrous acid (HONO)
 Human disturbance, 437–439
 Human traffic, 438–439
 Hydration, 370
 Hydrological cycling, 464
 Hydrological processes, 340, 414
 Hydrology, 340
 Hydrolysis, 38
 Hydrophobic exudates, 415
 Hyperparasitism, 93
 Hypolith, 199
 Hypolithic, 199
 Hypolithic communities, 202

I

Identification, 128–129, 531
 IDT. *See* Induced drought tolerant (IDT)
 Indicators, 334
 Induced drought tolerant (IDT), 352
 Infection, 92
 Infiltration, 323
 Inhibitory effects, 388
 Inoculation, 511, 515
 Inoculum, 420
 Integrated water-driven C budget, 455
 International biome programme, 26
 Intracontinental scale, 174
 Intracratonic settings, 38
 Intra-site scale, 175
 Invasion, 131
 Isotopic composition, 38

Israel-Egypt border, 226
ITS rDNA, 75

K

Kazakhstan, 17

L

Layering, 245
Level of development (LOD), 313
Lichen-dominated biocrusts, 84
Lichenicolous, 91–93
Lichenicolous fungi, 96
Lichenometry, 289
Lichens, 43, 90–96, 501, 513
Light, 88, 365
Lignin, 216
Litter, 394
Litter quality, 413
Liverworts, 105
Localized, 125
Local scale, 175
LOD. *See* Level of development (LOD)
Long-term measurements, 296

M

Macroclimatic, 164
Mapping, 226–231
Marine biosphere, 37
Mass culture, 509
Mass per area, 358
Maturity, 86
Mechanical clearing, 431
Mechanical disturbance, 166
Medical purposes, 21
Megafossils, 38
Metagenome, 82
Metagenomic analyses, 454
Methanogens, 43
Microarthropods, 144
Microbial
 biodiversity, 411
 biomass, 82
 cabana, 201
 crusts, 15
 distributions, 246
 hubs, 90–96
Microbially induced sedimentary structures (MISS), 37, 45
Microbial mats, 45
Microbial populations, 516

Microbiotic crust, 15
Microclimate, 201, 349–350, 514
Microcosm experiments, 88, 418
Microfauna, 139, 456
Microfossils, 37
Microphytic crusts, 15
Micro-scale, 175
Military activity, 437–438
Mining, 439
MISS. *See* Microbially induced sedimentary structures (MISS)
Modeling, 291–293, 321
Model system, 408
Moisture, 180, 315, 338, 510
Moisture content, 454
Molecular approaches, 75–77
Morphological approach, 73–75
Morphological groups, 129
Morphology, 312, 322
Morpho-species, 77
Moss, 104, 203, 501
Moss crust, 511
Multifunctionality, 411
Mycobiont, 121

N

Natural recovery, 499–500
NDVI. *See* Normalized difference vegetation index (NDVI)
Nematodes, 141
Net ecosystem C exchange (NEE), 296
Net photosynthesis (NP), 287, 358
Net primary production (NPP), 288
Networked studies, 191
N fixation, 278
Nitrate, 264
Nitric oxide (NO), 272
Nitrification, 271
Nitrogen
 availability, 459
 cycle, 26, 463, 465
 deposition, 465
 fixation, 208, 259–264, 412, 466
 release, 264–265
Nitrogen-fixing ability, 26
Nitrous acid (HONO), 273
Non-lichenized fungi, 89–90
Non-rainfall water inputs, 462
Normalized difference vegetation index (NDVI), 224
NP. *See* Net photosynthesis (NP)
NPP. *See* Net primary production (NPP)

Nutrients, 114, 183, 395–396, 517
 cycling, 145, 412, 463, 531
 loss, 316
 transformations, 8

O

Organic matter, 23
 Orient, 20

P

Paleosols, 37, 38
 Parent material, 183, 188, 189
 Partial hydration, 362
 Pedogenic influences, 167
 Penetration resistance (PR), 240
 Permafrost, 84, 87
 PFD. *See* Photon flux density (PFD)
 Phage, 204
 Phosphatase, 466
 Phosphorus, 8
 Photobiont pools, 125
 Photobionts, 121, 124
 Photochemical reflectance index, 225
 Photon flux density (PFD), 365
 Photosynthesis, 458
 Photosynthetic rates, 359, 453
 Physical
 crusts, 16, 23
 properties, 516
 status, 160
 Phyto-sociological classification, 18
 Pioneer, 107
 Plant biomass, 391
 Plants, 87
 Poikilohydric, 111, 121, 202, 287, 347
 Point scale, 330
 Poland, 25
 Polar region, 106
 Polyphasic approach, 58
 Pore formation, 242
 Porosity, 248, 326
 Postglacial, 18
 PR. *See* Penetration resistance (PR)
 Practice, 508
 Precipitation, 8, 88, 175, 181, 186, 188, 457,
 460, 484
 Predictive models, 298, 502
 Preparation, 509
 Pre-processing, 227
 Priority areas, 505
 Propagules, 509

banks, 110
 preparation, 509
 Protozoa, 140

Q

Quantum yield, 458
 Quartz, 199

R

Radiation, 372
 Radiation load, 184
 Rainfall, 327, 354, 415
 Rainfall simulator, 315
 Recovery, 27, 515
 Reflectance spectroscopy, 216
 Rehabilitation, 502
 Rehabilitation goals, 502
 Reproduction, 113
 Research networks, 532
 Resilience, 419, 452
 Resistance, 307, 419
 Respiration, 458
 Rhizines, 124
 Richness, 127–128
 Rotifers, 143
 Roughness, 323
 Runoff, 23, 329
 Russia, 17

S

Salinity, 517
 Sampling, 73
 Sand deposition, 441–442
 Sand stabilization, 25
 Scale, 174, 329–338, 348
 SCIN project, 292
 Sediment, 312
 Seed
 bank, 387
 germination, 388
 Seedling growth, 389
 Seedling survival, 389
 Semi-arid ecosystem, 295
 Severity of disturbance, 485
 Sex ratios, 112
 Shade, 393–394
 Silicate substrates, 249
 Siliceous rocks, 250
 Site selection, 504
 SOC. *See* Soil organic carbon (SOC)

- Soil, 114, 484
 aggregation, 26
 albedo, 463
 amelioration, 505
 conditions, 505
 erosion, 23
 fauna, 456
 fertility, 27, 516
 inorganic nitrogen, 265–266
 loss, 305
 microbial communities, 418
 moisture, 26, 513
 movement, 316–317
 pH, 517
 properties, 167, 174, 183, 189
 respiration, 295
 stability, 463, 516
 temperature, 415
 types, 86
- Soil organic carbon (SOC), 272
- Solar radiation, 184
- Source-sink dynamics, 414
- Space-for-time approach, 247
- Spatial distribution, 244
- Spatial patterns, 184–185
- Species, 306–310, 503
- Species composition, 444
- Species richness, 102, 410
- Spectral
 index, 227
 mixing, 229
 reflectance, 216–220
- Spectral mixture analysis (SMA), 229
- Sporophytes, 113
- 16S rRNA, 76
- 18S rRNA, 76
- Stabilization, 20, 238, 308
- Starch, 219
- Structural development, 248
- Structure, 5, 159
- Subcrust, 240
- Substrate chemistry, 107
- Substrates, 512
- Substrate specificity, 129
- Subsurface nitrogen, 266
- Successful rehabilitation, 502
- Succession, 106
- Successional dynamics, 487
- Successional sequence, 26
- Succession patterns, 479
- Surface age, 189
- Surface coloration, 169
- Surface morphology, 169
- Surface properties, 516
- Symbiotic integrity, 96
- Systematic sampling, 133
- T**
- Takyr soils, 22
- Tardigrades, 143
- Taxonomic resolution, 152
- Taxonomy, 128
- Techniques, 340
- Temperate regions, 294
- Temperature, 88, 112, 366, 372
 compensation point, 366
 thresholds, 456
- Temporal variability, 230–231, 341
- Terrestrial, 37
- Terrestrial biosphere, 37
- Texture, 327
- Threshold, 419
- Threshold friction velocities, 307
- Tillage, 431
- Timing of disturbance, 486
- Timing of recovery, 480–483
- Tissue culture, 511
- Tolerance, 367
- Topographic influence, 175
- Trampling, 328
- Tubular structures, 40
- Tundra, 293–294
- U**
- Ubiquitous, 125
- Upscaling, 341
- UV radiation, 365
- V**
- Vascular plant establishment, 27
- Vascular plants, 8–9, 385
- Vegetation, 329
- Vertical
 gradients, 244
 layering, 238
 profile, 26
- Vesicular layers, 242
- W**
- Warming, 456
- Water, 87, 95, 111, 216, 273, 347, 350, 351
 availability, 414

budget, 341
content, 351
infiltration, 248
inputs, 339
velocity, 312

Watering, 220
Weathering, 249
Wind, 273
Wind tunnel, 307