

References

- [1] Aggarwal C, Orlin J, Tai R (1997) Optimized crossover for the independent set problem. *Operations Research* 45:226–234
- [2] Ahuja R, Orlin J, Tiwari A (2000) A greedy genetic algorithm for the quadratic assignment problem. *Computers & Operations Research* 27:917–934
- [3] Akeb H, Hifi M, M’Hallah R (2009) A beam search algorithm for the circular packing problem. *Computers & Operations Research* 36(5):1513–1528
- [4] Alvelos F, de Sousa A, Santos D (2013) Combining column generation and metaheuristics. In: Talbi EG (ed) *Hybrid Metaheuristics, Studies in Computational Intelligence*, vol 434, Springer, pp 285–334
- [5] Angel E, Bampis E (2005) A multi-start dynasearch algorithm for the time dependent single-machine total weighted tardiness scheduling problem. *European Journal of Operational Research* 162(1):281–289
- [6] Aoun B, Boutaba R, Iraqi Y, Kenward G (2006) Gateway placement optimization in wireless mesh networks with QoS constraints. *IEEE Journal on Selected Areas in Communications* 24(11):2127–2136
- [7] Applegate D, Cook W (1991) A computational study of the job-shop scheduling problem. *ORSA Journal on Computing* 3(2):149–156
- [8] Applegate D, Bixby R, Chvátal V, Cook W (1999) Finding tours in the TSP. Tech. rep., Forschungsinstitut für Diskrete Mathematik, University of Bonn, Germany
- [9] Archetti C, Guastaroba G, Speranza MG (2014) An ILP-refined tabu search for the directed profitable rural postman problem. *Discrete Applied Mathematics* 163, Part 1:3–16
- [10] Bäck T (1996) *Evolutionary Algorithms in Theory and Practice*. Oxford University Press, New York
- [11] Bäck T, Fogel D, Michalewicz Z (1997) *Handbook of Evolutionary Computation*. Oxford University Press, New York, NY
- [12] Battiti R, Protasi M (1997) Reactive search, a history-sensitive heuristic for MAX-SAT. *ACM Journal of Experimental Algorithmics* 2:Article 2
- [13] Battiti R, Tecchiolli G (1994) The reactive tabu search. *ORSA Journal on Computing* 6:126–140
- [14] Bean JC (1994) Genetic algorithms and random keys for sequencing and optimization. *ORSA Journal on Computing* 6:154–160
- [15] Benders JF (1962) Partitioning procedures for solving mixed-variables programming problems. *Numerische Mathematik* 4:238–252
- [16] Bertsimas D, Demir R (2002) An approximate dynamic programming approach to multidimensional knapsack problems. *Management Science* 48(4):550–565
- [17] Bertsimas D, Tsitsiklis JN (1997) *Introduction to Linear Optimization*. Athena Scientific
- [18] Biesinger B, Schauer C, Hu B, Raidl GR (2013) Enhancing a genetic algorithm with a solution archive to reconstruct cross cut shredded text docu-

- ments. In: Moreno-Díaz R, Pichler F, Quesada-Arencia A (eds) *Computer Aided Systems Theory – EUROCAST 2013*, Springer, LNCS, vol 8111, pp 380–387
- [19] Biesinger B, Hu B, Raidl GR (2014) An evolutionary algorithm for the leader-follower facility location problem with proportional customer behavior. In: *Conference Proceedings of Learning and Intelligent Optimization Conference (LION 8)*, Springer, LNCS, vol 8426, pp 203–217
- [20] Biesinger B, Hu B, Raidl G (2015) A hybrid genetic algorithm with solution archive for the discrete $(r|p)$ -centroid problem. *Journal of Heuristics* 21(3):391–431
- [21] Biesinger B, Hu B, Raidl G (2015) Models and algorithms for competitive facility location problems with different customer behavior. *Annals of Mathematics and Artificial Intelligence* DOI 10.1007/s10472-014-9448-0
- [22] Biesinger B, Hu B, Raidl GR (2015) A variable neighborhood search for the generalized vehicle routing problem with stochastic demands. In: Ochoa G, Chicano F (eds) *Evolutionary Computation in Combinatorial Optimization – EvoCOP 2015*, Springer, LNCS, vol 9026, pp 48–60
- [23] Blesa Aguilera MJ, Blum C, Cotta C, Fernández AJ, Gallardo JE, Roli A, Sampels M (eds) (2008) *Proceedings of HM 2008 – Fifth International Workshop on Hybrid Metaheuristics*, LNCS, vol 5296. Springer
- [24] Blesa Aguilera MJ, Blum C, Di Gaspero L, Roli A, Sampels M, Schaerf A (eds) (2009) *Proceedings of HM 2009 – Sixth International Workshop on Hybrid Metaheuristics*, LNCS, vol 5818. Springer
- [25] Blum C (2005) Beam-ACO: Hybridizing ant colony optimization with beam search: An application to open shop scheduling. *Computers & Operations Research* 32(6):1565–1591
- [26] Blum C (2008) Beam-ACO for simple assembly line balancing. *INFORMS Journal on Computing* 20(4):618–627
- [27] Blum C (2010) Beam-ACO for the longest common subsequence problem. In: Fogel G, et al. (eds) *Proceedings of CEC 2010 – Congress on Evolutionary Computation*, IEEE Press, Piscataway, NJ, vol 2, pp 1–8
- [28] Blum C, Blesa MJ (2009) Solving the KCT problem: Large-scale neighborhood search and solution merging. In: Alba E, Blum C, Isasi P, León C, Gómez JA (eds) *Optimization Techniques for Solving Complex Problems*, Wiley & Sons, pp 407–421
- [29] Blum C, Dorigo M (2004) The hyper-cube framework for ant colony optimization. *IEEE Transactions on Man, Systems and Cybernetics – Part B* 34(2):1161–1172
- [30] Blum C, Mastrolilli M (2007) Using branch & bound concepts in construction-based metaheuristics: Exploiting the dual problem knowledge. In: Bartz-Beielstein T, Blesa Aguilera MJ, Blum C, Naujoks B, Roli A, Rudolph G, Sampels M (eds) *Proceedings of HM 2007 – Fourth International Workshop on Hybrid Metaheuristics*, Springer, LNCS, vol 4771, pp 123–139
- [31] Blum C, Roli A (2003) Metaheuristics in combinatorial optimization: Overview and conceptual comparison. *ACM Computing Surveys* 35(3):268–308

- [32] Blum C, Cotta C, Fernández AJ, Gallardo JE (2007) A probabilistic beam search algorithm for the shortest common supersequence problem. In: Cotta C, van Hemert JI (eds) Proceedings of EvoCOP 2007 – Seventh European Conference on Evolutionary Computation in Combinatorial Optimization, Springer, LNCS, vol 4446, pp 36–47
- [33] Blum C, Bautista J, Pereira J (2008) An extended Beam-ACO approach to the time and space constrained simple assembly line balancing problem. In: van Hemert JI, Cotta C (eds) Proceedings of EvoCOP 2008 – Eighth European Conference on Evolutionary Computation in Combinatorial Optimization, Springer, LNCS, vol 4972, pp 85–96
- [34] Blum C, Blesa Aguilera MJ, Roli A, Sampels M (eds) (2008) Hybrid Metaheuristics – An Emerging Approach to Optimization, Studies in Computational Intelligence, vol 114. Springer
- [35] Blum C, Blesa MJ, Calvo B (2014) Beam-ACO for the repetition-free longest common subsequence problem. In: Legrand P, Corsini MM, Hao JK, Monmarché N, Lutton E, Schoenauer M (eds) Proceedings of EA 2013 – 11th Conference on Artificial Evolution, Springer, LNCS, vol 8752, pp 79–90
- [36] Blum C, Lozano JA, Pinacho Davidson P (2014) Iterative probabilistic tree search for the minimum common string partition problem. In: Blesa MJ, Blum C, Voss S (eds) Proceedings of HM 20104– 9th International Workshop on Hybrid Metaheuristics, Springer, LNCS, vol 8457, pp 154–154
- [37] Blum C, Lozano JA, Pinacho Davidson P (2015) Mathematical programming strategies for solving the minimum common string partition problem. *European Journal of Operational Research* 242(3):769–777
- [38] Boettcher S, Percus AG (2001) Extremal optimization for graph partitioning. *Physical Review E* 64(2):026,114
- [39] Borisovsky P, Dolgui A, Eremeev A (2009) Genetic algorithms for a supply management problem: MIP-recombination vs. greedy decoder. *European Journal of Operational Research* 195(3):770–779
- [40] Boschetti M, Maniezzo V (2009) Benders decomposition, Lagrangian relaxation and metaheuristic design. *Journal of Heuristics* 15:283–312
- [41] Boschetti M, Maniezzo V, Roffilli M (2009) Decomposition techniques as metaheuristic frameworks. In: Maniezzo V, Stützle T, Voss S (eds) *Metaheuristics – Hybridizing Metaheuristics and Mathematical Programming*, Annals of Information Systems, vol 10, Springer, pp 135–158
- [42] Bouamama S, Blum C, Boukerram A (2012) A population-based iterated greedy algorithm for the minimum weight vertex cover problem. *Applied Soft Computing* 12(6):1632–1639
- [43] Boyer V, Elkihel M, El Baz D (2009) Heuristics for the 0–1 multidimensional knapsack problem. *European Journal of Operational Research* 199(3):658–664
- [44] Burke EK, Kendall G, Newall J, Hart E, Ross P, Schulenburg S (2003) Hyperheuristics: An emerging direction in modern search technology. In: Glover F, Kochenberger G (eds) *Handbook of Metaheuristics*, International Series

- in *Operations Research & Management Science*, vol 57, Kluwer Academic Publishers, pp 457–474
- [45] Burke EK, Gendreau M, Hyde M, Kendall G, Ochoa G, Özcan E, Qu R (2013) Hyper-heuristics: A survey of the state of the art. *Journal of the Operational Research Society* pp 1695–1724
- [46] Cahon S, Melab N, Talbi EG (2004) ParadisEO: A framework for the reusable design of parallel and distributed metaheuristics. *Journal of Heuristics* 10(3):357–380
- [47] Caldeira J, Azevedo R, Silva CA, da Costa Sousa JM (2007) Beam-ACO distributed optimization applied to supply-chain management. In: Melin P, Castillo O, Aguilar LT, Kacprzyk J, Pedrycz W (eds) *Proceedings of IFSA 2007 – 12th International Fuzzy Systems Association World Congress on Foundations of Fuzzy Logic and Soft Computing*, Springer, LNCS, vol 4529, pp 799–809
- [48] Caldeira J, Azevedo R, Silva CA, da Costa Sousa JM (2007) Supply-chain management using ACO and Beam-ACO algorithms. In: *Proceedings of FUZZ-IEEE 2007 – IEEE International Conference on Fuzzy Systems*, IEEE press, pp 1–6
- [49] Calégary P, Coray G, Hertz A, Kobler D, Kuonen P (1999) A taxonomy of evolutionary algorithms in combinatorial optimization. *Journal of Heuristics* 5:145–158
- [50] Cambazard H, Hebrard E, O’Sullivan B, Papadopoulos A (2012) Local search and constraint programming for the post enrolment-based course timetabling problem. *Annals of Operations Research* 194(1):111–135
- [51] Caserta M, Voß S, Sniedovich M (2011) Applying the corridor method to a blocks relocation problem. *OR Spectrum* 33(4):915–929
- [52] Černý V (1985) A thermodynamical approach to the travelling salesman problem: An efficient simulation algorithm. *Journal of Optimization Theory and Applications* 45:41–51
- [53] Chen WN, Zhang J, Chung HSH, Zhong WL, Wu WG, Shi YH (2010) A novel set-based particle swarm optimization method for discrete optimization problems. *IEEE Transactions on Evolutionary Computation* 14(2):278–300
- [54] Chen X, Zheng J, Fu Z, Nan P, Zhong Y, Lonardi S, Jiang T (2005) Computing the assignment of orthologous genes via genome rearrangement. In: *Proceedings of the Asia Pacific Bioinformatics Conference 2005*, pp 363–378
- [55] Chen YP, Liestman AL (2002) Approximating minimum size weakly-connected dominating sets for clustering mobile ad hoc networks. In: *Proceedings of MobiHoc 2002 – 3rd ACM International Symposium on Mobile Ad Hoc Networking & Computing*, ACM, New York, NY, pp 165–172
- [56] Chrobak M, Kolman P, Sgall J (2004) The greedy algorithm for the minimum common string partition problem. In: Jansen K, Khanna S, Rolim JDP, Ron D (eds) *Proceedings of APPROX 2004 – 7th International Workshop on Approximation Algorithms for Combinatorial Optimization Problems*, LNCS, vol 3122, Springer, pp 84–95

- [57] Chu PC, Beasley JE (1998) A genetic algorithm for the multidimensional knapsack problem. *Journal of Heuristics* 4:63–86
- [58] Clark BN, Colbourn CJ, Johnson DS (1990) Unit disk graphs. *Discrete Mathematics* 86(1-3)
- [59] Clements D, Crawford J, Joslin D, Nemhauser G, Puttlitz M, Savelsbergh M (1997) Heuristic optimization: A hybrid AI/OR approach. In: Davenport A, Beck C (eds) *Proceedings of the Workshop on Industrial Constraint-Directed Scheduling*, held in conjunction with the Third International Conference on Principles and Practice of Constraint Programming (CP97)
- [60] Clerc M (ed) (2006) *Particle Swarm Optimization*. Wiley-ISTE Publishers, Newport Beach, CA
- [61] Codato G, Fischetti M (2006) Combinatorial Benders' cuts for mixed integer linear programming. *Operations Research* 54(4):756–766
- [62] Congram RK, Potts CN, van de Velde SL (2002) An iterated dynasearch algorithm for the single-machine total weighted tardiness scheduling problem. *INFORMS Journal on Computing* 14(1):52–67
- [63] Cook W, Seymour P (2003) Tour merging via branch-decomposition. *INFORMS Journal on Computing* 15(3):233–248
- [64] Cordeau JF, Stojković G, Soumis F, Desrosiers J (2001) Benders decomposition for simultaneous aircraft routing and crew scheduling. *Transportation Science* 35(4):375–388
- [65] Cormen TH, Leiserson CE, Rivest RL, Stein C (2009) *Introduction to Algorithms*, 3rd edn. MIT Press
- [66] Cormode G, Muthukrishnan S (2007) The string edit distance matching problem with moves. *ACM Transactions on Algorithms* 3(2):1–19
- [67] Cotta C (1998) A study of hybridisation techniques and their application to the design of evolutionary algorithms. *AI Communications* 11(3–4):223–224
- [68] Cotta C, Troya JM (2003) Embedding branch and bound within evolutionary algorithms. *Applied Intelligence* 18:137–153
- [69] Cotta C, Talbi EG, Alba E (2005) Parallel hybrid metaheuristics. In: Alba E (ed) *Parallel Metaheuristics: A New Class of Algorithms*, Wiley, pp 347–370
- [70] Coudert D, Nepomuceno N, Rivano H (2010) Power-efficient radio configuration in fixed broadband wireless networks. *Computer Communications* 33(8):898–906
- [71] Coudert D, Nepomuceno NV, Tahiri I (2011) Energy saving in fixed wireless broadband networks. In: Pahl J, Reiners T, Voß S (eds) *Proceedings of INOC 2011 – 5th International Conference on Network Optimization*, Lecture Notes in Computer Science, vol 6701, Springer, pp 484–489
- [72] Danna E, Rothberg E, Le Pape C (2005) Exploring relaxation induced neighborhoods to improve MIP solutions. *Mathematical Programming, Series A* 102:71–90
- [73] Dantzig GB, Wolfe P (1960) Decomposition principle for linear programs. *Operations Research* 8:101–111

- [74] De Franceschi R, Fischetti M, Toth P (2006) A new ILP-based refinement heuristic for vehicle routing problems. *Mathematical Programming, Series B* 105(2):471–499
- [75] Deb K (2008) *Multi-Objective Optimization Using Evolutionary Algorithms*. Wiley
- [76] Desaulniers G, Desrosiers J, Solomon MM (2005) *Column Generation*. Springer
- [77] Dorigo M, Gambardella LM (1997) Ant Colony System: A cooperative learning approach to the traveling salesman problem. *IEEE Transactions on Evolutionary Computation* 1(1):53–66
- [78] Dorigo M, Stützle T (2004) *Ant Colony Optimization*. MIT Press, Cambridge, MA
- [79] Dorigo M, Stützle T (2010) Ant colony optimization: Overview and recent advances. In: Gendreau M, Potvin JY (eds) *Handbook of Metaheuristics, International Series in Operations Research & Management Science*, vol 146, 2nd edn, Springer, pp 227–264
- [80] Dörner K, et al. (eds) (2010) *Proceedings of Matheuristics 2010: Third International Workshop on Model Based Metaheuristics*, Vienna, Austria
- [81] Dror M, Haouari M, Chaouachi JS (2000) Generalized spanning trees. *European Journal of Operational Research* 120:583–592
- [82] Dueck G (1993) New optimization heuristics: the great deluge algorithm and the record-to-record travel. *Journal of Computational Physics* 104(1):86–92
- [83] Dumitrescu I, Stützle T (2003) Combinations of local search and exact algorithms. In: Cagnoni S, Johnson CG, Romero Cardalda JJ, Marchiori E, Corne DW, Meyer JA, Gottlieb J, Middendorf M, Guillot A, Raidl GR, Hart E (eds) *Applications of Evolutionary Computation*, Springer, LNCS, vol 2611, pp 211–223
- [84] Easton T, Singireddy A (2008) A large neighborhood search heuristic for the longest common subsequence problem. *Journal of Heuristics* 14(3):271–283
- [85] Easwaran G, Üster H (2009) Tabu search and Benders decomposition approaches for a capacitated closed-loop supply chain network design problem. *Transportation Science* 43(3):301–320
- [86] Ehrgott M, Gandibleux X (2008) Hybrid metaheuristics for multi-objective combinatorial optimization. In: Blum C, Blesa Aguilera MJ, Roli A, Sampels M (eds) *Hybrid Metaheuristics – An Emerging Approach to Optimization*, Springer, *Studies in Computational Intelligence*, vol 114, pp 221–259
- [87] Engelbrecht AP (2005) *Fundamentals of Computational Swarm Intelligence*. Wiley & Sons
- [88] Erel E, Sabuncuoglu I, Sekerci H (2005) Stochastic assembly line balancing using beam search. *International Journal of Production Research* 43(7):1411–1426
- [89] Ereemeev AV (2008) On complexity of optimal recombination for binary representations of solutions. *Evolutionary Computation* 16(1):127–147
- [90] Ereemeev AV, Kovalenko JV (2013) Optimal recombination in genetic algorithms. ArXiv technical report <http://arxiv.org/abs/13075519>

- [91] Feller W (1968) *An Introduction to Probability Theory and its Applications*, 3rd edn. John Wiley
- [92] Feo TA, Resende MGC (1995) Greedy randomized adaptive search procedures. *Journal of Global Optimization* 6:109–133
- [93] Ferdous SM, Sohel Rahman M (2013) Solving the minimum common string partition problem with the help of ants. In: Tan Y, Shi Y, Mo H (eds) *Proceedings of ICSI 2013 – 4th International Conference on Advances in Swarm Intelligence*, LNCS, vol 7928, Springer, pp 306–313
- [94] Ferdous SM, Sohel Rahman M (2014) A MAX-MIN ant colony system for minimum common string partition problem. CoRR abs/1401.4539, <http://arxiv.org/abs/1401.4539>
- [95] Feremans C (2001) *Generalized spanning trees and extensions*. PhD thesis, Université libre de Bruxelles, Brussels, Belgium
- [96] Feremans C, Labbé M, Laporte G (2002) A comparative analysis of several formulations for the generalized minimum spanning tree problem. *Networks* 39(1):29–34
- [97] Feremans C, Labbé M, Laporte G (2004) The generalized minimum spanning tree problem: Polyhedral analysis and branch-and-cut algorithm. *Networks* 43(2):71–86
- [98] Fischetti M, Lodi A (2003) Local branching. *Mathematical Programming, Series B* 98:23–47
- [99] Fisher ML (1981) The Lagrangian relaxation method for solving integer programming problems. *Management Science* 27(1):1–18
- [100] Flindt Muller L, Spoorendonk S, Pisinger D (2012) A hybrid adaptive large neighborhood search heuristic for lot-sizing with setup times. *European Journal of Operational Research* 218(3):614–623
- [101] Fogel DB (1994) An introduction to simulated evolutionary optimization. *IEEE Transactions on Neural Networks* 5(1):3–14
- [102] Fogel LJ (1962) Toward inductive inference automata. In: *Proceedings of the International Federation for Information Processing Congress*, pp 395–399
- [103] Fogel LJ, Owens AJ, Walsh MJ (1966) *Artificial Intelligence through Simulated Evolution*. Wiley
- [104] Freville A, Plateau G (1994) An efficient preprocessing procedure for the multidimensional 0–1 knapsack problem. *Discrete Applied Mathematics* 49(1):189–212
- [105] Gallardo JE (2012) A multilevel probabilistic beam search algorithm for the shortest common supersequence problem. *PLOS ONE* 7(12)
- [106] Gantovnik VB, Anderson-Cook CM, Gürdal Z, Watson LT (2003) A genetic algorithm with memory for mixed discrete-continuous design optimization. *Computers and Structures* 81:2003–2009
- [107] Garey MR, Johnson DS (1979) *Computers and Intractability: A Guide to the Theory of NP-Completeness*. W. H. Freeman, New York
- [108] Ghirardi M, Potts CN (2005) Makespan minimization for scheduling unrelated parallel machines: A recovering beam search approach. *European Journal of Operational Research* 165(2):457–467

- [109] Ghosh D (2003) Solving medium to large sized Euclidean generalized minimum spanning tree problems. Tech. Rep. NEP-CMP-2003-09-28, Indian Institute of Management, Research and Publication Department, Ahmedabad, India
- [110] Gilmour S, Dras M (2006) Kernelization as heuristic structure for the vertex cover problem. In: Dorigo M, Gambardella LM, Birattari M, Martinoli A, Poli R, Stützle T (eds) Proceedings of ANTS 2006 – 5th International Workshop on Ant Colony Optimization and Swarm Intelligence, Springer, LNCS, vol 4150, pp 452–459
- [111] Glover F (1990) Tabu search – part II. *ORSA Journal on Computing* 2(1):4–32
- [112] Glover F (2006) Parametric tabu-search for mixed integer programming. *Computers and Operations Research* 33(9):2449–2494
- [113] Glover F, Kochenberger G (eds) (2003) *Handbook of Metaheuristics*, International Series in Operations Research & Management Science, vol 57. Kluwer Academic Publishers
- [114] Glover F, Laguna M (1997) *Tabu Search*. Kluwer Academic Publishers
- [115] Glover F, Laguna M, Martí R (2000) Fundamentals of scatter search and path relinking. *Control and Cybernetics* 39(3):653–684
- [116] Goldberg DE (1989) *Genetic Algorithms in Search, Optimization, and Learning*. Addison-Wesley, Reading, MA
- [117] Golden B, Raghavan S, Stanojevic D (2005) Heuristic search for the generalized minimum spanning tree problem. *INFORMS Journal on Computing* 17(3):290–304
- [118] Goldstein A, Kolman P, Zheng J (2005) Minimum common string partition problem: Hardness and approximations. In: Fleischer R, Trippen G (eds) Proceedings of ISAAC 2004 – 15th International Symposium on Algorithms and Computation, LNCS, vol 3341, Springer, pp 484–495
- [119] Goldstein I, Lewenstein M (2011) Quick greedy computation for minimum common string partitions. In: Giancarlo R, Manzini G (eds) Proceedings of CPM 2011 – 22nd Annual Symposium on Combinatorial Pattern Matching, LNCS, vol 6661, Springer, pp 273–284
- [120] Gomes TM, Santos HG, Souza JF (2013) A pre-processing aware RINS based MIP heuristic. In: Blesa MJ, Blum C, Festa P, Roli A, Sampels M (eds) Proceedings of HM 2013 – Eighth International Workshop on Hybrid Metaheuristics, Springer, LNCS, vol 7919, pp 1–11
- [121] Gonçalves JF, Resende MGC (2011) Biased random-key genetic algorithms for combinatorial optimization. *Journal of Heuristics* 17(5):487–525
- [122] Grosso A, Della Croce F, Tadei R (2004) An enhanced dynasearch neighborhood for the single-machine total weighted tardiness scheduling problem. *Operations Research Letters* 32(1):68–72
- [123] Gusfield D (1997) *Algorithms on Strings, Trees, and Sequences*. Cambridge University Press

- [124] Han B, Jia W (2007) Clustering wireless ad hoc networks with weakly connected dominating set. *Journal of Parallel and Distributed Computing* 67(6):727–737
- [125] Hanafi S, Freville A (1998) An efficient tabu search approach for the 0–1 multidimensional knapsack problem. *European Journal of Operational Research* 106(2–3):659–675
- [126] Hansen P, Mladenović N (1999) An introduction to variable neighborhood search. In: Voß S, Martello S, Osman I, Roucairol C (eds) *Meta-heuristics: advances and trends in local search paradigms for optimization*, Kluwer Academic Publishers, pp 433–438
- [127] Hansen P, Mladenović N (2001) Variable neighborhood search: Principles and applications. *European Journal of Operational Research* 130:449–467
- [128] Hansen P, Mladenović N, Urošević D (2006) Variable neighborhood search and local branching. *Computers & Operations Research* 33(10):3034–3045
- [129] Hansen P, Maniezzo V, Fischetti M, Stützle T (eds) (2008) *Proceedings of Matheuristics 2008: Second International Workshop on Model Based Meta-heuristics*, Bertinoro, Italy
- [130] Haouari M, Siala JC (2006) A hybrid Lagrangian genetic algorithm for the prize collecting Steiner tree problem. *Computers & Operations Research* 33(5):1274–1288
- [131] He D (2007) A novel greedy algorithm for the minimum common string partition problem. In: Mandoiu I, Zelikovsky A (eds) *Proceedings of ISBRA 2007 – Third International Symposium on Bioinformatics Research and Applications*, LNCS, vol 4463, Springer, pp 441–452
- [132] Hertz A, Kobler D (2000) A framework for the description of evolutionary algorithms. *European Journal of Operational Research* 126:1–12
- [133] Holland JH (1975) *Adaptation in Natural and Artificial Systems*. The University of Michigan Press, Ann Arbor, MI
- [134] Hooker J (2012) *Integrated Methods for Optimization*, Int. Series in Operations Research & Management Science, vol 170, 2nd edn. Springer
- [135] Hooker JN (2007) Planning and scheduling by logic-based Benders decomposition. *Operations Research* 55(3):588–602
- [136] Hooker JN, Ottosson G (2003) Logic-based Benders decomposition. *Mathematical Programming* 96:33–60
- [137] Hoos H, Stützle T (2005) *Stochastic Local Search – Foundations and Applications*. Morgan Kaufmann Publishers
- [138] Hu B (2008) *Hybrid metaheuristics for generalized network design problems*. PhD thesis, Vienna University of Technology, Institute of Computer Graphics and Algorithms, Vienna, Austria
- [139] Hu B, Raidl GR (2008) Effective neighborhood structures for the generalized traveling salesman problem. In: van Hemert JI, Cotta C (eds) *Evolutionary Computation in Combinatorial Optimization – EvoCOP 2008*, Springer, LNCS, vol 4972, pp 36–47
- [140] Hu B, Raidl GR (2012) An evolutionary algorithm with solution archive for the generalized minimum spanning tree problem. In: Moreno-Díaz R, Pichler

- F, Quesada-Arencibia A (eds) *Proceedings of the 13th International Conference on Computer Aided Systems Theory: Part I*, Springer, LNCS, vol 6927, pp 287–294
- [141] Hu B, Raidl GR (2012) An evolutionary algorithm with solution archives and bounding extension for the generalized minimum spanning tree problem. In: *Proceedings of the 14th Annual Conference on Genetic and Evolutionary Computation (GECCO)*, ACM Press, Philadelphia, PA, USA, pp 393–400
- [142] Hu B, Leitner M, Raidl GR (2008) Combining variable neighborhood search with integer linear programming for the generalized minimum spanning tree problem. *Journal of Heuristics* 14(5):473–499
- [143] Ihler E, Reich G, Widmayer P (1999) Class Steiner trees and VLSI-design. *Discrete Applied Mathematics* 90:173–194
- [144] Jaśkowski W, Szubert M, Gawron P (2015) A hybrid MIP-based large neighborhood search heuristic for solving the machine reassignment problem. *Annals of Operations Research* DOI 10.1007/s10479-014-1780-6
- [145] Jeet V, Kutanoglu E (2007) Lagrangian relaxation guided problem space search heuristic for generalized assignment problems. *European Journal of Operational Research* 182(3):1039–1056
- [146] Jiang H, Chen Y (2010) An efficient algorithm for generalized minimum spanning tree problem. In: *GECCO 2010: Proceedings of the 12th Annual Conference on Genetic and Evolutionary Computation*, ACM, pp 217–224
- [147] Joslin DE, Clements DP (1999) “Squeaky Wheel” optimization. *Journal of Artificial Intelligence Research* 10:353–373
- [148] Jovanovic R, Tuba M, Simian D (2010) Ant colony optimization applied to minimum weight dominating set problem. In: *Proceedings of the 12th WSEAS International Conference on Automatic Control, Modelling & Simulation*, pp 322–326
- [149] Kann V (1992) On the approximability of NP-complete optimization problems. PhD thesis, Royal Institute of Technology, Stockholm, Sweden
- [150] Kaplan H, Shafrir N (2006) The greedy algorithm for edit distance with moves. *Information Processing Letters* 97(1):23–27
- [151] Karaboga D, Basturk B (2007) A powerful and efficient algorithm for numerical function optimization: artificial bee colony (ABC) algorithm. *Journal of Global Optimization* 39(3):459–471
- [152] Karaboga D, Basturk B (2008) On the performance of artificial bee colony (ABC) algorithm. *Applied Soft Computing* 8(1):687–697
- [153] Kauffman SA (1993) *The Origins of Order: Self-Organization and Selection in Evolution*. Oxford University Press
- [154] Kellerer H, Pferschy U, Pisinger D (2004) *Knapsack Problems*. Springer
- [155] Kennedy J, Eberhart RC (1995) Particle swarm optimization. In: *Proceedings of the 1995 IEEE International Conference on Neural Networks*, IEEE Press, Piscataway, NJ, vol 4, pp 1942–1948
- [156] Kennedy J, Eberhart RC, Shi Y (2004) *Swarm Intelligence*. Morgan Kaufmann Publishers, San Francisco, CA

- [157] Kirkpatrick S, Gellat C, Vecchi M (1983) Optimization by simulated annealing. *Science* 220:671–680
- [158] Klau GW, Ljubić I, Moser A, Mutzel P, Neuner P, Pferschy U, Raidl G, Weiskircher R (2004) Combining a memetic algorithm with integer programming to solve the prize-collecting Steiner tree problem. In: *Proceedings of GECCO 2004 – Genetic and Evolutionary Computation Conference*, Springer, LNCS, vol 3102, pp 1304–1315
- [159] Kleinberg J, Tardos É (2005) *Algorithm Design*. Addison-Wesley
- [160] Knuth DE (1973) *The Art of Computer Programming Vol. III: Sorting and Searching*. Addison-Wesley
- [161] Kolman P (2005) Approximating reversal distance for strings with bounded number of duplicates. In: *Jedrejowicz J, Szepietowski A (eds) Proceedings of MFCS 2005 – 30th International Symposium on Mathematical Foundations of Computer Science*, LNCS, vol 3618, Springer, pp 580–590
- [162] Kolman P, Waleń T (2007) Reversal distance for strings with duplicates: Linear time approximation using hitting set. In: *Erlebach T, Kaklamanis C (eds) Proceedings of WAOA 2007 – 4th International Workshop on Approximation and Online Algorithms*, LNCS, vol 4368, Springer, pp 279–289
- [163] Kong M, Tian P, Kao Y (2008) A new ant colony optimization algorithm for the multidimensional knapsack problem. *Computers & Operations Research* 35(8):2672–2683
- [164] Kong X, Gao L, Ouyang H, Li S (2015) Solving large-scale multidimensional knapsack problems with a new binary harmony search algorithm. *Computers & Operations Research* 63:7–22
- [165] Koza JR (1992) *Genetic Programming: On the Programming of Computers by Means of Natural Selection*. MIT Press, Cambridge, MA
- [166] Kratica J (1999) Improving performances of the genetic algorithm by caching. *Computers and Artificial Intelligence* 18(3):271–283
- [167] Kruskal JB (1956) On the shortest spanning subtree and the traveling salesman problem. In: *Proceedings of the American Mathematical Society*, vol 7, pp 48–50
- [168] Lai MC, Sohn HS, Tseng TL, Chiang C (2010) A hybrid algorithm for capacitated plant location problem. *Expert Systems with Applications* 37(12):8599–8605
- [169] Lai MC, Sohn HS, Tseng TL, Bricker DL (2012) A hybrid Benders/genetic algorithm for vehicle routing and scheduling problem. *International Journal of Industrial Engineering* 19(1):33–46
- [170] Lazić J, Hanafi S, Mladenović N, Urošević D (2010) Variable neighbourhood decomposition search for 0–1 mixed integer programs. *Computers & Operations Research* 37(6):1055–1067
- [171] Leitner M, Raidl GR (2008) Lagrangian decomposition, metaheuristics, and hybrid approaches for the design of the last mile in fiber optic networks. In: *Blesa Aguilera MJ, Blum C, Cotta C, Fernández AJ, Gallardo JE, Roli A, Sampels M (eds) Proceedings of HM 2008 – Fifth International Workshop on Hybrid Metaheuristics*, Springer, LNCS, vol 5296, pp 158–174

- [172] Leitner M, Hu B, Raidl GR (2007) Variable neighborhood search for the generalized minimum edge biconnected network problem. In: Fortz B (ed) Proceedings of the International Network Optimization Conference 2007, Spa, Belgium, paper number 69
- [173] Leung SCH, Zhang D, Zhou C, Wu T (2012) A hybrid simulated annealing metaheuristic algorithm for the two-dimensional knapsack packing problem. *Computers & Operations Research* 39(1):64–73
- [174] Li VC, Liang YC, Chang HF (2012) Solving the multidimensional knapsack problems with generalized upper bound constraints by the adaptive memory projection method. *Computers & Operations Research* 39(9):2111–2121
- [175] Lodi A, Milano M, Toth P (eds) (2010) Proceedings of CPAIOR 2010 – 7th International Conference on the Integration of AI and OR Techniques in Constraint Programming for Combinatorial Optimization Problems, LNCS, vol 6140. Springer
- [176] López-Ibáñez M, Blum C (2009) Beam-ACO based on stochastic sampling: A case study on the TSP with time windows. In: Stützle T (ed) Proceedings of LION 3 – 3rd International Conference on Learning and Intelligent Optimization, Springer, LNCS, vol 5851, pp 59–73
- [177] López-Ibáñez M, Blum C, Thiruvady DR, Ernst AT, Meyer B (2009) Beam-ACO based on stochastic sampling for makespan optimization concerning the TSP with time windows. In: Cotta C, Cowling PI (eds) Proceedings of EvoCOP 2009 – 9th European Conference on Evolutionary Computation in Combinatorial Optimization, Springer, LNCS, vol 5482, pp 97–108
- [178] López-Ibáñez M, Blum C (2010) Beam-ACO for the travelling salesman problem with time windows. *Computers & Operations Research* 37(9):1570–1583
- [179] López-Ibáñez M, Dubois-Lacoste J, Stützle T, Birattari M (2011) The irace package, iterated race for automatic algorithm configuration. Tech. Rep. TR/IRIDIA/2011-004, IRIDIA, Université libre de Bruxelles, Belgium
- [180] Louis SJ, Li G (1997) Combining robot control strategies using genetic algorithms with memory. In: Evolutionary Programming VI, Springer, LNCS, vol 1213, pp 431–442
- [181] Lourenço HR, Martin O, Stützle T (2002) Iterated local search. In: Glover F, Kochenberger G (eds) Handbook of Metaheuristics, International Series in Operations Research & Management Science, vol 57, Kluwer Academic Publishers, Norwell, MA, pp 321–353
- [182] Lozano M, García-Martínez C (2010) Hybrid metaheuristics with evolutionary algorithms specializing in intensification and diversification: Overview and progress report. *Computers & Operations Research* 37(3):481–497
- [183] Lübbecke ME, Desrosiers J (2005) Selected topics in column generation. *Operations Research* 53(6):1007–1023
- [184] Maniezzo V (1999) Exact and approximate nondeterministic tree-search procedures for the quadratic assignment problem. *INFORMS Journal on Computing* 11(4):358–369

- [185] Maniezzo V, Carbonaro A (2000) An ANTS heuristic for the frequency assignment problem. *Future Generation Computer Systems* 16:927–935
- [186] Maniezzo V, Milandri M (2002) An ant-based framework for very strongly constrained problems. In: Dorigo M, Di Caro G, Sampels M (eds) *Proceedings of ANTS 2002 – 3rd International Workshop on Ant Algorithms*, Springer, LNCS, vol 2463, pp 222–227
- [187] Maniezzo V, Hansen P, Voss S (eds) (2006) *Proceedings of Matheuristics 2006: First International Workshop on Mathematical Contributions to Metaheuristics*, Bertinoro, Italy
- [188] Maniezzo V, Stützle T, Voss S (eds) (2009) *Matheuristics – Hybridizing Metaheuristics and Mathematical Programming*, *Annals of Information Systems*, vol 10. Springer
- [189] Marino A, Prügel-Bennett A, Glass CA (1999) Improving graph colouring with linear programming and genetic algorithms. In: Miettinen K, Makela MM, Toivanen J (eds) *Proceedings of EUROGEN 99 – the Int. Conference on Evolutionary and Deterministic Methods for Design, Optimization and Control with Applications to Industrial and Societal Problems*, Jyväskylä, Finland, pp 113–118
- [190] Massen F, Deville Y, Hentenryck PV (2012) Pheromone-based heuristic column generation for vehicle routing problems with black box feasibility. In: Beldiceanu N, Jussien N, Pinson É (eds) *Integration of AI and OR Techniques in Constraint Programming for Combinatorial Optimization Problems – CPAIOR 2012*, Springer, LNCS, vol 7298, pp 260–274
- [191] Massen F, López-Ibáñez M, Stützle T, Deville Y (2013) Experimental analysis of pheromone-based heuristic column generation using irace. In: Blesa MJ, Blum C, Festa P, Roli A, Sampels M (eds) *Proceedings of HM 2013 – Eighth International Workshop on Hybrid Metaheuristics*, Springer, LNCS, vol 7919, pp 92–106
- [192] Mastrolilli M, Blum C (2010) On the use of different types of knowledge in metaheuristics based on constructing solutions. *Engineering Applications of Artificial Intelligence* 23(5):650–659
- [193] Mauldin ML (1984) Maintaining diversity in genetic search. In: *Proceedings of the 4th National Conference on Artificial Intelligence*, Austin, Texas, pp 247–250
- [194] Metropolis N, Rosenbluth A, Rosenbluth M, Teller A, Teller E (1953) Equation of state calculations by fast computing machines. *Journal of Chemical Physics* 21:1087–1092
- [195] Michalewicz Z, Michalewicz M (1997) Evolutionary computation techniques and their applications. In: *Proceedings of the IEEE International Conference on Intelligent Processing Systems*, IEEE, Beijing, China, pp 14–24
- [196] Michalewicz Z, Siarry P (2008) Special issue on adaptation of discrete metaheuristics to continuous optimization. *European Journal of Operational Research* 185:1060–1273
- [197] Mitchell M (1998) *An Introduction to Genetic Algorithms*. MIT Press, Cambridge, MA

- [198] Mitchell M, Forrest S, Holland JH (1992) The Royal Road for genetic algorithms: Fitness landscapes and GA performance. In: Varela FJ, Bourguine P (eds) *Towards a Practice of Autonomous Systems: Proceedings of the First European Conference on Artificial Life*, MIT Press, pp 245–254
- [199] Mitrović-Minić S, Punnen AP (2010) Variable intensity local search. In: Maniezzo V, Stützle T, Voß S (eds) *Matheuristics, Annals of Information Systems*, vol 10, Springer, pp 245–252
- [200] Molina D, Lozano M, García-Martínez C, Herrera F (2010) Memetic algorithms for continuous optimisation based on local search chains. *Evolutionary Computation* 18(1):27–63
- [201] Moscato P (1999) Memetic algorithms: A short introduction. In: Corne D, Dorigo M, Glover F, Dasgupta D, Moscato P, Poli R, Price KV (eds) *New Ideas in Optimization*, McGraw-Hill, pp 219–234
- [202] Myung YS, Lee CH, Tcha DW (1995) On the generalized minimum spanning tree problem. *Networks* 26:231–241
- [203] Nemhauser GL, Wolsey LA (1988) *Integer and Combinatorial Optimization*. Wiley & Sons
- [204] Nepomuceno N, Pinheiro P, Coelho ALV (2008) A hybrid optimization framework for cutting and packing problems. In: Cotta C, van Hemert J (eds) *Recent Advances in Evolutionary Computation for Combinatorial Optimization, Studies in Computational Intelligence*, vol 153, Springer, pp 87–99
- [205] Nepomuceno NV (2006) *Combinação de metaheurísticas e programação linear inteira: uma metodologia híbrida aplicada ao problema de carregamento de contêineres*. Master's thesis, University of Fortaleza, Brazil
- [206] Nepomuceno NV, Pinheiro PR, Coelho ALV (2007) Combining metaheuristics and integer linear programming: A hybrid methodology applied to the container loading problem. In: *Proceedings of the XX Congresso da Sociedade Brasileira de Computação, Concurso de Teses e Dissertações*, pp 2028–2032
- [207] Nepomuceno NV, Pinheiro PR, Coelho ALV (2007) Tackling the container loading problem: A hybrid approach based on integer linear programming and genetic algorithms. In: Cotta C, van Hemert J (eds) *Proceedings of EvoCOP 2007 – 7th European Conference on Evolutionary Computation in Combinatorial Optimization, Lecture Notes in Computer Science*, vol 4446, Springer, pp 154–165
- [208] Neto T, Pedroso JP (2003) GRASP for linear integer programming. In: Sousa JP, Resende MGC (eds) *Metaheuristics: Computer Decision Making, Combinatorial Optimization Book Series*, Kluwer Academic Publishers, pp 545–574
- [209] Öncan T, Cordeau JF, Laporte G (2008) A tabu search heuristic for the generalized minimum spanning tree problem. *European Journal of Operational Research* 191(2):306–319
- [210] Öncan T, Kabadi SN, Nair KPN, Punnen AP (2008) VLSN search algorithms for partitioning problems using matching neighbourhoods. *The Journal of the Operational Research Society* 59:388–398

- [211] Ow PS, Morton TE (1988) Filtered beam search in scheduling. *International Journal of Production Research* 26:297–307
- [212] Palacios JJ, Vela CR, González-Rodríguez I, Puente J (2014) Genetic beam search for fuzzy open shop problems. In: *Proceedings of META 2014 – 5th International Conference on Metaheuristics and Nature-Inspired Computing*, Singapore
- [213] Palmer CC, Kershenbaum A (1994) Representing trees in genetic algorithms. In: Schaffer D, et al. (eds) *Proceedings of the First IEEE Conference on Evolutionary Computation*, IEEE Press, pp 379–384
- [214] Pan QK, Tasgetiren MF, Liang YC (2008) A discrete particle swarm optimization algorithm for the no-wait flowshop scheduling problem. *Computers & Operations Research* 35(9):2807–2839
- [215] Pan QK, Tasgetiren MF, Suganthan PN, Chua TJ (2011) A discrete artificial bee colony algorithm for the lot-streaming flow shop scheduling problem. *Information Sciences* 181(12):2455–2468
- [216] Papadimitriou CH, Steiglitz K (1982) *Combinatorial Optimization - Algorithms and Complexity*. Dover Publications, New York
- [217] Pedroso JP (2005) Tabu search for mixed integer programming. In: Rego C, Alidaee B (eds) *Metaheuristic Optimization via Memory and Evolution*, *Operations Research/Computer Science Interfaces Series*, vol 30, Springer, pp 247–261
- [218] Pereira MA, Coelho LC, Lorena LAN, de Souza LC (2015) A hybrid method for the probabilistic maximal covering location–allocation problem. *Computers & Operations Research* 57:51–59
- [219] Perron L, Trick MA (eds) (2008) *Proceedings of CPAIOR 2008 – 5th International Conference on the Integration of AI and OR Techniques in Constraint Programming for Combinatorial Optimization Problems*, LNCS, vol 5015. Springer
- [220] Perron L, Shaw P, Furnon V (2004) Propagation guided large neighborhood search. In: Wallace M (ed) *Principles and Practice of Constraint Programming – CP 2004*, Springer, LNCS, vol 3258, pp 468–481
- [221] Pesant G, Gendreau M (1996) A view of local search in constraint programming. In: Freuder E (ed) *Principles and Practice of Constraint Programming - CP'96*, Springer, LNCS, vol 1118, pp 353–366
- [222] Pesant G, Gendreau M (1999) A constraint programming framework for local search methods. *Journal of Heuristics* 5:255–279
- [223] Pessoa LS, Resende MGC, Ribeiro CC (2013) A hybrid Lagrangean heuristic with GRASP and path-relinking for set k -covering. *Computers & Operations Research* 40(12):3132–3146
- [224] Pinheiro PR, Coelho ALV, de Aguiar AB, Bonates TO (2011) On the concept of density control and its application to a hybrid optimization framework: Investigation into cutting problems. *Computers & Industrial Engineering* 61(3):463–472
- [225] Pinheiro PR, Coelho ALV, de Aguiar AB, de Menezes Sobreira Neto A (2012) Towards aid by generate and solve methodology: application in the

- problem of coverage and connectivity in wireless sensor networks. *International Journal of Distributed Sensor Networks* 2012, article ID 790459
- [226] Pirkwieser S, Raidl GR (2010) Matheuristics for the periodic vehicle routing problem with time windows. In: *Proceedings of Matheuristics 2010: Third International Workshop on Model-Based Metaheuristics*, Vienna, Austria, pp 83–95
- [227] Pirkwieser S, Raidl GR (2010) Variable neighborhood search coupled with ILP-based large neighborhood searches for the (periodic) location-routing problem. In: Blesa Aguilera MJ, Blum C, Raidl GR, Roli A, Sampels M (eds) *Proceedings of HM 2010 – Seventh International Workshop on Hybrid Metaheuristics*, Springer, LNCS, vol 6373, pp 174–189
- [228] Pirkwieser S, Raidl GR, Puchinger J (2007) Combining Lagrangian decomposition with an evolutionary algorithm for the knapsack constrained maximum spanning tree problem. In: Cotta C, van Hemert JI (eds) *Evolutionary Computation in Combinatorial Optimization – EvoCOP 2007*, Springer, LNCS, vol 4446, pp 176–187
- [229] Pisinger D (1999) Core problems in knapsack algorithms. *Operations Research* 47:570–575
- [230] Pitsoulis LS, Resende MGC (2002) Greedy Randomized Adaptive Search procedure. In: Pardalos PM, Resende MGC (eds) *Handbook of Applied Optimization*, Oxford University Press, pp 168–183
- [231] Poojari CA, Beasley JE (2009) Improving Benders decomposition using a genetic algorithm. *European Journal of Operational Research* 199(1):89–97
- [232] Pop PC (2002) The generalized minimum spanning tree problem. PhD thesis, University of Twente, The Netherlands
- [233] Pop PC, Still G, Kern W (2005) An approximation algorithm for the generalized minimum spanning tree problem with bounded cluster size. In: Broersma H, Johnson M, Szeider S (eds) *Algorithms and Complexity in Durham 2005*, Proceedings of the first ACiD Workshop, King’s College Publications, Texts in Algorithmics, vol 4, pp 115–121
- [234] Potluri A, Singh A (2013) Hybrid metaheuristic algorithms for minimum weight dominating set. *Applied Soft Computing* 13(1):76–88
- [235] Prandtstetter M, Raidl GR (2008) An integer linear programming approach and a hybrid variable neighborhood search for the car sequencing problem. *European Journal of Operational Research* 191(3):1004–1022
- [236] Press WH, Teukolsky SA, Vetterling WT, Flannery BP (1992) *Numerical Recipes in C: The Art of Scientific Computing*, 2nd edn. Cambridge University Press
- [237] Price KV, Storn RM, Lampinen JA (2005) *Differential Evolution: A Practical Approach to Global Optimization*. Springer
- [238] Prim RC (1957) Shortest connection networks and some generalisations. *Bell System Technical Journal* 36:1389–1401
- [239] Prüfer H (1918) Neuer Beweis eines Satzes über Permutationen. *Archiv für Mathematik und Physik* 27:742–744

- [240] Puchinger J, Raidl GR (2007) Models and algorithms for three-stage two-dimensional bin packing. *European Journal of Operational Research* 183:1304–1327
- [241] Puchinger J, Raidl GR, Pferschy U (2006) The core concept for the multidimensional knapsack problem. In: Gottlieb J, Raidl GR (eds) *Evolutionary Computation in Combinatorial Optimization – EvoCOP 2006*, Springer, LNCS, vol 3906, pp 195–208
- [242] Puchinger J, Raidl GR, Pferschy U (2010) The multidimensional knapsack problem: Structure and algorithms. *INFORMS Journal on Computing* 22(2):250–265
- [243] Raidl GR (2006) A unified view on hybrid metaheuristics. In: Almeida F, Blesa Aguilera MJ, Blum C, Moreno Vega JM, Pérez MP, Roli A, Sampels M (eds) *Proceedings of HM 2006 – Third International Workshop on Hybrid Metaheuristics*, Springer, LNCS, vol 4030, pp 1–12
- [244] Raidl GR (2015) Decomposition based hybrid metaheuristics. *European Journal of Operational Research* 244(1):66–76
- [245] Raidl GR, Hu B (2010) Enhancing genetic algorithms by a trie-based complete solution archive. In: Cowling P, Merz P (eds) *Evolutionary Computation in Combinatorial Optimization – EvoCOP 2010*, Springer, LNCS, vol 6022, pp 239–251
- [246] Raidl GR, Julstrom BA (2003) Edge-sets: An effective evolutionary coding of spanning trees. *IEEE Transactions on Evolutionary Computation* 7(3):225–239
- [247] Raidl GR, Puchinger J, Blum C (2010) Metaheuristic hybrids. In: Gendreau M, Potvin JY (eds) *Handbook of Metaheuristics*, International Series in Operations Research & Management Science, vol 146, 2nd edn, Springer, pp 469–496
- [248] Raidl GR, Baumhauer T, Hu B (2014) Speeding up logic-based Benders’ decomposition by a metaheuristic for a bi-level capacitated vehicle routing problem. In: Blesa MJ, Blum C, Voss S (eds) *Proceedings of HM 2014 – Ninth International Workshop on Hybrid Metaheuristics*, Springer, LNCS, vol 8457, pp 183–197
- [249] Rechenberg I (1973) *Evolutionsstrategie: Optimierung technischer Systeme nach Prinzipien der biologischen Evolution*. Frommann-Holzboog
- [250] Reeves CR (ed) (1993) *Modern Heuristic Techniques for Combinatorial Problems*. Wiley & Sons
- [251] Reeves CR, Rowe JE (2002) *Genetic Algorithms: Principles and Perspectives. A Guide to GA Theory*. Kluwer Academic Publishers, Boston, USA
- [252] Rei W, Cordeau JF, Gendreau M, Soriano P (2008) Accelerating Benders decomposition by local branching. *INFORMS Journal on Computing* 21(2):333–345
- [253] Reich G, Widmayer P (1990) Beyond Steiner’s problem: A VLSI oriented generalization. In: Nagl M (ed) *Graph-Theoretic Concepts in Computer Science*, LNCS, vol 411, Springer, pp 196–210

- [254] Ribeiro Filho G, Nogueira Lorena LA (2000) Constructive genetic algorithm and column generation: an application to graph coloring. In: Chuen LP (ed) Proceedings of APORS 2000, the Fifth Conference of the Association of Asian-Pacific Operations Research Societies within IFORS
- [255] Rios-Solis YA, Sourd F (2008) Exponential neighborhood search for a parallel machine scheduling problem. *Computers & Operations Research* 35(5):1697–1712
- [256] Rodriguez FJ, García-Martínez C, Blum C, Lozano M (2012) An artificial bee colony algorithm for the unrelated parallel machines scheduling problem. In: Coello Coello CA, Cutello V, Deb K, Forrest S, Nicosia G, Pavone M (eds) Proceedings of PPSN XII – 12th International Conference on Parallel Problem Solving from Nature, Springer, LNCS, vol 7492, pp 143–152
- [257] Ronald S (1994) Complex systems: Mechanism of adaptation. In: Stonier R, Yu XH (eds) *Complex Systems: Mechanism of Adaptation*, IOS Press, Amsterdam, pp 133–140
- [258] Ropke S, Pisinger D (2006) An adaptive large neighborhood search heuristic for the pickup and delivery problem with time windows. *Transportation Science* 40(4):455–472
- [259] Rossi F, van Beek P, Walsh T (2006) *Handbook of Constraint Programming*. Elsevier
- [260] Rothberg E (2007) An evolutionary algorithm for polishing mixed integer programming solutions. *INFORMS Journal on Computing* 19(4):534–541
- [261] Rubin SM, Reddy R (1977) The locus model of search and its use in image interpretation. In: Reddy R (ed) Proceedings of IJCAI 1977 – 5th International Joint Conference on Artificial Intelligence, William Kaufmann, vol 2, pp 590–595
- [262] Ruiz R, Stützle T (2007) A simple and effective iterated greedy algorithm for the permutation flowshop scheduling problem. *European Journal of Operational Research* 177(3):2033–2049
- [263] Ruthmair M, Raidl GR (2012) A memetic algorithm and a solution archive for the rooted delay-constrained minimum spanning tree problem. In: Moreno-Díaz R, Pichler F, Quesada-Arencibia A (eds) Proceedings of the 13th International Conference on Computer Aided Systems Theory: Part I, Springer, LNCS, vol 6927, pp 351–358
- [264] Sabuncuoglu I, Bayiz M (1999) Job shop scheduling with beam search. *European Journal of Operational Research* 118(2):390–412
- [265] Saraiva RD, Nepomuceno NV, Pinheiro PR (2013) The generate-and-solve framework revisited: Generating by simulated annealing. In: Middendorf M, Blum C (eds) *Evolutionary Computation in Combinatorial Optimization*, LNCS, vol 7832, Springer, pp 262–273
- [266] Sha DY, Hsu CY (2008) A new particle swarm optimization for the open shop scheduling problem. *Computers & Operations Research* 35(10):3243–3261
- [267] Shapira D, Storer JA (2002) Edit distance with move operations. In: Apostolico A, Takeda M (eds) Proceedings of CPM 2002 – 13th Annual Sym-

- posium on Combinatorial Pattern Matching, LNCS, vol 2373, Springer, pp 85–98
- [268] Shaw P (1998) Using constraint programming and local search methods to solve vehicle routing problems. In: Maher M, Puget JF (eds) *Principle and Practice of Constraint Programming – CP98*, Springer, LNCS, vol 1520, pp 417–431
- [269] Shaw P, De Backer B, Furnon V (2002) Improved local search for CP toolkits. *Annals of Operations Research* 115:31–50
- [270] Shen C, Li T (2010) Multi-document summarization via the minimum dominating set. In: *Proceedings COLING 2010 – 23rd International Conference on Computational Linguistics*, Association for Computational Linguistics, Stroudsburg, PA, pp 984–992
- [271] Skiena SS (2008) *The Algorithm Design Manual*, 2nd edn. Springer
- [272] Slaney J, Walsh T (2001) Backbones in optimization and approximation. In: *IJCAI 2001 – Proceedings of the Seventeenth International Joint Conference on Artificial Intelligence*, pp 254–259
- [273] Solnon C (2010) *Ant Colony Optimization and Constraint Programming*. Wiley
- [274] Spears WM, De Jong KA, Bäck T, Fogel DB, de Garis H (1993) An overview of evolutionary computation. In: Brazdil PB (ed) *Proceedings of ECML 1993 – European Conference on Machine Learning*, LNCS, vol 667, Springer, pp 442–459
- [275] Stützle T (1999) *Local Search Algorithms for Combinatorial Problems - Analysis, Algorithms and New Applications*. DISKI – Dissertationen zur Künstlichen Intelligenz, Infix, Sankt Augustin, Germany
- [276] Stützle T (2006) Iterated local search for the quadratic assignment problem. *European Journal of Operational Research* 174(3):1519–1539
- [277] Stützle T, Hoos HH (2000) MAX-MIN ant system. *Future Generation Computer Systems* 16(8):889–914
- [278] Subhadrabandhu D, Sarkar S, Anjum F (2004) Efficacy of misuse detection in ad hoc networks. In: *Proceedings of IEEE SECON 2004 – First Annual IEEE Communications Society Conference on Sensor and Ad Hoc Communications and Networks*, IEEE Press, pp 97–107
- [279] Taillard ÉD (1991) Robust Taboo Search for the Quadratic Assignment Problem. *Parallel Computing* 17:443–455
- [280] Talbi EG (2009) *Metaheuristics: From Design to Implementation*. Wiley & Sons
- [281] Tang J, Guan J, Yu Y, Chen J (2014) Beam search combined with MAX-MIN ant systems and benchmarking data tests for weighted vehicle routing problem. *IEEE Transactions on Automation Science and Engineering* 11(4):1097–1109
- [282] Thiruvady D, Meyer B, Ernst A (2011) Car sequencing with constraint-based ACO. In: *Proceedings of GECCO 2011 – 13th Annual Conference on Genetic and Evolutionary Computation*, ACM Press, pp 163–170

- [283] Thiruvady D, Singh G, Ernst AT, Meyer B (2013) Constraint-based ACO for a shared resource constrained scheduling problem. *International Journal of Production Economics* 141(1):230–242
- [284] Thiruvady D, Singh G, Ernst AT (2014) Hybrids of integer programming and ACO for resource constrained job scheduling. In: Blesa MJ, Blum C, Voss S (eds) *Proceedings of HM 2014 – Ninth International Workshop on Hybrid Metaheuristics*, Springer, LNCS, vol 8457, pp 130–144
- [285] Thiruvady DR, Blum C, Meyer B, Ernst AT (2009) Hybridizing Beam-ACO with constraint programming for single machine job scheduling. In: Blesa MJ, Blum C, Di Gaspero L, Roli A, Sampels M, Schaerf A (eds) *Proceedings of HM 2009 – Sixth International Workshop on Hybrid Metaheuristics*, Springer, LNCS, vol 5818, pp 30–44
- [286] Thomas E, Matúš M (2010) A $(4 + \epsilon)$ -approximation for the minimum-weight dominating set problem in unit disk graphs. In: *Approximation and Online Algorithms*, 8th Int. Workshop, WAOA 2010, Springer, LNCS, vol 6534, pp 135–146
- [287] van Hoeve WJ, Hooker JN (eds) (2009) *Proceedings of CPAIOR 2009 – 6th International Conference on the Integration of AI and OR Techniques in Constraint Programming for Combinatorial Optimization Problems*, LNCS, vol 5547. Springer
- [288] Vidal T, Maculan N, Ochi LS, Vaz Penna PH (2015) Large neighborhoods with implicit customer selection for vehicle routing problems with profits. *Transportation Science* DOI 10.1287/trsc.2015.0584
- [289] Vimont Y, Boussier S, Vasquez M (2008) Reduced costs propagation in an efficient implicit enumeration for the 0–1 multidimensional knapsack problem. *Journal of Combinatorial Optimization* 15(2):165–178
- [290] Vose MD (1999) *The Simple Genetic Algorithm: Foundations and Theory*. MIT Press
- [291] Voudouris C (1997) Guided local search for combinatorial optimization problems. PhD thesis, Department of Computer Science, University of Essex, pp. 166
- [292] Voudouris C, Tsang E (1999) Guided Local Search. *European Journal of Operational Research* 113(2):469–499
- [293] Walshaw C (2002) A multilevel approach to the travelling salesman problem. *Operations Research* 50(5):862–877
- [294] Walshaw C (2004) Multilevel refinement for combinatorial optimization problems. *Annals of Operations Research* 131:325–372
- [295] Walshaw C (2008) Multilevel refinement for combinatorial optimisation: Boosting metaheuristic performance. In: Blum C, Blesa Aguilera MJ, Roli A, Sampels M (eds) *Hybrid Metaheuristics – An Emerging Approach to Optimization*, *Studies in Computational Intelligence*, vol 114, Springer, pp 261–289
- [296] Walshaw C, Cross M (2000) Mesh partitioning: A multilevel balancing and refinement algorithm. *SIAM Journal on Scientific Computing* 22(1):63–80

- [297] Wang F, Lim A (2007) A stochastic beam search for the berth allocation problem. *Decision Support Systems* 42(4):2186–2196
- [298] Wang L, Wang SY, Xu Y (2012) An effective hybrid EDA-based algorithm for solving multidimensional knapsack problem. *Expert Systems with Applications* 39(5):5593–5599
- [299] Wolsey LA (1998) *Integer Programming*. Wiley-Interscience
- [300] Yagiura M, Ibaraki T (1996) The use of dynamic programming in genetic algorithms for permutation problems. *European Journal of Operational Research* 92(2):387–401
- [301] Yuen SY, Chow CK (2007) A non-revisiting genetic algorithm. In: *IEEE Congress on Evolutionary Computation*, IEEE Press, pp 4583–4590
- [302] Zakeri G, Philpott AB, Ryan DM (1999) Inexact cuts in Benders decomposition. *SIAM Journal on Optimization* 10(3):643–657
- [303] Zaubzer S (2008) A complete archive genetic algorithm for the multidimensional knapsack problem. Master's thesis, Vienna University of Technology, Institute of Computer Graphics and Algorithms, Vienna, Austria
- [304] Zha J, Yu JJ (2014) A hybrid ant colony algorithm for U-line balancing and rebalancing in just-in-time production environment. *Journal of Manufacturing Systems* 33(1):93–102
- [305] Zhang W (2004) Configuration landscape analysis and backbone guided local search. Part I: satisfiability and maximum satisfiability. *Artificial Intelligence* 158(1):1–26
- [306] Zou F, Wang Y, Xu X, Li X, Du H, Wan P, Wu W (2011) New approximations for minimum-weighted dominating sets and minimum-weighted connected dominating sets on unit disk graphs. *Theoretical Computer Science* 412(3):198–208