

Index

A

- AC joint. *See* Acromioclavicular (AC) joint
- Achilles insertional tendinitis and retrocalcaneal bursitis, 224
- ACR. *See* American College of Rheumatology (ACR)
- Acromioclavicular (AC) joint, 286
- Acute and chronic gout, ultrasonographic features, 40
- American College of Rheumatology (ACR), 165, 173
- Ankle. *See also* Ankle and foot, ultrasound
 - dorsal
 - longitudinal, 206
 - transverse, 206–207
 - lateral
 - inframalleolar longitudinal, 208
 - longitudinal, 208
 - transverse, 207–208
 - medial
 - inframalleolar longitudinal, 210–211
 - longitudinal, 210
 - transverse, 208–210
 - posterior
 - longitudinal, 211–212
 - transverse, 212–213
 - standard views, 204
- Ankle and foot, ultrasound
 - lateral and medial ankle, 221
 - midfoot joint inflammation, 225
 - MTP, 225, 228
 - plantar fascia, 224
 - posterior ankle, 221–224
 - rheumatologic pathology, 220
 - subtalar joint, 224

- tibiotalar joint, 219–221
- Ankylosing Spondylitis (AS), 35
- Anterior hip, 152
- Anterior superior iliac spine (ASIS), 163
- Apophysitis, 237
- Articular cartilage damage, 27, 32–33
- ASIS. *See* Anterior superior iliac spine (ASIS)
- Asymptomatic hyperuricemia, 40

B

- Biceps and triceps tendinosis, 115
- Biceps tendon, 125–126
- Bone erosion, 24
- Bone productive change, 27
- Bony pathology, 116
- Bursitis, 28

C

- CA. *See* Cranial arteritis (CA)
- Calcium pyrophosphate dihydrate (CPPD), 4, 40, 42–43, 80
- Carpal tunnel syndrome, 81, 94, 96
- Cartilage, 254
- CD. *See* Color Doppler (CD)
- Chondrocalcinosis, 43, 222
- Chronic gout, 220
- Chronic tophaceous gout, 42
- Color Doppler (CD), 60
- Comet tail artifact in pulmonary fibrosis, 17
- Condyle, 236
- Consensus-based sonographic pathology, 24
- Cranial arteritis (CA), 320
- Crystalline arthropathies, 192–194

D

- Dactylitis, 28, 37
- DeQuervain's disease, 89
- DeQuervain's tendinitis, 79, 96
- Disease activity in psoriatic arthritis (DAPSA), 37
- Doppler settings, optimization
 - color box size, 62
 - color priority (threshold), 62
 - Doppler frequency, 60
 - Doppler gain, 60, 61
 - PRF, 62
 - wall filter, 62
- Doppler ultrasound, 60
- Dorsal wrist, 76, 78

E

- Echogenicity
 - types, 11
- ECU. *See* Extensor carpi ulnaris (ECU)
- Elbow, 288–291
- Elbow bursitis, 113, 114
- Elbow joint aspiration, 118
- Elbow ultrasonography
 - anterior, 112
 - anterior elbow, 104, 106, 107
 - double contour sign, 113
 - focal pathology, 104
 - humero-radial/radiocapitellar joint, 104
 - humero-ulnar/ulnotrochlear joint, 104
 - in rheumatology, 103
 - indications and features, 105
 - lateral elbow, 107, 108
 - medial elbow, 108
 - olecranon bursitis, 115
 - posterior aspect, 109
 - posterior elbow, 110
 - posterior longitudinal view, 110
 - proximal radioulnar joint, 104
 - synovitis and joint effusion, 110
 - ulnar nerve, 111
- Enthesitis, 251–252
- Enthesopathy, 26
- Erosions, 254
- Extensor carpi ulnaris (ECU), 68

F

- Femoral articular cartilage, 39
- Finger joints, 82
- Flexor digitorum tendons, 12
- Flexor tenosynovitis, 81
- Foot. *See also* Ankle and foot, ultrasound
 - dorsal midfoot, 215–216

- metatarsophalangeal joints
 - dorsal longitudinal view, 216
 - medial and lateral longitudinal, 217
 - plantar longitudinal view, 218
 - transverse, 217
- plantar fascia
 - plantar longitudinal, 213
- standard views, 205
- subtalar joint, 214

G

- Ganglion cyst, wrist, 15
- GCA. *See* Giant cell arteritis (GCA)
- Giant cell arteritis (GCA), 319, 341
- Glasgow ultrasound enthesitis scoring system (GUESS), 36
- Glenohumeral effusions, 141
- Gluteus medius tendinopathy, 153, 162
- Gout ultrasound methodology, 42
- Gout vs. calcium pyrophosphate dihydrate deposition, 41
- Gouty nodules, wrist, 91
- Grayscale ultrasound (GSUS), 165
- Grayscale US (GS), 58
- GSUS. *See* Grayscale ultrasound (GSUS)

H

- Hand and wrist
 - carpal tunnel injection, 292–294
 - carpometacarpal and
 - caphotrapeziotrapezoid joint injections, 294–298
 - DeQuervain's stenosing tenosynovitis, 298
 - digital flexor tenosynovitis, 300–301
 - ganglion cysts and periarticular cysts, 298–299
 - radiocarpal joint injection, 291–292
- Hand and wrist, ultrasound evaluation
 - effusion and erosions, 76
 - MCP joints, 76
 - pathology
 - erosions, 86
 - nerve impingement, 93, 94
 - nodules, 89
 - synovitis, 85
 - tendon and ligament, 88, 89
 - rheumatologist, 76
- Hip
 - achilles tendon and retrocalcaneal bursa injections, 307–308
 - calcaneus and plantar fascia, 308–309
 - interphalangeal (IP), 309
 - Morton's neuroma Injection, 309

- MTP, 309
- percutaneous biopsy, 310
- peroneal tendon sheath injection, 307
- sacroiliac joints, 304
- subtalar, tarsonavicular and midfoot
 - Joints, 306
- tarsal tunnel injection, 306–307
- tibiotalar ankle injection, 305–306
- trochanteric bursa injection, 302–304
- ultrasound-guided hip joint injection, 301–302
- Hip joint in rheumatologic diseases
 - CPD signal, 164
 - GSUS, 165
 - PDUS, 165
 - polymyalgia rheumatica, 165
 - SOLAR, 165
 - trochanteric bursa/gluteus medius
 - peritendinous space, 166–168
 - ultrasound-guided aspiration and injection, 166
- Hip joint injection, 167
- Hip joint prosthesis, 17
- Hip ultrasound
 - anterior hip, 152
 - degenerative and inflammatory joint diseases, 151
 - lateral hip, 153
 - pathology
 - arthritis/osteonecrosis, 158
 - hip joint effusion and synovitis, 155
 - iliopsoas bursitis, 160
 - labrum tears and paralabral cysts, 159
 - prosthetic joint, 159
 - snapping iliopsoas tendon, 160
 - tensor fasciae latae tendinopathy, 163
 - trochanteric pain syndrome, 161
 - technical requirements, 152
- Humeroulnar elbow joint, 106
- I**
- IMT. *See* Intima–media thickness (IMT)
- Inflammatory arthritis, 226
 - PMR, 143
 - RA, 142
- Inflammatory enthesitis, 115, 119
- Infrapatellar
 - longitudinal–distal, 181
 - longitudinal–proximal, 177–181
 - transverse, 181
- Infraspinatus tendon, 135
- Intima–media thickness (IMT), 322

J

- JIA. *See* Juvenile idiopathic arthritis (JIA)
- Juvenile idiopathic arthritis (JIA), 234
 - cartilage, 254
 - enthesitis, 251–252
 - erosions, 254
 - juvenile rheumatoid arthritis, 250
 - MSK scanning protocols, 250
 - synovial cysts, 252–254
 - synovitis, 250, 251
 - US technology, 250

K

- Knee
 - pes anserine bursa injection, 279, 280
 - popliteal cysts, 282–283
 - ultrasound-guided arthrocentesis and injection, 277–279
 - ultrasound-guided iliotibial band injection, 282
- Knee injection
 - bursitis, 195
 - effusion, 185
 - enthesopathy, 185
 - erosion, 185
 - injections and ultrasound guidance, 196
 - lateral longitudinal, 181–185
 - medial longitudinal, 181
 - MSUS, 173
 - musculoskeletal ultrasound, 173
 - osteoarthritis, 191
 - popliteal cyst, 188
 - posterior transverse, 185
 - reliability and scoring systems, 195
 - rheumatoid arthritis, 190–191
 - synovial hypertrophy, 185
 - tendon and ligament injuries, 195

L

- Large vessel vasculitis (LVV), 45, 319–320, 333, 335
- Large-vessel giant cell arteritis, 18
- Lateral epicondyle tendinosis, 116
- LVV. *See* Large vessel vasculitis (LVV)

M

- Maastrich ankylosing spondylitis entheses score (MASES), 38
- Madrid sonographic enthesitis index (MASEI), 38

- Metacarpal–phalangeal joint, 82
 Metacarpotrapezium, 294–298
 Metatarsophalangeal (MTP)
 dorsal longitudinal view, 216–217
 gout, 225
 osteoarthritis, 226
 plantar longitudinal, 218
 transverse, 217–218
 Midfoot inflammatory arthritis, 225
 Monosodium urate (MSU) crystal deposition
 in gout, 38–39
 Morton’s neuroma, 217, 228
 MSUS. *See* Musculoskeletal ultrasonography (MSUS)
 MTP. *See* Metatarsophalangeal (MTP)
 Musculoskeletal ultrasonography (MSUS), 173
 clinical scenarios, 3, 4
- N**
 Nerve imaging, 117, 118
 Normal elbow anatomy
 injections and ultrasound guidance,
 118–119
 Normal knee
 suprapatellar longitudinal view, 174–177
 suprapatellar transverse view, 177
- O**
 OA. *See* Osteoarthritis (OA)
 Olecranon bursitis, 113
 Osteoarthritis (OA), 2, 191, 226
 articular cartilage manifestations, 32
 Baker’s cysts, 33
 diagnosis, 32
 effusions, 33
 osteophytes, 32
 sonographic findings, 32
 synovitis, 34
- P**
 Palmar carpal erosions, 81
 Palpation-guided methods, 5
 Paratenonitis, 69
 PDUS. *See* Power Doppler ultrasound (PDUS)
 Pediatric ultrasound
 Doppler signals, 235
 interpretation, 234
 joint disease, 234
 MRI, 234
 musculoskeletal structures, 233
 pediatric rheumatology, 234
 POC, 254, 255
 radiographs, 234
 sonographer, 234, 235
 synovitis, 234
 technical requirements, 235
 traction apophysitis, 248
 transient synovitis, hip, 248–250
 Pediatric ultrasound
 interventions, 255
 traction apophysitis, 248
 Peroneal tendinitis, 221
 Peroneus quadratus (PQ), 207
 Plasma rich protein (PRP), 289
 PMR. *See* Polymyalgia rheumatica (PMR)
 POC. *See* Point-of-care (POC)
 Point-of-care (POC), 254, 255
 Polyarteritis nodosa (PAN), 321
 Polymyalgia rheumatica (PMR), 5, 45, 143,
 144, 165–166, 322
 Posterior acoustic shadowing, 14
 Power Doppler (PD)
 synovitis, 63
 Power Doppler ultrasound (PDUS), 165
 PRF. *See* Pulse repetitive frequency (PRF)
 PRP. *See* Plasma rich protein (PRP)
 Pseudogout, 41
 Psoriatic arthritis, 2
 Psoriatic arthritis (PsA), 26, 36, 83
 Pulse repetitive frequency (PRF), 60, 62
- R**
 RA Synovitis Scoring Systems, 30, 31
 Radial wrist, 79
 Radio-ular synovium reflects, 85
 Raynaud’s phenomenon, 5
 Resistive index (RI), 65
 Reverberation artifacts, 16
 Rheumatoid arthritis (RA), 2, 26, 142,
 190–191, 221, 224, 226
 ECU involvement, 80
 ulnar styloid erosions, 80
 acute and chronic stages, 28
 effusions, 29
 erosions, 29, 30
 inflammation, synovial lining, 58
 medical treatment, 67
 prognosis, 31
 synovitis, 28, 64
 tendon involvement, 68

- tenosynovitis, 28, 29, 68
- Rheumatoid nodules, 92
- Rheumatologic elbow pathology
 - bursal pathology, 113–114
 - synovial pathology, 111–113
 - tendon and ligament pathology, 114, 115
- Rheumatology
 - clinical examination, 1
 - diagnosis, 1
 - musculoskeletal ultrasonography, 2
- RI. *See* Resistive index (RI)
- Rotator cuff calcification, 139–141
- Rotator cuff tears, 130, 137–139
- Rotator cuff tendons, 141

- S**
- Scoring systems
 - synovitis, 63, 64, 66
- Shoulder
 - acromioclavicular (AC) joint, 286
 - bicipital tendon sheath injection, 286–288
 - calcific tendinitis, 288
 - calcifications, 283
 - glenohumeral joint, 284
 - needle procedures, 283
 - subacromial/subdeltoid bursa injection, 285–286
- Shoulder ultrasound
 - ACR/EULAR classification criteria, PMR, 145
 - posterior recess, 134, 142
 - recesses, 143
 - scans
 - biceps tendon, 125–126
 - subscapularis tendon, 126–127
 - sonography
 - osseous, 124, 125
 - tendon tears, 140
- Sjogren's syndrome (SS), 5, 44, 45
- Soft-tissue pathology, 116, 117
- SOLAR. *See* Sonography of large joints in rheumatology (SOLAR)
- Sonoanatomy
 - osseous sonoanatomy, 124–125
- Sonography of large joints in rheumatology (SOLAR), 38, 165, 195
- Sonopathology
 - long head biceps tendon
 - biceps tendon tears, 137
 - dislocation, 135–137
 - sheath effusion, 135
 - rotator cuff calcification, 139–141
 - rotator cuff tears, 137–139
- Spondyloarthritis
 - crystalline arthropathies, 192–194
 - Doppler, 192
 - musculoskeletal ultrasound, 192
 - superficial pannus, 192
 - synovial villus hypervascularization, 192
 - ultrasound and clinical examination, 192
- Spondyloarthropathies (SpA), 222
 - AS, 35
 - inflammatory bowel diseases, 34
 - nail diseases, 37
 - power Doppler ultrasound, 35
 - PsA, 34, 36
 - reactive arthritis, 34
 - scoring systems, 38
 - structural tendon and enthesal abnormalities, 35
 - ultrasonography, 40
- Spondyloarthropathy, 119
- Stenosing tenosynovitis, 89
- Subacromial subdeltoid bursitis, 141
- Supraspinatus tendon, 14
 - acromioclavicular joint, 132
 - acromion, 127
 - bursal depression, 130
 - infraspinatus, 130
 - orthogonal planes, 128
 - posterior scans, 132–135
 - shoulder abduction, 131
- Synovial cysts, 252–254
- Synovial effusion, 24, 25
- Synovial fluid analysis, 38
- Synovial hypertrophy, 25
- Synovitis, 251
- Synovitis evaluation, ultrasound
 - Doppler ultrasound, 60
 - in joints and tendons, 58
 - number of joints, 66, 67
 - optimization, Doppler settings, 60–63
 - paratenonitis, 69
 - synovitis scoring systems
 - quantitative, 65–66
 - semiquantitative, 63–65
- Synovitis evaluation, ultrasound in joints and tendons, 58
- Systemic lupus erythematosus, 44

- T**
- Takayasu's arteritis (TA), 320
- Tendinitis, 208, 215, 222
- Tenosynovial effusion, 88

- Tenosynovitis, 25, 26
 ECU, 68
 flexor digitorum longus and peroneal tendons, 68
 grayscale and Doppler, 68
 MR erosion score, 68
 peritendinous widening, synovial sheath, 68
 RA, 68
 scoring system, 69
 scoring systems, 69
 wrist and ankles, 68
- TFCC. *See* Triangular fibro-cartilage complex (TFCC)
- Tophaceous nodules, 92
- Traction apophysitis, 248
- Triangular fibro-cartilage complex (TFCC), 80
- Trochanteric bursa injection, 167
- Trochanteric bursitis, 161, 162, 166
- 2012 European League Against Rheumatism (EULAR), 165
- U**
- Ulnar wrist, 80
- Ultrasonography
 atherosclerosis, 323
 color duplex, 320
 duplex, 323, 335
 GCA, 321
 vascular, 324, 326
- Ultrasound anatomy, children
 apophysitis, 237
 articular cartilage, 235
 condyle, 236
 cortical bone, 236
 Doppler, 244–248
 enchondral ossification, 237
 epiphyseal cartilage, 237
 joint
 cartilage assessment, 240–241
 cartilage interface sign, 238
 humeroulnar joint, 239, 240
 hyaline cartilage, 238–240
 knee joint, 238
 metaphyseal and epiphyseal, 238
 soft tissue *vs.* cartilage, 239
 talonavicular joint, 238
 vascular channels, epiphyseal cartilage, 238, 239
 joint capsule, 244
 ligaments, 244
 MSK ultrasonography, 237
 ossification, 235
 postnatal ossification, 237
 radiographic and histologic analysis, 237
 tendon and enthesis/apophysitis, 241–244
 tendons and ligaments, 235
 tibial tuberosity, 236
- Ultrasound energy, 6
- Ultrasound equipment
 knobology, 8, 9
 modes, 7
 operating components, 8
 size, 7
- Ultrasound ergonomics, 9, 10
- Ultrasound imaging
 biceps tendon, 14
- Ultrasound pathology
 calcifications, 28
 definitions, 24
 inflammatory arthritis, 26
 sonopathology, 24
vs. imaging modalities, gout, 41–42
- Ultrasound technology
 abnormality, 2
 acute swelling, lower leg, 4
 anisotropy, 13–14
 articular pathology, 2
 artifacts, 13
 CPPD, 4
 intra-articular and extra-articular tophi, 4
 lateral edge shadowing, 15
 mirror image, 16
 nerve pathology, 4
 OA, 2
 pain syndrome, 4
 pathology, 2
 PMR, 5
 posterior acoustic enhancement, 15
 posterior acoustic shadowing, 14–15
 posterior reverberation, 15
 RA, 2
 structural damage, 2
 structures, 11
 trauma/inflammation, 4
- Ultrasound waves, 5, 6
- Ultrasound-guided (USG)
 clinical outcomes, 267–268
 cost-effectiveness, 268
 de-bubbling, syringe, 271
 diagnostic ultrasound *vs.* ultrasound localization, 269
 evidence based support, 266–267
 image-guided interventional procedures, 265

- in-plane approach, 271–272
- joints, 267
- local anatomy, 269
- MSK medicine, 265
- needle visualization, 273–275
- out-of-plane approach, 272–273
- procedures, 266
- sterile technique and universal precautions, 270
- ultrasound gel, 270
- ultrasound probe, 270
- US global synovitis score (US-GLOSS), 31

V

- Vascular ultrasound anatomy examination
 - normal techniques
 - abdominal aorta, 333
 - abdominal aortitis, 340–341
 - axillary artery, 333
 - carotid artery, 331–333
 - cranial arteritis
 - facial arteritis, 336–337
 - temporal arteritis, 335–336
 - distal facial artery, 331
 - sonopathology, large vessel vasculitis, 333–335
 - subclavian artery, 333
 - supraaortic arteritis
 - axillary arteritis, 339–340

- carotid arteritis, 337–338
- subclavian arteritis, 338–339
- temporal artery, 328–329
- Vasculitis
 - B and color Doppler adjustments, 325
 - blood vessel wall, 319
 - CA, 320
 - evidence-based background, 320–321
 - GCA, 319
 - LVV, 319
 - medium-sized and small vessel, 321–322
 - meta-analyses examining ultrasound, GCA, 320
 - PMR, 322
 - ultrasound, equipment and settings
 - atherosclerosis, 327–328
 - B-mode adjustments, 324–325
 - color Doppler adjustments, 322–328
 - hyperechoic line, 322
 - IMC, 323
 - IMC thickness disappears, 328
 - IMT, 322
 - infraaortic vessels, 323
 - pitfalls, 326–328
 - ultrasonography, 323
- Volar/palmar wrist, 81

W

- Wrist synovitis, 85