

Index

A

- Abdominal muscular deficiency syndrome. *See* Prune-belly syndrome
- Abscesses, 238, 643
- ABU. *See* Asymptomatic bacteriuria (ABU)
- aCDS. *See* Amplitude-coded color Doppler sonography (aCDS)
- ACEI. *See* Angiotensin-converting enzyme inhibitors (ACEI)
- Acquired pyelonephritic renal damage, 243
- Acquired renal cyst, 580–582, 632
- Acucise device, 743, 749
- Acute bacterial nephritis, 556–557
- Acute catheter dysfunction, 302, 631
- Acute focal bacterial nephritis, 237–238
- Acute kidney injury (AKI), 219
- causes of, 296–297
 - childhood renal failure, 628
 - classification, 296
 - definition, 296
 - diagnosis, 297
 - imaging, 634
 - prognosis, 297
 - RPD and, 592–593
 - treatment, 297
 - US, 629
- Acute postinfectious glomerulonephritis, 220
- Acute renal failure (ARF). *See* Acute kidney injury (AKI)
- Acute scrotum, male genital tract
- acute epididymitis, 370
 - acute idiopathic scrotal oedema, 373
 - causes, 370
 - clinical history, 370
 - epididymitis, 373, 374
 - epididymoorchitis, 373
 - Henoch-Schönlein purpura, 373–374
 - hydroceles, 369–370
 - imaging algorithms, 370–371
 - immediate surgical treatment, 370
 - intrascrotal appendage torsion, 372–373
 - perinatal testicular torsion, 372
 - symptoms and signs, 370
 - testicular appendages, 370
 - testicular torsion
 - history and clinical findings, 371
 - and tumours, 370
- Acute tubular necrosis (ATN), 113, 296, 303, 594, 642
- Adenine phosphoribosyltransferase (APRT), 288, 289
- Adenomatoid tumour, 378
- ADPKD. *See* Autosomal dominant polycystic kidney disease (ADPKD)
- AKI. *See* Acute kidney injury (AKI)
- Allograft transplants, 638
- Allopurinol, 290
- Alport syndrome (AS), 196, 203–204, 219–220, 630
- Alveolar type rhabdomyosarcoma (A-RMS), 695, 699
- American Association for the Surgery of Trauma (AAST), renal injuries
- grade I, 720
 - grade II, 720, 721
 - grade III, 720, 721
 - grade IV, 720, 721
 - grade V, 720, 722
 - ureteropelvic junction disruption, 722
- American College of Radiology (ACR), 43
- American Urological Association (AUA), 245
- Aminoglycoside, 237
- Ammonia, 289
- Ampicillin, 237
- Amplitude-coded color Doppler sonography (aCDS)
- children with minor and moderate trauma, 716–717
 - neonatal oligoanuria and RF, 635–636
 - nephrourologic disorders, 777, 778
 - PTLD, 646, 647
 - renal dysplasia, 569–570
 - renal injuries, 720, 721
 - renal scarring, 558–559
 - scrotal injuries, 728
 - urinary tract trauma, 718, 719, 722
 - UTI, 767, 768
- Amyloidosis, 227, 604
- Anaplastic sarcoma, 683–684
- Androgen insensitivity syndrome (AIS)
- CAIS, 348
 - diagnostic imaging, 349
 - PAIS, 348

- Angiography
 abdominal CT, 355, 757
 CE-MRA, 42–43, 93
 conventional, 640
 CTA, 635, 657–658
 DSA, 385, 659
 MRA, 93, 452, 454, 594, 609, 659
 post-embolization, 757
 super-selective, 757
 urinary tract injuries, 719
 Angiomyolipoma, 11, 690, 691, 756
 Angioplasty, 659, 660, 754–756
 Angiotensin-converting enzyme inhibitors (ACEI), 290, 298, 300
 Anorectal malformations (ARMs), imperforate anus
 anal incontinence, 392
 associated malformations, 387–389
 associated vertebral anomalies, 388, 389
 atresia level, 388
 embryology, 386–387
 high-intermediate-low classification, 386
 Krackenbeck classification, 386
 partial/complete sacral agenesis, 388
 stool evacuation, 392
 Antegrade pyelography, 643
 Antibacterial therapy, 236–238
 Antibiotic prophylaxis, 262, 768, 769, 773, 776
 Antiphospholipid syndrome (APS), 226
 Antirefluxive surgery techniques, 418–419
 ARPKD. *See* Autosomal recessive polycystic kidney disease (ARPKD)
 Arterial spin labeling (ASL), 41–42
 Arteriovenous fistula (AVF)
 hemodialysis, 302, 632
 renal biopsy, 608, 609
 ASL. *See* Arterial spin labeling (ASL)
 Asphyxia, 6
 Asymptomatic bacteriuria (ABU), 238
 ATN. *See* Acute tubular necrosis (ATN)
 Attention-deficit/hyperactivity disorder, 421
 AUA. *See* American Urological Association (AUA)
 Autosomal dominant polycystic kidney disease (ADPKD)
 autosomal dominant, 210, 211
 fetal nephropathies, 169–170
 genetic basis, 194, 201, 202
 polycystic kidney disease, 574
 uro-nephropathies, 487–
 Autosomal recessive cystinuria, 204
 Autosomal recessive polycystic kidney disease (ARPKD), 5
 cystic kidney disease, 209–213
 fetal nephropathies, 170
 genetic basis, 201
 polycystic kidney disease, 573–577
B
 Bartter's syndrome, 204, 225, 284, 286, 602
 BBD. *See* Bladder and bowel dysfunction (BBD)
 BC. *See* Bladder capacity (BC)
 Beckwith-Wiedemann syndrome (BWS), 10, 203, 333, 666
 Benign cysts, 378
 Benign familial hematuria, 203
 Benign tumors
 angiomyolipoma, 690
 bladder tumors, 699–700
 CMN, 686–687
 juxtaglomerular cell tumor, 690–691
 multilocular cystic nephroma, 688
 ossifying renal tumor of infancy, 689–690
 stromal tumors
 metanephric adenofibroma, 689
 metanephric adenoma, 688, 689
 metanephric stromal tumor, 688–689
 Bifid collecting systems, 447–463
 Bifid ureter, 128
 Bilateral disease, 208, 655, 670–672, 676, 677
 Bilateral herniation, 156
 Bilateral hydronephrosis, 68, 69, 485
 Bilateral ovarian cysts, 357–358
 Bilateral Wilms' tumor, 666, 676
 Bilharziasis, 562
 BK virus (BKV), 304, 646–647
 Bladder and bowel dysfunction (BBD), 233
 Bladder capacity (BC), 792, 794
 Bladder contusion, 725–726
 Bladder diverticulum, 323, 519, 540
 Bladder dysfunction
 cystitis, 560–561
 IRC, 117
 in neonates and infants, 424
 postoperative imaging and findings, 537
 treatment for, 241
 UTIs, 233
 VUR, 245–246
 Bladder exstrophy
 anatomical description, 400
 bladder function, 404
 continence, 404–405
 fetal bladder anomalies, 172–173
 musculoskeletal features, 401
 with normal infraumbilical wall, 402
 with normal umbilicus, 402
 OEIS complex, 402
 prenatal diagnosis, 398
 psychosexual function and fertility, 405
 repair of, 538
 urogenital features, 400–401
 vesicoureteral reflux, 404
 Bladder injury, 725–726
 Bladder outlet obstruction
 Cobb's collar, 320–321
 Cowper's gland cysts, 320–321
 tumor
 reference imaging modality, 322
 rhabdomyosarcoma, 321
 ureterocele prolapse, 320
 urethral diverticula, 320–321
 urethral polyp, 320
 Blastemal Wilms' tumor, 668

- Blunt abdominal trauma, 11, 90, 713–716, 719–722, 727
- Body surface area (BSA), 785–786
- Branchio-oto-renal syndrome, 209
- Breast milk feeding, 241
- Brödel effect, 259
- Bud theory, 242
- Burkitt's lymphoma, 684, 685
- C**
- CAKUT. *See* Congenital abnormalities of kidney and urinary tract (CAKUT)
- Calcineurin inhibitors, 303, 645
- Calcium oxalate stones, 283, 285
- Calcium phosphate stones, 283, 285, 286
- Calyceal cyst, 566, 581, 582, 617
- Calyceal diverticulum, 74, 78, 447, 567, 618
- CAN. *See* Chronic allograft nephropathy (CAN)
- Carbohydrate-deficient glycoprotein (CDG) syndromes, 596–598, 605
- Cardiovascular disease, 304
- Catecholamines, 298
- CCSK. *See* Clear cell sarcoma of the kidney (CCSK)
- CDG syndromes. *See* Carbohydrate-deficient glycoprotein (CDG) syndromes
- CDS. *See* Color Doppler sonography (CDS)
- ce-CT. *See* Contrast-enhanced computed tomography (ce-CT)
- Cefaclor, 245
- Cephalosporin, 237
- Cerebral atrophy, 605
- ce-VUS. *See* Contrast-enhanced voiding urosonography (ce-VUS)
- CFU. *See* Colony-forming units (CFU)
- Chemoprophylaxis, 241
- Chest X-ray (CXR)
- CRF, 633
- nephroblastoma, 674–679
- Chiba needle, 737, 738
- Childhood renal failure, 628
- Chronic allograft injury, 642
- Chronic allograft nephropathy (CAN), 304
- Chronic obstruction, 130
- Chronic renal failure (CRF), 295, 595, 627, 789
- children with, 297, 634
- CT, 634
- definitions, 299–301
- diagnosis, 300–301
- epidemiology, 299–300
- GFR, 789
- MRI, 634
- pathophysiology, 300
- planning dialysis, 301
- transplantation, 301
- treatment, 300–301
- US, 634
- Circumcision, 241, 767
- Clearance (C), 787–789
- Clear cell sarcoma of the kidney (CCSK), 678–679
- Cloacal dysgenesis, 173
- Cloacal exstrophy, 312, 350, 397, 402–403, 406, 407, 537
- Cloacal malformation
- diagnostic imaging
- balloon catheter, 355
- fetal MRI, 352
- fluid-debris level, 343
- fluoroscopic studies, 354
- genital secretion, 352
- granular abdominal calcifications, 354
- intrapelvic structures, 352
- prenatal US, 352
- rotational fluoroscopy, 355
- spinal cord anomalies, 354
- 3D reconstruction, 355
- urethral sphincter, 355
- US evaluation, newborn, 352
- uterus malformations, 352
- vaginal and bladder duplication, 352
- voiding cystourethrogram, 355
- and genital anomalies, 351, 352
- immediate colostomy, 351
- incomplete, 351
- pelvic osseous structures, 351
- perineal anatomy, 350
- posterior, 351
- with uterus didelphys, 350, 353
- vaginal anomalies, 350
- Cohen procedure, 270
- Colony-forming units (CFU), 235
- Color Doppler sonography (CDS)
- ADPKD, 571
- drug toxicity, 645, 646
- epispadias-exstrophy complex, 406
- graft dysfunction, 642
- HUS, 628
- left renal vein, 153
- locoregional tumor extent, 672, 691, 695
- MCDK, 577–579
- neonatal oligoanuria and RF, 635–636
- neoplasms, 691
- nephrocalcinosis, 623
- nephrourologic disorders, 777, 779
- ovarian torsion, 359
- peritoneal dialysis, 632
- priapism, 757–758
- renal allograft, 640
- renal arteries, 153
- renal biopsy, 608
- renal transplantation, 645
- renal tumors, 583
- RMS, 694
- RPD, 594, 606
- rTX, 633, 635, 636, 639–640, 644
- scrotal injuries, 728–729
- scrotum, 701
- sickle cell disease, 604, 607
- spermatic cord, torsion of, 371
- urinary tract infection and vesicoureteric reflux, 775
- urolithiasis, 616, 618–620
- UTI, 236, 775

- Color Doppler sonography (CDS) (*cont.*)
 vasculitis, 600
 VUR, 508–510, 542
- Computed tomographic angiography (CTA)
 CA, 136
 hypertension, 753–756
 planning transplantation, 633
 rTX, 633
 RVH, 657–658
 urogenital tract, 43
- Computed tomography (CT)
 abdomen, 149, 154
 CA, 136
 calyceal diverticulum, 447
 CCSK, 678, 679
 children with minor and moderate trauma, 716
 children with severe trauma and multiple injuries, 715
 CMN, 687
 complicated cyst, 582
 CPDN, 671
 CRF, 634
 diffuse nephroblastomatosis, 671, 672
 intraperitoneal WT rupture, 672, 675
 metanephric adenoma, 688
 moderate trauma, 10, 11
 NC, 282
 nephroblastoma, 671–675
 nephrocalcinosis, 623–624
 oncological surgery, 542, 543
 ossifying renal tumor of infancy, 689–690
 ovarian torsion, 360
 pelvis and ureter, 446–447
 percutaneous nephrostomy, 738
 planning transplantation, 633
 PTLN, 119
 renal failure, 636
 renal fibrosarcoma, 687
 renal injuries, 723–724
 renal tumors, 583
 retrocaval ureter, 460
 surgery, surgical procedures and indications, 278
 technical environment, 717–718
 urinary tract injuries, 718–720
 urolithiasis, 283, 620–622
 UTI, 555
- Computed tomography of the urinary tract (uro-CT)
 abdominal distention, 28
 acquisition technique, 27–29
 indications, 26
 of left kidney, 27
 preparation, 27
 of right kidney, 28
- Congenital abnormalities of kidney and urinary tract (CAKUT), 161, 238, 242, 243
 bilateral renal dysplasia, 72
 calyceal diverticulum, 74, 78
 cystic kidney disease
 ADPKD, 210
 ARPKD, 209–210
 complicated cyst, 213, 582–584
 GCKD, 211
 MCDK, 212
 MCKD, 211
 MSK, 212
 NPHP, 211
 simple renal cyst, 212–213
 ectopic kidney, 72, 76
 horseshoe kidney, 75
 hydrocalyx, 74, 79
 hypoplasia, 213
 hypoplastic ectopic right kidney, 73, 77
 management, 208
 pathology of, 70
 prognosis, 208
 prune belly syndrome, 74
 renal agenesis, 208–209
 renal dysplasia, 209
 renal hypodysplasia, 71
 structural and functional malformations, 500
 unilateral renal dysplasia, 72, 73
- Congenital adrenal hyperplasia
 adrenal steroidogenesis, 347
 diagnostic imaging, 349–350
 severe and mild forms, 347
 3 β -hydroxysteroid dehydrogenase deficiency, 347
 21-hydroxylase deficiency, 347
- Congenital anomalies, urinary bladder
 appendicovesicostomy, 538
 bladder exstrophy, 537
 cloacal exstrophy, 537
 epispadias, 537
 posterior urethral valve
 abnormal detrusor function, 539–540
 renal functional imaging, 541
 severe renal disease, 538
 urine drainage, 539
 urinary tract diversion, 537, 538
 VUR, 541–542
- Congenital cystic disease, 323
- Congenital hydronephrosis. *See also*
 Hydronephrosis
 calyceal transit time, 54
 compensated, 55, 57
 decompensated, 56, 57
 delayed cortical transit time, 54
 delayed parenchymal transit time, 53–54
 diuretic renal scintigraphy, 50
 fluid levels, 52, 54
 MR urography, 50
 Patlak number, 54
 pyeloplasty, 57–59
 renal damage, 52, 53
 renal parenchyma, 52
 RTT, 52
 uropathy, 52, 53, 57
- Congenital mesoblastic nephroma (CMN), 686–687
- Congenital nephrotic syndrome
 Finnish type of, 576
 syndromal cystic renal disease, 577

- Congenital obstructive posterior urethral membrane (COPUM), 314, 426
- Congenital reflux nephropathy, 242–243, 512, 629
- Congenital renal disorders, 299
- Congenital ureter disorders
- bilateral ureterocele repair, 537
 - bladder dysfunction, 537
 - documented persistent symptomatic VUR, 536
 - primary endoscopic incision, ectopic ureterocele, 537
 - secondary surgical procedure, 537
 - sheath reimplantation technique, 536
 - ureteric duplication, 535–537
 - UVJO, 551–552
- Contrast agents (CA), 636–637
- ASL, 41–42
 - CE-MRA, 42–43
 - dose, 136, 137
 - gadolinium-based, 43
 - Gd-based MR, 137–139
 - in pregnancy, 134
 - radiopaque iodine-based, 135–137
 - US, 134–137
- Contrast-enhanced computed tomography (ce-CT), 715
- abscesses, 643
 - blunt abdominal trauma, 714
 - complicated cyst, 582
 - cystic renal disease, 571
 - PTLD, 647
 - renal injuries, 720–726
 - trauma and multiple injuries, 715
 - urinary tract trauma, 718, 719, 777
- Contrast-enhanced MR angiography (ce-MRA), 42–43, 93
- Contrast-enhanced ultrasonography (ce-US), 15–16, 18–19, 543, 639
- children with trauma, 717
 - with intravenous UCA administration procedure, 19
 - renal stone disease, 543
 - rTX, 639, 640
 - urinary tract trauma, 723, 777, 779
 - VUR, 542
- Contrast-enhanced voiding urosonography (ce-VUS), 269
- contrast agents, 135
 - cystic renal disease, 571
 - definition, 16
 - nephrourologic disorders, 773, 777, 779
 - procedure, 16–18
 - renal agenesis, 566–568
 - renal failure, 637
 - UTD, 776
 - UTI, 775
 - vesicoureteric reflux, 510–512
- Contrast-induced nephropathy (CIN), 136, 636
- Conventional angiography, 640
- Cope introducer system, 737
- Coronary angioplasty systems, 660
- Cortex, 149
- blood supply, 151–154
 - dysplasia, 570
 - echogenicity, 14, 170
 - initial enhancement, 54
 - internal anatomy, 150–151
 - MR urography, 45, 52
 - periphery of, 669
 - renal parenchyma, 591
- Cortical scars, 77, 82, 129
- Corticomedullary differentiation, 129, 173
- Covered exstrophy, bladder, 402
- CPDN. *See* Cystic partially differentiated nephroblastoma (CPDN)
- CRF. *See* Chronic renal failure (CRF)
- Crossed renal ectopia
- IVU, 188
 - MRI, 187
 - types, 186–188
 - VCUG, 187
 - VUR, 188
- Cryptorchidism, 370
- CT. *See* Computed tomography (CT)
- CTA. *See* Computed tomographic angiography (CTA)
- Cushing syndrome, 357
- Cutting balloon angioplasty (CBA), 754, 755
- CXR. *See* Chest X-ray (CXR)
- Cyst
- acquired renal, 580–582, 632
 - benign, 378
 - calyceal, 581
 - complicated, 213
 - multiloculated, 213, 582–584
 - neonatal ovarian, 356–358
 - renal parenchymal morphology, 130
 - simple renal, 215, 580–582
- Cystatin C (CysC), 786, 789
- Cystic dysplasia, rete testis, 378
- Cystic kidney diseases, 208, 571–574
- acquired renal cyst, 580–582
 - ADPKD, 201, 210, 574–576
 - ARPKD, 201, 209–210, 573–574
 - complicated cyst, 213, 582–584
 - GCKD, 201, 211, 576–577
 - juvenile nephronophthisis, 201–202
 - MCDC, 576
 - MCDK, 212, 577–579
 - MCKD, 211
 - MSK, 202, 212, 579–580
 - multiloculated cyst, 582–584
 - NPHP, 213, 576
 - renal tumor, 582–584
 - simple renal cyst, 212–213, 580–582
- Cystic partially differentiated nephroblastoma (CPDN), 668, 671, 688, 693
- Cystic renal tumor, 213, 582–584
- Cystine stones, 283, 290
- Cystinosis
- encephalopathy, 605
 - genetic basis, 205
 - nephropathic, 227, 605
- Cystinuria, 288, 602

- Cystitis, 560–561. *See also* Urinary tract infections (UTIs)
 glandularis, 700
 pseudotumoral, 700
 therapy for, 238
 urinary tract infection, 324, 560–561
 vs. pyelonephritis, 236
- Cystostomy, percutaneous, 751–752
- Cystourethritis, 238
- D**
- Davis intubated ureterostomy, 747
- Defensins, 233
- Deflux®, 246
- Delayed dense nephrogram, 49, 56, 66, 67
- Dense deposit disease (DDD), 222
- DES. *See* Dysfunctional elimination syndrome (DES)
- Detrusor pressure, 125
- Diabetic nephropathy, 605
- Dialysis, 630–631
 HD, 302, 632
 PD, 301–302, 631–632
 planning and transplantation, 301
- Differential renal function (DRF), 262, 451, 485
 contrast agent, 46, 47
 DMSA, 108
 DRS, 44
 dynamic renography, 104
 GFR, 45, 46
 Rutland-Patlak technique, 46
 signal intensity vs. time curves, 45
 volumetric differential function, 44, 45
- Diffuse nephroblastomatosis, 671, 672
- Diffusion-weighted imaging (DWI), 40–41
 adrenal neuroblastoma, 692, 693
 Burkitt's lymphoma, 684
 malignant rhabdoid tumor of the kidney, 680
 non-Hodgkin lymphoma, 684
 pyelonephritis, 75–77
 renal transplantation, 92
 rhabdomyosarcoma, 696
 vaginal rhabdomyosarcoma, 698
 Wilms' tumor, 670
- Digital subtraction angiography (DSA), 42
 hypertension, 754
 percutaneous renal angioplasty, 753, 754
 renal arterial embolization, 756–757
 RVH, 659
 tuberos sclerosi, 757
- Dilative uremic cardiomyopathy, 633
- Dimercaptosuccinic acid (DMSA), 498–499, 550, 554
 DRF, 111
 immobilisation, 105, 106
 precautions, 105
 PUV, 106
 radiopharmaceutical, 106–107
 SPECT CT, 107, 119
 static renal scan, 498–499
 Tc-99m DMSA scan, 107, 108
 Tc-99m MAG3, 108
 transplant kidney, views of, 106
 UTI, 104, 236, 240, 550
 VUR, 243
- Direct radioisotope cystography (DIC)
 advantages, 116
 uses, 116
 with VUR, 116
- Direct radionuclide cystography (DRNC), 244, 505–506
- Disorders of sexual development (DSD), 83
 classification, 346
 46,XX disorders
 androgenic drugs administration, pregnant women, 348
 congenital adrenal hyperplasia, 347
 placental aromatase deficiency, 347–348
 virilizing maternal tumors, 348
 46,XY disorders
 AIS, 348
 5-alpha reductase deficiency, 348
 mixed gonadal dysgenesis, 348
- Distal renal tubular acidosis (dRTA), 286
- Distant metastases, 675, 696, 697, 699
- Diuretic renography, 109, 261, 263, 498
- DMSA. *See* Dimercaptosuccinic acid (DMSA)
- Doppler sonography
 CDS (*see* Color Doppler sonography (CDS))
 hemodialysis, 632
 power, 9, 10, 12, 14
 renal failure, 594, 634
 RPD, 605–607
 RVH, 654
- DRF. *See* Differential renal function (DRF)
- dRTA. *See* Distal renal tubular acidosis (dRTA)
- DSA. *See* Digital subtraction angiography (DSA)
- Duplex collecting systems
 abnormal kidneys, 464
 complications, 463
 diagnosis, 463–464
 duplication and VUR
 lower-pole VUR, 464, 466
 reflux nephropathy, 465
 upper pole VUR, 465
 dysplasia, upper pole, 470–472
 etiology and epidemiology, 463
 MR urography, 464, 467
 PUJ obstruction, 472
 ureteral ectopia, 466–469
 ureterocele, 470
 ureterohydronephrosis, 464
 UVJ obstruction, 472
 VCUG, 464
- Duplex Doppler sonography
 lupus nephritis, 603
 renal dysplasia, 569–570
 renal parenchymal disease, 592, 606
 RPD, 592
- Duplex kidney, 128
 complicated, 489
 cystic dysplasia, 471
 evaluation, 45
 obstruction, 472
 upper pole, 66, 470–471

- ureteral ectopia, 461
- uretero-pelvic duplication, 166, 167
- VUR and, 518
- work-up of, 464, 465
- Duplex systems with ectopic ureter
 - imaging, 275
 - postoperative imaging, 275
 - surgical approaches, 275
 - Weigert-Meyer rule, 275
- Duplicated ureter, 128, 535
- Duplicate exstrophy, 402
- Dynamic renography, 109, 498
- Dysfunctional elimination syndrome (DES), 233, 409, 414, 416–418

- E**
- Eagle-Barrett syndrome. *See* Prune-belly syndrome
- Echo-planar imaging (EPI), 41–42
- Ectopic kidney, 72, 76, 128, 180–181
- Ectopic ureter, 65–69
 - Duplex systems with
 - imaging, 275
 - postoperative imaging, 275
 - surgical approaches, 275
 - Weigert-Meyer rule, 275
 - renal pelvis and ureter
 - duplex collecting systems, 466–469
 - in single and bifid collecting systems, 461–463
- EEC syndrome, 333
- Electrolytes, 219, 788
- Ellipsoid formula, 129, 150
- Embolotherapy
 - NCS, renal vein stenting, 759–760
 - priapism, 757–758
 - renal arterial embolization, 756–757
 - varicocele, internal spermatic vein embolization, 758–759
- Embryology
 - of epispadias-exstrophy complex, 398–399
 - female genitalia
 - cloacal development, 331
 - gonad development, 330
 - mesonephric ducts, 330, 331
 - Müllerian-inhibiting substance, 330
 - partitioning process, 331, 332
 - primary sex reversal, 330
 - sex determination, chromosome level, 330
 - sinovaginal bulbs, 331
 - urinary and anorectal system, 330
 - uterovaginal canal, 331
 - Wolffian ducts, 330, 331
 - imperforate anus, 386–387
 - of male genital tract, 367–368
- Embryonal type rhabdomyosarcoma (E-RMS), 695
- Endogenous toxins, 296
- Endopyelotomy, percutaneous
 - Davis intubated ureterostomy, 747
 - indications, endopyelotomy, 747–748
 - PE, 750
 - procedural details and technique, 748–749
- Endourologic techniques, 740
 - percutaneous cystostomy, 751–752
 - percutaneous endopyelotomy
 - Davis intubated ureterostomy, 747
 - indications, endopyelotomy, 747–748
 - PE, 750
 - procedural details and technique, 748–749
 - percutaneous nephrolithotomy
 - contraindications, 745
 - ESWL and ureteroscopy techniques, 745
 - indications, 745
 - procedural details and technique, 745–747
 - percutaneous renal biopsy, 749–751
 - ureteral dilatation and stenting
 - antegrade approach, 741
 - indications, 742
 - internal-external nephroureterostomy stents, 741
 - metallic stents, 740
 - percutaneous approach, 740
 - percutaneous management, 742
 - procedural details and technique, 742–745
- End-stage renal disease (ESRD), 72, 295, 299–302, 304, 628, 632–634
- Epididymitis, 373, 374
- Epididymoorchitis, 373
- Epispadias, 322
 - balanitic, 399
 - cross-sectional anatomy, 399
 - females, 400
 - males, 399–400
 - musculoskeletal deformities, 399–400
 - penile, 399
 - penopubic, 399
 - repair, 404
 - types, 399
- Epispadias-exstrophy complex
 - anatomy
 - classical bladder exstrophy, 400–401
 - cloacal exstrophy, 402
 - covered exstrophy, bladder, 402
 - duplicate exstrophy, 402
 - epispadias, 399–400
 - inferior vesical fissure, 402
 - with normal infraumbilical wall, 402
 - with normal umbilicus, 402
 - OEIS complex, 402
 - pseudoexstrophy, bladder, 401–402
 - superior vesical fissure, 402
 - embryology, 398–399
 - imaging, 405–406
 - incidence, 398
 - multistage surgical repair, 397
 - prenatal diagnosis, 398
 - risk of occurrence, 398
 - surgical repair
 - bladder neck reconstruction, 404
 - epispadias repair, 404
 - initial bladder closure, 403–404
 - staged, 402–403, 406
 - urinary diversion, bowel segments, 403
 - types and frequencies, 397, 398

- ESPR. *See* European Society of Pediatric Radiology (ESPR)
- ESRD. *See* End-stage renal disease (ESRD)
- ESWL. *See* Extracorporeal shock wave lithotripsy (ESWL)
- Ethanol, 660
- European Medicines Agency (EMA), 43
- European Society of Pediatric Radiology (ESPR), 127, 261
- Ewing's sarcoma family of tumors, 682–683
- Exogenous toxins, 296
- Extracorporeal shock wave lithotripsy (ESWL), 283, 290, 745
- Extrasosseous Ewing sarcoma, 682–683
- Extraperitoneal bladder rupture, 725
- Extravesical reimplantation, 270
- Extrinsic stenosis, 258–259
- F**
- Familial Mediterranean fever (FMF), 227, 604
- Fanconi syndrome, 225, 227
- FAST. *See* Focused assessment with sonography for trauma (FAST)
- Female genital anomalies
- embryology, 330–332
 - Müllerian duct (*see* Müllerian duct anomalies)
 - ovarian conditions, 355–361
 - ovarian cysts, 329–330
 - radiological and biochemical examinations, 329
 - urogenital sinus (*see* Urogenital sinus malformations)
- Female hypospadias, 345
- Femoral artery, 659
- Fetal bladder anomalies
- bladder exstrophy, 172–173
 - megabladder, 171–172
- Fetal homeostasis, 298
- Fetal magnetic resonance imaging
- of cloacal malformation, 175
 - normal fetal kidney, 163
 - normal fetal pelvic, 164
 - normal fetal urinary tract, 164
 - of urogenital sinus malformation, 173–174
- Fetal nephropathies
- MCDK, 168–169
 - polycystic kidneys, 169–170
 - renal dysplasia, 170, 171
 - renal vein thrombosis, 170–171
- Fetal urinary tract dilatation (UTD), 771–773, 776
- Fetal uropathies
- antenatal diagnosis and postnatal follow-up, 450
 - neonatal work-up of, 479, 480
 - obstruction, 164–166
 - postnatal workup of, 512–513
 - uretero-pelvic duplication, 166–168
 - VUR, 167–168
- Fibroepithelial polyps, 63, 64
- Fibromuscular dysplasia (FMD), 655, 752, 754
- 5-French neonatal nephrostomy drain, 738
- Fluorodeoxyglucose positron emission tomography/computerised tomography (FDG PET-CT), 104, 119
- FMD. *See* Fibromuscular dysplasia (FMD)
- Focal dysplasia, 570
- Focal renal infarction, 607
- Focused assessment with sonography for trauma (FAST), 276, 715
- Foley catheter, 24, 274, 354, 727, 742, 744
- Fractional excretion (FE), 789
- Fractional excretion of sodium (FENa), 297, 298
- Fraley's syndrome, 74, 448
- Fraser syndrome, 199, 333
- Functional diuretic MR urography (fMRU), 263, 489, 533, 573
- Furosemide, 36, 38, 39, 110, 451, 483, 486
- G**
- Gadolinium-based contrast agents (GBCAs), 42–43, 137–139, 637
- GCKD. *See* Glomerulocystic kidney disease (GCKD)
- Genetic counseling, 196–198
- Genetic heterogeneity, 195, 196
- Genetics
- databases, 205
 - formal, 194, 195
 - molecular
 - genetic complexity, of genes, 195
 - genetic counseling, 196–198
 - genetic heterogeneity, 195, 196
 - genotype-phenotype correlation, 195
 - inherited disorders, 196
 - nephropathies
 - AS, 203–204
 - Barter syndrome, 204
 - cystinosis, 205
 - nephrogenic diabetes insipidus, 204
 - nephrolithiasis, 204
 - nephrotic syndromes, 204–205
 - nocturnal enuresis, 204
 - urogenital system
 - ciliopathies, 200–202
 - duplication malformations, 198, 199
 - hydronephrosis, 198, 199
 - hypospadias, 200
 - kidney, hereditary tumors, 200
 - renal agenesis, 198, 199
 - VUR, 200
- Genital anomalies
- female
 - embryology, 330–332
 - Müllerian duct (*see* Müllerian duct anomalies)
 - ovarian conditions, 355–361
 - ovarian cysts, 329–330
 - radiological and biochemical examinations, 329
 - urogenital sinus (*see* Urogenital sinus malformations)
 - urethra
 - appendicovesicostomy, 538
 - bladder exstrophy, 537
 - cloacal exstrophy, 537
 - epispadias, 537
 - posterior urethral valve, 538–540
 - urinary tract diversion, 538

- VUR, 541–542
- Genitourinary system
- benign tumors
 - angiomyolipoma, 690
 - benign stromal tumors, 688–689
 - CMN, 686–687
 - juxtaglomerular cell tumor, 690–691
 - multilocular cystic nephroma, 688
 - ossifying renal tumor of infancy, 689–690
 - diagnostic strategy, 691–694
 - differential diagnosis
 - benign bladder tumors, 699–700
 - inflammation and infection, prostate, 701
 - reactive, inflammatory and infectious lesions of bladder, 700
 - scrotum, 701
 - tumors, prostate, 700
 - urothelial neoplasms, 699
 - vagina, 701
 - embolotherapy
 - NCS, renal vein stenting, 759–760
 - priapism, 757–758
 - renal arterial embolization, 756–757
 - varicocele, internal spermatic vein embolization, 758–759
 - infectious diseases, 691, 692
 - malformations, 691
 - malignant hematologic diseases
 - Burkitt's lymphoma, 684, 685
 - with non-Hodgkin lymphoma, 684, 685
 - primary unilateral renal lymphoma, 684
 - T-ALL, 684, 686
 - miscellaneous, 691
 - non-Wilms' malignant tumors
 - anaplastic sarcoma, 683–684
 - CCSK, 678–679
 - Ewing's sarcoma family of tumors, 682–683
 - malignant hematologic diseases, 684–686
 - MRTK, 680–681
 - RCC, 681, 682
 - renal medullary carcinoma, 681–682
 - renal metastases, 686
 - RMS
 - clinical features, 695
 - epidemiology, 694–695
 - follow-up, 699
 - histopathology and genetics, 695
 - imaging, 695–698
 - treatment principles and prognosis, 698–699
- Genotype-phenotype correlation, 195
- Germ cell tumours, 376, 377
- GFR. *See* Glomerular filtration rate (GFR)
- Giant multicystic dysplastic kidney, 454, 456, 487, 489, 577–578
- Giggle incontinence, 421
- Gitelman syndrome, 204, 225
- Glomerular basement membrane (GBM), 220, 221, 600
- Glomerular disease
- AS, 219–220
 - acute postinfectious glomerulonephritis, 220
 - congenital and inherited, 599
 - HSP, 221, 600
 - IgAN, 221, 600
 - INS, 222–223, 600–601
 - membranoproliferative and membranous glomerulopathy, 221–222, 601
 - MN, 222
 - post-/parainfectious, 600
 - rapidly progressive, 600
 - RPGN, 220–221
- Glomerular filtration rate (GFR), 136–137, 297–299, 787–789
- Glomeruli, 146, 151, 155, 602, 635
- Glomerulocystic kidney disease (GCKD), 201, 211, 576–577
- Glomerulonephritis
- acute postinfectious, 220
 - membranoproliferative, 221–222
 - RPGN, 220–221
 - ultrasound findings in, 593
- Glomerulosclerosis, 300
- Glycogen storage diseases (GSD), 227, 605
- Gonadoblastoma, 376
- Goodpasture's syndrome, 221, 600
- Graft dysfunction, 92, 642
- Graft thrombosis, 303
- Granulomatosis with polyangiitis (GPA), 224
- Grayscale ultrasound
- IVC thrombosis, 672
 - minor and moderate trauma, 716–717
 - nutcracker syndrome, 759–760
 - percutaneous renal biopsy, 749–750
 - renal injury, 720
 - testicular rupture, 728
 - uroolithiasis, 616–618
- H**
- Haemolytic-uraemic syndrome (HUS), 224–225, 594, 601, 602, 607
- Hand-foot-genital syndrome, 333
- HD. *See* Hemodialysis (HD)
- Hematomas
- PUJ, 269
 - UVJ, 280
 - VUR, 271
- Hematuria, 218, 297, 680, 682, 695
- ADPKD, 210
- benign familial, 203
 - bleeding and sepsis, 746
 - clear cell sarcoma, 666
 - familial benign, 220
 - Henoch-Schonlein purpura and, 751
 - medical renal disease, 750
 - microscopic, 221, 716
 - MSK, 212
 - and nephritic syndrome, 218
 - ossifying renal tumor of infancy, 690
 - and proteinuria, 297
 - RCC, 681
 - SCN, 226
 - sporadic Wilms' tumor, 669
 - transient mild, 739

- Hemodialysis (HD), 301, 302, 630, 632
Hemostat, 742, 743, 753
Henoch-Schönlein purpura (HSP)
 acute scrotum, male genital tract, 373–374
 glomerular disease, 220–221, 600
 and hematuria, 751
 RPGN, 220–221
Heparin, 753, 756
Hereditary amyloidosis, 604
Hereditary tyrosinaemia, 605
Herlyn-Werner-Wunderlich syndrome, 85–86, 337
Heterozygosity testing, 197–198
High-turnover disease, 633–634
Hinman syndrome, 410, 421
HN. *See* Hydronephrosis (HN)
Horseshoe kidney, 75
 definition, 182
 diagnosis, 182–185
 hydronephrosis, 184
 trisomy 18, 183
 Turner's syndrome, 184
 Wilms' tumor, 185
HTN. *See* Hypertension (HTN)
HUS. *See* Haemolytic-uraemic syndrome (HUS)
Hydatid disease, 562
Hydrocalyx, 73, 79, 448
Hydrocolpos, 84, 342, 351
Hydronephrosis (HN), 198, 256, 688
 congenital, 50–60
 follow-up of, 456
 genetic basis, 198, 200
 obstruction diagnosis, 48–50
 PUJ obstruction, 60–63
 renal parenchymal morphology, 129–130
 ureteric anomalies, 63–64
 ureteroceles, 69–70
 UVJ obstruction, 64–69
Hydroureter, 457
 IRC, 117
 secondary
 crural hernia, 460
 extrinsic causes, 460
 intrinsic causes, 459–460
 midureteral stenosis, 459
 retrocaval ureter, 460
 retroperitoneal malignant fibrosis, 460, 461
 ureterohydronephrosis, fecaloma, 460, 461
Hypercalcaemia, 6, 286
Hypercalciuria, 78, 212, 285–286, 604
Hyperfiltration, 300, 523
Hyperoxaluria
 primary
 type I, 286–287
 type II, 287
 secondary/enteric, 287–288
Hyperperfusion, 300
Hypertension (HTN), 219
 ADPKD, 574
 blunt abdominal trauma, 11
 children born, 72
 complications, 755
 definition, 653–654
 DSA, 659
 focal renal infarction, 607
 renal hypoplasia, 568–569
 renovascular (*see* Renovascular hypertension)
 in RPD, 219
 secondary, 561, 654–655
 US, 10
 VUR, 521
Hyperuricosuria, 288–289
Hypervitaminosis D, 286
Hypocitraturia, 278, 289
Hypodysplasia, 71, 300, 630, 770
Hypospadias
 female, 345–346
 genetic basis, 200
 male genital tract, congenital anomalies, 368
Hypoxanthine phosphoribosyltransferase (HPRT), 288
- I**
Idiopathic hypercalciuria, 285–286
Idiopathic nephrotic syndrome (INS), 222–223, 600–601
Idiopathic scrotal oedema, 373
IgA glomerular disease, 600
IgA nephropathy (IgAN), 221, 600, 751
Imaging
 acute scrotum, male genital tract, 370–371
 AKI, 634
 cloacal malformation, balloon catheter, 355
 congenital anomalies of urinary bladder, 541
 cystic kidney diseases (*see* Cystic kidney diseases)
 duplex systems with ectopic ureter, 275
 dysplasia (*see* Renal dysplasia)
 epispadias-exstrophy complex, 405–406
 hypoplasia (*see* Renal hypoplasia)
 imperforate anus, 392–394
 intravenous urography, 272
 male genital tract
 corpus spongiosum, 367
 low-resistance spectral Doppler tracing, 366–367
 magnetic resonance imaging, 367
 normal prepubertal testicle, 366
 penile shaft, 367
 spermatic cord, 366
 tunica albuginea, 366
 ultrasonography, 366
 Müllerian duct anomalies
 distal vaginal atresia, hematocolpos, 338, 339
 hydro-/hematocolpos and hydrometro-/
 hematometocolpos, 342, 343
 pelvic sonography, 339
 renal US and voiding cystourethrography, 339
 ultrasound, 338
 of vaginal anomalies, 344
 neonatal oligoanuria
 ARF, 634
 CA, 636–637
 CDS and aCDS, 635–636

- childhood, CRF in, 634
- CT and intravenous pyelography, 636
- isotope investigations, 636
- MRI, 638
- plain films, 636, 637
- support therapeutic measures, 634
- ultrasound, 635
- VCUG, 637–638
- nephroblastoma
 - atypical patterns, 670, 671
 - bilateral disease, 670–672
 - common WT radiological pattern, 669–670
 - distant metastases, 675
 - locoregional tumor extent, 672–675
 - preoperative imaging, 675–676
- nephrocalcinosis (*see* Nephrocalcinosis)
- neurogenic bladders
 - drip infusion dropping speed, 456
 - modified VCUG technique
 - modified VCUG technique: bladder compliance, 439
 - modified VCUG technique: detrusor function, 440
 - modified VCUG technique: filling phase, 437
 - modified VCUG technique: leak point pressure estimation, 440
 - modified VCUG technique: safe storage volume, 439–440
 - modified VCUG technique: sphincter detrusor dyssynergia, 440
 - modified VCUG technique: unstable detrusor contraction, 439
 - video urodynamics, 437
- renal agenesis (*see* Renal agenesis)
- renal failure (*see* Renal failure)
- renal parenchymal disease (*see* Renal parenchymal disease)
- renal pelvis and ureter, 446–447
- rhabdomyosarcoma,
 - distant metastases, 696, 697
 - locoregional tumor extent, 695–696
 - staging, 697–698
- tissue harmonic, 11
- transplantation (*see* Renal transplantation (RTx))
- UPJO, 578
- upper urinary tract dilatation, 482
- urinary tract infections (*see* Urinary tract infections (UTIs))
- urolithiasis (*see* Urolithiasis)
- US (*see* Ultrasound (US))
- Immobilisation, 26, 105, 106, 286, 288, 608
- Immunosuppressive therapy, 303, 639, 647
- Imperforate anus, 385, 402
 - ARMs, 386–389
 - anal incontinence, 392
 - associated malformations, 387–389
 - associated vertebral anomalies, 388, 389
 - atresia level, 388
 - embryology, 386–387
 - high-intermediate-low classification, 386
 - Krackenbeck classification, 386
 - partial/complete sacral agenesis, 388
 - stool evacuation, 392
 - cloacal malformation, 312, 350
 - functional disorders of the urinary system, 385
 - imaging, 392–394
 - maldevelopment, 385
 - therapy, 394
 - types, 385
 - urinary tract anomalies, 385, 389–390
 - VUD, 124, 125
- Incisura, 157
- Indirect radioisotope cystography (IRC)
 - method, 118
 - recurrent urinary tract infection, 117
 - strength, 117
 - VUR detection, 117–118
 - weakness, 117
- Indirect radionuclide cystography (IRC), 104, 115, 116, 506–507
- Indomethacin, 298
- Infectious diseases, 691
- Infectious stones, 284, 285, 289
- Inflammatory renal parenchymal disease, 606–607
- Infundibular stenosis, pelvic urolithiasis, 448, 449
- Inheritance modes, 194, 195
- Inherited glomerular disease, 599–600
- Interlobar arteries, 150, 152
- Interlobular veins, 152
- Internal spermatic vein embolization, 749–750
- International Reflux Study (IRS), 245, 504, 769
- Interstitial, 146, 225, 591, 633
- Intracavitarily applied radiopaque iodine-based contrast agents, 135–136
- Intraperitoneal bladder rupture, 713, 725
- Intrarenal pelvis, 130, 156
- Intrarenal reflux, 23, 151, 152, 506, 510, 541
- Intravascularly applied iodine-based contrast agents, 136–137
- Intravenous pyelography, 636
- Intravenous urography (IVU)
 - acute obstruction, 48
 - in adult, 272, 283
 - diagnostic procedures, 4, 26
 - inferior ectopia, 186, 188
 - MSK, 212
 - nephrocalcinosis, 624
 - obstruction diagnosis, 48
 - one-shot, 719
 - postnatal diagnostic approach, 499
 - and radiography, 622, 624
 - tuberculous, 562
 - upper urinary tract, 406
 - ureteral quadruplication, 473
 - urinary tract diversion, 537
 - urolithiasis, 622
 - uro-nephropathies, work-up of, 446
 - use of, 533
- Intravesical reimplantation, 270
- Intrinsic stenosis, 258
- Inulin, 45, 788

IRC. *See* Indirect radioisotope cystography (IRC)
 IRS. *See* International Reflux Study (IRS)
 Ischemia, 275, 276, 296, 403, 404, 541
 Isotope cystography
 DIC, 116
 IRC, 116–118
 IVU. *See* Intravenous urography (IVU)

J

Jarcho-Levin syndrome, 333
 JB-1 catheter, 742, 746, 753
 Junctional parenchymal defect (JPD), 130, 148
 Juvenile granulosa cell tumours, 376
 Juvenile nephronophthisis, 201–202, 576, 630
 Juxtaglomerular cell tumor, 690–691

K

Kawasaki disease (KD), 223
 Kidney
 anatomy and variants
 blood supply, 151–154
 internal, 150–152
 measurements, 149
 position, 148
 shape, 148–150
 size, 148–150
 US, 155
 Bertin, 149, 150
 development, 145–147
 fusion anomalies
 crossed renal ectopia, 185–188
 horseshoe kidney, 182–185
 grooves, 148
 hereditary tumors of, 202–203
 in infants, 149
 JPD, 148
 left, 150
 lobar architecture in, 150
 in newborn, 148
 position anomalies
 renal ectopy, 180–181
 supernumerary kidney, 181–182
 thoracic kidney, 181, 182
 right, 149, 151
 rotation anomalies, 181–182
 structural organization of, 152
 transplantation, 92–93
 vascular supply of, 152
 VCUG, 151
 volume, 129
 Kidney stones, 278, 283, 284, 287
 Kidneys-ureter-bladder (KUB) radiograph, 25
 acquisition technique, 6–7
 asphyxia, 6
 definition, 4
 equipment, 5–6
 hypercalcaemia, 6
 indications, 4–7

 in neonate, 5
 palpable abdominal mass, 5, 7
 systemic lupus erythematosus, 6
 uroolithiasis diagnosis, 622
 Koff formula, 16, 22
 KUB radiograph. *See* Kidneys-ureter-bladder (KUB) radiograph

L

Lazy bladder syndrome, 415, 417–418, 428
 Leak point pressure, 125, 436, 440
 Left ventricular hypertrophy, 633, 654
 Leydig cell tumour, 376
 Lich-Gregoir procedure, 270
 Lipomas, 378
 Lobar nephronia. *See* Pseudotumoral acute pyelonephritis
 Locoregional tumor extent, 695–697
 Lower genitourinary tract, neoplasms
 Lower urinary tract, 414, 415, 418, 421, 426, 550, 552
 assessment of, 426
 bladder outlet obstruction, 321–322
 differential diagnosis, neoplasms
 benign bladder tumors, 699–700
 inflammation and infection, prostate, 701
 reactive, inflammatory and infectious lesions of
 bladder, 700
 scrotum, 701
 tumors, prostate, 700
 urothelial neoplasms, 699
 vagina, 701
 endemic bladder stones, 324
 infection (*see* Urinary tract infections (UTIs))
 malformations, 390
 cloacal dysgenesis, 175
 fetal MRI, 173
 urogenital sinus anomalies, 173–174
 prenatal diagnosis, 311–314
 assessment, 314
 karyotyping, 314
 management, 313–314
 maternal-fetal sonography, 314
 of megacystis, 313
 plain film post delivery, 312
 visible bladder absence, 312–313
 PUV (*see* Posterior urethral valves (PUV))
 RMS
 clinical features, 695
 epidemiology, 694–695
 follow-up, 699
 histopathology and genetics, 695
 imaging, 695–698
 treatment principles and prognosis, 698–699
 scanning technique, 13–15
 symptoms, in young children, 234
 and urachus, 325–326
 urogenital sinus malformations
 chromosomal and hormonal abnormalities, 345
 female hypospadias, 345

- neonates with, 345
 - physical examination, newborn, 344
 - Low-turnover disease, 634
 - Lupus nephritis, 226, 603
 - Lymphoceles, 303, 643, 644
- M**
- Magnetic resonance angiography (MRA), 43, 93
 - renal arteries, 153
 - rTX, 644
 - RVH, 655, 659
 - Magnetic resonance genitography, 83–86
 - cloacal malformations, 84
 - DSD, 83
 - genitogram, 83, 84
 - Herlyn-Werner-Wunderlich syndrome, 85–86
 - hydrocolpos, 84
 - Mayer-Rokitansky-Kuster-Hauser syndrome, 85
 - Mullerian duct anomalies, 84
 - urogenital sinus, 84
 - US, 83
 - Magnetic resonance imaging (MRI), 312, 322, 367, 406, 537, 566, 569, 643, 771
 - ADPKD, 574
 - ARPKD, 575
 - bilateral disease, 670
 - Burkitt's lymphoma, 684, 685
 - CCSK, 678, 679
 - children, urogenital tract in, 44, 45
 - CMN, 686
 - complicated cyst, 582
 - coronal T2, 187
 - cortical scarring, 129
 - corticomedullary differentiation, 129, 151
 - CPDN, 669, 670
 - CRF, 634
 - CT, 581
 - cyst detection, 573, 580–581
 - epispatias-exstrophy complex, 406
 - Ewing's sarcoma family of tumors, 682–684
 - fat suppression, T2-weighted sequence with, 156
 - female genital anomalies, 350, 360
 - genitourinary system, neoplasms of, 675, 701
 - heterogeneous lesion, 670
 - HUS, 601, 602
 - juxtaglomerular cell tumor, 691
 - locoregional tumor extent, 697
 - MA, 688
 - macrocytic gadolinium-based agents, 134
 - male genital queries, 367–370, 375, 378
 - malignant hematologic diseases, 684–686
 - MCDC, 576
 - MRTK, 680
 - MSK, 580
 - multicystic nephroma and multiloculated cysts, 583
 - nephrogenic rests, 673
 - NPHP, 576
 - nuclear medicine, 104, 120
 - pelvic cavity, 312
 - renal agenesis, 566–567
 - renal dysplasia, 569–570
 - renal failure, 634, 638
 - renal hypoplasia, 568–569
 - renal neoplasms, 694
 - renal parenchymal disease, 601, 610
 - renal scarring, 558–559
 - renal tumors, 583
 - rhabdomyosarcoma, 695
 - RMS, 695, 699
 - scrotum, 701
 - simple renal cyst and acquired renal cyst, 580–582
 - testes, 277
 - thinned pelvic floor muscles, 392
 - upper urinary tract dilatation, in children, 499
 - urinary problems associated with imperforate anus, 392
 - urinary tract
 - infections, 554–555
 - injuries, 718–720
 - trauma, 718, 724, 728
 - urogenital fetal imaging, 162–164, 167, 168, 172–175
 - WT, 670–673, 677–681
 - Magnetic resonance urography (MRU), 4, 447, 499, 570, 578
 - antenatal hydronephrosis, 37
 - CAKUT, 70–80
 - contrast agents, 43–44
 - core protocol, 36–40
 - dilatation detection, 538
 - genitography, 83–86
 - hydronephrosis evaluation
 - congenital, 50–59
 - obstruction diagnosis, 48–50
 - PUJ obstruction, 60–62
 - ureteric anomalies, 63–64
 - ureterocele, 69–70
 - UVJ obstruction, 64–69
 - MCDC, 577–579
 - nephrocalcinosis, 624
 - optional sequences
 - ASL, 41–42
 - CE-MRA, 42–43
 - DWI, 41
 - postoperative imaging and findings, 538
 - post-processing, 44–47
 - pyelonephritis and renal scarring, 75–77, 81
 - in renal transplantation, 92–93
 - in renal trauma, 90–92
 - of renal tumors, 87–90
 - RN, 522
 - 3D sequences vs. 2D sequences, 36
 - urolithiasis, 622
 - vesicoureteric reflux, 519, 520, 522, 523
 - volume-rendered T2-weighted images, 39
 - VUR, 511, 520
 - for VUR assessment, 83
 - Major genetic syndromes, 667

- Male genital tract
- acute epididymitis, 371
 - acute idiopathic scrotal oedema, 373
 - acute scrotal pain, 370–371
 - causes, 370
 - clinical history, 370
 - congenital and acquired conditions, 365
 - congenital anomalies
 - hypospadias, 368
 - penile anomalies, 368–369
 - scrotal anomalies, 369
 - cryptorchidism, 370
 - embryology, 367–368
 - epididymitis, 373, 374
 - epididymoorchitis, 373
 - haemorrhage and trauma, 374–375
 - Henoch-Schönlein purpura, 373–374
 - hydroceles, 370
 - hydroceles and hernias, 369–370
 - imaging
 - algorithms, 370–371
 - technique, 366–367
 - immediate surgical treatment, 370
 - inguinal canal, 369–370
 - intrascrotal appendage torsion, 372–373
 - perinatal testicular torsion, 372
 - priapism, 379
 - pseudotumours, 375
 - superficial lesions, 380
 - symptoms and signs, 370
 - testicular and paratesticular tumours, 375–378
 - testicular appendages, 370
 - testicular torsion
 - history and clinical findings, 371
 - and tumours, 370
 - varicocele, 380
 - vascular lesions, genitalia, 379
- Malformations
- ARM, simperforate anus
 - anal incontinence, 392
 - associated malformations, 387, 388
 - associated vertebral anomalies, 388, 389
 - atresia level, 388
 - embryology, 386–387
 - high-intermediate-low classification, 386
 - Krickbeck classification, 386
 - partial/complete sacral agenesis, 388
 - stool evacuation, 392
 - associated, 387–389, 391
 - CAKUT, 209, 500
 - duplication, 200
 - genitourinary system, neoplasms, 692
 - lower urinary tract
 - cloacal dysgenesis, 175
 - fetal MRI, 173
 - urogenital fetal imaging, 173–175
 - MR genitography, 83
 - MSK, 212
 - Müllerian duct anomalies, uterovaginal, 332
 - renal tumors, 691
 - upper urinary tract, 333
 - ureteroceles, 69
 - urinary tract, 300, 500–501, 637
 - urogenital sinus, 173–174
 - adrenogenital syndrome, 345
 - chromosomal and hormonal abnormalities, 345
 - clitoric hypertrophy, 350
 - cloacal (*see* Cloacal malformation)
 - diagnostic imaging, 349–350
 - in DSD, 346–350
 - female hypospadias, 344–345
 - fluoroscopic genitography, 349
 - genitourinary tract malformations, 350
 - neonates with, 345
 - physical examination, newborn, 344
 - sex determination, 345
 - US, 162–163
 - vascular, 379
- Malignant hematologic diseases
- Burkitt's lymphoma, 684, 685
 - with non-Hodgkin lymphoma, 684–685
 - primary unilateral renal lymphoma, 684
 - T-ALL, 684, 686
- Malignant paratesticular tumours, 378
- Malignant rhabdoid tumors of the kidney (MRTK), 680–681
- Malrotation, 179–181, 318
- Maternal-fetal sonography, 311
- Maximum intensity projection (MIP), 154, 460, 620
- arterial, 61
 - coronal, 55, 58, 59, 61, 62, 64, 66–68, 73, 74, 76, 77, 79, 80
 - delayed coronal, 63, 67–69, 71–74, 76–78, 80, 82, 91
 - sagittal, 462
 - T2-weighted, 51
- Mayer-Rokitansky-Küster-Hauser syndrome, 85
- developmental defects, 332, 333
 - genital anomalies, 333, 334
 - primary amenorrhea, 333
 - Turner syndrome, 335
 - type A (typical form), 333
 - type B (atypical form), 333
 - upper urinary tract malformations, 333
- McCune-Albright syndrome, 357–358
- MCDC. *See* Medullary cystic disease complex (MCDC)
- MCDK. *See* Multicystic dysplastic kidney (MCDK)
- Meconium periorchitis, 378
- Mediterranean fever, 227, 604
- Medulla, 41, 45, 49, 67, 150, 152, 574, 576, 591
- ARPKD, 170
 - echogenicity, 14–15
 - hyperechogenicity, 623
 - hyperechoic patches, 579
 - hypertonic, 226
 - hypoechoic, 151
 - in neonate, 155
 - renal medullary carcinoma, 681–682
 - renal parenchymal involvement, 605
 - zones, 151
- Medullary cystic disease complex (MCDC), 576

- Medullary sponge kidney (MSK), 202, 212, 579–580, 598
- Megabladder, 22, 171–172, 484
- Megacalycosis, 74, 80, 449, 450
- Megacystis, 313, 316, 318–320, 498
- Megacystis-microcolon hypoperistalsis (MMH) syndrome, 172
- Megaureter (MU), 64–67, 75, 131, 165, 259. *See also* Uretero-vesical junction obstruction (UVJO)
- antibiotic prophylaxis, 262
 - antireflux reimplantation, 459
 - crural hernia, 460
 - development of, 423
 - and megacalycosis, 449
 - on MR urography, 458
 - natural history, 460
 - non-refluxing primary, 534–535
 - primary, 269–270, 450, 457–459
 - reflux, 459
 - ureteral modeling, 459
 - urinary tract dilatation, 457
 - on US, 457, 458
- Membranoproliferative glomerulonephritis (MPGN), 221–222, 601
- Membranous glomerulopathy, 601
- Membranous nephropathy (MN), 219, 222–223
- Mesonephros, 145, 146, 330
- Metanephric adenofibroma, 689
- Metanephric adenoma (MA), 688
- Metanephric blastema, 146, 180, 330, 669
- Metanephric stromal tumor, 688–690
- Metanephros, 72, 145, 146
- Microscopic polyangiitis (MPA), 224, 601
- Middle aortic syndrome, 656–658
- Midstream urine (MSU), 235
- Mitrofanoff principle, 726
- Mixed gonadal dysgenesis, 348
- Modified VCUG (mVCUG) technique
- neurogenic bladder, diagnostic imaging, 437
 - non-neurogenic bladder-sphincter dysfunction
 - bladder filling, 425
 - COPUM, 426
 - cystographic signs, 425
 - electromyographic assessment, pelvic floor muscles, 425
 - lower urinary tract assessment, 426
 - unstable detrusor contractions, 425
 - urethral morphology, 426
 - WBNA, 426
- MRA. *See* Magnetic resonance angiography (MRA)
- MRTK. *See* Malignant rhabdoid tumors of the kidney (MRTK)
- MRU. *See* Magnetic resonance urography (MRU)
- MSK. *See* Medullary sponge kidney (MSK)
- MSU. *See* Midstream urine (MSU)
- 99mTc-meritide, 640
- MU. *See* Megaureter (MU)
- Müllerian duct anomalies, 84
- bicornuate uterus, 332, 333, 336
 - diagnostic imaging
 - distal vaginal atresia, hematocolpos, 338, 340
 - hydro-/hematocolpos and hydrometro-/hematometrocolpos, 342, 343
 - pelvic sonography, 339–340
 - renal US and voiding cystourethrography, 339
 - ultrasound, 338
 - of vaginal anomalies, 344
 - imperforate hymen
 - with excessive hydrocolpos, 342, 343
 - with hydrometrocolpos and ascites, 343
 - with moderate hydrocolpos, 342, 343
 - lateral fusion disorders, 332, 336, 338
 - morphologic features
 - neonatal uterus, 338–341
 - postpubertal uterus, 341–342, 344
 - prepubertal uterus, 341
 - pubertal uterus, estrogen stimulation, 340
 - Müllerian agenesis/hypoplasia, 332–335
 - septate uterus, 333
 - unicornuate uterus, 332
 - uterovaginal malformations, 332
 - uterus didelphys
 - with double vagina, 336, 337
 - with left-sided vaginal atresia, 340
 - uterus duplex unicollis, 336
 - vaginal anomalies with/without obstruction, 333, 337–338
 - vertical fusion disorders, 332, 335–336
- Mullerian structures, 175
- Multicystic dysplastic kidney (MCDK), 168–169, 212
- cystic renal lesion, 577–578
 - PUJO, differential diagnosis, 456
 - renal hypodysplasia contralateral to, 71
 - spontaneous involution of, 487
 - ureteric obstruction, 337
 - uro-nephropathies, 487–488
 - VUR, 519
- Multicystic nephroma, 583
- Multilocular cystic nephroma, 688
- Multiloculated cyst, 213, 583
- mVCUG. *See* Modified VCUG (mVCUG) technique
- N**
- nAKI. *See* Neonatal acute kidney injury (nAKI)
- NC. *See* Nephrocalcinosis (NC)
- NCS. *See* Nutcracker syndrome (NCS)
- Neonatal acute kidney injury (nAKI), 295
- ACEI/ATII-RB, 298
 - characterization, 298
 - congenital renal disorders, 299
 - diagnosis, 298–299
 - fetal and neonatal renal function, 297–298
 - indomethacin, 298
 - oliguria, 298
 - sepsis-associated, 298
 - stages, 298
 - treatment, 298–299
- Neonatal intensive care unit (NICU), 298, 628, 637

- Neonatal oligoanuria, 628
 - diagnostic workup and imaging, 630, 631
 - imaging methods and findings
 - ARF, 634
 - CA, 636–637
 - CDS and aCDS, 635–636
 - childhood, CRF in, 634
 - CT and intravenous pyelography, 636
 - isotope investigations, 636
 - MRI, 638
 - plain films, 636, 637
 - support therapeutic measures, 634
 - ultrasound, 635
 - VCUG, 637–638
 - planning transplantation, imaging for, 633
- Neonatal ovarian cysts, 356–358
- Neonatal renal failure. *See* Neonatal acute kidney injury (nAKI)
- Neonatal urinary tract dilatation, 771–773
- Neoplasms, genitourinary system
 - benign tumors
 - angiomyolipoma, 690
 - benign stromal tumors, 688–689
 - CMN, 686–687
 - juxtaglomerular cell tumor, 690–691
 - multilocular cystic nephroma, 688
 - ossifying renal tumor of infancy, 689–690
 - diagnostic strategy, 691–694
 - differential diagnosis
 - benign bladder tumors, 699–700
 - inflammation and infection, prostate, 701
 - reactive, inflammatory and infectious lesions of
 - bladder, 700
 - scrotum, 701
 - tumors, prostate, 700
 - urothelial neoplasms, 699
 - vagina, 701
 - infectious diseases, 691
 - malformations, 691
 - malignant hematologic diseases
 - Burkitt's lymphoma, 684, 685
 - with non-Hodgkin lymphoma, 684, 686
 - primary unilateral renal lymphoma, 684
 - T-ALL, 686
 - miscellaneous, 691
 - nephroblastoma (*see* Nephroblastoma)
 - non-Wilms' malignant tumors
 - anaplastic sarcoma, 683–684
 - CCSK, 678–679
 - Ewing's sarcoma family of tumors, 682–683
 - malignant hematologic diseases, 684–686
 - MRTK, 680–681
 - RCC, 681
 - renal medullary carcinoma, 681–682
 - renal metastases, 686
- RCC
 - clinical findings, 681
 - complication, 681
 - with hematuria, 681
 - majority of, 681
 - survival, 681
 - von Hippel-Lindau syndrome, 681
- RMS
 - clinical features, 695
 - epidemiology, 694–695
 - follow-up, 699
 - histopathology and genetics, 695
 - imaging, 695–698
 - treatment principles and prognosis, 698–699
- Nephrectomy, 212, 534, 537, 676, 677, 687
 - CMN, 686
 - compensatory hypertrophy, 149
 - Giant PUJO, 455
 - MCKD, 212
 - PUJ obstruction, 60
 - SIOP protocol, 676
 - uroolithiasis, 615
 - VUR, 423
- Nephritic syndrome (NS), 217–223
- Nephroblastoma, 184, 666
 - clinical features
 - patients with predisposing syndromes, 669
 - sporadic Wilms' tumor, 669
 - epidemiology, 666
 - FDG PET-CT in, 119–120
 - genetic basis, 203
 - imaging
 - atypical patterns, 670, 671
 - bilateral disease, 670–672
 - common WT radiological pattern, 669–671
 - distant metastases, 675
 - locoregional tumor extent, 672–675
 - preoperative imaging, 675–676
 - management, 87
 - MR imaging, 87–90
 - nephroblastomatosis, 87–89
 - nephrogenic rests, 87
 - pathology
 - focal anaplasia, 668–669
 - high-risk tumors, 668
 - intermediate-risk tumors, 668
 - NRs and nephroblastomatosis, 669
 - SIOP working classification, 668
 - triphasic tumor, 666
 - prognosis and follow-up
 - imaging during follow-up, 677–678
 - prognostic factors, 677
 - relapses, 677
 - survival, 677
 - treatment principles
 - bilateral Wilms' tumor, 676
 - unilateral Wilms' tumor, 676
- Nephroblastomatosis, 87, 89, 119, 669, 671, 672, 676, 688
- Nephrocalcinosis (NC), 603, 605, 615, 637
 - classification of, 616
 - clinical findings, 281–282
 - CT, 623–624
 - definition, 281
 - diagnostic imaging, 282–283

- diagnostic procedure, 285, 288
- etiology of, 616
- extra-urinary calcifications, 5
- incidence, 284, 616
- infectious stones, 289
- inhibitors
 - hypocitraturia, 289
 - THP kidneys, 289
- medication, 290
- MRU, 624
- MSK, 579–580
- promotors
 - cystinuria, 288
 - hypercalciuria, 285–286
 - hyperoxaluria, 286–288
 - hyperuricosuria, 288–289
- radiographs and IVU, 624
- and renal stones, 225
- surgery, 290
- ultrasound, 623
- Nephrogenic diabetes insipidus, 204, 225, 602
- Nephrogenic rests (NRs), 87, 666, 669, 671, 673, 677, 694
- Nephrogenic systemic fibrosis (NSF), 40, 42, 44, 138–139, 638
- Nephrolithiasis, 204, 579, 623
- Nephrolithotomy, percutaneous
 - contraindications, 745
 - ESWL and ureteroscopy techniques, 745
 - indications, 745
 - procedural details and technique, 745–747
- Nephron, 46, 48–50, 54, 72, 151, 295
 - acute pyelonephritis, 556–557
 - consists of, 151
 - CRF, 595
 - DMSA static renography, 554
 - fetal and neonatal renal function, 146
 - formation, 146
 - glomerular hypertrophy, 300
 - hypoplasia, 170, 208
 - renal development, 146
 - renal hypoplasia, 568–569
- Nephronophthisis (NPHP), 201, 211, 576, 630
- Nephron-sparing surgery (NSS), 105, 119, 669, 675
- Nephropathic cystinosis, 227, 605
- Nephropathies, 489–490
 - AS, 203–204
 - Bartter syndrome, 204, 225
 - cystinosis, 205
 - nephrogenic diabetes insipidus, 204
 - nephrolithiasis, 204
 - nephrotic syndromes, 204–205
 - nocturnal enuresis, 204
 - postnatal work-up, 486–487
- Nephrostomy, percutaneous
 - benefits of, 736
 - contraindications, 737
 - endourologic technology, 735–736
 - indications, 736
 - insertion, 735
 - neonate with bilateral UPJ obstructions, 736
 - procedural details and technique/technical remarks
 - complications, 739
 - equipment, 737
 - image guidance, 738
 - local anesthetic and intravenous sedation/anesthesia, 738
 - nephrostomy catheter, selection of, 737
 - nephrostomy-related urinoma formation, 739
 - posterolateral approach, 739
 - standard and stiff guidewires, 737
 - standard drains, insertion of, 737
 - transient mild hematuria, 739
 - ultrasound, 739
- Nephrostomy track dilatation, 740
- Nephrotic syndromes (NS)
 - Finnish type, 576
 - genetic basis, 205
 - and proteinuria, 218–219
 - Wilms tumors, 203
- Nephrourologic disorders
 - clinicians, 766
 - guidelines and beyond
 - conditions, 776–778
 - considerations, 774–775
 - fetal UTD, 776
 - urinary tract infection and vesicoureteric reflux, 775–776
 - imaging
 - algorithms and procedural recommendations, 778–779
 - clinicians expectation, 766–767
 - treatment, pediatric radiologists
 - conditions, 773–774
 - fetal and neonatal urinary tract dilatation, 771–773
 - UTI, 767–768
 - vesicoureteral reflux, 768–771
- Neurofibromatosis type 1, 655, 656, 694
- Neurogenic bladders, 323, 391
 - anatomy and physiology, 435–436
 - classification, 436–437
 - continence, 436
 - diagnostic imaging, 437–440
 - dysfunction, 125, 390, 394
 - etiology, 436
 - imperforate anus, 391
 - secondary VUR, 514
 - voiding, 436
- Next-generation sequencing (NGS), 194, 195
- NICU. *See* Neonatal intensive care unit (NICU)
- Nitrofurantoin, 245, 768
- Nocturnal enuresis
 - causal mechanisms, 419
 - genetic basis, 203
 - incidence of, 419
 - monosymptomatic, 419, 421
 - pathogenesis of, 419
 - primary, 415, 419, 420, 429
 - secondary, 419

- ureterovesical junction, 165
 - urethral, 165–166
 - VCUG, 21
 - Occlusion balloon catheters, 746
 - Ochoa syndrome, 421
 - Oligohydramnios, 165, 166, 170, 208, 210, 272, 298, 299, 493–496, 517, 568, 573, 771
 - Omphalocele-exstrophy-imperforate anus-spinal defects (OEIS) complex, 398, 402
 - Oncological surgery, 542–543
 - One-shot intravenous urography, 719
 - Ossifying renal tumor of infancy, 689
 - Ovarian disorders
 - characteristics
 - neonatal ovary-containing indirect inguinal hernia, 356
 - normal ovarian appearance, neonate, 356, 357
 - neonatal cysts, 356–358
 - torsion
 - adnexectomy, 360
 - circulatory impairment, 359
 - Color and spectral Doppler sonography, 359
 - diagnosis, 359
 - diffusion-weighted sequences, 360
 - features, 359
 - hemorrhagic necrosis, 359, 360
 - multiple cortical follicles, 359
 - pelvic pain, 359
 - risk of torsion, 359
 - sonography, 359
 - stages, 359
 - symptoms, 359
 - twisted ischemic ovary, 360
 - twisted vascular pedicle and the whirlpool sign, 359–360
 - Ovotesticular disorder, chimeric, 348–349
- P**
- Paediatric renal radionuclide imaging
 - DMSA
 - indications, 109–115
 - SPECT, 119
 - dynamic renography, 109
 - FDG PET-CT, 119
 - isotope cystography
 - DIC, 116
 - IRC, 116–118
 - MAG3 Tc99m renography, 109–115
 - PTLD, 119–120
 - static renal scan, 104–105
 - Page kidney, 276, 643, 721
 - Pallister-Hall syndrome (vaginal atresia), 333
 - Patlak-Rutland plot method, 111, 113
 - PCD. *See* Pelvicalyceal dilatation/distension (PCD)
 - PD. *See* Peritoneal dialysis (PD)
 - PE. *See* Percutaneous endopyelotomy (PE)
 - Pediatric genitourinary intervention
 - nonvascular
 - endourologic techniques (*see* Endourologic techniques)
 - nephrostomy track dilatation, 740
 - percutaneous cystostomy, 751–752
 - percutaneous nephrostomy (*see* Percutaneous nephrostomy)
 - percutaneous renal biopsy, 749–751
 - Whitaker perfusion test, 736
 - percutaneous techniques, 733
 - percutaneous treatment, 733–734
 - vascular (*see* Vascular interventions)
 - Pediatric intensive care unit (PICU), 297
 - Pediatric-modified RIFLE criteria (pRIFLE), 296
 - Pelvicalyceal dilatation/distension (PCD), 129–131, 155, 256–261, 263, 793
 - Pelvi-calyceal system, 155–156, 515, 516, 521–523
 - Pelvic excretion efficiency (PEE), 109, 111, 114
 - Pelvic fractures, 725, 727
 - Pelvi-ureteric junction obstruction (PUJO), 164, 165, 257, 260, 772
 - active intervention, 530
 - anatomic anomalies, 454
 - clinical symptoms, 530
 - complications, 268, 530
 - crossing vessels, 60
 - differential diagnosis, 456
 - extrinsic stenosis, 258–259
 - failed pyeloplasty, 60, 62
 - forms of
 - Dietl's crisis, 456
 - giant PUJO, 454
 - and horseshoe kidney, 456, 458
 - intermittent obstruction, 456
 - and ureterovesical junction obstruction, 456
 - and urinoma, 456
 - and urolithiasis, 456, 457
 - functional diuretic MR urography, 533, 534
 - impaired renal function, 530
 - interventional treatments, 263
 - intrinsic stenosis, 258
 - natural history and treatment, 456
 - nephrostogram, nephrostomy catheter, 530, 532
 - open pyeloplasty, 530, 532
 - postoperative drainage system, 532, 533
 - postoperative image, 268
 - progression of obstruction, 457
 - surgery
 - findings and indication for, 268
 - management, 530
 - procedure, 268
 - symptoms, 454
 - ureteric anomalies, 63–64
 - uro-nephropathies, 487
 - Penile anomalies, 368–369
 - Pepper-salt kidney, 574
 - Percutaneous cystostomy, 751–752
 - Percutaneous endopyelotomy (PE), 747
 - Davis intubated ureterostomy, 747
 - indications, endopyelotomy, 747, 748
 - PE, 747
 - procedural details and technique, 748–749

- Percutaneous nephrolithotomy
 contraindications, 745
 ESWL and ureteroscopic techniques, 745
 indications, 745
 procedural details and technique, 745–747
- Percutaneous nephrostomy, 748
 benefits of, 736
 contraindications, 737
 endourologic technology, 735–736
 indications, 736, 737
 insertion, 735
 neonate with bilateral UPJ obstructions, 736
 procedural details and technique/technical remarks
 complications, 739
 equipment, 737
 image guidance, 738
 local anesthetic and intravenous sedation/
 anesthesia, 738
 nephrostomy catheter, selection of, 738
 nephrostomy-related urinoma formation, 739
 posterolateral approach, 739
 standard and stiff guidewires, 736, 737
 standard drains, insertion of, 737
 transient mild hematuria, 739
 ultrasound, 739
- PUJO, 530, 534
- Percutaneous pyeloplasty. *See* Percutaneous
 endopyelotomy
- Percutaneous renal angioplasty
 cross-sectional imaging, 752–753
 procedural details and technique, 753–756
 angiographic examination, 753
 CBA, 754, 755
 complications, 753
 follow-up angiogram, 753–754
 selective catheter, 753
- PTRA, 752
 renal vein renin sampling, 753
 renovascular hypertension, 752–753
- Percutaneous renal biopsy
 imaging-guided renal biopsy, 750
 indications, 750
 procedural details and technique, 750–751
 US guidance, 750
- Percutaneous transluminal renal angioplasty (PTRA),
 752–756
- Perinephric hematoma, 90, 643
- Peripheral primitive neuroectodermal tumor (pPNET),
 682–683
- Peritoneal dialysis (PD), 301, 302, 630–632, 638
- Peritoneal equilibration test (PET), 119, 302
- Periureteral edema, 621, 622
- Persistence fetal lobulation, 148
- Persistent hypocomplementemia, 221
- Persistent urinary tract infection, 5
- PET. *See* Peritoneal equilibration test (PET)
- Physiologic data, 785–786
- PICU. *See* Pediatric intensive care unit (PICU)
- Placental aromatase deficiency, 347–348
- Plain films
 abdomen, 392–393, 457, 482, 517
 associated malformations, 388, 389
 bladder stones, 324
 KUB, 4
 lumbar spine, 405
 MSK, 579–580
 normal bladder, absence of, 312–313
 PUJ obstruction and lithiasis, 456, 457
 reflux and lithiasis, 515, 517
 renal failure, 636, 637
 renal parenchymal disease, 609, 610
- Politano-Leadbetter reimplantation, 270
- Polycystic kidney disease
 ADPKD, 574
 ARPKD, 573–574
 GCKD, 576–577
 MCDC and NPHP, 576
 recessive-type, 480
- Polycystic ovarian disease, 357
- Positron emission tomography (PET)-CT
 rTX, 647
 staging, 698
- Posterior reversible encephalopathy syndrome (PRES),
 219, 645, 646
- Posterior urethral valves (PUV), 8, 16, 17, 23, 106, 269,
 480, 481, 496, 538–541, 771
 abnormal mucosal folds, 314
 complications, 273
 live-related donor transplant, 106
 lower urinary tract obstruction, in male fetuses, 165
 megacystis–megaureter association, 517
 membranous obstruction, 314
 mesoderm formation, primary defect in, 495
 in neonates
 bilateral dilatation of the ureters, 315
 cystic dysplastic appearance, kidneys, 315, 316
 differential diagnosis, 316
 pelvicaliceal system, 315
 iodinated contrast medium, 318
 management, 313–314
 neuropathic causes, dysfunctional voiding, 318,
 319
 perirenal urinoma, 315
 radiological evaluation, 315
 renal dysplasia, 315
 retrograde catheterization, 316
 suprapubic micturating cystourethrography, 316,
 317
 voiding cystourethrogram, 315
- obstructive forms, 314
 in older boys, diagnosis, 319
 postoperative image, 273
 PUJO, 455
 renal consequences, 314
 surgery, findings and indication for, 271–273
 surgical procedure, 273
 types, 314
 UTD, 259–260
 VCUG, 637
- Post-/parainfectious glomerular disease, 600

- Posttransplant lymphoproliferative disorder (PTLD), 119–120, 304, 647–648
- Potter's syndrome, 567, 573
- Predictive testing, 197
- Preimplantation genetic diagnosis (PGD), 197
- Prenatal diagnosis (PD), 161
- ARPKD, 201
 - bladder exstrophy, 398
 - female fetuses, 316
 - fetal intervention, 314
 - genetic counseling, 196
 - hydronephrosis, 8
 - lower urinary tract obstruction, 13
 - megacystis, 313
 - normal bladder, absence of, 312–313
 - PUV, 314
 - unilateral hydronephrosis, 114, 116
- Pressure-flow perfusion test, 734–735
- Priapism, 757, 758
- ischaemic, 379
 - neonatal, 379
 - non-ischaemic, 379
- pRIFLE. *See* Pediatric-modified RIFLE criteria (pRIFLE)
- Primary bladder stones, 284
- Primary hypercalciuria, 285–286
- Primary hyperparathyroidism, 286
- Pronephros, 145–146
- Prostate
- inflammation and infection, 701
 - RMS, 695, 696
 - tumors, 700
- Proteinuria, 218–219, 221, 227, 247, 286, 297, 576, 600, 788
- Prune-belly syndrome, 322, 326
- clinical presentation, 494
 - with dysplastic calyces, 74
 - fetal US, 165, 166
 - incidence, 494
 - management, 499–500
 - megacystis, 313
 - obstetric ultrasound and antenatal diagnosis, 496–497
 - pathogenesis
 - bladder histology, fetuses, 495
 - primary defect, mesoderm formation, 495
 - urethral obstruction, 496
 - pathogenetic mechanism, 493
 - pathology, 494
 - postnatal diagnostic approach
 - computed tomography, 499
 - dynamic renography, 498
 - intravenous urography, 499
 - magnetic resonance imaging, 499
 - megacystis, 498
 - renal and urinary tract ultrasonography, 497
 - static renal scan, 498–499
 - VCUG, 315, 317, 498
 - prognosis, 499
 - treatment of, 499–500
 - urethral aplasia, oligohydramnios syndrome, 493
- Pseudoexstrophy, bladder, 401–402
- Pseudo-nutcracker syndrome, 593, 606
- Pseudo-prune belly syndrome. *See* Prune-belly syndrome
- Pseudotumoral acute pyelonephritis, 691
- Pseudotumoral cystitis, 324, 325, 700
- Pseudoureterocele, 70, 274
- Psoas-hitch technique, 246, 271, 272
- PTLD. *See* Posttransplant lymphoproliferative disorder (PTLD)
- PTRA. *See* Percutaneous transluminal renal angioplasty (PTRA)
- PUJO. *See* Pelvi-ureteric junction obstruction (PUJO)
- Pulse repetition frequency (PRF), 619
- PUV. *See* Posterior urethral valves (PUV)
- Pyelonephritis, 231, 489, 499, 554, 556, 646, 736
- ABU, 238
 - acute bacterial nephritis, 556–557
 - characterization, 231
 - complicated, 237
 - CT, 555
 - and cystitis, 236
 - DMSA scan, 238–239
 - late infancy and childhood, 237
 - MRI, 554–555
 - newborns and early infancy, 236–237
 - pseudotumoral acute, 691
 - renal abscess, 557–558
 - and renal scarring, 75, 77, 82, 92, 93, 404, 550, 558–559
 - sonographic signs, 552–554
 - in transplanted kidney, 93
 - US, 552–554
 - VUR, 241–247
 - XPN, 559–560, 691
- Pyeloplasty, 52, 53, 57, 60–62, 258, 261, 735
- open, 530
 - percutaneous, 747–749
 - PUJ obstruction, 60–62, 532, 533
 - ureteral reimplantation, 262–263
- R**
- Radiography
- after ureteric reimplantation, 552
 - high-end digital systems, 5
 - kidney-ureter-bladder (KUB) film, 622
 - nephrocalcinosis, 622
 - surgical complications, 541
 - uroolithiasis, 622
- Radiopaque iodine-based contrast agents, 135–137
- Rapidly progressive glomerulonephritis (RPGN), 220–221, 594
- RBF. *See* Renal blood flow (RBF)
- RCC. *See* Renal cell carcinoma (RCC)
- RD. *See* Renal dysplasia (RD)
- Reflux nephropathy (RNP), 234, 242–243, 247, 392, 522, 770
- Renal abscess, 237, 557–558, 692

- Renal agenesis, 128
 - bilateral, 209
 - CAKUT, 209
 - contralateral kidney, 488
 - cystoscopy, 568
 - genetic basis, 203–204
 - MRI, 566
 - postnatal imaging, 566
 - unilateral, 208
 - US, 566, 567
- Renal allograft
 - rTX, 640–641
 - US evaluation, 640, 641
 - VUR, 418
- Renal arterial embolization, 756, 760
- Renal artery stenosis (RAS), 42, 569, 654, 656, 755
- Renal biopsy
 - complications, 607–610
 - extra-renal complications, 609–610
 - histological classification, 607
 - imaging findings, 609
 - plain film, 609
 - US-guided, 608
- Renal blood flow (RBF), 298, 594, 601
- Renal cell carcinoma (RCC)
 - clinical findings, 681
 - complication, 680
 - with hematuria, 682
 - majority of, 681
 - survival, 681
 - von Hippel-Lindau syndrome, 681
- Renal coloboma syndrome, 198, 500
- Renal corticomedullary abscesses, 238
- Renal dysplasia (RD), 170, 172, 209, 244, 577
- Renal ectopy, 180–181
- Renal failure, 219
 - CRF, extrarenal imaging in, 633–634
 - definitions, 628
 - imaging methods and findings
 - ARF, 634
 - CA, 636–637
 - CDS and aCDS, 635–636
 - childhood, CRF in, 634
 - CT and intravenous pyelography, 636
 - isotope investigations, 636
 - MRI, 638
 - plain films, 636, 637
 - support therapeutic measures, 634
 - ultrasound, 635
 - VCUG, 637–638
 - planning transplantation, imaging for, 633
 - renal imaging, 628–630
 - RPD and
 - acute presentation, 592–593
 - causes, 592, 593
 - clinical aspects, 592–594
 - initial imaging, 592
 - manifestation, 594
 - mechanisms, 594
- Renal fibrosarcoma, 687
- Renal-genital-ear anomalies, 333
- Renal hypodysplasia, 71, 300, 770
- Renal hypoplasia
 - aCDS, 569, 570
 - catheter angiography, 569
 - definition, 209, 568
 - with massive hydroureteronephrosis, 66
 - mixed renal hypoplasia, 568
 - simple renal hypoplasia, 568
 - standardized volume calculations, 568
- Renal injuries
 - AAST classification
 - grade I, 720
 - grade II, 720, 721
 - grade III, 720, 721
 - grade IV, 720, 722
 - grade V, 720, 723
 - ureteropelvic junction disruption, 722
 - CT, 723–724
 - imaging complications and sequelae, 724–725
 - ultrasound, 722–723
- Renal medullary carcinoma, 604, 681–682
- Renal osteodystrophy (ROD), 300, 633
- Renal parenchymal disease (RPD)
 - advanced imaging
 - biopsy, 607–609
 - ultrasonography and Doppler sonography, 605–607
 - causes, 592
 - classic entities, 592
 - compartments, renal parenchyma, 591
 - definition, 591
 - glomerular disease, 219–223
 - hematuria, 218
 - hypertension, 219
 - imaging findings
 - glomerular disease, 599–601
 - HUS, 601, 602
 - systemic disease, 603–605
 - tubular disorders, 602
 - tubulointerstitial nephritis, 602
 - vasculitis, 601
 - nephritic syndrome, 218
 - presentation, 218
 - primary imaging management
 - clinical symptoms and laboratory findings, 695
 - differential diagnosis, sonographic renal changes, 596–597
 - hydration and diuresis, 599
 - initial assessment, 599
 - initial study, 595, 598
 - intravascular volume and potential effusions, 598
 - urinary system, dilatation and differentiation, 598
 - proteinuria, 218–219
 - and renal failure, 219
 - acute presentation, 592–593
 - causes, 592, 593
 - clinical aspects, 592–594
 - initial imaging, 692
 - manifestation, 594

- mechanisms, 594
- systemic disease, 225–227
- tubular dysfunction, 219
- vascular and tubulointerstitial disease, 223–225
- Renal pelvis and ureter, 771
 - causes, 446
 - congenital anomalies, 446
 - duplex collecting systems (*see* Duplex collecting systems)
 - imaging, 446–447
 - in single and bifid collecting systems
 - bifid collecting systems, 462, 463
 - calyceal diverticulum, 447
 - ectopic ureter, 461–462
 - Fraley’s syndrome, 448
 - hydrocalyx, 448, 449
 - hydroureter, 457, 458
 - infundibular stenosis, 448, 449
 - megacalycosis, 446, 448, 450
 - megaureter, 457–458
 - polycalycosis, 449, 450
 - ureteral wall lesions, 460
 - ureterocele and single collecting system, 462
 - ureteropelvic obstruction (*see* Ureteropelvic junction obstruction (UPJO))
 - triplication and quadruplication, 473
- Renal ptosis, 180–181
- Renal scarring, 234, 558–559
- Renal stone disease, 287, 543–544
- Renal transit time (RTT), 52, 62
- Renal transplantation (RTx), 289
 - acute problems, 303
 - acute rejection, 303
 - considerations, 638–639
 - infections, 303–304
 - living-related donor, 303
 - MR imaging in, 92–93
 - postoperative and surveillance imaging, 639–640
 - posttransplant complications, 641, 642
 - drug toxicity, 645–646
 - graft dysfunction, 642
 - infections, 645–647
 - surgical complications, 643–645
 - prognosis, 304
 - PTLD, 304, 647–648
 - regular follow-up, 303
 - renal allograft, 640–641
 - surgical technique, 639
 - tacrolimus, 303
- Renal trauma. *See also* Urinary tract trauma
 - clinical management, 276
 - complications, 276
 - imaging, 276
 - MR imaging in, 90–92
 - postoperative/follow-up imaging, 276
 - surgical procedures, 276
- Renal tubular dysgenesis (RTD), 298
- Renal tumors, 202, 583–584
 - benign tumors
 - angiomyolipoma, 690
 - benign stromal tumors, 688–689
 - CMN, 686–687
 - juxtaglomerular cell tumor, 690–691
 - multilocular cystic nephroma, 688
 - ossifying renal tumor of infancy, 689–690
 - cystic, 213, 566, 583
 - diagnostic strategy, 694–697
 - infectious diseases, 691
 - malformations, 691
 - malignant hematologic diseases
 - Burkitt’s lymphoma, 684, 685
 - with non-Hodgkin lymphoma, 684–685
 - primary unilateral renal lymphoma, 684
 - T-ALL, 684, 686
 - miscellaneous, 691
 - MRI, 87–89
 - multicentric Wilms’ tumor, 87, 88
 - nephroblastomatosis, 87, 89
 - non-Wilms’ malignant tumors
 - anaplastic sarcoma, 683–684
 - CCSK, 678–680
 - Ewing’s sarcoma family of tumors, 682–683
 - malignant hematologic diseases, 684–686
 - MRTK, 680–682
 - RCC, 681–686
 - renal medullary carcinoma, 681–682
 - renal metastases, 686
- Renal vasculature, 14, 153
- Renal vein, 152, 154, 593, 606, 759–760
- Renal venous thrombosis, 10, 168, 297, 596, 616
- Reninoma. *See* Juxtaglomerular cell tumor
- Renovascular disease (RVD). *See* Renovascular hypertension (RVH)
- Renovascular hypertension (RVH), 654
 - causes, 654–655
 - clinical presentation, 654
 - endovascular treatment, 659–660
 - imaging
 - CTA, 657–658
 - DSA, 659
 - MRA, 659
 - post-captopril renal scintigraphy, 657
 - US with Doppler, 655–657
- Retrograde urethrography (RUG), 24–25, 368
- Rhabdomyosarcoma (RMS)
 - clinical features, 695
 - epidemiology, 695
 - follow-up, 699
 - histopathology and genetics, 695
 - imaging
 - distant metastases, 697, 698
 - locoregional tumor extent, 695–697
 - staging, 697–698
 - treatment principles and prognosis, 698–699
- Risk, Injury, Failure, Loss, and End-stage renal disease (RIFLE), 296
- RMS. *See* Rhabdomyosarcoma (RMS)
- RNP. *See* Reflux nephropathy (RNP)
- Roberts syndrome, 333
- RPD. *See* Renal parenchymal disease (RPD)

- RTD. *See* Renal tubular dysgenesis (RTD)
 RTx. *See* Renal transplantation (RTx)
 Rutland-Patlak technique, 46
 Rutner valve, 748
 RVH. *See* Renovascular hypertension (RVH)
- S**
 Sandwich technique, 759
 Schinzel-Giedion syndrome, 333
 Scintigraphy
 cortical, 236
 cystic renal disease, 571
 DMSA (*see* Dimercaptosuccinic acid (DMSA))
 DRF, 57
 impaired drainage, 50
 MAG3, 54
 renal hypoplasia, 568–569
 SCr. *See* Serum creatinine (SCr)
 Scrotal anomalies, 369
 Scrotal haematoma, 375
 Scrotal injuries, 728–729
 Scrotum
 acute testicular torsion, 371
 causes, 370
 clinical history, 370
 imaging algorithms, 370–371
 perinatal testicular torsion, 372
 right-sided testicular torsion, 371
 signs, 370
 symptoms, 370
 Secondary/enteric hyperoxaluria, 287–288
 Secondary hypertension, 561, 654–655
 Secondary testicular malignancy, 376
 Sertoli cell tumour, 376
 Serum creatinine (SCr), 297, 298, 786
 Serum procalcitonin, 236, 240
 Sex chromosome disorders, sexual development,
 248–249
 Sex cord-stromal tumours, 376
 SFU grading system. *See* Society for Fetal Urology
 (SFU) grading system
 Sickle cell disease, 226, 603–604
 Sickle cell nephropathy (SCN), 226
 Simple renal cysts, 212–213, 580–582, 584
 Society for Fetal Urology (SFU) grading system, 261,
 262
 Sono-elastography, 20
 Sonography. *See also* Doppler sonography
 fetal, 311
 in haemolytic-uraemic syndrome, 601, 602
 in HUS, 601, 602
 M-mode, 12
 ovarian torsion, 359
 pelvic, 339
 renal and vascular injury, 276
 ureteral jets, 13
 Spectral Doppler analysis, 640, 641
 Spermatocetes, 378
 Split-bolus technique, 27, 137
 Sporadic Wilms' tumor, 669
 Steroid-resistant nephrotic syndrome (SRNS), 222
 Steroid-sparing therapy, 222
 Strain elastography, 20
 Strict ROD therapy, 301
 Struvite stones, 283, 289
 Supernumerary kidneys, 128, 181–182
 Suprapubic micturating cystourethrography, 317
 Systemic lupus erythematosus (SLE), 225–226, 603
- T**
 Tacrolimus, 303, 645
 Tamm–Horsfall protein (THP), 129, 155, 289, 565
 Tc-99m MAG3 renography
 adequate hydration, 112
 advantages, 112
 disadvantages, 113
 diuretic administration, 110
 dose, 110
 DRF, 111
 limitations, 110
 Patlak-Rutland plot method, 111
 PEE, 111, 114
 post-micturition images, 110, 112, 115
 renal cadaveric transplant, after, 111, 113
 ROI, 111
 Technetium-99m di-mercapto-succinic acid (Tc-99m
 DMSA)
 advantages, 108
 disadvantages, 108
 DRF, 108
 SPECT, 107
 UTI, 104, 105
 Testes
 complications, 277
 imaging, 277
 postoperative/follow-up imaging, 277
 surgery, 277
 UDT, 277
 Testicular fracture, 374, 728
 Testicular microlithiasis, 377–378
 Testicular trauma, 374–375
 Thoracic kidney, 181, 182
 Three-dimensional US (3DUS), 567
 Thrombocytopenic purpura (TTP), 224
 Thrombotic microangiopathy (TMA), 224–226, 296
 Tissue rim sign, 621, 622
 Toilet training, 414
 Transient mild hematuria, 739
 Transplant renal artery stenosis (TRAS), 92–93
 Triad syndrome. *See* Prune-belly syndrome
 Trimethoprim, 245, 768
 Triphasic tumor, 666
 Tuberculous, 562
 Tubular dysfunction, 219, 225
 Tubulointerstitial fibrosis, 300
 Tubulointerstitial nephritis (TIN), 225, 602–603
 Twinkling sign, 618–620, 623, 778
 Tyrosinemia, 286

U

- UDT. *See* Undescended testes (UDT)
- Ultrasound (US), 566, 567, 790, 792–794
- acute pyelonephritis, 9
 - ADPKD, 169–170, 574
 - applications, 7
 - ARF, 628
 - ARPKD, 170, 573–574
 - botryoid type of Wilms' tumor, 670, 671
 - CA, 134–135
 - colour Doppler sonography, 13, 14
 - complicated cyst, 582–584
 - corticomedullary differentiation, 9
 - CRF, 630
 - equipment, 11–12
 - fetal malformations, 162–163
 - in glomerulonephritis, 593
 - greyscale, 12
 - HUS, 601, 602
 - hydronephrosis, 8
 - indications, 8–11
 - inferior vena cava thrombosis, 672, 673
 - lymphoceles, 643, 644
 - malignant hematologic diseases, 684, 697
 - MCDC and NPHP, 576
 - in MCDK, 168–169
 - in megaureter, 165
 - M-mode sonography, 12
 - MR angiography, 601
 - multicystic nephroma and multiloculated cysts, 583
 - NCS, 759
 - neonatal kidney by, 154–156
 - neonatal oligoanuria, 630
 - nephrocalcinosis, 623
 - nephrogenic rests and Wilms' tumors, 671, 673
 - nephrourologic disorders, 765
 - normal fetal bladder, 163
 - normal fetal renal, 162
 - ossifying renal tumor of infancy, 689–690
 - in pelvi-ureteric junction obstruction, 164
 - percutaneous nephrostomy, 740
 - percutaneous renal biopsy, 749
 - preparation, 12–13
 - priapism, 757
 - of proximal urethra, 166
 - in prune belly syndrome, 165, 166
 - in pseudo-nutcracker syndrome, 593
 - pseudotumoral cystitis, 700
 - RCC, 681
 - renal
 - abscess, 691
 - biopsy, 608
 - dysplasia, 569, 570
 - failure, 594, 629, 635
 - hypoplasia, 567
 - injuries, 720–722
 - scarring, 558–559
 - vein thrombosis, 10
 - of renal cystic dysplasia, 170, 171
 - in renal duplication, 166–168
 - in renal vein thrombosis, 171
 - right kidney, 11
 - right renal vein tumor thrombosis, 673
 - RMS, 694, 695
 - RPD, 605–607
 - RVH, 655–656
 - scanning technique
 - lower urinary tract, 13, 14
 - upper urinary tract, 13–15
 - scrotal injuries, 728–729
 - scrotum, 701
 - sickle cell disease, 604
 - simple renal cyst and acquired renal cyst, 582
 - SLE, 603
 - in tissue harmonic imaging, 12, 14
 - ureterocele, 13, 167
 - urinary tract infection and vesicoureteric reflux, 775, 776
 - urolithiasis, 616
 - color Doppler, 618–620
 - grayscale, 616–618
 - UTI, 552–554
 - vasculitis, 601
- Undescended testes (UDT), 277
- Unilateral obstructive vaginal septum, 337–338
- Unilateral renal dysplasia, 74, 76
- Unilateral Wilms' tumor (UWT), 673
- Upper urinary tract dilatation
- antenatal detection, 477
 - postnatal work-up
 - antenatal diagnosis, 480
 - bilateral lung hypoplasia, 480
 - clinical situations, 480
 - ectopic ureterocele, 480
 - functional assessment (*see* Nuclear medicine, studies and)
 - giant PUJO, 480, 482
 - imaging algorithm, 478, 479
 - morphological assessment, 484
 - MR imaging, complicated duplex kidney, 485
 - neonatal MR urography, left megaureter, 483, 484
 - neonatal puncture of ureterocele, 480, 481
 - of nephropathies, 486–487
 - posterior urethral valves, 480, 481
 - right pneumothorax, 480
 - sonographic classification, 478, 479
 - ureterocele prolapse, 480, 481
 - of uropathies, 480–483
 - VCUG, 480, 482
 - VUR, 482
- Urachus, 325–326
- Ureteral dilatation and stenting
- antegrade approach, 741–742
 - indications, 742
 - internal-external nephroureterostomy stents, 741
 - metallic stents, 740
 - percutaneous approach, 740
 - percutaneous management, 742
 - procedural details and technique, 742–745

- Ureteral necrosis, 645
- Ureteral peristalsis, 12, 269, 541
- Ureteral reimplantation, 262
- Ureteral stone, 283, 284, 290
- Ureteric bud, 146, 242
- Ureteric stricture, 63
- Ureterocele (U-cele) system
 - complications, 274
 - definition, 69
 - duplex collecting systems
 - cecoureterocele, 469, 470
 - small obstructive U-cele, 469, 472
 - ureterocele eversion, 471, 472
 - ectopic, 69
 - management, 69
 - orthotopic, 69, 70
 - postoperative imaging, 574
 - and single collecting system, 462
 - surgery, findings and indication for, 273–274
 - surgical procedure, 274
 - VCUG, 22–24
- Uretero-pelvic duplication, 166–167
- Ureteropelvic junction obstruction (UPJO)
 - diagnosis
 - differential renal function, 451
 - diuretic renogram, 451, 452
 - Doppler analysis, renal arteries, 450
 - fetal uropathies, 450
 - functional deterioration, risk factors, 452
 - grading systems, 450
 - imaging techniques, 450
 - MR urography, 452
 - normalized residual activity, 451
 - output efficiency, 451–452
 - pressure measurements, 452
 - radioisotope study, furosemide injection, 451
 - renal drainage interpretation, 451
 - urinary tract dilatation, 446, 450
 - Whitaker test, 452
 - PUJO (*see* Pelvi-ureteric junction obstruction (PUJO))
- Uretero-vesical junction obstruction (UVJO), 164–165, 489, 534–535
 - bilateral hydronephrosis, 67, 68
 - bilateral ureteral dilatation, 269
 - complications, 270
 - dilated tortuous ureter, 269
 - ectopic upper pole insertion, 65, 68
 - follow-up, 269
 - megaureters, 64, 65, 67
 - MR urography, 65, 66
 - renal hypoplasia, 66
 - surgery, findings and indication for, 269
 - surgical procedure, 269
 - UTD, 61, 260, 261
 - VUR, 65
- Urethra
 - congenital anomalies
 - appendicovesicostomy, 538
 - bladder exstrophy, 537
 - cloacal exstrophy, 537
 - epispadias, 537
 - posterior urethral valve, 538–539, 541
 - urinary tract diversion, 537
 - VUR, 541–542
 - development, 147
 - female, 158, 159
 - incisura, 157
 - male, 157–158
 - micturition, 158
 - VCUG, 156, 158
- Urethral congenital abnormalities
 - bulbous urethra duplication, 322, 323
 - cystourethroscopy, 322
 - epispadias, 322
 - exstrophy-epispadias complex, 322
 - hypospadias, 322
 - megalourethra, 322
- Urethral injuries, 726–728
- Urethral obstruction, 165–166, 496, 504
- Urge syndrome, 410–412
- Uric acid stones, 284, 285, 288
- Urinary bladder, 131
 - anatomy and variants, 156–157
 - bilateral herniation, 156
 - congenital anomalies
 - appendicovesicostomy, 538
 - bladder exstrophy, 537
 - cloacal exstrophy, 537
 - epispadias, 537
 - posterior urethral valve, 538–539, 541
 - urinary tract diversion, 537
 - VUR, 541–542
 - development, 147
 - measurements, 790, 794
 - VCUGs, 156
- Urinary tract dilatation (UTD)
 - antenatal detection, 477
 - epidemiology, 255–257
 - etiology, 257
 - examinations, 261
 - grading systems, 261, 262
 - obstruction, definition of, 256–257
 - PCD, 257, 260
 - postnatal work-up
 - antenatal diagnosis, 480
 - bilateral lung hypoplasia, 480
 - clinical situations, 480
 - ectopic ureterocele, 480
 - functional assessment (*see* Nuclear medicine, studies and)
 - giant PUJO, 480, 482
 - imaging algorithm, 478, 479
 - morphological assessment, 484
 - MR imaging, complicated duplex kidney, 485
 - neonatal MR urography, left megaureter, 483, 484
 - neonatal puncture of ureterocele, 480, 481
 - of nephropathies, 486–487
 - posterior urethral valves, 480, 481
 - right pneumothorax, 480
 - sonographic classification, 478, 479
 - ureterocele prolapse, 480, 481

- of uropathies, 480–483
 - VCUG, 480, 482
 - VUR, 482
- PUJ, 260
 - extrinsic stenosis, 258–259
 - intrinsic stenosis, 258
- subvesical obstruction, 259–260
- treatment
 - antibiotic prophylaxis, 262
 - interventional treatment, 263
 - postoperative imaging, 263
 - pyeloplasty, 262
 - ureteral reimplantation, 262
- UVJ, obstruction at, 259
- VUR, 260
- Urinary tract infections (UTIs), 9, 104, 549–550, 767–768, 775–776
 - acute focal bacterial nephritis, 237–238
 - antibacterial therapy, 236
 - antibiotics, 236
 - asymptomatic bacteriuria, 238
 - classification, 231–232
 - colour/power Doppler sonography techniques, 9
 - complications
 - acute bacterial nephritis, 556–557
 - cystitis, 560–561
 - renal abscess, 557–558
 - renal scarring, 558–559
 - XPN, 559–560
 - cystitis, 238, 324
 - cystourethritis, therapy for, 238
 - definition, 231
 - diagnosis
 - dipstick test and microscopy, 235
 - pyelonephritis vs. cystitis, 38
 - urine culture, 235–236
 - urine sampling, 235
 - diagnostic work-up
 - bladder function diagnostics, 240
 - imaging, 238–241
 - serum and urine markers, 240
 - epidemiology, 232
 - etiology, 232–233
 - infravesical obstruction, bilateral hydronephrosis, 227
 - nodular echogenic lesion, 226
 - parasitic infection, 226
 - pathogenesis, 232–233
 - and patient selection, imaging, 550–551
 - progression of, 555
 - prophylaxis, 240–241
 - pyelonephritis, 234
 - complicated, 237
 - late infancy and childhood, 237
 - newborns and early infancy, 236–237
 - radiological examinations
 - DMSA, 555
 - IVU, 555
 - MRI, 554–555
 - US, 552–554
 - VCUG, 555
 - renal cortical abscesses, 237–238
 - renal corticomedullary abscesses, 238
 - renal scarring, 234
 - schistosomiasis, 325
 - symptoms, 234
 - therapeutic success, control of, 238
 - unusual infections
 - bilharziasis, 562
 - hydatid disease, 562
 - renal candidiasis, 561
 - tuberculous, 562
 - voiding dysfunction
 - risk factors, 417
 - toilet training, 417
- Urinary tract malformations
 - cloacal malformation, 175
 - gene defect, syndromes associated with, 500
 - prune belly syndrome, 497
 - urogenital sinus malformation, 173–175
 - voiding cystourethrography, 637–638
- Urinary tract trauma
 - bladder injury, 725
 - blunt abdominal trauma, 713–715
 - clinical evaluation
 - children with minor and moderate trauma, 716–717
 - children with severe trauma and multiple injuries, 715
 - imaging strategy, 718–720
 - technical environment, impact, 717–718
 - renal injuries, 720–723
 - scrotal injuries, 728–729
 - urethral injuries, 726–728
- Urinary values, 786
- Urine extravasation
 - PUJ, 269
 - renal trauma, 276
 - UVJ, 270
 - VUR, 271
- Urine markers, 240
- Urine production, 628
- Urine values, 788
- Urinoma. *See* Urine extravasation
- Urogenital fetal imaging
 - complex lower urinary tract malformations, 173–175
 - fetal bladder anomalies, 171–173
 - fetal nephropathies, 168–171
 - fetal uropathies, 164–168
 - MRI, 163–167
 - US, 162–163
- Urogenital sinus malformation, 84, 149, 173–175
 - adrenogenital syndrome, 345
 - chromosomal and hormonal abnormalities, 345
 - clitoric hypertrophy, 350
 - cloacal (*see* Cloacal malformation)
 - diagnostic imaging, 349–350
 - in DSD, 346–350
 - female hypospadias, 345
 - fluoroscopic genitography, 349
 - genitourinary tract malformations, 350
 - neonates with, 344–345
 - physical examination, newborn, 344
 - sex determination, 345

- Urogenital system
 ciliopathies, 200–202
 duplication malformations, 200
 hydronephrosis, 198, 199
 hypospadias, 200
 kidney, hereditary tumors, 202–203
 renal agenesis, 198
 VUR, 200
- Urolithiasis, 615–616
 clinical findings, 281–282
 complications, 277
 CT, 620–622
 definition, 281
 diagnostic imaging, 282–283
 diagnostic procedure, 285, 288
 extrinsic factors, 289
 imaging, 277
 incidence, 284
 infectious stones, 289
 inhibitors
 hypocitraturia, 289
 THP kidneys, 289
 kidney stones, 278
 medication, 290
 MRU, 622
 promoters
 cystinuria, 288
 hypercalciuria, 285–287
 hyperoxaluria, 286–288
 hyperuricosuria, 288–289
 radiography and intravenous urography, 622
 surgery, 290
 treatment, indications for, 278
 ultrasound, 616
 color Doppler, 618–620
 grayscale, 616–618
- Urologic anomalies
 complications, 389–390
 functional anomalies, 391–392
 incidence, 390
 occult spinal dysraphism, 391
 radiological/urologic evaluation, 389–390
 rectourethral fistula, 394
 structural anomalies, 390–391
- Uromodulin (UMOD), 565
- Uro-nephropathies
 ADPKD evolution, 490
 complicated duplex collecting systems, 489
 management, 489, 490
 MCDK, 489
 multicystic dysplastic kidney, 487
 prophylactic treatment, 487
 PUJ obstruction, 488–489
 renal ectopia, 487
 renal functional impairment, 486
 small cysts, diagnosis, 486, 487
 unilateral agenesis, 487
 UVJ obstruction, 489
 VURs, 487, 488
- Uropathy(ies)
 ante- and postnatal diagnosis, PUJ obstruction, 482, 483
 high-grade VUR, 21
 neonatal VUR, 480–482, 487
 obstructive (*see* Obstructive uropathies)
 preoperative diagnosis, 52
 US examination, 483
- Uroradiology
 ESPR, 346, 793
 pediatric application, 135, 268
 reports in
 kidneys, 128
 pelviciceal dilatation, 130–131
 renal parenchymal morphology, 129–130
 renal size, 128–129
 urethra, 131
 urinary bladder, 131
 urogenital tract, anatomy of, 128
- Urosepsis, 232, 233, 236–237
- Urothelial neoplasms, 699
- US. *See* Ultrasound (US)
- US contrast agent (UCA), 15
 ce-VUS, 17, 18
 in paediatric applications, 16
 techniques, 17
- US Food and Drug Administration (FDA), 43
- UTD. *See* Urinary tract dilatation (UTD)
- UTIs. *See* Urinary tract infections (UTIs)
- V**
- Vaginal malignancies, 701
- Varicocele, 380, 669, 758–759
- Vascular access, 301, 302, 631, 632
- Vascular interventions
 embolotherapy, genitourinary system
 NCS, renal vein stenting, 759–760
 priapism, 757–758
 renal arterial embolization, 756–757
 varicocele, internal spermatic vein embolization, 758–759
 percutaneous renal angioplasty
 cross-sectional imaging, 752, 753
 procedural and technique, 753–756
 PTRA, 752–756
 renal vein renin sampling, 753
 renovascular hypertension, 752–753
- Vascular supply, 151, 152, 639
- Vasculitis, 223–224, 601
- Vasoactive factors, 48, 49
- VCUG. *See* Voiding cystourethrography (VCUG)
- Veno-occlusive disease (VOD), 676
- Vesicoureteral reflux (VUR), 9, 16, 270, 274, 767–769, 775–776
 and bladder diverticulum, 519
 chemoprophylaxis, 241
 classification, 241–242
 complications, 271, 521
 conservative treatment, 520
 contrast-enhanced voiding urosonography, 510–511

- continuing susceptibility, patients with, 247
- cystoscopic injection, 516
- definition, 241–242
- de novo VUR, 274
- detection of
 - familial occurrence, 514, 515
 - fetal anomalies, antenatal diagnosis, 512–513
 - nonneurogenic bladder-sphincter dysfunction, 513
 - urinary tract infection, 513–514
- diagnosis, 243–244
- DMSA scanning, 522
- DRNC, 505–506
- and duplex kidneys, 518
- ectopic kidney, 163, 518
- endoscopic treatment, 521
- epidemiology, 243
- etiology, 242
- fetal reflux nephropathy, 512, 521–522
- genetic basis, 200
- grading of, 504, 505
- iatrogenic, 518–519
- intrarenal dilatation, 541
- intravenous urography, 511
- IRC, 506–507
- management, 541
- megacystis-megaureter association, 517, 518
- multicystic dysplastic kidney, 519, 520
- natural history, 520
- pathogenesis, 242
- postoperative imaging, 270–271
- primary fetal reflux, 520
- progressive renal damage, 503
- and PUJO, 515, 516
- reflux and lithiasis, 515, 517
- reflux nephropathy, 242–243, 247
- renal damage, 234
- renal disease progression
 - antireflux bulking material injection, 521, 522
 - reflux nephropathy, 522, 523
 - UTI nephropathy, 522
- renal scarring, 242–243
- secondary, 513
- submucosal agent injection, 541
- suprainfection, 516
- surgery
 - findings and indication for, 270
 - procedures, 270
 - treatment, 520–521
- symptoms, 243
- therapy
 - long-term antibacterial prophylaxis, 245–246
 - surgical correction, 246
- US, 167–168
 - anomalies, 508, 509
 - Color Doppler sonography, 508
 - direct cystography, 509
 - non-irradiating technique, 504
 - patient screening, 507
 - signs, 508
- uro-nephropathies, 487, 488
- UTD, 260, 262
- and UVJ obstruction, 515, 516
- VCUG, 239, 504–505
- voiding dysfunction
 - anticholinergics, 417, 418
 - antirefluxive surgery techniques, 418–419
 - clinical implication, 417
 - daytime urinary incontinence, 418
 - dysfunctional elimination syndromes, 418
 - non-neurogenic neurogenic bladder, 417
 - reflux nephropathy, 417, 418
 - unstable bladder, 417, 418
 - upper urinary tract abnormalities, 418
 - yo-yo reflux, 516
- Video urodynamics (VUD)
 - applications, 125
 - EMG tracings, 124
 - findings, 125
 - indications, 125
 - neurogenic bladder dysfunction, 125
 - procedure, 124
- Virtual contrast technique, 621
- VOD. *See* Venous-occlusive disease (VOD)
- Voiding cystourethrography (VCUG), 792, 794
 - boy with dysuria, 319
 - cyclic, 504, 507
 - cystic renal disease, 573
 - ectopic kidney, 181
 - equipment, 21
 - indications, 21
 - kidney malrotation, 179, 180
 - limitations, 504, 507
 - micturition phase, 504–505
 - MR, 83
 - in neonates
 - prune-belly syndrome, 317, 318
 - suprapubic catheter, 316, 317
 - and ultrasound, 317, 318
 - preparation, 21–22
 - procedure, 22–24
 - prune belly syndrome, 497–498
 - pulsed fluoroscopy cystographic technique, 504
 - PUV, 272–273
 - renal failure, 657–658
 - retrograde filling, vagina, 507
 - urethral obstruction, 504, 507
 - urinary tract infection and vesicoureteric reflux, 775–776
 - UTD, 260, 261
 - UTI, 239, 550
 - UVJ, 269
 - VUR, 244, 246, 270
 - left grade I, 504, 505
 - bilateral grade II, 504, 505
 - bilateral grade III, 504, 506
 - bilateral grade IV, 504, 506
 - bilateral grade V, 504, 506
- Voiding dysfunction. *See* Non-neurogenic bladder-sphincter dysfunction

Volumetric differential function, 44, 45
Von Hippel-Lindau (VHL) syndrome, 202–203, 681
VUD. *See* Video urodynamics (VUD)
VUR. *See* Vesicoureteral reflux (VUR)

W

Wegener's granulomatosis, 600, 601
Whitaker perfusion test, 734–736, 741
Wide bladder neck anomaly (WBNA), 426
William's syndrome, 286, 421, 655
Wilms' tumor (WT). *See* Nephroblastoma

X

Xanthinuria, 289
Xanthogranulomatous pyelonephritis (XPN),
559–560, 691
X-linked hypophosphatemic rickets, 225, 602
X-linked Lesch–Nyhan syndrome, 288

Y

Yolk sac tumour, 376, 377