

# Index

## A

- Abscisic acid (ABA), 168
- Adsorption, 190, 274, 332, 333, 342
  - CoO NPs, 76
  - fullerenes, 111
  - K adsorption, 285
  - Mo NPs, 104
  - N adsorption, 283
  - rate, 315
- Agriculture, 2, 240, 248
  - nanofertilizers in, 238
  - nanotechnological application in, 321
  - nanotechnology in, 220–221
- Agri-nanotechnology, 306
- Alfalfa (*Medicago sativa*), 10, 41, 103, 122, 158, 195, 222
- Alginate/chitosan NPs, 350
- Aloe vera*, 244–245
- Aluminum-based NPs (Al NPs), 200
- Aluminum oxide (Al<sub>2</sub>O<sub>3</sub>) NPs, 4, 7, 8, 16, 75, 156, 170, 172, 173, 273
- Amphiphilic polyurethane (APU) NPs, 278, 350
- Anthropogenic nanoparticles (ANP), 268
- Aquatic plant duck weed (*Lemna gibba*), 127
- Arabidopsis (*Arabidopsis thaliana*), 8, 17, 33, 97, 133, 158, 188, 231, 317
- Artemisia annua*, 243
- Ascorbate peroxidase (APX), 134, 136, 173
- Asymmetrical flow field flow fractionation (AF4) technique, 46
- Atomic absorption spectrophotometer (AAS), 195
- Atomic force microscopy (AFM), 17, 37–39
- Atomic spectroscopy
  - atomization process, 43
  - field flow fractionation, 46
  - laser ablation, 45
  - single particle analysis, 44–45

- Auxin-regulated gene involved in organ size (ARGOS), 8

## B

- Bacillus subtilis*, 357
- Barley (*Hordeum vulgare*), 5, 76, 98, 126, 158
- Biochemical parameters, NPs in plants
  - carbon materials, 136
  - metal nanoparticles, 137
  - oxide nanoparticles, 134–136
  - positive and negative effect, 134, 135
- Biomimetic sensors, 350
- Biophysical detection methods, MNMs in plants
  - microscopy method, 32
    - atomic force microscopy, 37–39
    - electron microscopy (*see* Electron microscopy (EM))
    - light (optical) microscopy, 32–33
  - spectroscopy methods
    - atomic spectroscopy (*see* Atomic spectroscopy)
    - definition, 43
    - $\mu$ -PIXE technique, 50–51
    - synchrotron radiation techniques, 46–50
- Bio-Rad Biolistic PDS-1000/He particle delivery system, 85
- Bitter melon (*Momordica charantia*), 112, 131, 201, 203, 222
- Boswellia ovalifoliolata*, 195
- Bottom-up approach, 334
- Brunauer–Emmett–Teller (BET), 17
- Buckyballs (C<sub>60</sub>), 109

## C

- Cabbage (*Brassica oleracea*), 99, 110, 126, 133, 158, 230
- Cadmium sulfide quantum dots (CdS QDs), 173

- Carbon-based fullerol (C<sub>60</sub>(OH)<sub>20</sub>), plant system  
 biochemical parameters, 136  
 growth, 131
- Carbon-based nanomaterials (CNMs)  
 growth regulators, 368  
 plant biomass and yield, NP-mediated enhancement of, 226–228  
 toxicity of, 368  
 uptake and translocation, 201
- Carbon-based nanoparticles (CB NPs), 4, 23, 185, 186, 221, 227, 312, 352, 353, 356, 357  
 effects of, 109–111  
 impact on plants, 340–342  
 uptake, translocation, accumulation, transformation and general transmission, 201  
 fullerene NPs, 201–203  
 fullerol NPs, 203–207  
 MWCNTs, 207–208  
 SWNTs, 205–207
- Carbon-based tubular nanomaterials, 368
- Carbon nanoparticles, 21–22, 102, 184, 204, 227, 339, 341
- Carbon nanotubes (CNTs), 21, 226, 340, 350  
*See also* Multiwalled carbon nanotubes (MWCNTs); Single-walled carbon nanotubes (SWCNTs)  
 plant protection, 310, 312–313  
 quantitative analysis of, 369
- Carboxymethyl cellulose (CMC), 287
- Carrot (*Daucus carota*), 110, 126, 158
- Catalase (CAT) enzyme, 134, 136, 170, 173
- Cerium dioxide NPs (CeO<sub>2</sub> NPs), 344  
 on cucumber plants, 107  
 exposure to in situ-prepared aerosol, 83, 84  
 genotoxic in soybean plants, 171  
 hydroponic setup for cucumber plants, 84–85  
 in maize, 107  
 plant system  
 nutritional value of soybean, 143  
 photosynthesis, 140  
 soybean, 107  
 transgenerational studies, 108  
 treatment with, 107  
 uptake, transport and accumulation, NPs, 196–199
- Chemical pesticides, 320, 321
- Chickpea (*Cicer arietinum*), 7, 131, 158
- Chili (*Capsicum* spp.), 110
- Chitosan (CS), 16, 22, 289, 290, 316
- Chlamydomonas reinhardtii*, 172
- Chlorophyll *a*, 140
- Cilantro (*Coriandrum sativum*), 108, 237
- Clay-based nanotechnology, 330
- Clay minerals  
 advantage, 334  
 colloidal properties, 334  
 nanomaterials  
 manipulation of bonds, 334  
 nanofabrication with, 332–334
- Clay–polymer nanocomposites, 291
- Cluster bean (*Cyamopsis tetragonoloba*), 131
- Common bean (*Phaseolus vulgaris*), 47, 98, 133, 159, 200
- Confocal laser scanning microscopy (CLSM), 192
- Confocal microscopy (CM), 33, 36, 37
- Conjugated polymer nanoparticles (CPNs), 369
- Controlled-release (CR) fertilizer system  
 mechanism  
 diffusion, 281, 282  
 factors, 281  
 hydroxyapatite and synthetic NHA, 287  
 nanoencapsulation and slow-release fertilizer, 288–289  
 nano rock phosphate, 286–287  
 zeolites and nanoporous zeolites, 281, 283–286  
 micronutrients delivery, 265
- Copper NPs (Cu NPs), 10, 133–134, 159  
 flavonoids enhancement, 247  
 growth in wheat, 232–233  
 uptake, transport and accumulation, 195
- Copper oxide nanoparticles (CuO NPs), 41, 68, 72, 78, 136, 170, 195, 209  
 DNA damage in terrestrial plants, 170  
 toxicity to maize, 108
- Cucumber (*Cucumis sativa*), 5, 31, 67, 103, 110, 122, 158, 222, 322  
 AgNPs phytotoxicity on, 98  
 CeO<sub>2</sub> NPs, 107
- Cup stacked carbon nanotubes (CSCNTs), 111
- Cytotoxicity, 355
- D**
- Derjaguin, Landau, Verwey, and Overbeek (DLVO) theory, 269, 270
- Dichlorodiphenyldichloroethylene (p,p'-DDE), 72, 111
- 2,4-Dichlorophenoxyacetic acid (2,4-D), 69
- Dissolved organic matter (DOM), 274
- DNA damage, 166, 168, 209
- Dynamic light scattering (DLS), 19

**E**

- Electron energy loss spectroscopy (EELS), 41
- Electron gun, 39
- Electron microscopy (EM)
  - vs. light microscopy imaging, 33
  - sample preparation for, 42–43
  - SEM, 39–40
  - STEM, 42
  - TEM, 41–42
- Elicitors, 242
- Endocytosis, 41, 142, 187, 188, 192, 207, 258, 293, 355
- Energy dispersive spectroscopy (EDS), 195
- Engineered nanomaterials (ENMs)
  - classes, 268–269
  - roles, 185
  - uptake, translocation and accumulation
    - carbon-based NPs, 201–208
    - metal-based nanoparticles (*see* Metal-based nanoparticles (MBNPs))
- Engineered nanoparticles (ENPs), 16, 95, 268
  - carbon-based nanomaterials
    - CNTs effects, 110
    - fullerol, 112
    - limitation, 109–110
    - MWCNTs, 109–112
    - SWCNTs, 109–112
  - classification, 156
  - metallic nanoparticles, effects
    - gold nanoparticles, 97–98
    - silver nanoparticles, 98–100
  - metal oxide effects
    - Al<sub>2</sub>O<sub>3</sub>, 102
    - CeO<sub>2</sub>, 107–108
    - CuO, 108
    - magnetite NPs, 108–109
    - phytotoxicity, 102
    - SiO<sub>2</sub>, 104–106
    - TiO<sub>2</sub>, 101–102
    - ZnO NPs, 102–104
  - plant–nanoparticle interactions (*see* Plant–nanoparticle interactions)
  - positive effects of, 220–221
  - use of, 95
- Environmental hazards, NPs
  - air and atmosphere, 354
  - aquatic systems, 353–354
  - soil, 352–353
- Eruca sativa*, 172
- Essential oil, 241
- Exfoliated nanocomposites, 291
- Extended X-ray absorption fine structure (EXAFS), 49

**F**

- Faba bean (*Vicia faba*), 166
  - Fagopyrum esculentum*, 343
  - Field flow fractionation inductively coupled plasma mass spectrometry (FFF-ICP-MS), 44, 46
  - Flavonoids, 246–247
  - Flocculated nanocomposites, 291
  - Fluorescein isothiocyanate (FITC), 109, 258
  - Fourier-transformed infrared spectroscopy (FTIR) spectroscopy, 203–207, 289, 290
  - Fullerene C<sub>70</sub>, 4, 5, 9, 23, 31, 185, 313
  - Fullerene soot (FS), 8, 168
  - Fullerenes, 21, 22, 30, 111, 156, 201–203, 257, 264, 268, 339, 341, 352
  - Fullerol, 5, 9, 23, 112, 184, 201, 203–207, 226–228, 241, 313, 339, 342
- G**
- Gas chromatography/isotope dilution mass spectrometry (GC/IDMS), 209
  - Gas-phase synthesis methods, 16
  - Gelatin, 22
  - Gene expression analysis, 141, 166, 174
  - Genetic material delivery, 260
    - carbon nanotubes, 258–259
    - DNA and RNA into cell wall, 258
    - metal-based nanomaterials, 259
    - MSNS, biolistic delivery of, 258
    - polymer nanoparticles, 260
  - Genome-wide expression analyses, 174
  - Genotoxicity, 355
  - Germin-like protein from rice (OsGLP1), 9
  - Gold nanoparticles (Au NPs), in plant
    - biochemical parameters, 137
    - characterization of, 17, 18
    - growth, 133
    - Indian mustard, 98
    - photosynthetic systems, 140–141
    - seed germination, 126
    - tobacco and wheat, 98
    - uptake and distribution in plant species, 97
  - Gold nanorods, 368
  - Graphene oxide (GO), 136
    - DNA-directed silver NPs on, 315
    - effect on seed germination and development in *Arabidopsis*, 68, 69
    - exposure, 170
  - Green Revolution Technologies, 332
  - Growth parameters of plants, NPs
    - carbon materials, 131–132
    - characteristics, 127
    - metal nanoparticles, 133–134

Growth parameters of plants, NPs (*cont.*)  
 oxide nanoparticles, 127, 131  
 positive and negative effect, 127–130  
 Gum, 241

## H

Heat shock protein 70 (HSP 70), 173  
 He–Ne laser irradiation, 239  
 High-resolution TEM (HRTEM), 41  
 Human health, NPs impacts  
 dermal exposure, 356  
 digestive system, 357–358  
 respiration system, 355–356  
 Hydroxyapatite (HAP) NPs, 7, 134, 287  
*Hypericum perforatum*, 245

## I

Indian mustard (*Brassica juncea*), 9, 98, 126, 158, 195, 200, 229  
 Inductively coupled plasma (ICP), 43  
 Inductively coupled plasma optical emission spectrometry (ICP-OES), 84  
 Intercalated nanocomposites, 290  
 International Center for Technology Assessment (ICTA), 314  
 Iron oxide ( $\text{Fe}_3\text{O}_4$ ) nanoparticles, 343, 350  
 plant biomass and yield, NP-mediated enhancement of, 239  
 uptake, transport and accumulation, NPs, 199

## J

Jasmonate (JA), 246  
 Joint Committee on Powder Diffraction Standards–International Center for Diffraction Data (JCPDS-ICDD) system, 19

## K

Kaolin clay mineral, 333

## L

Laser ablation (LA-ICP-MS), 45  
 Layered double hydroxide (LDH), 291  
 Lettuce (*Lactuca sativa*), 47, 67, 98, 110, 122, 158, 196, 222  
 Light-harvesting complex II (LHC II), 139, 168  
 Light (optical) microscopy imaging  
 confocal microscopy, 33, 36, 37  
 vs. electron microscopy imaging, 32–33  
 examples, 33–35  
 TPTEM, 36–38  
 variants, 32–33

## M

Magnetite NPs ( $\text{Fe}_3\text{O}_4$ ), 9, 156, 199, 266  
 effects on plant, 108–109  
 Maize (*Zea mays*), 5, 36, 67, 98, 107, 122, 190, 192, 222, 258, 317  
 Manufactured nanomaterials (MNMs)  
 contamination food with, 30  
 detect metal-bases, 31  
 -loaded biosolids, 30  
 properties, 30  
 uptake, translocation and accumulation in plants (*see* Uptake, translocation and accumulation, MNMs)  
 use of, 30  
 Mass spectrometry (MS), 43, 44, 161, 171  
*Medicago truncatula*, 167  
 Mesoporous silica nanoparticle system (MSNS), 191–192, 258, 317  
 Mesoporous silica system (MSNs), 369  
 Metal-based nanomaterials (MBNs)  
 genetic material delivery, 259  
 toxicity of, 368  
 Metal-based nanoparticles (MBNPs), 352–353  
 plant biomass and yield, NP-mediated enhancement of, 228–233  
 uptake, translocation, accumulation, transformation and general transmission, ENMs  
 aluminum-based NPs, 200  
 cerium-based NPs, 196–199  
 copper-based NPs, 195  
 Fe and Mn, 200  
 iron-based NPs, 199  
 nickel-based NPs, 199–200  
 silica-based NPs, 191–193  
 silver-based NPs, 195–196  
 titanium-based NPs, 194  
 zinc-based NPs, 194–195  
 Metallic nanoparticles, 20  
 effects in plant system  
 gold nanoparticles, 97–98  
 silver nanoparticles, 98–100  
 Metallothionein (*MT*) gene, 166  
 Metal oxide nanoparticles, 20  
 $\text{Al}_2\text{O}_3$ , 102  
 $\text{CeO}_2$ , 107–108  
 $\text{CuO}$ , 108  
 magnetite NPs, 108–109  
 phytotoxicity, 102  
 plant biomass and yield, NP-mediated enhancement of, 233–239  
 $\text{SiO}_2$ , 104–106  
 $\text{TiO}_2$ , 101–102  
 $\text{ZnO}$  NPs, 102–104

- Methyl jasmonate (MeJA), 247
- Micro-particle-induced X-ray emission ( $\mu$ -PIXE) technique, 31, 50–51
- Micro-X-ray fluorescence ( $\mu$ -XRF), 31, 47–48
- Mono-ammonium phosphate (MAP), 286
- Montmorillonite (MMT), 291
- Multiwalled carbon nanotubes (MWCNTs), 4, 6, 9–10, 31, 67, 223, 226, 227, 322, 341, 352
- antibacterial effect, 357
  - effects
    - FITC-labeled, 111
    - improved water delivery, 110
    - on red spinach, 110
    - seed germination, 110
    - uptake of weathered pesticides, 112
  - genetic material delivery, 259
  - nanotoxicogenomics in plants, 168–170
  - plant system
    - biochemical parameters, 136
    - growth, 131
    - seed germination, 124, 126
  - uptake, translocation, accumulation, transformation and general transmission, NPs, 207–208
- Mung bean (*Vigna radiata*), 36, 69, 72, 99, 131, 133, 141, 159, 195, 200, 220, 230, 235
- Muskmelon (*Cucumis melo*), 109
- Mustard (*Brassica nigra*), 110, 137
- MWCNTs. *See* Multiwalled carbon nanotubes (MWCNTs)
- N**
- Nano-anatase TiO<sub>2</sub>, 00
- antioxidant stress, 136
  - enzyme activities of NH<sub>4</sub><sup>+</sup>, 144
  - growth on spinach, 142
  - light-harvesting complex in plants, 139
- Nanobiosensors, 156, 288, 336
- Nanocarriers, 257, 265, 293
- Nanocomposites
- characteristics, 289
  - clay–polymer morphologies, 290, 291
  - coating and binding of, 291
  - definition, 289
  - exfoliated, 291
  - flocculated, 291
  - intercalated, 290
  - intercalation of urea, 291–292
  - polymer, 289
  - slow-/controlled-release fertilizers effect, 292
- Nanodelivery. *See* Genetic material delivery
- Nano-encapsulated fertilizers, 265, 288–289
- Nanofabrication, 332
- Nanofertilizers, 238, 239
- soils, NPs in, 264
    - application, 279
    - controlled-release mechanism (*see* Controlled-release (CR) fertilizer system)
    - crop production, 278
    - feature, 279
    - formulations, 280
    - nitrogenous fertilizer, 278
    - nutrient carriers, 278
    - slow/controlled-release, 280–281
    - use of, 279
- Nanomaterials (NMs), 2
- advantages over bulk material, 332
  - classes of, 268–269
  - clay minerals
    - manipulation of bonds, 334
    - nanofabrication with, 332–334
  - exposure to plants, 65–66
    - bioavailability, 66
    - biolistics approach, 85–86
    - cells, 74–75
    - direct injection into tissues, 79, 82
    - foliar application, 86
    - hydroponic treatment, 75–81, 87
    - mode of exposure, 66
    - pollen, 73–74
    - roots of seedlings, 69, 71–73
    - seeds, 67–71
    - spraying technique, 82–85
  - phytotoxicity, 159–160
  - in plants, 339–340
  - in soils, 337–338
- Nanoparticle-mediated enhancement
- plant biomass and yield
    - carbon nanomaterials, 226–228
    - iron oxide nanoparticles with irradiation, 239
    - metal-based nanoparticles, 228–233
    - metal oxide nanoparticles, 233–239
  - of secondary metabolites
    - in vitro treatment, 242–247
    - in vivo treatment, 240–241
- Nanoparticle properties
- chemical properties, 16
    - carbon nanoparticles, 21–22
    - metallic nanoparticles, 20
    - metal oxide NPs, 20
    - polymeric nanoparticles, 22
    - quantum dots, 21
  - physical properties, 16, 17

- size and shapes, 17, 18
- structural and species specifics, 19
- surface and size distribution, 17, 19
- Nanoparticles (NPs)
  - accidental NPs, 268
  - in agriculture, medicine and environment, 3–4
  - applications, 23
    - agriculture, 350
    - biotechnological, 349–350
    - environment, 350
  - beneficial role, 221–222
  - characteristics, 269–270, 350
  - chemical properties (*see also* Nanoparticle properties), 16
  - classification, 2, 268
  - composite of, 4
  - current compliances, 358–359
  - definition, 2, 15, 264
  - effect on gene expression, 8–9
  - environmental impact on (*see also* Nanoparticles (NPs), impact on), 157
  - functions, 156
  - impact on plants (*see* Nanoparticles (NPs), impact on)
  - as ‘magic bullets’, 306
  - manufactured NPs (MNPs), 268, 274
  - merits and demerits, 23
  - physical properties (*see also* Nanoparticle properties), 16, 17
  - plant growth on exposure to, 222
  - in plant protection, 318–320
  - on plant system (*see* Plant physiology, NPs)
  - plants uptake, 95–96
  - in soils
    - adsorbents, 264
    - ecotoxicological impacts, 292–293
    - iron oxides, 266
    - migration pathways, 266, 267
    - nanofertilizers, 264
    - nutrients, 265
    - organic NPs, 266
    - XRD patterns for ferrihydrites particle, 266, 267
  - synthesis, 15–16
  - toxicity, 358
  - transgenerational transmission, 208–209
  - translocation and accumulation in plant tissues and organs, 9–11
  - types, 4–6, 16
  - uptake, transport and accumulation of (*see* Uptake, translocation and accumulation, MNMs)
- Nanoparticles (NPs), impact on
  - environmental impact on, 157
    - air and atmosphere, 354
    - aquatic systems, 353–354
    - exposure models, 352
    - soil, 352–353
  - impact on plants
    - carbon-based NPs, 340–342
    - cerium oxide, 344
    - germination and seedling, 6–7
    - iron oxide, 343
    - metal- and metal oxide-based nanomaterials, 342
    - TiO<sub>2</sub> NPs, 342
    - Zn/ZnO nanoparticles, 342–343
- Nanoporous zeolites (NZ), 281, 283–286
- Nanoproducts, 258–259
- Nanoscale carriers, 265, 278, 340
- Nanoscale zerovalent iron (nZVI), 278
- Nanosensors, 156, 308, 309, 321, 369
- Nanosilica, 238, 320, 369
- Nanosilver, 100, 223, 243, 269
  - effect on borage plant, 230
  - plant protection, 313–315
- Nano-SiO<sub>2</sub>, 7, 104, 106, 159, 238, 357
- Nanosized Ag–silica hybrid (NSS) complex, 166
- Nano-sized hydroxyapatite (NHA), 287
- Nanotechnology, 120, 220–221, 248–249
  - advantages in plant protection, 321
  - application in agriculture, 330
  - biosafety, 338
  - crop improvement tool, 156
  - definition, 2, 331
  - in environmental cleanup operation, 338–339
  - environmental compliance, 338
  - Green Revolution Technologies limitations, 332
  - nanomaterials (*see* Nanomaterials (NMs))
  - risks and benefits, 334
  - socioeconomic value of, 359
  - in soil–plant system
    - fabricating novel fertilizer materials, 337
    - nutrient use efficiency, 335–336
    - in salt-affected soils, 336–337
    - slow/controlled-release nanofertilizers, 336
- Nanotoxicogenomics
  - Ag NPs, 161, 166–167
  - Al<sub>2</sub> O<sub>3</sub>, 170
  - CeO<sub>2</sub>, 171
  - CNTs, 168–170

- CuO NPs, 170
  - description, 160
  - in ecotoxicology, 160
  - ENPs molecular mechanisms, 160, 161
  - gene expression analyses in plants, 161–165
  - GO exposure, 170
  - quantum dots, 170
  - in risk assessment, 160
  - TiO<sub>2</sub> NPs, 167–168
  - transcriptional analyses, 160–161
  - ZnO NPs, 168, 169
- Nanotoxicoproteomics, 171–173
- Nano zerovalent iron (nZVI), 141–142
- National Institute for Occupational Safety and Health (NIOSH), 358, 359
- Natural nanoparticles, 268
- Natural organic matter (NOM), 201, 274
- Natural polymers, 22
- Next-generation sequencing (NGS) techniques, 175
- Nickel-based NPs (Ni(OH)<sub>2</sub> NPs), 199–200
- 9-cis-epoxycarotenoid dioxygenase 3 (NCED3), 143
- Non-engineered NPs, 16
- Nutrients delivery. *See* Controlled-release (CR) fertilizer system
- O**
- Okra (*Abelmoschus esculentus*), 110
- Onion (*Allium cepa*), 76, 110, 122, 158, 202, 209, 222, 259, 322, 343
- Optical emission spectrometry (OES), 44
- Orgam Biomix, 69
- Orobanch* spp., 310
- Oxidative stress, 100, 108, 111
- P**
- Parsley (*Petroselinum crispum*), 127
- Perchloric acid-coated magnetic NPs, 133
- Periwinkle (*Catharanthus roseus*), 111
- Pesticides, 3, 83, 87, 112, 119, 120, 221, 265, 278, 306, 308–310, 314, 316, 320, 332, 352, 368
- Phenols, 244–247
- Phenyl propanoids, 247
- Photosynthesis
  - carbon materials, 140
  - metal nanoparticles, 140–141
  - oxide nanoparticles, 139–140
  - positive and negative effect, 137–138
- Phytotoxicity
  - Ag NPs, 98, 99, 158
  - metal oxides, 102
  - SiO<sub>2</sub>, 104
  - ZnO NPs, 104
- in NPs on food and agricultural crops, 105–106
- risk of, 156–157
- silica nanoparticles, 158
- Ti NPs, 127
- ZnO NPs, 158
- Plant disease
  - causing factors
    - climate change on, 308
    - equilateral triangle, 307
    - fungal pathogens, 307–308
  - control
    - carbon nanotubes, 310–313
    - mesoporous silica nanoparticles, 317
    - nanoalumino-silicate, 316
    - nanosilica-silver composite, 315–316
    - nanosilver, 313–315
    - nanotechnological application, 310
    - pesticides, 320–321
    - sulfonylurea herbicides, 310
    - synthesis of NPs, 317
  - crop loss cost, 305–306
  - detecting and diagnosing tool
    - biosensors, 310
    - micoarrays, 309
    - micromechanical cantilever arrays, 309
    - nanochips, 309
    - nanosensor, 308–309
    - SPR, 309
  - by parasitic and nonparasitic agents, 305
  - prevention of, 319–320
- Plant genetic engineering, 369
- Plant–nanoparticle interactions, 52–55, 367–368 *See also* Plant physiology, NPs
- future perspectives, 174–175
- molecular mechanism
  - mode of action of NPs, 160
  - nanotoxicogenomics (*see* Nanotoxicogenomics)
  - nanotoxicoproteomics, 171–173
- phytotoxicity, 157–158
- Plant physiology, NPs
  - biochemical parameters
    - carbon materials, 136
    - metal nanoparticles, 137
    - oxide nanoparticles, 134–136
  - growth parameters
    - carbon materials, 131–132
    - examples, 127–129
    - metal nanoparticles, 133–134
    - oxide nanoparticles, 127, 131

- Plant physiology, NPs (*cont.*)  
 multifarious determining factors, 144–145  
 nZVI, 141–142  
 in photosynthesis  
   carbon materials, 140  
   metal nanoparticles, 140–141  
   oxide nanoparticles, 139–140  
   positive and negative effect, 137–138  
 seed germination  
   carbon materials, 124, 126  
   metal nanoparticles, 126  
   oxide nanoparticles, 122–125  
   positive and negative effect, 123–124
- Plant protection, NPs, 318–320
- Plant transformation technique, 260
- Polyacrylamide, 22
- Polyacrylate, 22
- Polycaprolactone, 22
- Polyketides, 245–246
- Poly(L-lactide) (PLA), 22
- Polymeric nanoparticles, 22
- Porous hollow silica nanoparticles (PHSN), 3
- Primary metabolites, 239
- Purple broad bean (*Vicia narbonensis*), 167
- Q**
- Quantitative proteomic approaches, 175
- Quantitative real-time polymerase chain reaction (qRT-PCR), 160, 161, 244
- Quantum dots (QDs), 21, 127, 170, 350
- R**
- Raman spectroscopy, 56
- Random amplified polymorphic DNA (RAPD) assay, 171, 208
- Rare earth element (RER) NPs, 171
- Reactive oxygen species (ROS), 5, 102, 135, 140, 158, 160, 170, 172, 230, 322, 339
- Real-time PCR analysis, 166
- Redox reactions, 332
- Red spinach (*Amaranthus dubius*), 110
- Resins, 241
- Rice (*Oryza sativa*), 110, 126  
   Ag NPs, 158  
   CB NPs translocation on, 9  
   gel-based proteomic analysis, 172  
   gold nanoparticles effect, 97  
   NOM generational transmission on, 68  
   TiO<sub>2</sub> NPs, 234
- Root growth  
 inhibition, 97, 104  
 nanoscale ZnO effect on, 102  
 promotion, 100, 107
- SWCNTs on, 110
- ROS. *See* Reactive oxygen species (ROS)
- S**
- Saffron (*Crocus sativus*), 137
- Salicylic acid (SA), 167
- Saponins, 247
- Scanning electron microscopy (SEM) imaging, 17, 31, 39–40, 190, 195, 288
- Scanning transmission electron microscopy (STEM), 42  
 NPs in sunflower leaves, 199  
 radish, 195
- Secondary metabolites enhancement  
 classification, 239  
 defensive properties, 242  
 economic advantage, 242  
 elicitation of, 242  
 plant products, 239  
 in vitro condition  
   phenols, 244–247  
   terpenoids, 243–244  
 in vivo treatment  
   essential oil, 241  
   gum and resins, 241  
   phytomedicines, 240–241
- Seed germination, 107, 112  
 carbon materials, 124, 126  
 effect on Au NP-induced lily, 122, 125  
 metal nanoparticles, 126  
 metal oxides effects on, 102  
 MWCNTs on, 110  
 oxide nanoparticles, 122–125  
 positive and negative effect, 123–124  
 rice, 104  
 tests, 98, 99
- Sheath blight (*Rhizoctonia solani*), 308
- Silica NPs (SiO<sub>2</sub> NPs)  
 plant system  
   biochemical parameters, 134  
   photosynthetic systems, 140–141  
   plant growth enhancement, 127  
   seed germination, 122  
 uptake, transport and accumulation, NPs, 191–193
- Silica (SBA)–photosystem II (PSII) complex, 139
- Silver nanoparticles (Ag NPs)  
 barley, 98, 99  
 bean and maize, 98–99  
 borage, 223  
 cabbage, 99–100  
 cucumber, 98  
 effect on secondary metabolites, 247



- flax, 99
- gene expression with *Arabidopsis*, 100
- greenhouse-grown radish, 98
- Italian ryegrass, 99
- lettuce, 98
- morphology, 100
- mung bean, 99
- nanotoxicogenomics in plants
  - DNA damage, 166
  - gene expression analyses, 166
  - genotoxic in plant cells, 161
  - glucosinolates and phenolics biosynthesis, 167
  - transcriptional modulation, 166
- phytotoxicity, 98, 99
- plant disease prevention, 369
- plant system
  - biochemical parameters, 137
  - growth, 133
  - seed germination, 126
- poplars, 99
- ryegrass, 99
- sorghum, 99
- uptake, transport and accumulation, NPs, 195–196
- Single-particle inductively coupled plasma-mass spectrometry (SP-ICP-MS) analysis, 44–45, 77
- Single-walled carbon nanohorns (SWCNHs), 259
- Single-walled carbon nanotubes (SWCNTs), 4, 5, 9–10, 31, 74, 226–227, 341, 352, 369
  - effects
    - cellular responses, 111
    - effects on crop plants, 110
    - FITC-labeled, 111
  - genetic material delivery, 258–259
  - nanotoxicogenomics, 168
  - plant system
    - photosynthesis, 140
    - seed germination, 126
  - uptake, translocation, accumulation, transformation and general transmission, NPs, 205–207
- Slow-release fertilizers, 280–281, 288–289
- Smart delivery systems, 265
- Soil–plant system, nanotechnology in
  - fabricating novel fertilizer materials, 337
  - nutrient use efficiency, 335–336
  - in salt-affected soils, 336–337
  - slow/controlled release-nanofertilizers, 336
- Soils, NPs in
  - adsorbents, 264
  - colloidal inorganic nanoparticles
    - aggregation/agglomeration process, 272
    - application, 271
    - bioavailability, 272–273
    - reactivity of, 271–272
  - ecotoxicological impacts, 292–293
  - interaction with plant roots, 96
  - iron oxides, 266
  - migration pathways, 266, 267
  - mobility, 275–278
  - nanofertilizers delivery, 264
    - controlled-release mechanism (*see* Controlled-release (CR) fertilizer system)
    - nanocomposites (*see* Nanocomposites)
    - nitrogenous fertilizer, 278
    - nutrient carriers, 278
    - slow/controlled-release, 280–281
    - use of, 279
  - nutrients, 265
  - organic matter on delivery
    - dissolved, 274
    - natural, 274
    - retention of AgNP, 273
    - sorption of humic substances, 273, 274
  - organic NPs, 266
  - XRD patterns for ferrihydrites particle, 266, 267
- Soybean, 111
- Spectroscopy methods
  - atomic spectroscopy (*see* Atomic spectroscopy)
  - definition, 43
  - $\mu$ -PIXE technique, 50–51
  - photothermal and photoacoustic scanning cytometry, 56
  - Raman spectroscopy, 56
  - synchrotron radiation techniques, 46–50
- Sulfonylurea herbicides, 310
- Sunflower (*Helianthus annuus*), 108, 140
- Superoxide dismutase (SOD) enzyme, 8, 9, 134, 136, 170, 172
- Superparamagnetic iron oxide NPs (SPIONs), 140
- Surface plasmon resonance (SPR), 309
- Surfactant-modified zeolite (SMZ), 286
- SWCNTs. *See* Single-walled carbon nanotubes (SWCNTs)
- Synchrotron radiation (SR) techniques
  - advantages, 46
  - $\mu$ -XRF, 47–48
  - synchrotron-based X-ray microscopy and tomography, 50
  - tunability of, 46

- Synchrotron radiation (SR) techniques (*cont.*)  
 use of, 47  
 XAS, 48–50  
 Syngenta's Banner MAXX, 319
- T**
- Temple Northeastern–Birmingham  
 (TNB) model, 202
- Terpenoids, 243–244, 247
- Tetramethylammonium hydroxide (TMA-OH)-  
 coated magnetic NPs, 141
- Thiobarbituric acid reactive species (TBARS),  
 135
- Titanium oxide nanoparticles (TiO<sub>2</sub> NPs), 342  
 nanotoxicogenomics in plants, 167  
 plant system  
 biochemical parameters, 136  
 growth enhancement, 127  
 photosynthesis, 139  
 seed germination, 122, 124
- TMAPS/F-MSNs (*N*-trimethoxysilylpropyl-N,  
*N,N*-trimethylammonium chloride  
 labeled MSNs), 192
- Tobacco (*Nicotiana glauca*), 4, 45, 97, 98, 159,  
 207, 317
- Tomato (*Solanum lycopersicum*), 5, 102, 110,  
 111, 122, 158, 196, 222
- Top-down approach, 334
- Trangenerational transmission, NPs, 208–209
- Transmission electron microscopy (TEM), 31,  
 41–42, 187, 259  
*Arabidopsis* root tissue, 192, 193  
*B. campestris* roots, 197  
 cell wall, 204  
 Ce uptake, 84  
 C<sub>70</sub> particles in leaf cell, 203  
 nano-sized hydroxyapatite, 287  
 Pt NPs, 200  
 ryegrass, 187  
*V. radiata* roots, 196
- Transmission X-ray microscopy (TXM), 31, 50
- Tufenkji–Elimelech filtration model, 277
- TUNEL assay, 166
- Two-photon excitation microscopy (TPEM),  
 33, 36–38
- Type 2 peroxiredoxin (PRX), 172
- U**
- United States Environmental Protection  
 Agency (US EPA), 156, 160, 174,  
 358
- Unmodified alumina NPs, 133
- Uptake, translocation and accumulation,  
 MNMs
- biophysical detection methods, in plants, 56  
 atomic force microscopy, 37–39  
 electron microscopy, 39  
 light (optical) microscopy, 32–33  
 spectroscopy methods (*see*  
 Spectroscopy methods)
- engineered nanomaterials in plants, 191  
 aluminum-based NPs, 200  
 carbon-based NPs (*see* Carbon-based  
 nanoparticles (CB NPs))  
 cerium-based NPs, 196–199  
 copper-based NPs, 195  
 Fe and Mn, 200  
 iron-based NPs, 199  
 nickel-based NPs, 199–200  
 silica-based NPs, 191–193  
 silver-based NPs, 195–196  
 titanium-based NPs, 194  
 zinc-based NPs, 194–195
- nanoparticles  
 aquaporins, 187, 190, 210  
 essentiality vs. nonessentiality, 210  
 metal-based NPs and carbon-based NPs,  
 186–187  
 mobilization/remobilization  
 mechanisms, 185–186, 210  
 NP–plant interaction, 210  
 selectivity, 187, 210  
 size and charge, 210  
 TMAPS/F-MSNs, 188–189  
 xylem anatomy, 186–188, 210
- US Department of Agriculture (USDA-NIFA),  
 358
- V**
- Vacuolar-type proton ATPase (VATPase), 172
- Verrucomicrobia*, 110
- Vibrating sample magnetometer (VSM), 30
- W**
- Wheat (*Triticum aestivum*), 5, 36, 41, 73, 98,  
 122, 158, 190, 192, 222, 309
- X**
- X-ray absorption near edge structure  
 (XANES), 31, 49, 199–200
- X-ray absorption spectroscopy (XAS), 48–50
- X-ray diffraction (XRD), 19
- Y**
- Yield, 4, 7, 11
- Young's modulus, 21

**Z**

- Zeolites (Z), 281, 283–286
- Zinc oxide nanoparticles (ZnO NPs), 342–343  
nanotoxicogenomics, 168, 169  
in plant system  
    biochemical parameters, 134–135  
    growth and development, 102–104  
    nutritional value of soybean, 143  
    seed germination, 122  
    transgenerational transmission of NP,  
    208–209  
    uptake, translocation and accumulation,  
    194–195
- Zucchini (*Cucurbita pepo*), 67, 111, 122, 158,  
190, 195, 319, 344