

Service Part

Index – 201



Index

A

- Action potential, 9, 11, 12, 15, 178
- Additives
 - preservatives, 49
 - topical anaesthetics, 49–50
 - vasoconstrictors, 48–49
- Adrenaline. *See* Epinephrine
- Allergic reactions, 167
 - delayed-type hypersensitivity reactions, 168
 - immediate-type hypersensitivity reactions, 168
 - strategy, suspected allergy, 170–171
 - treatment, 169–170
- Allergy, 194
- Alveolar nerve, 27
- Amide-type anaesthetics, 39, 163
- Anaesthetic techniques
 - infraorbital nerve block, 106
 - interpapillary anaesthesia, 138–140
 - intraligamental anaesthesia, 54, 56, 62, 120, 136, 141–144, 179, 192
 - intraosseous anaesthesia, 115–118, 120
 - mandibular block anaesthesia
 - Gow-Gates technique, 109–110
 - Vazirani-Akinosi technique, 111
 - maxillary nerve block
 - greater palatine foramen block, 104–106
 - high tuberosity anaesthesia, 104, 105
 - mental nerve block, 108–109
 - nasopalatine nerve block, 106–108
 - palatal anaesthesia, 138–140
 - topical anaesthesia, 49–50, 63, 136–138, 189
- Anaphylactic shock, 169
- Anterior superior alveolar nerve, 24, 70, 72, 76
- Antipsychotics, 184
- Articaine, 40, 44, 182
- Auriculotemporal nerve, 27, 29, 33, 35
- Auto-aspirating syringes, 60

B

- β -blockers, 183–184
- Bilateral mandibular block anaesthesia, 91–92
- Bisulphite, 49
- Bleeding tendency, increased, 180–181
- Brain haemorrhage, 196–197
- Buccal infiltration anaesthesia, 74, 77, 90, 93
- Buccal nerve, 20, 27, 30
- Buccinator muscle, 34
- Bupivacaine, 39, 44

C

- Canines
 - lower jaw
 - anatomical aspects, 88–90
 - indication, 90
 - technique, 91–92
 - upper jaw
 - anatomical aspects, 71, 72
 - indication, 73
 - technique, 74–75
- Cardiovascular disease, 178–179
- Cartridges, 54–56
- Cell membrane stabilising medication, 183
- Central nervous system, 164–165
- Cerebrovascular accident (CVA), 180
- C fibres, 2, 4, 5, 17
- Chorda tympani, 20, 27, 29
- Civil law court, legal aspects, 187
- Cocaine, 184
- Compudent®, 120
- Conduction blockade, 44
- Contact eczema, 168
- Continuous conduction, 12–14
- Cranial nerve, 23
- Criminal court, legal aspects, 187
- CVA. *See* Cerebrovascular accident (CVA)

D

- Deep temporal nerves, 27, 35
- Delayed-type hypersensitivity reactions, 168

- Dental assistant, 189
- Dental hygienists, 189
- Dental Practitioners Registration Act, 189
- Diabetes mellitus, 181
- Diazepam, 183
- Diffusion, 43
- Direct oral anticoagulants (DOACs), 180
- Direct technique, lower jaw, 94
 - anatomical structures, 94–95
 - mandibular block anaesthesia, 96–99
 - two-sided mandibular block, 100
- Disciplinary board, 186–187

E

- Epinephrine, 48, 164, 167, 178–181, 184
- Ester anaesthetics, 47–48
- External carotid artery, 29, 33, 35

F

- Facial nerve, 20, 27, 29, 33
- Felypressin, 49, 166, 183
- Frontal nerve, 20, 24

G

- Glossopharyngeal nerve, 30
- Glottic oedema, 168, 169
- Gow-Gates technique, 109–110
- Greater palatine artery, 32
- Greater palatine nerve, 25, 30, 32, 72, 77
 - foramen block, 104–106
- Greater petrosal nerve, 29

H

- Haematoma formation, 157–158
- Haemorrhagic diathesis. *See* Bleeding tendency, increased
- High tuberosity anaesthesia, 104, 105
- Horner syndrome, 154
- Hydrochloric acid (HCl), 40
- Hypertension, 179–180
- Hyperthyroidism, 181–182

Hyperventilation syndrome, 162–163
 Hypoglossal nerve, 27
 Hypoproteinaemia, 182

I
 Immediate-type hypersensitivity reactions, 168
 Impacted third molar, upper jaw
 – anatomical aspects, 84
 – indication, 84
 – technique, 85
 Incisive nerve, 28, 90
 Incisors
 – lower jaw
 – anatomical aspects, 88–90
 – indication, 90
 – technique, 91–92
 – upper jaw
 – anatomical aspects, 71, 72
 – indication, 73
 – technique, 74–75
 Indirect technique, lower jaw, 94
 – anatomical structures, 94–95
 – mandibular block anaesthesia, 96–99
 – two-sided mandibular block, 100
 Infection, 158–159
 Inferior alveolar artery, 33, 35
 Inferior alveolar nerve, 20, 27–30, 33, 35, 89, 90, 100
 Infiltration anaesthesia, 53, 71, 74, 81, 82, 90, 91, 93, 138–140
 Informed consent, 190–192
 Infraorbital nerve, 20, 24, 28, 30, 35, 70, 72
 – block, 106
 Infratemporal fossa, 33–36
 Insulin-dependent diabetics, 181
 Interpapillary anaesthesia, 138–140
 Intra-arterial injections, 153
 Intraligamental anaesthesia, 54, 56, 62, 120, 136, 141–144, 179, 192
 Intraligamental needle, 57
 Intraligamental syringe, 62
 Ion channels, 8–9

L
 Lacrimal nerve, 20, 24
 Laryngeal oedema, 168
 Lateral pterygoid muscle, 27, 29, 33, 35
 Legal aspects, local anaesthesia
 – dentist, 188–189
 – faulty injection/insufficient anaesthesia, 192–194

– informed consent, 190–192
 – insufficient caution, 197
 – judges and courts, 186–188
 – legal problems, avoiding, 197–198
 – medical complications, 194–197
 – paramedics, 189–190
 Lesser palatine arteries, 32
 Lesser palatine nerves, 25, 30, 32
 Lidocaine, 38, 39, 50
 Ligand-gated channels, 9
 Lingual anaesthesia, 91
 Lingual nerve, 20, 27, 29, 30, 33, 35, 89, 102
 Liver diseases, 181
 Local anaesthesia, 38
 – additives
 – preservatives, 49
 – topical anaesthetics, 49–50
 – vasoconstrictors, 48–49
 – in children, 126–129
 – anaesthesia, preparation for, 130–134
 – anaesthetic fluid, amount of, 144
 – child-friendly procedure, 134–135
 – complications, mandibular block anaesthesia, 145–146
 – infiltration anaesthesia, 138–140
 – intraligamental anaesthesia, 141–143
 – mandibular block anaesthesia, 140–142
 – microprocessor-controlled anaesthesia, 143–144
 – observation, 145
 – security and support, 129–130
 – topical anaesthesia, 136–138
 – warning, 135–136
 – classification, 38–40
 – effectiveness, verification of, 65–66
 – indications and contraindications, 52–54
 – injection techniques, 66–67
 – instruments
 – cartridges, 54–56
 – needles, 56–57
 – syringe (*see* Syringe)
 – legal aspects of
 – dentist, 188–189
 – faulty injection/insufficient anaesthesia, 192–194
 – informed consent, 190–192
 – insufficient caution, 197
 – judges and courts, 186–188
 – legal problems, avoiding, 197–198
 – medical complications, 194–197
 – paramedics, 189–190
 – lower jaw, 88
 – direct and indirect technique, 94–100
 – incisors and canines, 88–92
 – molars, 100–101
 – premolars, 92–94
 – selective anaesthesia, 102
 – third molars, 101, 102
 – patient and dentist, position of, 64–65
 – patients at risk
 – cardiovascular disease, 178–179
 – CVA, 180
 – diabetes mellitus, 181
 – hypertension, 179–180
 – hyperthyroidism, 181–182
 – hypoproteinaemia, 182
 – increased bleeding tendency, 180–181
 – liver diseases, 181
 – medication use, 183–184
 – pregnancy, 182–183
 – pharmacodynamics, 40
 – pharmacokinetics
 – diffusion, 43
 – enhanced local elimination, 46–47
 – local elimination, 45–46
 – mode of action, 43–44
 – onset time and duration of action, 44–45
 – physical-chemical characteristics, 40–42
 – protein binding, 44
 – systemic elimination, 47–48
 – recommendations, 174–177
 – upper jaw
 – impacted third molar, 84–85
 – incisors and canines, 71–75
 – molars, 79–84
 – premolars, 76–79
 – selective anaesthesia of, 79
 – sensory innervation, 70
 Local complications
 – excessive spread, anaesthesia, 152–154
 – haematoma formation and trismus, 157–158
 – iatrogenic damage and self-inflicted damage, anaesthetised tissues, 154, 155
 – infection, 158–159
 – insufficient anaesthesia, 151–152
 – needle breakage, 148–150
 – pain during administration, 151
 – persistent sensitivity disorders, 155, 156
 – tissue necrosis, 156–157
 Lower jaw, local anaesthesia, 88
 – direct and indirect technique, 94

Index

- anatomical structures, 94–95
- mandibular block anaesthesia, 96–99
- two-sided mandibular block, 100
- incisors and canines
 - anatomical aspects, 88–90
 - indication, 90
 - technique, 91–92
- molars
 - anatomical aspects, 100
 - indication, 101
 - technique, 101
- premolars
 - anatomical aspects, 92–93
 - indication, 93
 - technical aspects, 94
- selective anaesthesia, 102
- third molars, 101, 102

M

- Mandibular block anaesthesia, 96, 140–142
- complications, 145–146
 - Gow-Gates technique, 109–110
 - nerve damage, 130–132
 - Vazirani-Akinosi technique, 111
- Mandibular nerve, 20, 21, 23, 24, 26–30, 33, 89
- Mandibular ramus, 33
- Masseteric nerve, 35
- Masseter muscle, 33
- Maxillary artery, 27, 33, 35
- Maxillary nerve, 20, 21, 24, 25, 28, 29, 70
- greater palatine foramen block, 104–106
 - high tuberosity anaesthesia, 104, 105
- Medial pterygoid muscle, 27, 29, 33–35
- Medulla oblongata, 23
- Mental nerve, 20, 27, 28, 30, 35, 89, 90
- block, 108–109
- Mepivacaine, 39
- Mesencephalon, 23
- Methaemoglobinaemia, 182
- Methylparaben, 49, 167
- Microprocessor-aided/microprocessor-assisted injection, 114–115
- Anaject® by Septodont®, 115–116
 - Analge Ject® by Ronvig Dental®, 122
 - Midwest Comfort Control Syringe® by Dentsply®, 119–120
 - practical use, 122–123
 - QuickSleeper S4® by Dental-Hi Tec®, 117–119
 - SleeperOne® by Dental-Hi Tec®, 116–117
 - Wand® by Milestone Scientific®, 120–121
- Microprocessor-controlled anaesthesia, 143–144
- Middle meningeal artery, 27, 29, 33, 35
- Middle superior alveolar nerve, 24, 70, 72, 76
- Miscarriage, 194
- Molars
- lower jaw
 - anatomical aspects, 100
 - indication, 101
 - technique, 101
 - upper jaw
 - anatomical aspects, 79–81
 - indication, 81
 - technique, 81–84
- Monoamine oxidase inhibitors, 184
- Motoric innervation, 12
- Motor nucleus of trigeminal nerve, 23
- Motor root, 23, 29
- μ-receptors, 15
- Mylohyoid nerve, 20, 27, 29

N

- Nasal nerves, 25
- Nasociliary nerve, 20, 24
- Nasopalatine nerve, 25, 30
- block, 106–108
- Needle, 56–57
- breakage, 148–150
- Nerve cell, 4, 6
- Nervecranial nerve IV, 23
- Nerve damage, mandibular block, 130–132
- Nerve impulse transmission
- impulse conduction and transfer, 12–14
 - impulse formation, 7–12
 - modulation, 14–16
 - peripheral nerve structure, 4–7
- Neuromodulation, 14–16
- Nociceptors, 2, 3, 22
- Nose drops, 184

O

- Odontoblasts, 2
- Olfactory nerve, 25
- Ophthalmic nerve, 20, 21, 23, 24, 28, 29
- Oral cavity, 30, 34
- Otic ganglion, 29, 33

P

Pain

- during administration, 151
 - in children, 126–129
 - anaesthesia, preparation for, 130–134
 - child-friendly procedure, 134–135
 - security and support, 129–130
 - warning, 135–136
 - long-acting anaesthesia, 102
 - perception, 16
 - receptors, 2–4
- Palatal anaesthesia, 138–140
- Palatine infiltration anaesthesia, 74
- Palatine nerves, 25, 29
- Para-amino benzoic acid (PABA), 47–48
- Paralysis, 154
- Parotid gland, 33
- Peripheral nerve, structure of, 4–7
- Persistent sensitivity disorders, 155, 156
- Pharmacodynamics, 40
- Pharmacokinetics
- diffusion, 43
 - enhanced local elimination, 46–47
 - local elimination, 45–46
 - mode of action, 43–44
 - onset time and duration of action, 44–45
 - physical-chemical characteristics, 40–42
 - protein binding, 44
 - systemic elimination, 47–48
- Pharynx, 34
- Phenothiazines, 184
- Phentolamine, 47
- Phenytol, 183
- Physiological sensors, 2, 4
- Polyethylene glycol, 50
- Pons, 20, 23
- Posterior superior alveolar nerve, 24, 27, 70, 76
- Potassium ions, 9–11
- Pregnancy, 182–183
- Premolars
- lower jaw
 - anatomical aspects, 92–93
 - indication, 93
 - technical aspects, 94
 - upper jaw
 - anatomical aspects, 76–77
 - indication, 77
 - technique, 77–79
- Prilocaine, 44, 182
- Primary afferent axons, 5
- Procaine, 38
- Proprioceptors, 22

Propylparaben, 49
 Prostaglandin E₂, 15
 Provocation test, 171
 Pterygoid nerves, 27, 29
 Pterygomandibular space, 33–36, 95
 Pterygopalatine fossa, 31–33
 Pterygopalatine ganglion, 20, 24, 25, 29

R

Regional block anaesthesia, 12, 53, 71, 73, 83, 180–181
 – palatine nerve, 81
 Renal function, 183
 Resting potential
 Retromandibular vein, 33

S

Saltatory conduction, 12–14
 Sedatives, 183
 Semipermeable membrane, 8–9
 Sensibility disorder, 47
 Sensory innervation, 12, 24, 30, 32–33, 70, 71, 76
 Sensory nerves, 22
 Sensory root, 23, 29
 Skin paleness, 156
 Sodium ions, 9–11
 Sphenomandibular ligament, 33, 35
 Spinal tract nucleus, trigeminal nerve, 23
 Sublingual gland, 27
 Submandibular ganglion, 20, 27
 Submandibular gland, 27
 Sulphonamides, 183
 Superior alveolar arteries, 35
 Superior alveolar nerves, 20, 26, 28, 30
 Syringe, 74
 – assembly of, 60–61
 – auto-aspirating syringes, 60, 61
 – insert-and snap-in-type, 58, 59
 – for intraligamental anaesthesia, 62
 – for manual aspiration, 58, 59
 – of rustproof steel, 57, 58
 Systemic complications
 – allergic reactions, 167

- delayed-type hypersensitivity reactions, 168
- immediate-type hypersensitivity reactions, 168
- strategy, suspected allergy, 170–171
- treatment, 169–170
- hyperventilation syndrome, 162–163
- side effects, prevention of, 171–172
- toxicity, 163, 164
 - cardiovascular effects, 165–166
 - central nervous system, 164–165
 - treatment, 166
- vasoconstrictors, systemic effects of, 166–167
- vasovagal collapse, 162

T

Tensor veli palatini muscle, 29, 33
 Thiophenes, 40
 Tissue necrosis, 156–157
 Toluidines, 40
 Tongue, innervation of, 29
 Tooth pain, 16–17
 Topical anaesthesia, 49–50, 63, 136–138, 189
 Toxicity, systemic complications, 163, 164
 – cardiovascular effects, 165–166
 – central nervous system, 164–165
 – treatment, 166
 Transduction, 2, 16
 Tricyclic antidepressants, 184
 Trigeminal ganglion, 20, 23, 24, 28, 70
 Trigeminal nerve, 20–21, 24, 25, 28
 – central part

- origin, 21–22
- trigeminal nuclei, 22–23

- deep areas
- infratemporal fossa and pterygomandibular space, 33–36
- pterygopalatine fossa, 31–33
- nuclei, 22–23
- peripheral part
- mandibular nerve, 26–30
- maxillary nerve, 24–26

– ophthalmic nerve, 24
 Trismus, 157–158
 Tuberosity anaesthesia, 158

U

Upper jaw, local anaesthesia
 – impacted third molar

- anatomical aspects, 84
- indication, 84
- technique, 85

- incisors and canines
- anatomical aspects, 71, 72
- indication, 73
- technique, 74–75
- molars
- anatomical aspects, 79–81
- indication, 81
- technique, 81–84
- premolars
- anatomical aspects, 76–77
- indication, 77
- technique, 77–79
- selective anaesthesia of, 79
- sensory innervation, 70

V

Vasoconstrictors, 53, 106, 157, 164, 174–177, 182
 – additives, 48–49
 – systemic effects of, 166–167
 Vasovagal collapse, 162
 Vazirani-Akinosi technique, 111
 Voltage-gated ion channels, 9

X

Xylidines, 39

Z

Zygomatic buttress, 80, 81
 Zygomatic nerve, 24, 26, 72