

Bibliography

1. B. Berndt, Classical theorems on quadratic residues. *Enseignement Math.* **22**, 261–304 (1976)
2. H. Cohen, *Number Theory*, vol. I (Springer, New York, 2000)
3. J.B. Conway, *Functions of One Complex Variable*, vol. 1 (Springer, New York, 1978)
4. K.L. Chung, *A Course in Probability Theory* (Academic Press, New York, 1974)
5. H. Davenport, On character sums in finite fields. *Acta Math.* **71**, 99–121 (1939)
6. H. Davenport, *Multiplicative Number Theory* (Springer, New York, 2000)
7. H. Davenport, P. Erdős, The distribution of quadratic and higher residues. *Publ. Math. Debrecen* **2**, 252–265 (1952)
8. R. Dedekind, *Sur la Théorie des Nombres Entiers Algébriques* (1877); English translation by J. Stillwell (Cambridge University Press, Cambridge, 1996)
9. P.G.L. Dirichlet, Sur la convergence des series trigonométrique qui servent à représenter une fonction arbitraire entre des limites donnée. *J. Reine Angew. Math.* **4**, 157–169 (1829)
10. P.G.L. Dirichlet, Beweis eines Satzes daß jede unbegrenzte arithmetische Progression, deren erstes Glied und Differenz ganze Zahlen ohne gemeinschaftlichen Faktor sind, unendlich viele Primzahlen enthält. *Abh. K. Preuss. Akad. Wiss.* 45–81 (1837)
11. P.G.L. Dirichlet, Recherches sur diverses applications de l’analyse infinitésimal à la théorie des nombres. *J. Reine Angew. Math.* **19**, 324–369 (1839); **21**(1–12), 134–155 (1840)
12. P.G.L. Dirichlet, *Vorlesungen über Zahlentheorie* (1863); English translation by J. Stillwell (American Mathematical Society, Providence, 1991)
13. J. Dugundji, *Topology* (Allyn and Bacon, Boston, 1966)
14. P. Erdős, On a new method in elementary number theory which leads to an elementary proof of the prime number theorem. *Proc. Nat. Acad. Sci. U.S.A.* **35**, 374–384 (1949)
15. L. Euler, Theoremata circa divisores numerorum in hac forma $pa^2 \pm qb^2$ contentorum. *Comm. Acad. Sci. Petersburg* **14**, 151–181 (1744/1746)
16. L. Euler, Theoremata circa residua ex divisione postestatum relicta. *Novi Comment. Acad. Sci. Petropolitanae* **7**, 49–82 (1761)
17. L. Euler, Observationes circa divisionem quadratorum per numeros primes. *Opera Omnia* **I-3**, 477–512 (1783)

18. M. Filaseta, D. Richman, Sets which contain a quadratic residue modulo p for almost all p . *Math. J. Okayama Univ.* **39**, 1–8 (1989)
19. C.F. Gauss, *Disquisitiones Arithmeticae* (1801); English translation by A. A. Clarke (Springer, New York, 1986)
20. C.F. Gauss, Theorematis arithmetici demonstratio nova. *Göttingen Comment. Soc. Regiae Sci.* **XVI**, 8 pp. (1808)
21. C.F. Gauss, Summatio serierum quarundam singularium. *Göttingen Comment. Soc. Regiae Sci.* 36 pp. (1811)
22. C.F. Gauss, Theorematis fundamentalis in doctrina de residuis quadraticis demonstrationes et amplicationes novae, 1818, *Werke*, vol. II (Georg Olms Verlag, Hildesheim, 1973), pp. 47–64
23. C.F. Gauss, Theorematis fundamentalis in doctrina residuis demonstrationes et amplicationes novae. *Göttingen Comment. Soc. Regiae Sci.* **4**, 17 pp. (1818)
24. C.F. Gauss, Theoria residuorum biquadraticorum: comentatio prima. *Göttingen Comment. Soc. Regiae Sci.* **6**, 28 pp. (1828)
25. C.F. Gauss, Theoria residuorum biquadraticorum: comentatio secunda. *Göttingen Comment. Soc. Regiae Sci.* **7**, 56 pp. (1832)
26. D. Gröger, *Gauß' Reziprozitätsgesetze der Zahlentheorie: Eine Gesamtdarstellung der Hinterlassenschaft in Zeitgemäßer Form* (Erwin-Rauner Verlag, Augsburg, 2013)
27. E. Hecke, *Vorlesungen über die Theorie der Algebraischen Zahlen* (1923); English translation by G. Brauer and J. Goldman (Springer, New York, 1981)
28. D. Hilbert, *Die Theorie der Algebraischen Zahlkörper* (1897); English translation by I. Adamson (Springer, Berlin, 1998)
29. T. Hungerford, *Algebra* (Springer, New York, 1974)
30. K. Ireland, M. Rosen, *A Classical Introduction to Modern Number Theory* (Springer, New York, 1990)
31. P. Kurlberg, The distribution of spacings between quadratic residues II. *Isr. J. Math.* **120**, 205–224 (2000)
32. P. Kurlberg, Z. Rudnick, The distribution of spacings between quadratic residues. *Duke Math. J.* **100**, 211–242 (1999)
33. J.L. Lagrange, Problèmes indéterminés du second degré. *Mém. Acad. R. Berlin* **23**, 377–535 (1769)
34. J.L. Lagrange, Reserches d'Arithmétique, 2nde partie. *Nouv. Mém. Acad. Berlin* 349–352 (1775)
35. E. Landau, *Elementary Number Theory*. English translation by J. Goodman (Chelsea, New York, 1958)
36. A. Legendre, Reserches d'analyse indéterminée. *Histoire de l'Académie Royale des Sciences de Paris* (1785), pp. 465–559, Paris 1788
37. A. Legendre, *Essai sur la Théorie des Nombres* (Paris, 1798)
38. F. Lemmermeyer, *Reciprocity Laws* (Springer, New York/Berlin/Heidelberg, 2000)
39. W.J. LeVeque, *Topics in Number Theory*, vol. II (Addison-Wesley, Reading, 1956)
40. D. Marcus, *Number Fields* (Springer, New York, 1977)
41. H. Montgomery, R. Vaughan, *Multiplicative Number Theory I: Classical Theory* (Cambridge University Press, Cambridge, 2007)
42. R. Nevenlinna, V. Paatero, *Introduction to Complex Analysis* (Addison-Wesley, Reading, 1969)
43. O. Ore, *Les Corps Algébriques et la Théorie des Idéalux* (Gauthier-Villars, Paris, 1934)
44. G. Perel'muter, On certain character sums. *Usp. Mat. Nauk.* **18**, 145–149 (1963)
45. C. de la Vallée Poussin, Recherches analytiques sur la théorie des nombres premiers. *Ann. Soc. Sci. Bruxelles* **20**, 281–362 (1896)

46. H. Rademacher, *Lectures on Elementary Number Theory* (Krieger, New York, 1977)
47. G.F.B. Riemann, Über die Anzahl der Primzahlen unter einer gegebenen Größe. *Monatsberichte der Berlin Akademie* (1859), pp. 671–680
48. K. Rosen, *Elementary Number Theory and Its Applications* (Pearson, Boston, 2005)
49. J. Rosenberg, *Algebraic K-Theory and Its Application* (Springer, New York, 1996)
50. W. Schmidt, *Equations over Finite Fields: an Elementary Approach* (Springer, Berlin, 1976)
51. A. Selberg, An elementary proof of Dirichlet's theorem on primes in arithmetic progressions, *Ann. Math.* **50**, 297–304 (1949)
52. A. Selberg, An elementary proof of the prime number theorem. *Ann. Math.* **50**, 305–313 (1949)
53. A. Shamir, Identity-based cryptosystems and signature schemes, in *Advances in Cryptology*, ed. by G.R. Blakely, D. Chaum (Springer, Berlin, 1985), pp. 47–53
54. J. Shohat, J.D. Tamarkin, *The Problem of Moments* (American Mathematical Society, New York, 1943)
55. R. Taylor, A. Wiles, Ring-theoretic properties of certain Hecke algebras. *Ann. Math.* **141**, 553–572 (1995)
56. J. Urbanowicz, K.S. Williams, *Congruences for L-Functions* (Kluwer, Dordrecht, 2000)
57. A. Weil, *Sur les Courbes Algébriques et les Variétés qui s'en Déduisent* (Hermann et Cie, Paris, 1948)
58. A. Weil, *Basic Number Theory* (Springer, New York, 1973)
59. L. Weisner, *Introduction to the Theory of Equations* (MacMillan, New York, 1938)
60. A. Wiles, Modular elliptic curves and Fermat's last theorem. *Ann. Math.* **141**, 443–551 (1995)
61. S. Wright, Quadratic non-residues and the combinatorics of sign multiplication. *Ars Combin.* **112**, 257–278 (2013)
62. S. Wright, Quadratic residues and non-residues in arithmetic progression. *J. Number Theory* **133**, 2398–2430 (2013)
63. S. Wright, On the density of primes with a set of quadratic residues or non-residues in given arithmetic progression, *J. Combin. Number Theory* **6**, 85–111 (2015)
64. B.F. Wyman, What is a reciprocity law? *Am. Math. Monthly* **79**, 571–586 (1972)
65. A. Zygmund, *Trigonometric Series* (Cambridge University Press, Cambridge, 1968)

Index

- abelian extension, 73
- admissible $2k$ -tuple, 258
- algebraic curve, 232
 - estimate of the number of rational points on a non-singular, 233
 - non-singular, 233
 - rational point of an, 232
- algebraic integer, 47
- algebraic number, 41, 42
 - degree of an, 42
- algebraic number field, 56
 - embedding of an, 127
 - zeta function of an, 133
 - Euler-Dedekind product expansion of the, 134
 - elementary factors of the, 137
- algebraic number theory, 41–48, 56–64, 120–128
- al-Hasan ibn al-Haythem, A. A., 12
- allowable prime, 249
- analytic function, 173
 - Taylor-series expansion of an, 173
- analytic number theory, 91–98, 129–146, 162–196, 204–223
- arithmetic algebraic geometry, 234
- arithmetic progression, 90
- asymptotic density, 97
- asymptotic functions, 97
- basic modulus, 205
- Basic Problem, 13
 - solution of the, 83–86
- Berndt, B., 162, 173, 192, 285
- Bessel's inequality, 181
- (B, \mathbf{S}) -signature, 249
- Cauchy's Integral Theorem, 174
- Central Limit Theorem, 276
- character, 11
 - additive, 235
 - orthogonality relations for an, 236
 - basic, 205
- Dirichlet, 93
 - conductor of a, 204
 - induced modulus of a, 204
 - orthogonality relations for a, 94
 - primitive, 204
 - principal, 93
 - real, 93
- Chinese remainder theorem, 7
- Chung, K.-L., 276, 285
- circle group, 11, 93
- class field theory, 25, 77
- class number
 - of a fundamental discriminant, 210
 - of a number field, 59
- Clay Mathematics Institute, 97
- combinatorial number theory, 152–160, 238–271
- complete Weil sum, 232
 - estimate of a, 234
- computational complexity, 117
- contour, 173
 - closed, 174
 - Jordan, 174
 - exterior of a, 174
 - interior of a, 174
 - positively oriented, 174
- contour integral, 173, 174
- Cohen, H., 207, 223, 285
- Conway, J. B., 174, 175, 285
- cyclotomic number field, 73

- cyclotomy, 6
- Davenport, H., 94, 192, 203, 205, 212, 227, 228, 285
- Davenport, H. and P. Erdős, 273, 277, 285
- Dedekind, R., 57, 120, 150, 285
- Dedekind's Ideal-Distribution Theorem, 120, 126
- Dirichlet, P. G. L., 26, 86, 91, 92, 128, 145, 161, 178, 182, 285
- Dirichlet-Hilbert trick, 228, 229
- Dirichlet kernel, 179
- Dirichlet L -function, 94, 95, 165
- Dirichlet's class-number formula, 212
- Dirichlet series, 129
 - convergence theorem for, 129, 130
- Dirichlet's theorem on primes in arithmetic progression, 90
 - elementary proof of, 152
 - proof of, 92–96
- Disquisitiones Arithmeticae*, 1, 5, 6, 12, 33, 51, 55, 71, 92, 151, 286
- Dugundji, J., 174, 285
- Eisenstein, M., 34, 55
- Eisenstein's criterion, 44
- elementary number theory, 6–19, 34–40, 151–160, 192
- elementary symmetric polynomial, 45
- entire function, 173
- Erdős, P., 152, 285
- Euclidean algorithm, 8
- Euler-Dirichlet product formula, 95, 96, 166, 167
- Euler, L., 12, 29, 92, 151, 285
- Euler's constant, 238
- Euler's criterion, 12
- Euler's totient function, 93
- Fermat, P., 22, 29
- Fermat's Last Theorem, 234
- field of complex numbers, 41
 - degree of a , 56
- Filasetta, M. and D. Richman, 101, 146, 286
- finite extension, 72
- Fourier series, 176
 - complex form of a , 197
 - convergence theorem for, 178
 - cosine coefficient of a , 176
 - finite, 197
 - Fourier coefficients of a , 198
 - sine coefficient of a , 176
- function of bounded variation, 182
- fundamental discriminant, 69
- Fundamental Problem, 16
 - solution of the Fundamental Problem for the prime 2, 16–19
 - solution of the Fundamental Problem for odd primes, 80–82
- Fundamental Theorem of Ideal Theory, 57
 - proof of the, 146–150
- fundamental unit, 128
- Galois automorphism, 72
- Galois field $GF(2)$ of order 2, 98
- Galois group, 72
- Gauss, C. F., 1, 3, 6, 12, 16, 19, 20, 32, 37, 40, 41, 51, 55, 56, 71, 72, 169, 210, 286
- Gauss' lemma, 17, 44
- Gauss sum, 51, 52, 55, 223
 - theorem on the value of a , 169
- Generalized Riemann Hypothesis, 96, 235
- Gröger, D., 32, 286
- group of units, 93
- Hecke, E., 33, 58–61, 65, 66, 68–71, 121, 123, 125, 127, 130, 286
- higher reciprocity laws, 24, 32
- Hilbert, D., 97, 119, 145, 286
- Hungerford, T., 25, 57, 73, 286
- hybrid or mixed Weil sum, 237
- ideal(s), 56
 - equivalent, 59
 - genus of, 71
 - maximal, 56
 - narrow equivalence of, 64
 - norm of a , 60, 123
 - prime, 56
 - degree of a , 57, 137
 - product of, 57
- ideal class, 59
- ideal-class group, 59
- incomplete Weil sum, 234
 - estimate of a , 235
- infinite product, 134
 - absolute convergence of a , 135
 - convergence of a , 135
- integral basis, 59, 120
- inverse modulo m , 7
 - existence and uniqueness theorem for a , 7
- Ireland, K. and M. Rosen, 7, 41, 169, 286
- isolated singularity, 175
- Jacobi, C. G. J., 55, 110
- Jacobi symbol, 110
 - Reciprocity Law for the, 110
- Jordan curve theorem, 174

- Kronecker, L., 169
 Kronecker symbol, 207
 Kurlberg, P., 283, 286
 Kurlberg, P. and Z. Rudnick, 283, 286
 Lagrange, J. L., 29, 32, 70, 286
 Landau, E., 68, 70, 207, 209, 210, 211, 286
 Law of Quadratic Reciprocity (LQR), 25
 Gauss' first proof of the, 33
 Gauss' second proof of the, 30, 64–72
 Gauss' third proof of the, 16, 34–38
 Gauss' fourth proof of the, 34
 Gauss' fifth proof of the, 34, 38–40
 Gauss' sixth proof of the, 34, 40–41, 49–55
 Gauss' seventh proof of the, 32
 Gauss' eighth proof of the, 32
 Legendre, A. M., 32, 286
 Legendre symbol, 11
 Lemmermeyer, F., 29, 38, 286
 LeVeque, W., 98, 101, 286
 linear Diophantine equation, 7
 solution of a, 7–8
 logarithmic integral, 96
 Marcus, D., 61, 74, 286
 method of successive substitution, 84, 85
 Millennium Prize Problems, 97
 minimal polynomial, 42
 Minkowski's constant, 61
 modular substitution, 70
 Montgomery, M. and R. Vaughan, 98, 101, 235, 286
 narrow class number, 64
 narrow ideal class, 64
 narrow ideal-class group, 64
 Nevenlinna, R. and V. Paatero, 135, 286
 norm of a field element, 60
 normal distribution, 6, 276
 notation
 P , 6
 \mathbb{Z} , 6
 \mathbb{Q} , 6
 \mathbb{R} , 6
 $[m, n]$, m and n integers, $m \leq n$, 7
 $[m, \infty)$, m an integer, 7
 $|A|$, A a set, 7
 2^A , A a set, 7
 $\gcd(m, n)$, 7
 $\pi(z)$, 7
 $U(n)$, 7
 χ_P , P a prime, 11
 $X_{\pm}(z)$, z an integer, 14
 $\pi_{\text{even}}(z)$, 14
 $\pi_{\text{odd}}(z)$, 14
 \mathbf{C} , 41
 $A[x]$, A a commutative ring, 41
 $\mathcal{A}(F)$, F a field, 47
 \mathcal{R} , 48
 $[a, b, c]$, 69
 $\mathcal{Q}(d)$, 69
 $\mathcal{I}(d)$, 69
 $GF(2)$, 98
 χ_m , m an odd positive integer, 100
 \mathcal{I} , 124
 $Z(n)$, 124
 \mathcal{Q} , 134
 $q(I)$, I a subinterval of the real line, 162
 $G(n, p)$, 169
 $R(n)$, 210, 211
 $AP(\mathbf{b}; s)$, 230
 $AP(\mathbf{a}, \mathbf{b}; s)$, 231
 $q_{\varepsilon}(p)$, p an odd prime, 243, 245
 $AP(B, \mathbf{S})$, 245
 $\mathcal{E}(A)$, A a finite set, 247
 \mathcal{K}_{\max} , 248
 $\Lambda(K)$, 249
 $\Pi_{\pm}(B, \mathbf{S})$, 249
 $\Pi_{\pm}(\mathbf{a}, \mathbf{b})$, 261
 ordinary residue, 7
 minimal non-negative, 7
 Ore, O., 146, 286
 overlap diagram, 259
 block of an, 260
 column of an, 259
 gap sequence of an, 259
 Paley, R. E. A. C., 235
 Perel'muter, G., 4, 237, 286
 piecewise differentiable function, 177
 Poisson distribution, 283
 pole, 175
 order of a, 175
 simple, 175
 Polya, G., 234
 Poussin, C. de la Vallée, 96, 192, 286
 primary discriminant, 207
 primary factorization, 207
 Prime Number Theorem, 98
 elementary proof of the, 152
 optimal error estimate for the, 96
 Prime Number Theorem on primes in
 arithmetic progression, 101
 elementary proof of the, 152
 primes in arithmetic progression, 86
 principal genus, 71
 principal ideal class, 59
 probability space, 275
 quadratic congruence, 2

- quadratic excess, 162
- quadratic form(s), 5,
 - automorph of a , 208
 - composition of, 5
 - discriminant of a , 68
 - equivalent, 70
 - genus determined by a , 71
 - indefinite, 69
 - irreducible, 68
 - negative definite, 69
 - positive definite, 69
 - primary representation by a , 211
 - primitive, 208
 - representation by a , 69
 - representative system of, 210
- quadratic non-residue, 4
- quadratic number field, 58
 - algebraic integers in a , 58
 - decomposition law in a , 58, 59
 - discriminant of a , 61
 - regulator of a , 128
 - zeta function of a , 139
- quadratic residue, 4
- quadratic residuosity problem, 109
- quotient diagram, 260
 - block of a , 260
- Rademacher, H., 196, 287
- random variable(s), 275
 - distribution function of a , 275
 - independent, 275
 - mean of a , 275
 - variance of a , 275
- reciprocity law for polynomials, 24
- residue (at a pole of an analytic function), 175
- residue pattern, 238–239
- residue (non-residue) support property, 239
- residue (non-residue) support set, 239
- residue theorem, 175
- Riemann, G. F. B., 96, 287
- Riemann Hypothesis, 96
- Riemann-Lebesgue lemma, 181
- Riemann zeta function, 96
 - Euler-product expansion of the, 136
- Rosen, K., 7, 108, 287
- Rosenberg, J., 33, 287
- Schmidt, W., 234, 237–238, 287
- Selberg, A., 152, 287
- Shamir, A. 108, 287
- Shamir's algorithm, 108, 109
- Shohat, J. and J. D. Tamarkin, 280, 287
- splitting field, 73
- splitting modulus, 23
- square-free integer, 43
- square-free part, 152
- standard $2m$ -tuple, 242
- Supplement X, 57
- supports all patterns, set which, 145
- symmetric difference, 154
- Taylor, R., 234
- Taylor, R. and A. Wiles, 234, 287
- theorema aureum*, 19, 20
- unit (in a ring), 93
- universal pattern property, 239
- Urbanowicz, J. and K. S. Williams, 223, 287
- Vinogradov, I. M., 235
- Vorlesungen über Zahlentheorie*, 26, 33, 57, 92, 285
- Weierstrass approximation theorem, 281
- Weil, A., 233, 234, 287
- Weisner, L., 46, 48, 287
- Wiles, A., 234, 287
- Wilson, J., 12
- Wilson's theorem, 12
- Wright, S., 160, 241, 254, 261, 271, 287
- Wyman, B. F., 23, 24, 287
- zero-knowledge proof, 107
- Zygmund, A., 182, 287

Editors in Chief: J.-M. Morel, B. Teissier;

Editorial Policy

1. Lecture Notes aim to report new developments in all areas of mathematics and their applications – quickly, informally and at a high level. Mathematical texts analysing new developments in modelling and numerical simulation are welcome.

Manuscripts should be reasonably self-contained and rounded off. Thus they may, and often will, present not only results of the author but also related work by other people. They may be based on specialised lecture courses. Furthermore, the manuscripts should provide sufficient motivation, examples and applications. This clearly distinguishes Lecture Notes from journal articles or technical reports which normally are very concise. Articles intended for a journal but too long to be accepted by most journals, usually do not have this “lecture notes” character. For similar reasons it is unusual for doctoral theses to be accepted for the Lecture Notes series, though habilitation theses may be appropriate.

2. Besides monographs, multi-author manuscripts resulting from SUMMER SCHOOLS or similar INTENSIVE COURSES are welcome, provided their objective was held to present an active mathematical topic to an audience at the beginning or intermediate graduate level (a list of participants should be provided).

The resulting manuscript should not be just a collection of course notes, but should require advance planning and coordination among the main lecturers. The subject matter should dictate the structure of the book. This structure should be motivated and explained in a scientific introduction, and the notation, references, index and formulation of results should be, if possible, unified by the editors. Each contribution should have an abstract and an introduction referring to the other contributions. In other words, more preparatory work must go into a multi-authored volume than simply assembling a disparate collection of papers, communicated at the event.

3. Manuscripts should be submitted either online at www.editorialmanager.com/lnm to Springer’s mathematics editorial in Heidelberg, or electronically to one of the series editors. Authors should be aware that incomplete or insufficiently close-to-final manuscripts almost always result in longer refereeing times and nevertheless unclear referees’ recommendations, making further refereeing of a final draft necessary. The strict minimum amount of material that will be considered should include a detailed outline describing the planned contents of each chapter, a bibliography and several sample chapters. Parallel submission of a manuscript to another publisher while under consideration for LNM is not acceptable and can lead to rejection.

4. In general, **monographs** will be sent out to at least 2 external referees for evaluation.

A final decision to publish can be made only on the basis of the complete manuscript, however a refereeing process leading to a preliminary decision can be based on a pre-final or incomplete manuscript.

Volume Editors of **multi-author works** are expected to arrange for the refereeing, to the usual scientific standards, of the individual contributions. If the resulting reports can be

forwarded to the LNM Editorial Board, this is very helpful. If no reports are forwarded or if other questions remain unclear in respect of homogeneity etc, the series editors may wish to consult external referees for an overall evaluation of the volume.

5. Manuscripts should in general be submitted in English. Final manuscripts should contain at least 100 pages of mathematical text and should always include
 - a table of contents;
 - an informative introduction, with adequate motivation and perhaps some historical remarks: it should be accessible to a reader not intimately familiar with the topic treated;
 - a subject index: as a rule this is genuinely helpful for the reader.
 - For evaluation purposes, manuscripts should be submitted as pdf files.
6. Careful preparation of the manuscripts will help keep production time short besides ensuring satisfactory appearance of the finished book in print and online. After acceptance of the manuscript authors will be asked to prepare the final LaTeX source files (see LaTeX templates online: <https://www.springer.com/gb/authors-editors/book-authors-editors/manuscriptpreparation/5636>) plus the corresponding pdf- or zipped ps-file. The LaTeX source files are essential for producing the full-text online version of the book, see <http://link.springer.com/bookseries/304> for the existing online volumes of LNM). The technical production of a Lecture Notes volume takes approximately 12 weeks. Additional instructions, if necessary, are available on request from lnm@springer.com.
7. Authors receive a total of 30 free copies of their volume and free access to their book on SpringerLink, but no royalties. They are entitled to a discount of 33.3 % on the price of Springer books purchased for their personal use, if ordering directly from Springer.
8. Commitment to publish is made by a *Publishing Agreement*; contributing authors of multiauthor books are requested to sign a *Consent to Publish form*. Springer-Verlag registers the copyright for each volume. Authors are free to reuse material contained in their LNM volumes in later publications: a brief written (or e-mail) request for formal permission is sufficient.

Addresses:

Professor Jean-Michel Morel, CMLA, École Normale Supérieure de Cachan, France

E-mail: moreljeanmichel@gmail.com

Professor Bernard Teissier, Equipe Géométrie et Dynamique,

Institut de Mathématiques de Jussieu – Paris Rive Gauche, Paris, France

E-mail: bernard.teissier@imj-prg.fr

Springer: Ute McCrory, Mathematics, Heidelberg, Germany,

E-mail: lnm@springer.com